

Cyber Threat Intelligence Report

Template

Project Title: OSINT-Based Threat Intelligence Assessment

Target Organization: Netflix Inc.

Industry Sector: Technology/Media & Entertainment

Analyst: Remi Adeparusi

Date: January 22nd 2026

Confidentiality Notice

This report contains defensive Cyber threat intelligence derived exclusively from publicly available open source information (OSINT). It is prepared strictly for educational and analytical purposes and does not include exploitation, intrusion, or unauthorized access activities.

1.Executive Summary

This report presents an Open-Source Intelligence (OSINT) threat intelligence assessment of Netflix, Inc. It focuses on phishing, brand impersonation, and credential harvesting threats. By using only passive and ethical intelligence collection techniques, the analysis shows how threat actors take advantage of publicly available information and trusted cloud services to mislead Netflix customers. The active phishing pages, exposed subdomains, and legitimate cloud infrastructure (AWS) that attackers use to get around security filters. Even though Netflix has strong email authentication and security controls, attackers continue to adapt through social engineering, which remains a constant high business risk due to attackers using trusted cloud infrastructure for phishing makes it more likely that attackers will successfully collect credentials. This could lead to financial loss from account takeovers, damage to reputation from brand abuse, and a decrease in customer trust. Primary Recommendation: Use improved domain monitoring and automated take-down services for look-alike domains.

2.1 Organization Profile/Overview

Netflix, Inc. is a global streaming service that offers subscriptions video on demand in over 190 countries. Some of its core services include film/television production, streaming media and also mobile gaming. Its wide online presence, which includes login portals, billing systems, customer support platforms, and mobile apps, makes the brand a common target for phishing and fraud-related Cybercrime.

2.2 Netflix Digital Footprint

Netflix has a high digital footprint globally as it provides a platform where customers can carry out their online services. The digital footprint raises the visibility and trust that the firm enjoys, and despite that, it presents an enablement target and a platform where driven reconnaissance and brand impersonation can take place. Its huge digital footprint are characterized by wide subdomains such as netflix.com (main site for customers login in, managing account, handling billing and password reset), help.netflix.com, aboutnetflix.com, instagram is @netflix, waarnetflix.

3.1 Intelligence Objectives

The main objective of this assessment is to understand how the information made public can be utilized in conducting phishing activities, brand impersonation credential harvesting, and other fraudulent activities against Netflix and its customers. Through the application of ethical and passive OSINT approaches, the assessment aims at identifying the risks from the public digital footprint of Netflix and conducting ways through which these risks can create a potential impact on its customers and its daily business operations.

This project aims to:

- Determine phishing and impersonation campaigns targeting Netflix by examining indexed pages of Netflix logins, account recovery mechanisms, and popular Netflix-themed content often used in social engineering attacks.
- To find exposed or observable assets including domains, subdomains, email formats, and past web page content that can be used as leverage by the attacker when creating a campaign of phishing or simply gathering information.
- Measure the degree of brand abuse for fraud involving look alike domains, replicated web pages, and third-party infrastructures with the intent to trick Netflix subscribers into giving their credentials and payment details.
- Obtain attacker intents and methods by combining results from the correlation of OSINT with the MITRE ATTACK reference and identifying the ways the attacker can advance from reconnaissance to credential theft and takeover.
- Explain and translate technical observations into a business-relevant risk regarding what it means to their reputation, customer trust, and possible loss as opposed to exploitability of the system.

3.2 Scope & Limitations

The Netflix OSINT project is based solely on open-source intelligence with no active scanning, penetration testing, or exploitation of systems whatsoever. Only information gathered from public sources is considered for this project while ensuring that all activities were done withing ethical and legal bounds to make this project information-based only.

4. Methodology & Tools Used

4.1 OSINT Methodology

The assessment planning phase Started with explaining intelligence requirement such as identification of Phishing, brand Impersonation, and fraud risks to Netflix. Assessment only took into account publicly available information related to the external digital footprint of Netflix, and no scanning or exploitation was performed.

Processing phase Publicly available and accessible data was collected through ethical OSINT practices like the use of search engines, domain enumeration, online reputation information, and web archiving. Emphasis is placed on domains, subdomains, email patterns, login pages, account-related pages, and phishing indicators often exploited by attackers.

For the porocessing phase, we utilized the data that was previously collected was reviewed, filtered, and validated in order to reduce the occurrence of false positives while removing any extra information that was not required. Indicators were also enriched using 'Reputation Services' in order to verify their legitimacy while checking their abuse history in an accurate manner.

Validated information was analyzed to understand attacker intent, technique, or potential scope. Observations were also correlated with the MITRE ATTACK framework to understand the potential capabilities that attackers could utilize while moving from reconnaissance stages, credential theft, fraud, leveraging the brand name Netflix.

The results were disseminated and documented in a structured threat intelligence report designed for a SOC and CTI audience. Findings were translated into business-relevant risks supported by evidence, with actionable mitigation recommendations provided to reduce exposure.

4.2 Tools utilized

Google Dorks: This was used to find publicly indexed content related to Netflix login portals, password reset mechanisms, security documents, etc. This was used to imitate the behavior of attackers looking for high value userspace content that often ends up being cloned to perform phishing attacks.

TheHarvester: It was used to make a passive enumeration of email pattern and subdomain names associated with Netflix from publicly available information. This illustrates how attackers gather legitimate-appearing forms of emails and web content that could be used to impersonate and social engineer.

Shodan: It was used at a high level to verify the presence of publicly identifiable services associated with Netflix. No host selection, port, or vulnerability identification was made. The tool allows for the comprehension of the outside view of the system on the part of the attacker.

Wayback Machine: this was used to investigate different historical designs of Netflix's online web pages such as their login page and support page designs in terms of how they might have been utilized by malicious actors to phish unsuspecting visitors to these websites.

MXToolbox: Used to assess the e-mail authentication posture of Netflix, including SPF, DKIM, and DMARC. Results show that it has great protections in place to prevent direct domain spoofing. Explain to the students why bad actors rely on look-alike domains and third-party infrastructure.

VirusTotal: Used to evaluate the reputation of Netflix-themed URLs and phishing indicators: the tool helps confirm if the suspicious link has been previously flagged by security vendors or the community.

URLScan.io: This was used to safely observe the behavior of suspected phishing URLs without direct interaction. This gives context on page structure, redirection behavior, and the loading of external resources.

AbuseIP: This is used to evaluate the historical reputation of IP addresses used to host phishing infrastructure. This also enables the identification of frequently misused cloud-based services by criminals.

WHOIS: Used in validating and ensuring domain ownership, registration details, and age. This is done to identify genuine Netflix properties from recently registered similarly named domains usually used in phishing.

Have I Been Pwned: This is used for checking if the publicly disclosed email addresses related to Netflix were present in any data breaches. This step assists with the verification of indicators as well as the minimization of false positive occurrences.

5. OSINT Collection Summary

This assessment went through different collection of several openly sourced data, through ethical OSINT techniques, in order to assess phishing campaigns, brand impersonation, credential harvesting, and fraud risks against Netflix. The focus of this collection phase was on identifying information that could be used by threat actors in reconnaissance and social engineering activities.

Below are the data types collected:

Domains and look alike domains similar to Netflix branding, including publicly observable login, billing, and support related URLs. These were studied in order to understand how attackers could build domains that look very similar for phishing and impersonation campaigns.

Information regarding Email addresses and Email pattern identification concerning Netflix and publicly available Internet services. This information illustrates ways an attacker can develop legitimate mail address formats to send phishing emails.

IP addresses and related providers of web hosting services used to conduct the suspicious phishing activities. These indicators were referenced at a high level to focus on the use of third-party or cloud hosted services usually misused by attackers.


URLs related to phishing, brand Impersonation, fraudulent and credentialing activity attacks, like URLs found in phishing messages themed on Netflix and other phishing pages disguised as Netflix.


Historical web content like old login and account-related content that demonstrates how attackers reuse old legitimate designs to add credibility to phishing campaigns.

Email authentication information, as well as reputation metadata, including SPF, DKIM, DMARC, and public reputation, helps assess the organization's immunity towards domain spoofing, as well as the attacker using alternative delivery methods.

6.Key Findings & Exposure


6.1 Phishing and Brand Impersonation: This part highlight the observation of threat actors using the trusted brand name of Netflix in an attempt to swindle its end-users for their own financial benefit. Financial Gain and Payment Fraud is the most noticeable theme in the emails is the phishing attempt to deceive customers into committing financial fraud. Attackers often launch a spear phishing attack where they encourage the user to click on malicious links to verify their account or change payment details. All campaigns employ electronically mediated social engineering tactics to induce a sense of legitimacy.






Google dork search on inurl:netflix login revealing some phishing page netflix login

- **Look alike domains and infrastructure identified:** The adversaries were found to utilize the email delivery system of the popular online cloud service, Amazon Web Services, which is considered to be a safe delivery platform. By doing so, the adversaries can avoid detection by other threat intelligence tools who will flag the mail as being "clean" due to the source reputation. The attackers, during the reconnaissance stage, have been observed to use third-party domains in order to carry out their attack lifecycle. A particular IP address, 54.240.4.22, was found and processed through the tool AbuseIPDB as a part of the infrastructure for the attacks.




shodan.io search on org:"netflix"



shodan.io search on org:"netflix" organization report

- **Fake login pages and cloned content:** using google dork inurl:netflix login, reveals the active phishing pages that look like the official network log in portal. Threat actors were successful at cloning the Netflix logo to deceive customers of the authenticity. The fake pages were designed to input capture allowing attackers to harvest users credentials when entered.



Google dork search on `inurl:netflix login` revealing some phishing page netflix login.


6.2 Infrastructure Exposure: This project review the technical assets and cloud techniques and patterns that reveal netflix digital presence and exposure to potential exploitation. Researching the public visible service, based on the result on shodan.io searches (`org:"netflix"`) and theharvester result, there was an exposure of some subdomains. Shodan.io report some open ports associated with netflix organization with some detailed report on port configuration and their organization service maps. Wayback machine history revealed how Netflix web design have evolved that helped threat actor build clones for phishing.

In regard to the cloud or hosting patterns abused by attackers, attackers do not simply carry out attacks against Netflix; instead, they utilize trusted cloud ecosystems to remain under the cover of their ill practices.


The analysis of phishing samples collected via MxToolbox showed that the cyberattackers are taking advantage of the Amazon Web Services (AWS) infrastructure. This reveals the abuse of trusted infrastructure.

Since AWS is a 'trusted cloud email delivery infrastructure,' threat intelligence tools or services like VirusTotal have labeled the emails as "clean." which impacted the result.


Cybercriminals were discovered to be acquiring, renting, or leasing third-party domains to host and hence support their activities, mimicking Netflix's hosting infrastructure, logos, etc. Cybercriminals employ different solutions including physical or virtual infrastructure hosting via relaying information to and from compromised systems through legitimate public web services.




theHarvester -d netflix.com -b all revealing the The email [hcho@netflix](mailto:hcho@netflix.com)



haveibeenpwned.com report on an email address found on theHarvester -d netflix.com -b all (email is hcho@netflix.com)



haveibeenpwned.com report on an email address found on theHarvester -d netflix.com -b all (email is hcho@netflix.com)



haveibeenpwned.com report on an email address found on theHarvester -d netflix.com -b all (email is hcho@netflix.com)

7.1. Threat Analysis & Risk Assessment

From the threat actor's perspective, the collected OSINT gives enough information to support phishing and brand impersonation campaigns without needing to compromise systems directly.

Likely Attack Paths are as follows:

- ◆ Reconnaissance: Attackers collect publicly available Netflix login pages, email formats, and past web designs.
- ◆ Resource Development: They create look alike domains and cloned login pages using Netflix branding and language.
- ◆ Delivery: Phishing emails are sent from third-party or cloud-hosted systems to avoid detection and appear more legitimate.
- ◆ Credential Harvesting: Victims are redirected to fake login or billing pages where their credentials or payment details are captured.
- ◆ Exploitation and Impact: Compromised accounts are used for subscription fraud, resale, or further social engineering.

Below are the Common Attacker Techniques:

- ➔ Brand impersonation with look-alike domains.
- ➔ Social engineering through urgent messaging.
- ➔ Credential harvesting using cloned login pages.
- ➔ Use of trusted cloud services to lower the chances of detection.

Alignment With Known Threat Behaviors (MITRE ATTACK). The observed activity matches established adversary techniques, listed are:

- ◆ Reconnaissance – Phishing for Information (T1598): Collecting user and organization information to aid targeting.
- ◆ Resource Development – Acquire Infrastructure (T1583): Registering domains and using third-party hosting services.
- ◆ Initial Access – Phishing (T1566): Delivering malicious links through impersonation emails.
- ◆ Credential Access – Input Capture (T1056): Harvesting credentials using fake web forms.
- ◆ Command and Control – Web Services (T1102): Sending captured data through legitimate external services.


Risk Impact

Brand Reputation- High

Customer Trust- High

Financial fraud- Medium-high

Operational Impact- Medium



sample email of phishing email sent by cybercriminals.

7.2. Business Risk Impact


The identified threat activities mainly involve phishing, brand impersonation, and misuse of trusted infrastructure rather than direct attacks on Netflix systems. Still, these activities present measurable business risks.

- **Financial Risk is considered Medium** as phishing and account takeover campaigns targeting Netflix customers can lead to the following below; Subscription fraud and unauthorized account access, costs for customer support, refunds, and fraud prevention and higher spending on monitoring and take-down efforts. While Netflix's core infrastructure remains secure, the size of the user base increases the financial impact of even low-cost phishing operations.
- **Reputational Damage is considered High** as brand impersonation and phishing directly influence public perception because; customers link fraudulent communications to Netflix. Ongoing phishing campaigns weaken confidence in official communications. Negative experiences are often shared publicly, increasing reputation harm.
- **Customer Trust is considered high.** Trust is crucial for subscription-based services; Successful phishing lowers confidence in account security. Users may hesitate to engage with legitimate Netflix emails. Loss of trust can lead to account cancellations or decreased engagement. Even unsuccessful phishing attempts harm customer trust over time.
- **Regulatory Exposure is considered Low to Medium.** There was no evidence of internal data breaches or regulatory violations. However: Misuse of customer data through phishing may lead to regulatory scrutiny. Areas with strict consumer protection laws may demand notification


or investigation. Regulatory exposure is limited but could grow if phishing activity increases or causes widespread consumer harm.

8. Evidence Log


The evidence provided below supports the findings presented in this report. All artifacts were collected through passive OSINT methods. No exploitation, active scanning, or interaction with internal systems was conducted.




Google dork search on inurl:netflix login




Google dork search on site:netflix.com filetype:pdf "security"



site:target.com filetype:pdf "internal". This is to help analyst see the organization through the attackers perspective.



theHarvester -d netflix.com -b all



waybackmachine search on netflix.com from 2018

kali-linux-2025.4-virtualbox-amd64 [Running] - Oracle VirtualBox

File Machine View Input Devices Help

inurl:netflix login - Go... site:netflix.com filetype: Shodan Search Engine Netflix - Watch TV Sho... Email Header Analyzer VirusTotal - URL Add-ons Manager

mxtoolbox.com/Public/Tools/EmailHeaders.aspx?huid=c86089cc-c2cb-48a0-815a-c764daa0cc2c

OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB

pct 100 Percentage Percentage of messages from the Domain Owner's mail stream to which the DMARC policy is to be applied. Valid value is an integer between 0 to 100.
rua mailto:dmarc@huaylung.com Receivers Addresses to which aggregate feedback is to be sent. Comma separated plain-text list of DMARC URIs.

Test	Result
DMARC Policy Not Enabled	DMARC Quarantine/Reject policy not enabled
DMARC Record Published	DMARC Record found
DMARC Syntax Check	The record is valid
DMARC Multiple Records	Multiple DMARC records corrected to a single record.
DMARC External Validation	All external domains in your DMARC record are giving permission to send them DMARC reports.

Your DNS hosting provider is "name.com" [Need Bulk Dns Provider Data?](#)

Reported by ns2cvx.name.com on 1/20/2026 at 7:53:44 PM (UTC 0), just for you.

spf:eu-west-1.amazonaws.com:54.240.4.22 [Show](#)

v=spf1 include:amazonses.com -all

dkim:huaylung.com:m5r6sjzwbkzng7vpba625unyegd4r2 [Show](#)

Dkim Public Record

p=M1B1JANDgkqhkiG9w0BAQ0QEAACQA8AMITBCKCAQEASiYgggSc7l9K0Zw6VcLDhbbph6ZwJCM6DlWH1h7pI115xTMEJ3Xmm8Qnc6Zw/zNc1hXP608vW2odsZOH/eduL4JcVP1Q1Hj94aj2nAxTNqpN6d+YZMaQ0+0Nx1h2g2gYDjgmnooKVsM0DQ6s6zk2wAX/6Sz/IZU8H1bPkwlpB8BjX

Your IP is: 99.102.195.50 Contact Terms & Conditions Site Map Security API Privacy Phone: (866) 698-9052 © Copyright 2004-2021 MXToolbox, Inc. All rights reserved. US Patents 1983003 B2 & 11461798 B2

Mxtoolbox analysis of the phishing email revealing AWS

kali-linux-2025.4-virtualbox-amd64 [Running] - Oracle VirtualBox

File Machine View Input Devices Help

inurl:netflix login - Go... site:netflix.com filetype: org:"netflix" - Shodan Se... Netflix - Watch TV Shows... Email Header Analyzer, R VirusTotal - URL

www.virustotal.com/gui/url/d824451637f6ef808030fd0cd811e9322a3abafcc332007f198b3a294944811f3

OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB

http://hypothesisumyhmeywss@huaylung.com/

0 / 97 Community Score

No security vendors flagged this URL as malicious

[http://hypothesisumyhmeywss@huaylung.com/](#)

Status 200 Last Analysis Date 22 hours ago

DETECTION DETAILS COMMUNITY


[Join our Community](#) and enjoy additional community insights and crowdsourced detections, plus an API key to [automate checks](#).

Security vendors' analysis

Security vendor	Result	Security vendor	Result
Abusix	Clean	Acronis	Clean
ADMINUSLabs	Clean	AILabs (MONITORAPP)	Clean
AlienVault	Clean	Antiy-AVL	Clean
Artists Against 419	Clean	benkow.cc	Clean
BitDefender	Clean	BlockList	Clean
Blueliv	Clean	Certego	Clean

Do you want to automate checks?

Virus total report on phishing email. Report came out clean due to the attacker use of a third party cloud service “AWS”



Abuse ipdb report on the ip 54.240.4.22 reported from phishing email.

9. Mitigation AND Recommendations

Brand Monitoring and Takedown Processes: there should be continuous brand monitoring to find look alike domains, fake websites, and impersonation campaigns that target Netflix. This should be done by closely Monitor newly registered domains that look like Netflix branding, setting up quick takedown processes with registrars and hosting providers and working with threat intelligence vendors to detect brand abuse. Finding issues early shortens the lifespan of phishing campaigns and limits customer exposure.

Email Security Improvements (SPF, DKIM, DMARC): There should be maintain and enforcement of strong email authentication policies to prevent domain spoofing and impersonation. Continue enforcing DMARC with a strict policy. There should be a regularly review SPF and DKIM settings for third-party services. DMARC reports for spoofing attempts and trends in abuse should be monitored. This action taken will force attackers into relying on less trusted infrastructure, which increases detection and reduces the effectiveness of their campaigns.

User Awareness and Phishing Education: There should be strengthen customer awareness programs that focus on identifying phishing and fraudulent communications. This can be achieved by Publishing clear guidance on official Netflix communication practices, regularly reminding users to verify URLs before entering their credentials. Providing simple ways for users to report suspected phishing attempts. An informed user base greatly reduces the success rate of social engineering attacks.

Continuous OSINT and Threat Monitoring: there should be integration of continuous OSINT monitoring into the threat process to identify emerging threats early. This should be done by monitoring phishing feeds, breach notifications, and abuse databases. Track trends in attacker infrastructure and their delivery methods. Periodically reassess exposure using passive OSINT techniques. Proactive monitoring will allow for early warnings, trend analysis, and quicker responses to changing threats.

10. Conclusion

This OSINT-based threat intelligence assessment focused and looked at Netflix's external digital presence, focusing on phishing, brand impersonation, credential harvesting, fraud-driven social engineering attacks and misuse of trusted infrastructure. The findings show that, despite Netflix having strong internal security measures and effective email authentication, its global brand visibility attracts threats driven by social engineering that target customers instead of core systems. Publicly accessible branding elements, login workflows, and communication patterns give attackers enough information to carry out convincing phishing campaigns. This poses risks of financial loss, reputation harm, and loss of customer trust. The assessment highlights the need for ongoing OSINT driven monitoring to catch emerging threats early, support quick responses, and guide risk based decision making. Proactive threat intelligence, along with solid brand protection and user awareness, is crucial for minimizing the impact of external threats and ensuring long term organizational strength.

11. Ethical Considerations & Disclaimer

All the data used in this assessment was obtained from publicly available sources of open-source intelligence (OSINT) information. No active scanning or exploitation of the Netflix infrastructure was performed. The examination was done solely for academic purposes to assess the exposure to external threats. No confidential data was used or maintained.

References

AbuseIPDB. *Abuseipdb: IP address reputation and abuse reporting*. <https://www.abuseipdb.com>

Google. *Google search*. <https://www.google.com>

Internet Archive. *Wayback machine*. <http://web.archive.org>

MXToolbox. *MXToolbox: DNS, blacklist, and email diagnostics*. <https://mxtoolbox.com>

Shodan. *Shodan search engine*. <https://www.shodan.io>

VirusTotal. *VirusTotal: Analyzing suspicious files and URLs*. <https://www.virustotal.com>

theHarvester. *theHarvester OSINT tool*. <https://github.com/laramiestheHarvester>

MITRE. *MITRE ATT&CK: Adversary tactics and techniques knowledge base*. <https://attack.mitre.org>

Appendix

kali-linux-2025.4-virtualbox-amd64 [Running] - Oracle VirtualBox

FileMachineViewInputDevicesHelp

Whois netflix.com

www.whois.com/whois/netflix.com

OffSecKali LinuxKali ToolsKali DocsKali ForumsKali NetHunterExploit-DBGoogle Hacking DB

Whois

DomainsHostingServersEmailSecurityWhoisDeals

Enter Domain or IPWHOIS

netflix.com

Updated 2 days ago

Interested in similar domains?

Domain Information

Domain:

netflix.com

Registered On:

1997-11-11

Expires On:

2027-11-10

Updated On:

2025-10-09

Status:

client delete prohibited
client transfer prohibited
client update prohibited
server delete prohibited
server transfer prohibited
server update prohibited

Name Servers:

ns-1372.awsdns-43.org
ns-1984.awsdns-56.co.uk
ns-659.awsdns-18.net
ns-81.awsdns-10.com

Registrar Information

Registrar:

MarkMonitor Inc.

IANA ID:

292

cryptonetflix.com

Buy Now

paynetflix.com

Buy Now

netflixmail.com

Buy Now

netflixmarketing.com

Buy Now

netflixes.net

Buy Now

netflix24.net

Buy Now

.space

Sale

229.88\$1.18

BUY NOW

*while stocks last

On Sale!

Right Ctrl

kali-linux-2025.4-virtualbox-amd64 [Running] - Oracle VirtualBox

FileMachineViewInputDevicesHelp

site:target.com filetype:p...huaylung.com - urlscan.ioPhishTank | Join the fight54.240.4.22 | Amazon W...

www.abuseipdb.com/check/54.240.4.22

OffSecKali LinuxKali ToolsKali DocsKali ForumsKali NetHunterExploit-DBGoogle Hacking DB

AbuseIPDB

Report IPBulk CheckerBulk ReporterPricingDocsIP UtilitiesContactMore

LoginSign Up

This IP address has been reported a total of 69 times from 23 distinct sources. 54.240.4.22 was first reported on April 1st 2021, and the most recent report was 2 weeks ago.

Old Reports: The most recent abuse report for this IP address is from 2 weeks ago. It is possible that this IP is no longer involved in abusive activities.

Reporter	IoA Timestamp (UTC)	Comment	Categories
KZP	2026-01-05 20:00:20 (2 weeks ago)	Automatic report from KZP firewall log.	Port Scan Hacking Brute Force
IP Analyzer	2025-12-04 17:30:42 (1 month ago)	Unauthorized connection attempt from IP address 54.240.4.22 on Port 25(SMTP)	Port Scan
xmission.com	2025-11-24 14:58:13 (1 month ago)	Sourced 4 spam messages over 3x Xmissions threshold . Highest score: 26.1. Latest msgid suffix: ...bb ... show more	Email Spam
Anonymous	2025-11-11 06:27:00 (2 months ago)	-	Email Spam
IP Analyzer	2025-10-28 17:30:39 (2 months ago)	Unauthorized connection attempt from IP address 54.240.4.22 on Port 25(SMTP)	Port Scan
IP Analyzer	2025-10-16 00:30:10 (3 months ago)	Unauthorized connection attempt from IP address 54.240.4.22 on Port 25(SMTP)	Port Scan
KlinikAMD	2025-10-12 18:03:19 (3 months ago)	Automatic report from KMD firewall log.	Port Scan Hacking Brute Force
Eurofluid	2025-10-12 14:04:00	You shall not pass ! Abusive behavior blocked by EF fire	Port Scan

feedback

Right Ctrl

Abuse ipdb re[po]rt on the ip 54.240.4.22

kali-linux-2025.4-virtualbox-amd64 [Running] - Oracle VirtualBox

File Machine View Input Devices Help

site:target.com filetype:p... huaylung.com - urlscan.io x PhishTank | Join the fight x 54.240.4.22 | Amazon W... +

urlscan.io/result/019bdd51-e5d5-726c-b20f-e064ea5398ab/

urlscan.io Home Search Live API Blog Docs Pricing Login

huaylung.com

170.64.197.124 Unlisted Scan

Submitted URL: <https://huaylung.com/>
Effective URL: <https://huaylung.com/>
Submission: On January 20 via manual (January 20th 2026, 9:31:30 pm UTC) from: [US](#) - Scanned from: [AU](#)

Summary HTTP Redirects Behaviour Indicators Similar DOM Content API Verdicts

Summary

This website contacted 1 IPs in 1 countries across 1 domains to perform 2 HTTP transactions. The main IP is 170.64.197.124, located in Sydney, Australia and belongs to DIGITALOCEAN-ASN, US. The main domain is huaylung.com. TLS certificate: Issued by R13 on January 10th 2026. Valid for: 3 months.

This is the only time huaylung.com was scanned on urlscan.io!

urlscan.io Verdict: No classification

Live information

Google Safe Browsing: No classification for huaylung.com
Current DNS record: 170.64.197.124 (AS14061 - DIGITALOCEAN-ASN, US)
Domain created: November 27th 2019, 23:48:23 (UTC)
Domain registrar: Name.com, Inc.

Screenshot

Page URL History

Page Statistics

2	100 %	0 %	1	1
Requests	HTTPS	IPv6	Domains	Subdomains

Domain & IP information

IP/ASNs IP Detail Domains Domain Tree Links Certs Frames

urlscan.io report

kali-linux-2025.4-virtualbox-amd64 [Running] - Oracle VirtualBox

File Machine View Input Devices Help

inurl:netflix login - Go... site:netflix.com filetype: Facet Analysis x Netflix - Watch TV Sho... Email Header Analyzer x VirusTotal - URL x Add-ons Manager x + - - 12:07

www.shodan.io/search/facet?query=org%3A"netflix"&facet=org


Facet Analysis

org:"netflix" org


// TOTAL: 27,070

Netflix Streaming Services Inc.	19,311
Netflix Inc	5,475
L-Root - Netflix - Quilt and Open Servers	1,083
Netflix Luxembourg S.a.r.l	247
CDN & Cache Service Setup - Facebook & Netflix	122
NETFLIX CDN MNL2	108
Netflix Durga Webtech Pvt Ltd	100
CDN Netflix	93
RCS & RDS CDN Netflix	91
PUNTONET QUITO NETFLIX	89
Netflix, Inc	74
Tiscali Netflix	37
NETFLIX ENTRETENIMENTO BRASIL LTDA	36
Netflix International BV	33
Netflix Ltd	32
UIH CDN Zone (Video Content: Netflix)	15


shodan.io search on org:"netflix" organization report



theHarvester -d netflix.com -b yahoo,brave



theHarvester -d netflix.com -b all



Attack Mitre screenshot <https://attack.mitre.org>

Prepared by: Remi Adeparusi

Cohort: Oct Cohort

Submission Date: January 22nd 2026