

Putra Shahara

welder

WELDER FCAW GS 3G,4G



PROFILE

Hello, my name is Putra Shahara, usually called my son, I am 3 brothers and I am the second child.

EXPERINCE

1. WELDING TRAINING-SMAW GS 3G-4G
PT. Global Sarana Internusa (GSI) (07 Aug 2020)
2. WELDING TRAINING-SMAW/FCAW GS 3G-4G
PT. Global Sarana Internusa (GSI) (19 Sep 2020)
3. WELDING TRAINING-SMAW 6G
PT. Global Sarana Internusa (GSI) (18 Dec 2020)

WORKING EXPERINCE

1. **PT TOYO KANETSU INDONESIA**
WELDER
13 MAY 2022 - 25 JAN 2023
WELDER
26 SEP 2023 - 25 DES 2025

PERSONALITY

- Communicative
- Creative & Innovative
- Discipline
- Honest
- To be responsible

ABOUT ME

Dear HRD

I want to apply for welder position. My main skill for doing this job is that I can do a job as a welder, I am also a hard worker, I really hope to be accepted in a company that Mr. or Mrs. HRD leads, you can contact me by the number listed.

SKILLS

FCAW GS 3G / 4G

PERSONAL DETAIL'S

Name : Putra Shahara Vely
Place : Payakumbuh
Date Of Birth : January 06 th 2000
Gender : Male
Martial Status : Single
Religion : Moslem
Nationality : Indonesia

CONTACT

☎ 0813-6561-7340

✉ putrashahara29@gmail.com

🌐 Jl. Ranai No. 47 Bengkong
polisi

**PROVINSI KEPULAUAN RIAU
KOTA BATAM**

NIK : 2171020601000002

Nama	: PUTRA SHAHARA VELY	
Tempat/Tgl Lahir	: PAYAKUMBUH, 06-01-2000	
Jenis Kelamin	: LAKI-LAKI	Gol. Darah
Alamat	: KAMPUNG SERAYA	
RT/RW	: 004/002	
Kel/Desa	: KAMPUNG SERAYA	
Kecamatan	: BATU AMPAR	
Agama	: ISLAM	
Status Perkawinan	: BELUM KAWIN	
Pekerjaan	: PELAJAR/MAHASISWA	
Kewarganegaraan	: WNI	
Bertaku Hingga	: SEUMUR HIDUP	

**KOTA BATAM
06-02-2018**



Surat Keterangan Vaksinasi COVID-19
Certificate of COVID-19 Vaccination

Sertifikat ini diberikan kepada
This is to certify that

Putra Shahara Vely

NIK Pribadi	Tanggal Lahir Date of Birth
2171020601000002	06 Januari 2000



ID : 60d9ec95dea6b4c394feca65
pada tanggal 28 Juni 2021
on date June 28, 2021

telah dilakukan vaksinasi COVID-19 untuk dosis pertama
has been vaccinated for the first dose of the

Sinovac COVID-19 (Batch ID : 24200121)
In accordance with the health regulation of Republic of Indonesia






Surat Keterangan Vaksinasi COVID-19
Certificate of COVID-19 Vaccination

Sertifikat ini diberikan kepada:
This is to certify that

Putra Shahara Vely

NIK Karyawan	Tanggal Lahir Date of Birth
2171020601000002	06 Januari 2000



ID : 60d9ec95dea6b4c394feca65
pada tanggal 27 Juli 2022
on date July 27, 2022

telah dilakukan vaksinasi COVID-19 untuk dosis kedua
has been vaccinated for the second dose of the

COVID-19 Vaccine Pfizer COVID-19 (Batch ID : FT5335)
In accordance with the health regulation of Republic of Indonesia






npwp. KPP PRATAMA BATAM SELATAN

65.344.938.9-225.000

PUTRA SHAHARA VELY 2171020601000002



RANAI, TANJUNG BUNTUNG, BENGKONG, KOTA
BATAM, KEPULAUAN RIAU, 29432

Tanggal Terdaftar 12/05/2022




www.pajak.go.id Pajak Kita Untuk Kita

npwp.

Kartu ini harus disimpan baik-baik dan apabila hilang, agar segera melapor ke Kantor Pelayanan Pajak terdaftar

NPWP agar dicantumkan dalam hal berhubungan dengan dokumen perpajakan

Dalam hal Wajib Pajak pindah domisili, supaya melaporkan diri ke Kantor Pelayanan Pajak lama atau Kantor Pelayanan Pajak baru.

Seluruh layanan perpajakan tidak dipungut biaya

KEMENTERIAN KEUANGAN
DIREKTORAT JENDERAL PAJAK

Welder Job Clearance Card		
Saudi Aramco SA-4758-ENG (9/15) Required by SAEP-324		
WBS / Contract	BI-10-12201 / 6600044782	
Project	MIP PKG-01 - OFFSHORE GOSP-4 DEVELOPMENT	
Qualified for	STRUCTURAL	
Sub-Contractor	PT TOYO KANETSU INDONESIA	
Welder / Welding Operator Name		Badge No.
PUTRA SHAHARA VELY		W-452
Important Note: This clearance card is for welding on the above project / Fabrication yard only and may be revoked if welder performance is not Satisfactory. Card Must be returned if the welder is removed from the project / Fabrication yard / Including each additional qualifications. Notes: 1. Qualified With Back gouging & Back weld 2. Butt Weld & Fillet Weld - Flat and Horizontal. 3. Qualified to all electrode class as per F.No.1 thru F.No.4		
PID Inspector / PQL		JCC-No.
Zainal Efendi 		TOYB-NQ-075
		Date
		April 07, 2022

PID Section		UPID / MOIPIS / GOSP4		Badge No.		W-452			
Material P No's									
Structural				Piping / Pipe Line / Mone					
AWS D1.1 Group I, II & III				N/A					
Cleared for Welding on									
CODE	Certificate Ref No.	Date of Test	Process	WQT REF. WPS (NOTE A)	Backing / Inert Backing	Electrode / F-No	Dia. (mm)	Thick (mm)	Position / Progression
AWSD1.1	WQT/Marjan/W452/075	18-Mar-22	SMAW	7068-WPS 03	(Note:1)	E7018-1 / F-4 (Note:3)	≥600	3.0 to 32mm	2G (Note:2)
NOTE A - The welder is allowed to weld with qualified process for all Company approved WPS's within the range of qualified variables.									
PID Inspector / PQL					JCC-No.		Date		
Zainal Efendi 					TOYB-NQ-075		April 07, 2022		

Welder Job Clearance Card		
Saudi Aramco SA-4758-ENG (9/15) Required by SAEP-324		
WBS / Contract	BI-10-12201 / 6600044782	
Project	MIP PKG-01 - OFFSHORE GOSP-4 DEVELOPMENT	
Qualified for	STRUCTURAL	
Sub-Contractor	PT TOYO KANETSU INDONESIA	
Welder / Welding Operator Name		Badge No.
PUTRA SHAHARA VELY		W-452
Important Note: This clearance card is for welding on the above project / Fabrication yard only and may be revoked if welder performance is not Satisfactory. Card Must be returned if the welder is removed from the project / Fabrication yard / Including each additional qualifications. Notes: 1. Qualified With Back gouging & Back weld 2. Butt Weld & Fillet Weld - Flat, Horizontal and Vertical (Uphill). 3. Qualified to all electrode class as per F.No.6		
PID Inspector/PQL Zainal Efendi 		JCC-No. TOYB-NQ-102
		Date April 07,2022

PID Section		UPID / MOIPS / GOSP4		Badge No.		W-452			
Material P No's									
Structural				Piping / Pipe Line / Monopipe					
AWS D1.1 Group I, II & III				N/A					
Cleared for Welding on									
CODE	Certificate Ref. No.	Date of Test	Process	WQT REF. WPS (NOTE A)	Backing / Inert Backing	Electrode / F-No	Dia. (mm)	Thick (mm)	Position / Progression
AWS D1.1	WQT/Marjan /W452/102	18-Mar-22	FCAW-GS	7068-WPS 04	(Note:1)	E71T1C-JH4 / F No. 6 (Note:3)	≥600	3.0 to 16mm	3G (Note:2)
NOTE A - The welder is allowed to weld with qualified process for all Company approved WPS's within the range of qualified variables.									
PID Inspector/PQL Zainal Efendi 					JCC-No. TOYB NQ-102		Date April 07,2022		



PT TOYO KANETSU INDONESIA

Head Office : Midplaza Building 1,8th Floor Jl. Jend. Sudirman Kav. 10-11 JAKARTA 10220 INDONESIA
Telp. (021) 570 7739, 570 7805 Fax. (021) 570 3950
Fabrication Plant : Jl. Tenggiri, Batu Ampar BATAM INDONESIA Telp. (0778) 412158, 412159 Fax. (0778) 412157



CERTIFICATE OF EMPLOYMENT

SURAT KETERANGAN KERJA

No. : 032/TKI-CER/I/2023

This is to certify that :

Dengan ini menerangkan bahwa :

Name : Putra Shahara Vely
Nama

Employee No. : 2205057
No. Karyawan

Position : Welder
Jabatan

From : May 13, 2022
Dari

To : January 25, 2023
Sampai

Remarks : Finish Contract
Keterangan

We would like to take this opportunity to thank you for your past efforts and contribution to PT TOYO KANETSU INDONESIA Batam Plant and wish to every success in the future.

Kami mengucapkan banyak terima kasih atas usaha dan kerja sama yang telah Saudara berikan kepada PT TOYO KANETSU INDONESIA Batam Plant dan berharap semoga prestasi dan keberhasilan senantiasa menyertai Saudara diwaktu yang akan datang.

Batam, January 25, 2023
PT TOYO KANETSU INDONESIA



Ardiansyah Irwan
Admin Manager

WELDER PERFORMANCE QUALIFICATION TEST RECORD

Cert No. WQT/Marjan/W452/075

Name	PUTRA SHAHARA VELY		Test Date	18 - March - 2022	Rev.
ID Number	2171020601000002		Record No.	Test Coupon No. TB-48	-
Stamp No.	W - 452		Std. Test No.	-	-
Company	PT TOYO KANETSU INDONESIA		WPS No.	7068-WPS-03	A
Division	---		Qualified To	AWS D1.1 (2020)	

BASE METALS	Specification	Type or Grade	AWS Group No.	Size (NPS)	Schedule	Thickness	Diameter
Base Material	A36	-	II	----	----	16 mm	PLATE
Welded To	A36	-	II	----	----	16 mm	PLATE

VARIABLES	Actual Values	RANGE QUALIFIED
Type of Weld Joint	Plate - Groove (Back gouge and Back Weld)	Groove, Fillet, Plug and Slot Welds (T, K, Y - Groove PJP only)
Base Metal	Group II to Group II	Any AWS D1.1 Qualified Base Metal

	Groove	Fillet	Groove	Fillet
Plate Thickness	16 mm	----	3 mm to 32 mm	3 mm to Unlimited
Pipe/Tube Thickness	----	----	3 mm to 32 mm	3 mm to Unlimited
Pipe Diameter	----	----	≥24"	≥24"

Welding Process	SMAW	SMAW
Type (Manual, Semiautomatic, Mechanized, Automatic)	Manual	Manual
Backing	With	With (including Back gouging and Back Welding)
Filler Metal (AWS Spec.)	A5.1	A5.xx
AWS Classification	E7018-1	All
F-Number	4	1 thru 4
Position	2G	
Groove - Plate & Pipe ≥ 24 in	---	F, H
Groove - Pipe < 24 in	---	---
Fillet - Plate & Pipe ≥ 24 in	---	F, H
Fillet - Pipe < 24 in	---	F, H
Progression	---	---
GMAW Transfer Mode	---	---
Single or Multiple Electrodes	Single	Single
Gas/Flux Type	---	---

TEST RESULTS

Type of Test	Acceptance Criteria	Results	Remarks
Visual Examination per 6.10.1	6.10.1	Acceptable	TKI/VIS/WQT/2022-006 (1/4)
2 Transverse Side Bends as per 6.10.3.1 and Fig. 6.9	6.10.3.3	Acceptable	HT/BTM/0322/0396

CERTIFICATION

Test Conducted by	
Laboratory	PT HI-TEST LABORATORY
Test Number	HT/BTM/0322/0396
File Number	

We, the undersigned, certify that the statements in this record are correct and that the test welds were prepared, welded, and tested in accordance with the requirements of Clause 6 of AWS D1.1/D1.1M (2020) *Structural Welding Code—Steel*.
(year)

Manufacturer or Contractor PT TOYO KANETSU INDONESIA Authorized by P. CHANDRA SEKHAR

Date 28-March-2022

Third Party Inspection by





PT. Hi-Test

Laboratory of Mechanical Testing

Century Park, Block F No. 6-7,
Batam Centre 29400 - Batam - Indonesia,
Telp : +62 778 7483070; Fax : +62 778 7483068,
E-mail : hi-test@hitestlab.com



Testing Report

(This Report is issued subject to the terms & conditions set out below)

Customer	: PT. Toyo Kanetsu Indonesia	Job No	: A22179
Address	: Jl. Tenggil, Batu Ampar Batam - Indonesia	No.	: HT/BTM/0322/0396
Client Spec	: SAES-W-013	Page	: 1 of 1
Reference Code	: AWS D1.1 : 2020	Date Received	: 19 March 2022
Test Method	: ASTM E190-14	Date Tested	: 25 March 2022
Object to be tested	: (as received)	Project	: ARAMCO PROJECT
		Sample Marking	: 03TKI-22

One welded carbon steel plate test sample, size: Plate 200mm x 250mm, Joint thickness 16mm, material spec: A36 (HN: KA2875), QTS No: WQT / ARAMCO MARJAN / 005, Ref. WPS/ QTP No: 7068-WPS-03 REV.A, Welding process: SMAW, Consumable: OERLIKON (SUPERCITO), Welding position: 2G, Stamp No: W-452, Coupon No: TB-48, Welder name: Putra Shahara Vely, for Welder Qualification Test.

Type of Test : **Bending Test (Transverse Specimen)**

Test Temperature	: 25 ± 2°C	Test Weldment Thickness	: 10 mm
Test Specimen Width	: 16 mm	Bend Angle	: 180 Degree
Former Diameter	: 38 mm		
Shoulder Distance	: 60.3 mm		

Specimen No	Type of Bend	Observation	Result
SB1	Side Bend	No discontinuities was observed	Accepted
SB2	Side Bend	No discontinuities was observed	Accepted

Testing Machine Used : Motor Pump Bend Test Machine, Serial No: 2906AN19402, Model No: A1000PSI/700BAR
Remark : —
Test Conducted by : Hendra Lukmana. ST
Witness By : Mr. Chandra of PT. Toyo Kanetsu Indonesia
 Mr. Danang P of PT. Lloyd's Register Indonesia



Chandra
TKI-WF
25-Mar-22



Approved Signatory

Suhadi, ST
Laboratory Manager

Term & Conditions

- The Report is prepared for the sole use of the Client and is prepared based upon the item submitted, the Services required by the Client and the conditions under which the Services are performed by PT. Hi-Test.
- The Report is not intended to be representative of similar or equivalent Services on similar or equivalent Items. The Report does not constitute an endorsement by PT. Hi-Test of the item.
- PT. Hi-Test agrees to use reasonable diligence in the performance of the Services but no warranties are given and none may be implied directly or indirectly relating to the Services, the Report or the facilities of PT. Hi-Test.
- This report shall not be reproduced except in full unless permission for the reproduction of an approved abstract has been obtained in writing from PT. Hi-Test.
- PT. Hi-Test shall under no circumstances be liable to the Client or its agents, servants or representatives, in contract, tort (including negligence or breach of statutory duty) or otherwise for any direct or indirect loss or damage suffered by the Client, its agents, servants or representatives shows ever arising or whether connected with the Services provided by PT. Hi-Test herein

**WELDER and WELDING OPERATOR
PERFORMANCE QUALIFICATION TEST RECORD**

Cert No. WQT/Marjan/W452/102

Name	PUTRA SHAHARA VELY		Test Date	18 - March - 2022	Rev.
ID Number	2171020601000002		Record No.	Test Coupon No. TB-77	-
Stamp No.	W - 452		Std. Test No.	---	
Company	PT TOYO KANETSU INDONESIA		WPS No.	7068-WPS-04	A
Division	---		Qualified To	AWS D1.1 (2020)	

BASE METALS	Specification	Type or Grade	AWS Group No.	Size (NPS)	Schedule	Thickness	Diameter
Base Material	A36	-	II	----	----	16 mm	PLATE
Welded To	A36	-	II	----	----	16 mm	PLATE

VARIABLES	Actual Values	RANGE QUALIFIED
Type of Weld Joint	Plate - Groove (Back gouge and Back weld)	Groove, Fillet, Plug and Slot Welds (T, K, Y - Groove PJP only)
Base Metal	Group II to Group II	Any AWS D1.1 Qualified Base Metal

	Groove	Fillet	Groove	Fillet
Plate Thickness	16 mm	----	3 mm to 32 mm	3 mm to Unlimited
Pipe/Tube Thickness	----	----	3 mm to 32 mm	3 mm to Unlimited
Pipe Diameter	----	----	≥24"	≥24"

Welding Process	FCAW - GS	FCAW - GS
Type (Manual, Semiautomatic, Mechanized, Automatic)	Semi-auto	Semi-auto / Mechanized / Auto
Backing	With	With (including Back gouging and Back Welding)
Filler Metal (AWS Spec.)	A5.20	A5.xx
AWS Classification	E71T1C-JH4	All
F-Number	6	6
Position	3G	
Groove - Plate & Pipe ≥ 24 in	---	F, H, V
Groove - Pipe < 24 in	---	---
Fillet - Plate & Pipe ≥ 24 in	---	F, H, V
Fillet - Pipe < 24 in	---	F, H, V
Progression	Uphill for 3G	Uphill for 3G
GMAW Transfer Mode	---	---
Single or Multiple Electrodes	Single	Single
Gas/Flux Type	A5.32 SG-C	A5.xx Approved

TEST RESULTS

Type of Test	Acceptance Criteria	Results	Remarks
Visual Examination per 6.10.1	6.10.1	Acceptable	TKI/VIS/WQT/2022-007 (3/4)
2 Transverse Side Bends as per 6.10.3.1 and Fig. 6.9	6.10.3.3	Acceptable	HT/BTM/0322/0423

CERTIFICATION

Test Conducted by	
Laboratory	PT HI-TEST LABORATORY
Test Number	HT/BTM/0322/0423
File Number	

We, the undersigned, certify that the statements in this record are correct and that the test welds were prepared, welded, and tested in accordance with the requirements of Clause 6 of AWS D1.1/D1.1M (2020) *Structural Welding Code—Steel*.
(year)

Manufacturer or Contractor PT TOYO KANETSU INDONESIA

Authorized by P. CHANDRA SEKHAH

Date 28-March-2022

Third Party Inspection by





PT. Hi-Test Laboratory of Mechanical Testing

Century Park, Block F No. 6-7,
Batam Centre 29400 - Batam - Indonesia,
Telp : +62 778 7483070; Fax : +62 778 7483068,
E-mail : hi-test@hitestlab.com



Testing Report

(This Report is issued subject to the terms & conditions set out below)

Customer	: PT. Toyo Kanetsu Indonesia	Job No	: A22179
Address	: Jl. Tenggiri, Batu Ampar Batam - Indonesia	No.	: HT/BTM/0322/0423
Client Spec	: SAES-W-013	Page	: 1 of 1
Reference Code	: AWS D1.1 : 2020	Date Received	: 19 March 2022
Test Method	: ASTM E190-14	Date Tested	: 25 March 2022
Object to be tested	: (as received)	Project	: ARAMCO PROJECT
		Sample Marking	: 03TKI-49

One welded carbon steel plate test sample, size: Plate 200mm x 250mm, Joint thickness 16mm, material spec: A36 (HN: KA2875), QTS No: WQT / ARAMCO MARJAN / 007, Ref. WPS/ QTP No: 7068-WPS-04 REV.A, Welding process: FCAW-GS, Consumable: OERLIKON (CITOFLEX R00NiC), Welding position: 3G, Stamp No: W-452, Coupon No: TB-77, Welder name: Putra Shahara Vely, for Welder Qualification Test.

Type of Test : Bending Test (Transverse Specimen)

Test Temperature	: 25 ± 2°C		
Test Specimen Width	: 16 mm	Test Weldment Thickness	: 10 mm
Former Diameter	: 38 mm	Bend Angle	: 180 Degree
Shoulder Distance	: 60.3 mm		

Specimen No	Type of Bend	Observation	Result
SB1	Side Bend	No discontinuities was observed	Accepted
SB2	Side Bend	No discontinuities was observed	Accepted

Testing Machine Used : Motor Pump Bend Test Machine, Serial No: 2906AN19402, Model No: A1000PSI/700BAR
Remark : --
Test Conducted by : Hendra Lukmana. ST
Witness By : Mr. Chandra of PT. Toyo Kanetsu Indonesia
 Mr. Danang P of PT. Lloyd's Register Indonesia



Chandra
TKI-WG
25-Mar-22



Approved Signatory

Suhadi, ST
Laboratory Manager

Term & Conditions

- The Report is prepared for the sole use of the Client and is prepared based upon the item submitted, the Services required by the Client and the conditions under which the Services are performed by PT. Hi-Test.
- The Report is not intended to be representative of similar or equivalent Services on similar or equivalent items. The Report does not constitute an endorsement by PT. Hi-Test of the item.
- PT. Hi-Test agrees to use reasonable diligence in the performance of the Services but no warranties are given and none may be implied directly or indirectly relating to the Services, the Report or the facilities of PT. Hi-Test.
- This report shall not be reproduced except in full unless permission for the reproduction of an approved abstract has been obtained in writing from PT. Hi-Test.
- PT. Hi-Test shall under no circumstances be liable to the Client or its agents, servants or representatives, in contract, tort (including negligence or breach of statutory duty) or otherwise for any direct or indirect loss or damage suffered by the Client, its agents, servants or representatives shows ever arising or whether connected with the Services provided by PT. Hi-Test herein.



PT . GLOBAL SARANA INTERNUSA

General Service, Supplier, Contractor & Manpower

CERTIFICATE OF COMPLETION
Putra Shahara Vely

Having Met The Required Criteria For :
WELDING TRAINING - SMAW/FCAW GS 3G, 4G
Conducted at :



GLOBAL SARANA INTERNUSA

On : 25 August 2020 - 19 September 2020

PT . GLOBAL SARANA INTERNUSA


IBRAHIM
Director Operational



PT . GLOBAL SARANA INTERNUSA

General Service, Supplier, Contractor & Manpower

CERTIFICATE OF COMPLETION
Putra Shahara Vely

Having Met The Required Criteria For :
WELDING TRAINING - SMAW 6G
Conducted at :



GLOBAL SARANA INTERNUSA

On : 23 September 2020 - 26 November 2020

PT . GLOBAL SARANA INTERNUSA


IBRAHIM
Director Operational




Yongki Asmara
QHSE Manager

X5783813<2IDN0001063M30060362171020601000242