MicroStealer
“Micro Special Edition”

Defensive Threat-Intelligence Report — Payload Internals, Attack Vectors & MaaS Ecosystem (Dev7 gang)

Date	20 October 2026 (America/Chicago)
Prepared for	Victim A (reporting party) and defensive responders
Scope	Malware-as-a-Service run observed on Discord servers **Zengin Adam** (1560938987697340456) and **AİDS** (1561490410256470180), 17–20 Oct 2026
Classification	TLP:AMBER · Victims anonymized · Attacker IDs retained · Webhook/bot tokens redacted · IOCs defanged
Sources	Static dossier (RuneGunner/Dev7); prior comparison report source; public Dev7-decryptor; DiscordChatExporter dumps (text-only analysis)
Method	No sample execution; no URL contact; jars/zips inventoried with `unzip -l` / `strings` only; logs grepped for specific facts

> **Assessment (hedged):** Observed Discord C2 activity, builder transcripts, and static analysis are consistent with a commercialized MicroStealer / Dev7 “Micro Special Edition” MaaS offering that packages an NSIS→Electron→Java RAT with operator-triggered AES file encryption (`.cryptedmicro`), Discord-gateway control, and second-stage Dropbox droppers. Family linkage to ANY.RUN’s MicroStealer 1.0 is **high**; individual operator legal identities are **not** asserted.

Contents

1. Executive Summary 3

2. MaaS Ecosystem 4

2.1 Two Discord servers 4

2.2 Attacker table (IDs retained; victims anonymized) 6

2.3 Bots 7

2.4 Global bot licensing — `/add` · `/sorgu` · `/delete` 7

2.5 Seven-step builder → GoFile → Dropbox 9

3. Delivery & Attack Vectors 13

3.1 Fake game installer (NSIS → Electron → Java) 13

3.2 Fake Minecraft Fabric mod loaders 13

3.3 `!cookie` Dropbox second-stage droppers 14

3.4 Discord social engineering & fake alerts 15

4. Infection Chain 18

5. Payload Internals 19

5.1 Stages (summary) 19

5.2 Persistence 19

5.3 UAC bypass 19

5.4 Obfuscation & class map 19

5.5 Auto-grab contents (“Micro Special Edition”) 19

5.6 Discord-gateway C2 22

5.7 Exfiltration paths 23

6. Command Panel Reference (with observed usage) 24

7. Encryption Deep Dive 27

7.1 Two on-disk formats under one extension 27

7.2 Observed live usage 27

7.3 Weaknesses (defensive summary) 27

8. MITRE ATT&CK Mapping 29

9. Victimology Aggregates 30

9.1 Command totals across numbered victims 30

9.2 Intimidation tactics 30

9.3 Top operators by distinct victim count 33

10. Victim A Case Study (18 Oct 2026) 34

10.1 Timeline (CDT) 34

10.2 What the attacker could see / take (scoped to this channel) 40

11. Indicators of Compromise 42

11.1 File hashes (SHA-256) 42

11.2 Domains / URLs (defanged) 42

11.3 GoFile codes (builder outputs) 42

11.4 Dropbox path IDs 43

11.5 BTC addresses (from !msg ransom windows) 43

11.6 Host artifacts 43

11.7 Attacker Discord IDs (quick index) 43

12. Confidence & Limitations 44

13. Figure List & Anonymization Method 45

1. Executive Summary

Between 17 and 20 October 2026, DiscordChatExporter captures of two operator Discord servers — **Zengin Adam** (`1560938987697340456`, snowflake ≈ 17 Oct 2026 08:54 UTC) and its successor **AİDS** (`1561490410256470180`, snowflake ≈ 18 Oct 2026 21:25 UTC) — show a working Malware-as-a-Service (MaaS) around the MicroStealer family branded **“Micro Special Edition”** and operated by a Turkish-speaking crew that self-identifies as **Dev7** / **AyhanDev7**. A C2 bot display-named **Hello** opens one channel per infected host and posts a 26-command remote-control panel. Affiliates are licensed through a second bot, **Global**, via `/add`, `/sorgu` and `/delete`, and they produce payloads through a 7-step Global “Micro Services” builder that ends in a GoFile link followed by a Dropbox re-host.

88	29	33	0
Anonymized victims (excl. reporting party & tests)	`!micro` encryption runs ≈ 40,721 files completed	Victims with ransom / deal language	Confirmed payments in logged replies

Victim A (reporting party) was controlled on the AİDS server on **18 October 2026, 21:42–22:14 CDT** by operator **Silent** (`1085107383287693342`). Observed actions: screenshots, Task Manager/Regedit disable, Discord inject + forced logout, keylogging, data-collection trigger, a fake Discord security alert, process kills (PowerShell, Opera GX), and a ransom-style chat window. No `!micro`, `!cookie`, `!net` or `!cmd` appears on Victim A’s channel in the capture. Encryption keys used against other victims were typed in plaintext into `!micro [key]` messages and are therefore likely recoverable with the public Dev7-decryptor (https://github.com/Rho-9-Official/Dev7-decryptor); keys themselves are not reproduced in this report.

> **Hedge:** This report does not assert that every capability in the static JAR was exercised on every host. Counts are from the captured text corpus; activity outside the dumps, deleted messages, or channels deleted before capture are invisible. Images are placeholders for a later evidence pass.

2. MaaS Ecosystem

2.1 Two Discord servers

Server	Guild ID	Approx. creation (UTC)	Role in corpus
Zengin Adam	`1560938987697340456`	2026-10-17 08:54	First observed C2; 28 anonymized victims first-seen 17–18 Oct; invite `discord[.]gg/SzJZmwqcp` posted by ORGAMİZE as “last time”
AİDS	`1561490410256470180`	2026-10-18 21:25	Successor / primary server; 60 anonymized victims first-seen 18–20 Oct; hosts Global builder DMs and licensing channel `#lisans-sahipleri`

Capture metadata › members.html (both guilds)
display name + username · ID · joined · roles

Member	ID	Joined	Roles
Zengin Adam (1560938987697340456)			
ORGAMİZE orgamize	1549134412501754020	17 Oct 2026	Admin
AyhanDev7 xxdev7	1544071333955109067	17 Oct 2026	Jar, Remote, Admin
Nop nop02269	1549137950351036568	17 Oct 2026	Jar, Remote
Birdie? 0x19k	796916259186540577	17 Oct 2026	—
Ray_is_Deaf ray_is_deaf	479684407498637322	17 Oct 2026	Jar, Remote
Daryl ihaitit	1546697760739164206	17 Oct 2026	—
abiler atar gencler yatar abileratargencleryatar	1559216196560232548	17 Oct 2026	Jar, Remote
Silent logglogloglogloglog	1085107383287693342	17 Oct 2026	—
burak yahudi01245324532	1546963443754598527	17 Oct 2026	—
birdie dracorpg	1131189199886888982	17 Oct 2026	Jar, Remote
device devicewtf	302957933329645588	17 Oct 2026	Jar, Remote
Alex uhqlogs2	1393992369271078912	17 Oct 2026	—
kulu newaccnewday	1544143831769813122	17 Oct 2026	—
slo fractiousness	702886023981432863	17 Oct 2026	Jar, Remote
kargakargakargakargakarga loverboy6074	737413230690828379	17 Oct 2026	—
lol _._.__._._._.__	1393002886723539164	17 Oct 2026	Jar, Remote
mental terroism cokgec	1544076390054367285	17 Oct 2026	Jar, Remote
meu "opp" aplica scam de 2f nbul	725681452460802152	17 Oct 2026	Jar, Remote
lizz scarrdhate3 · left 19 Oct 2026	775113982814060564	17 Oct 2026	—
flkj fl0ckoo · left 19 Oct 2026	1526349375209603242	17 Oct 2026	Jar, Remote
Hello BOT Hello · left 19 Oct 2026	1560940351836131382	18 Oct 2026	—
AİDS (1561490410256470180)			
ORGAMİZE orgamize	1549134412501754020	18 Oct 2026	Jar, Remote, Admin
AyhanDev7 xxdev7	1544071333955109067	18 Oct 2026	Jar, Remote, Admin
yxsinxdkapand yxsinxdkapand	1560476433753702448	18 Oct 2026	Jar, Remote, Admin
Hello BOT Hello	1560940351836131382	18 Oct 2026	Bot
Global BOT Global	1549139301651058738	18 Oct 2026	Global, Bot
Nop nop02269	1549137950351036568	18 Oct 2026	—
Birdie? 0x19k	796916259186540577	18 Oct 2026	Jar, Remote
Ray_is_Deaf ray_is_deaf	479684407498637322	18 Oct 2026	Jar, Remote
xox tenacious_gull_78788	1561023380809842805	18 Oct 2026	Jar, Remote
Daryl ihaitit	1546697760739164206	18 Oct 2026	—
abiler atar gencler yatar abileratargencleryatar	1559216196560232548	18 Oct 2026	Jar, Remote
YuliDev7 yulidev7	1551753850925486111	18 Oct 2026	—
Silent logglogloglogloglog	1085107383287693342	18 Oct 2026	—
flkj fl0ckoo	1526349375209603242	18 Oct 2026	Jar, Remote
22 awdwaszdawsd_79086	1544360834472476797	18 Oct 2026	Jar, Remote
Rascal426 rascal426	333103649087684620	18 Oct 2026	Jar, Remote
roverwhoa roverwhoa	1554168143696633988	18 Oct 2026	Jar, Remote
Alex uhqlogs2	1393992369271078912	18 Oct 2026	—
allahbabacanzxds allahbabacanzxds	1556968149457440850	18 Oct 2026	—
swazlican 24x22	1537257260332486749	18 Oct 2026	—
x hayalmi.gercekmi	1542559929057935360	18 Oct 2026	—
comebackez comebackez	1549909225977675856	18 Oct 2026	Jar, Remote
lizz scarrdhate3	775113982814060564	19 Oct 2026	—
Arkskoos arkskoos	1559618509175132210	19 Oct 2026	Jar, Remote
burak yahudi01245324532	1546963443754598527	19 Oct 2026	—
device devicewtf	302957933329645588	19 Oct 2026	Jar, Remote
kulu newaccnewday	1544143831769813122	19 Oct 2026	Jar, Remote
lol _._.__._._._.__	1393002886723539164	19 Oct 2026	Jar, Remote
slo fractiousness	702886023981432863	19 Oct 2026	Jar, Remote
kargakargakargakargakarga loverboy6074	737413230690828379	19 Oct 2026	—
mental terroism cokgec	1544076390054367285	19 Oct 2026	Jar, Remote
meu "opp" aplica scam de 2f nbul	725681452460802152	20 Oct 2026	—
DCWAKIBJHDBKJAWKDBJWA adw98gdwa9g	1541622014861774929	20 Oct 2026	Jar, Remote
macs tokmakkafa01	1561322253961142312	20 Oct 2026	Jar, Remote
fehrazorback amazing_firebird_90	345068023322771456	20 Oct 2026	—
[unclassified member — withheld] · left 20 Oct 2026	—	19 Oct 2026	—

Rendered from Discord export HTML · anonymized: victim user/host, tokens, keys, PII replaced · avatars replaced by initials · IOCs defanged

Figure 04 [FIG-04] — Server member lists with roles (Admin / Jar / Remote / Global / Bot) for Zengin Adam and AİDS (capture metadata view). **Corroborates:** MaaS ecosystem / roles. **Anonymized** — One unclassified non-operator member withheld; attacker names/IDs/roles retained.
Source: Rendered table · members.html of both guild exports (capture metadata).

Member-role taxonomy (from capture metadata): **Admin**, **Jar**, **Remote**, **Global**, **Bot**. Holding `Jar` + `Remote` correlates with builder use and live victim operation. Admins observed: ORGAMİZE, AyhanDev7 (both servers) and yxsinxdkapand (AİDS).

2.2 Attacker table (IDs retained; victims anonymized)

Display	Username	Discord ID	Roles	Notes
ORGAMİZE	`orgamize`	`1549134412501754020`	Admin, Jar, Remote	Admin on both servers; issues /add /delete; posts rebuild notices and Discord invite
AyhanDev7	`xxdev7`	`1544071333955109067`	Admin, Jar, Remote	Primary developer persona; builds JARs; provides technical support on failed builds
yxsinxdkapand	`yxsinxdkapand`	`1560476433753702448`	Admin, Jar, Remote	Admin on AİDS; operates victims; deletes channels
Nop	`nop02269`	`1549137950351036568`	Jar, Remote (Zengin Adam)	Affiliate
Birdie?	`0x19k`	`796916259186540577`	Jar, Remote	EXE builder (Luatools)
Ray_is_Deaf	`ray_is_deaf`	`479684407498637322`	Jar, Remote	Operator; dense slur/TTS abuse; license later deleted
Daryl	`ihaitit`	`1546697760739164206`	Member	
abiler atar gencler yatar	`abileratargencleryatar`	`1559216196560232548`	Jar, Remote	Heavy JAR builder (BetterSurvival / NewOrigins)
Silent	`logglogloglogloglog`	`1085107383287693342`	Member	Operator on Victim A (reporting party); top by distinct victims (14)
burak	`yahudi01245324532`	`1546963443754598527`	Member	Top intimidation score; posts BTC in !msg
birdie	`dracorpg`	`1131189199886888982`	Jar, Remote	
device	`devicewtf`	`302957933329645588`	Jar, Remote	!cookie ggwp.exe; builds essential.jar
Alex	`uhqlogs2`	`1393992369271078912`	Member	Operator; slurs/threats
kulu	`newaccnewday`	`1544143831769813122`	Jar, Remote	Builds plsdusearly.jar
slo	`fractiousness`	`702886023981432863`	Jar, Remote	EXE builder (Kiro / Kiro Installer)
kargakargakargakargakarga	`loverboy6074`	`737413230690828379`	Member	
lol	`_._.__._._._.__`	`1393002886723539164`	Jar, Remote	
mental terroism	`cokgec`	`1544076390054367285`	Jar, Remote	Builds BunnySMP.jar + Herorifts Setup EXE
meu "opp" aplica scam de 2f	`nbul`	`725681452460802152`	Jar, Remote	Licensed affiliate
flkj	`fl0ckoo`	`1526349375209603242`	Jar, Remote	Operator; dense slur/TTS abuse
22	`awdwaszdawsd_79086`	`1544360834472476797`	Jar, Remote	Operator
Rascal426	`rascal426`	`333103649087684620`	Jar, Remote	!cookie 944388-Setup-1.0.0.exe
roverwhoa	`roverwhoa`	`1554168143696633988`	Jar, Remote	EXE builder (Moonveil)
allahbabacanzxds	`allahbabacanzxds`	`1556968149457440850`	Member	

swazlican	`24x22`	`153725726033 2486749`	Member	Deletes victim channels
x	`hayalmi.gercekmi`	`154255992905 7935360`	Member	
comebackez	`comebackez`	`154990922597 7675856`	Jar, Remote	Operator
lizz	`scarrdhate3`	`775113982814 060564`	Member	Operator; "I GOT HACKED" fake-alert scripts
Arkskoos	`arkskoos`	`155961850917 5132210`	Jar, Remote	
xox	`tenacious_gull_78788`	`156102338080 9842805`	Jar, Remote	!cookie javaw.exe; Rewarble !web coercion
YuliDev7	`yulidev7`	`155175385092 5486111`	Member	Operator; BTC + BitPay !web
DCWAKIBJHDBKJAWKDBJWA	`adw98gdwa9g`	`154162201486 1774929`	Jar, Remote	EXE builder (UnoApp / Uno-Setup)
macs	`tokmakkafa01`	`156132225396 1142312`	Jar, Remote	EXE builder (Monveni / MonveniApp)
fehrazorback	`amazing_firebird_90`	`345068023322 771456`	Member	

Table merges members captured on either server. Left-server accounts (e.g. lizz / flkj briefly left Zengin Adam) are still listed if they appear elsewhere. “Member” means no Jar/Remote/Admin role was recorded in the member dump for that account on the server where they were observed.

2.3 Bots

Display	Username	ID(s)	Role	Function
Hello BOT	`Hello`	`1560940351836131382`	Bot	Per-victim C2 bot; creates one channel per infected host; posts 26-command panel; snowflake ≈ 17 Oct 2026 08:59 UTC
Global BOT	`Global`	`1549139301651058738`	Global, Bot	Licensing (/add /sorgu /delete) + 7-step Micro Services builder; snowflake ≈ 14 Sep 2026 19:26 UTC
Spidey Bot	`Spidey Bot`	`1561869544723578881` / `1561901838859501588` / `1561922098040152106`	Webhook bot	"Micro Special Edition" auto-grab embeds (profile + credential counts + ZIP). Multiple Spidey Bot IDs observed.
Captain Hook	`Captain Hook`	`1561186000258994178`	Webhook	Webhook created by devicewtf on a victim channel (token not stored in archive)
Haze	`Haze`	`1561869544723578881`	Webhook	Appeared briefly on #sa with t[.]me/hazestealer reference (likely unrelated/side project; low confidence)

2.4 Global bot licensing — `/add` · `/sorgu` · `/delete`

Global’s “Micro Services” slash commands manage per-affiliate licenses. Observed reply shapes:

- `/add` → “License Granted” or “License Extended”; fields: User, User ID, Duration Added (e.g. 3 days / 1 week / 1 month), Expires, Time Left, Status ● Active.
- `/sorgu` (Turkish “query”) → “License Lookup”; Status ● Active / ● Expired / ● No License; Days Remaining.
- `/delete` → “License Removed … permanently deleted from the database”; Previous Expiry.

Observed uses in the capture (Global reply messages): **/sorgu 29**, **/add 9**, **/delete 3**. Admins ORGAMİZE and AyhanDev7 are the grantors; affiliates self-check with `/sorgu`. License durations seen: 2–3 days, 7–9 days, 1 month, and one long grant (~46 days remaining as of 20 Oct).




Figure 03 [FIG-03] — Global licensing commands: /sorgu lookup, /delete license removed, /add license extended (ORGAMİZE, 17 Oct 2026). **Corroborates:** MaaS licensing (/add, /sorgu, /delete). **Anonymized** — Embed thumbnails withheld; avatars → initials (attacker names/IDs retained).
Source: Rendered message card · Zengin Adam #genel, msgs 1561124693539557378, 1561134797429149779, 1561135922773368843, 1561135980138864651.

2.5 Seven-step builder → GoFile → Dropbox

Global walks each licensed affiliate through a bilingual (Türkçe / English) wizard labelled **Micro Services · Adım/Step N/7**:

1. **Language** — Türkçe / English.
2. **SRC** — “Hangisini kullanmak istiyorsun? / Which one do you want?” (source/template selection; exact options not fully captured in text).
3. **Category ID** — Discord category ID where victim channels will be created (example shown by the bot: `1535065036664602734`).
4. **Exe / Jar name** — branding for the dropper (e.g. `BetterSurvival`, `Luatools`, `Herorifts Setup`, `Moonveil`, `Uno-Setup`, `MonveniApp`, `Kiro`, `plsdusearly`, `essential`, `BunnySMP`, `NewOrigins`).
5. **Icon** — default or upload a 256×256 `.ico`.
6. **Webhook** — affiliate’s Discord webhook URL (tokens redacted in this report).
7. **Build** — “Paketleniyor… services.jar güncelleniyor ve zip oluşturuluyor, GoFile’a yükleniyor…” then either:
   - **JAR path:** “Dropbox’a Yükle — Zip hazır! GoFile linki: …” (operator must re-host the zip on Dropbox in a prescribed `dropbox[.]com/scl/fi/…?rlkey=…&dl=1` form), after which Global attaches the finished `<name>.jar` (~6.2 KB) with a SHA-256; or
   - **EXE path:** “Build Done / Build Bitti — Ready, link below” with a GoFile URL for the installer package.

Across the capture: **30 distinct GoFile codes** (17 JAR-path zips + 13 EXE builds). The Dropbox template path repeatedly shown by Global is `hxxps[:]//www[.]dropbox[.]com/scl/fi/wsd8l04uch63nzpgpn0gx/nk[.]zip?rlkey=…&dl=1` (example shape; operators then paste their own re-hosted zip). Rebuild pressure is constant — e.g. Alex: “need rebuild? because 5 victimes 0 rat”; ORGAMİZE: “@everyone rebuilds brotherslar”; slo: “dün aldığım build 3 dt olmuş” (yesterday’s build had 3 detections).




Figure 01 [FIG-01] — Global bot "Micro Services" builder, steps 1/7-7/7 (language, SRC, category ID, exe name, icon, webhook, build) ending in a GoFile link (EXE build). **Corroborates:** MaaS builder workflow; T1587.001/T1608.001 (develop/stage capabilities). **Anonymized** — Webhook token → [REDACTED-TOKEN]; uploaded icon image withheld; avatars → initials; URLs defanged.
Source: Rendered message card · AİDS #0x19k (attacker builder channel), 13 msgs 1561767952137715813... 1561768914570969201.




Figure 02 [FIG-02] — Global builder JAR path: "Paketleniyor... GoFile'a yükleniyor" -> "Dropbox'a Yükle" -> "Jar Hazır BetterSurvival.jar 6.2 KB sha256 43576e2b...". **Corroborates:** Builder -> GoFile -> Dropbox -> Fabric loader JAR; T1608.001, T1105. **Anonymized** — Dropbox rlkey/st access tokens → [REDACTED-TOKEN]; avatars → initials; URLs defanged.
Source: Rendered message card · AİDS #abileratargencleryatar, msgs 1562224427674902549…1562225247758061638.




Figure 22 [FIG-22] — Operators discussing AV detection counts of fresh builds ("dün aldığım build 3 dt olmuş", "exe 1dt") and AyhanDev7 support reply. **Corroborates:** Defense evasion awareness / builder support. **Anonymized** — Attacker chat; avatars → initials; nothing victim-related.
Source: Rendered message card · AİDS #genel, msgs 1562139955671605360…1562140856339922999.

3. Delivery & Attack Vectors

3.1 Fake game installer (NSIS → Electron → Java)

Static analysis of the RuneGunner Beta 2.1.1 dossier (and the ANY.RUN MicroStealer 1.0 baseline) describes a three-stage chain:

1. **NSIS installer** (e.g. `RuneGunnerSetup.exe` / `RocobeSetup.exe`) silently unpacks an Electron “game launcher”.
2. **Electron + ASAR** unpacks a bundled JRE and launches an obfuscated JAR (`services.jar` / `soft.jar`) from `%LOCALAPPDATA%\java\` (or equivalent) via a signed/renamed `javaw.exe`.
3. **Java payload** performs persistence, UAC bypass, C2 check-in and theft.

Live affiliate EXE names observed in the builder (Luatools, Herorifts Setup, Moonveil, Uno-Setup / UnoApp, Monveni / MonveniApp, Kiro / Kiro Installer, HingeAPP, denemeexeagayani) are consistent with the same “game / utility installer” social-engineering skin. Exact hash linkage from each GoFile EXE to the RuneGunner dossier sample is **not** established in this text corpus (binaries were not downloaded).

3.2 Fake Minecraft Fabric mod loaders

Global’s JAR path produces ~6.2 KB Fabric “mods” whose on-disk layout is identical across builds:

```
META-INF/MANIFEST.MF
com/example/mod/mc.class     (~8.5–8.6 KB)
fabric.mod.json
```

`fabric.mod.json` (identical MD5 across sampled jars) claims:

```
{
  "id": "minecraft-mod-pack",
  "version": "1.0.0",
  "name": "Minecraft Mod Pack",
  "description": "A simple client-side Fabric mod that logs on load",
  "authors": ["Fabric Team"],
  "environment": "client",
  "entrypoints": { "main": ["com.example.mod.mc"] },
  "depends": { "fabricloader": ">=0.16.5", "minecraft": "1.21.1" }
}
```

Static strings in `com/example/mod/mc.class` include the protector marker **ZKM27.0.0** (Zelix KlassMaster 27.0.0 — note: newer than the ZKM v21.0.0 marker ANY.RUN reported in soft.jar) plus `ZipInputStream`, `ProcessBuilder`, `Files.createDirectories`, `openStream/URL` — consistent with a dropper that unpacks/downloads a next stage when Fabric loads the mod. **No jar was executed for this report.**

Observed loader names (SHA-256 of attached Discord media):

Name	SHA-256 (sample)	Builder channel
BetterSurvival.jar / Better_Survival.jar	multiple (e.g. `43576e2b4c432e9e2fb25df81dffef5202ec0968306ecc0eb605fd30cf5bf6a3`)	abiler..., Ray_is_Deaf, AyhanDev7, macs, ...
BunnySMP.jar	`89d541a885d8c89ad03999c0e5aa24353acab8ce56ebabbd29e8777291a917c0` / `5abb1e79796c1a1774d5af8ffc4ac1fc244a2b29b7c179257e1141073d488c6e`	cokgec
NewOrigins.jar	`e4bb5f20c0db7c36f315336e583a10d056a19fe5d437f13c77411ca258b3fbe3`	abiler...
essential.jar	`309daa743baa41cd2186c0b72459e2d2d56eb1f43a905c8ed908c5677c706583` / `952e4edcfcd979731edf10de2424852e1a67ac75f29b2337738f2bacb13138a1`	devicewtf
plsdusearly.jar	`9fd97dae59479d52dfe079a4bc35de22753b9dca3a6fab741fadd14cb5014aa3`	newaccnewday (kulu)

Hashes differ per build even for the same display name — each builder run re-emits a unique `mc.class`. The public Dev7-decryptor README independently notes delivery via trojanized Minecraft mods in CurseForge packs and via files posing as games.

3.3 `!cookie` Dropbox second-stage droppers

Panel description: `!cookie [exeUrl] [webhookUrl]` → download EXE → add Microsoft Defender exclusion → execute → send `data.zip` to the webhook. Observed Dropbox EXEs (tokens / rlkeys defanged below; full URLs in IOC appendix with `hxxps`):

Filename	Dropbox path id	Operator	Notes
`ggwp.exe`	`drq9al4a6w8pfcio3l805`	device	Used on Zengin Adam + AİDS
`javaw.exe`	`xjow8ifrrnq8a9yk26mr0`	xox	Canary Discord webhook; name masquerades as Java
`944388-Setup-1.0.0.exe`	`25ytcwnjac11lmk1qc4mm` / `3y7y1tkwzzd3b26vselq4`	Rascal426	Setup-branded second stealer

Bot replies observed: “Executed, waiting for data.zip…” (10×) and “data.zip creation failed (timeout)” (10×). One error exposed the local drop path shape `C:\Users\<user>\AppData\Local\svchost<digits>.exe` (username redacted in this report).





Figure 06 [FIG-06] — !cookie second stage: operator posts Dropbox EXE + webhook; bot replies "Executed, waiting for data.zip..." / "data.zip creation failed (timeout)". **Corroborates:** T1105 Ingress Tool Transfer; T1562.001 (Defender exclusion); T1567.004. **Anonymized** — Victim user@host → [REDACTED-VICTIM]; webhook tokens and Dropbox rlkey/st → [REDACTED-TOKEN]; victim channel names hidden; URLs defanged.
Source: Rendered message cards · Zengin Adam victim channel 1561184737286955018 (msgs 1561186015996158003…1561186566943146069) + AİDS victim channel 1561883935070232676 (msgs 1561884281779785809…1561884639612772363).

3.4 Discord social engineering & fake alerts

Operators coerce victims through the malware’s own UI:

- **Fake security alert** — Victim A: `!alert LOGIN TO DISCORD ON DESKTOP IS NECESSARY. WE DETECTED MALICIOUS ACTIVITY` (after `!inject` forced a Discord logout). Other scripts: “I GOT HACKED” (lizz, 8×), “HACKED”, “Gay Alert”, motherboard-burn threats.
- **Ransom chat window** via `!msg` — “we hacked you”, “if you want to be safe you have to deal with use”, “otherwise i’ll f*** your pc and leak everything” (profanity masked; counted as intimidation).
- **TTS harassment / slurs** — operators Alex, flkj, Ray_is_Deaf, Silent used `!tts` with racial slurs (16 slur-tagged messages across 7 victims in the anonymized summary; masked here as `[slur]`).
- **Payment-page coercion** — `!web` / `!cmd start msedge|chrome` opens Rewarble / G2A / Kinguin / Eneba / BitPay / skine[.]com gift-card pages on the victim’s browser.



(b) Victim-desktop capture, programmatically anonymized — only the evidence region (red outline) is legible; zoom of that region below.





Figure 11 [FIG-11] — Gift-card payment coercion: operators open Rewarble / G2A / Kinguin / Eneba pages on the victim PC via !web / !cmd start. **Corroborates:** Extortion payment rails. **Anonymized** — Card: suid tracking param → [REDACTED-TOKEN]; URLs defanged. Screenshot: everything except the browser address bar (G2A/Rewarble URL opened by !web) pixelated + darkened — tabs, page body, a Google sign-in prompt and the chat window are not readable; 900 px.
Source: Rendered message cards · four victim channels (msgs 1561400842270281852, 1561404099730088088, 1561347748349874188, 1561124549741776939, 1561909011136380938) + victim !ss media 1561401516395462787_ss.jpg (part6.zip).

4. Infection Chain



Hedge: The Fabric `mc.class` → full RuneGunner chain link is inferred from packaging + ZKM marker + ProcessBuilder/URL strings; the exact bytes pulled by each mod build were not retrieved. The ComputerDefaults UAC path is documented in the RuneGunner dossier Sysmon timeline, not re-observed in the Discord logs.

5. Payload Internals

5.1 Stages (summary)

See §4. Family banner recovered from the RuneGunner JAR string table: `=========<Micro Stealer>==========`. Manifest Main-Class (dossier): `lIiiIiIlill.Ilillliliil.liiiIIllIl`. JAR entry count ≈ 3,675; ~70 classes in the obfuscated `lIii…` namespace plus Gson, OkHttp, WebSocket client, JNA, SQLite.

5.2 Persistence

```
schtasks /create /tn "App_<username>" /tr "<javaw> -jar <services.jar>" /sc ONLOGON /delay 0000:05 /rl
HIGHEST /f
```

Task XML recovered in the dossier at `C:\Windows\System32\Tasks\App_LabUser` (lab). HighestAvailable run level; network not required. Victim A’s in-incident cleanup removed Electron app folders under `…\Local\Programs\…` and Discord but **not** `%LOCALAPPDATA%\java\services.jar` or the `App_` task — consistent with the bot reconnecting to the existing channel at 21:59 CDT.

5.3 UAC bypass

RuneGunner / this build (silent): medium-integrity Java → high-integrity `dllhost.exe` with CLSID `{3E5FC7F9-9A51-4367-9063-A120244FBEC7}` → high-integrity `ComputerDefaults.exe` (parent = original Java) → high-integrity Java child with `--elevated` (parent = ComputerDefaults) → elevated `schtasks`. This reaches high integrity under the same interactive user, not SYSTEM.

ANY.RUN MicroStealer 1.0 (stock prompt): PowerShell `Start-Process -Verb RunAs` presenting a normal UAC consent dialog.

Contrast is one of the sharpest family-evolution signals: affiliates running current builds can elevate without a visible prompt.

5.4 Obfuscation & class map

Artifact	Protector / note
ANY.RUN `soft.jar`	Zelix KlassMaster **v21.0.0**
RuneGunner `services.jar`	User-supplied claim “QProtect 2.0” — **not independently confirmed** in the dossier
Fabric loader `mc.class` (live builds)	Zelix KlassMaster **ZKM27.0.0** marker in constant pool

Dossier control-class map (obfuscated names; crypto / walkers / WebSocket):

Class / method	Linked APIs / strings
`lIiiIiIlill.IIillIiliIil.iliIiiliiiii` · `Illllllll` / `ilillIiill`	`FileInputStream`/`FileOutputStream`, `PBEKeySpec`, `SecretKeySpec`, `GCMParameterSpec`, `Cipher`, `SecureRandom`
`lllIiillIi(String)`	`Files.walkFileTree`; visitor `IiIIlliIIl` with static field `.cryptedmicro`
`IilIililIi(String)`	Second `SimpleFileVisitor` subclass
`Illllllilll(Object[])`	`com.neovisionnaires.ws.client.WebSocketFactory` (`createSocket`, `addListener`, `connect`)

Candidate gateway URL from constrained decryption (unproven live session from the offline run): `wss[:]//gateway[.]discord[.]gg/?v=10&encoding=json`. Live interactive control in this corpus is via Discord channel messages regardless of transport.

5.5 Auto-grab contents (“Micro Special Edition”)

Webhook bots (Spidey Bot) post embeds branded **Micro Special Edition** containing, among other fields:

- Discord profile card (username, badges, email, phone, MFA flags, HQ-friend counts)

- Counts: AutoFills · Cookies · Passwords · Wallets · Cards
- Attached ZIP named after the victim hostname (e.g. `<HOST>.zip`), with SHA-256
- “Common Passwords / Most Used” and per-service top-password lists

Three such ZIPs landed as Discord attachments in the capture (`DESKTOP-…zip`, `SAMUEL.zip`, `CHIGAS.zip` — victim identifiers redacted from this prose). **ZIP contents were not opened.** ANY.RUN’s MicroStealer 1.0 documents the underlying collectors: Chromium/Opera GX DPAPI credentials & cookies, crypto-wallet folders, screenshots via `java.awt.Robot`, Discord Webpack/CDP token interception, Steam Web API profiling, and (when `RunAsPPL=0`) LSASS token impersonation — the last of which was **not** identified in the RuneGunner dossier.




Figure 07 [FIG-07] — "Micro Special Edition" auto-grab webhook embeds (Discord profile card + AutoFills/Cookies/Passwords/Wallets/Cards counts + <HOST>.zip). **Corroborates:** T1555.003, T1539, T1528/Discord token theft, T1560.001, T1567.004. **Anonymized** — HEAVY: every embed value (Discord name, e-mail, phone, token, guild, badges, host) → [REDACTED-VICTIM]; profile image withheld; ZIP name masked; only field labels and aggregate counts kept.
Source: Rendered message card · AİDS victim channel 1561899241998262392, msgs 1561900864598450189, 1561900897397637122, 1561900932516675604.

5.6 Discord-gateway C2

Hello creates one text channel per victim named `<user>-<hostname>` (anonymized in this report), posts “🟢 System Online (New Channel Created)” or “(Existing Channel)”, then a panel titled with host stats and “Total 26 commands available”. Operators type bang-commands; the bot replies with results. Screenshots arrive with a SHA-256 line. Turkish UX commands (`!botkapat`, `!komutlar`, `!sıfırlama`, `!sil`) support a Turkish-speaking operator base (medium-confidence linguistic attribution — not a legal identity).



Figure 05 [FIG-05] — Hello bot "Command Panel — Total 26 commands available" on the operator's own test VPS (no victim data). **Corroborates:** Discord-gateway C2 command panel; T1102.002, T1071.001. **Anonymized** — No victim data present; avatars → initials.
Source: Rendered message card · Zengin Adam #administrator-apponfly-vps (operator's own VPS), msgs 1561142600772231171, 1561142602353614993.

5.7 Exfiltration paths

- **Cloudflare Workers:** `hxxps[:]//zen[.]ayxandevgang[.]workers[.]dev/m/` (RuneGunner multipart upload config; path shape matches ANY.RUN’s `/m/`).
- **Legacy ANY.RUN:** `hxxps[:]//78smp[.]com/m/`.
- **Discord webhooks:** auto-grab + `!cookie` `data.zip` (tokens redacted).
- **Trusted-infra blend:** Discord, Dropbox, GoFile, Cloudflare Workers — traffic that commonly bypasses “unknown domain” blocklists.

6. Command Panel Reference (with observed usage)

Counts below are operator-issued bang-commands across **all** channels in the capture (including operator test machines), case-folded, typo variants excluded. “Channels” = distinct victim/test channels where the command appeared. Panel meanings come from the Hello help text and observed bot replies — not full handler decompilation.

Category	Command	Panel / observed function	Uses	Channels	Risk
System	`!info`	System information	5	3	Low–Med
System	`!net`	Network info & Wi-Fi passwords	4	4	High
System	`!clipboard [text]`	View / set clipboard	1	1	High
System	`!log`	Toggle key & window logger	40	22	Critical
System	`!ss`	Screenshot	1154	79	High
System	`!otoss [screen]`	Toggle auto screenshots (observed: every 3s, all monitors)	74	27	High
System	`!relog`	Reconnect bot / trigger data collection	84	48	Critical
System	`!cmd [command]`	Run shell command	20	6	Critical
System	`!sil [app]`	Uninstall application (Steam, Minecraft, Discord, …)	8	4	Med
System	`!shutdown`	Shut down PC	31	17	High
System	`!botkapat`	Stop bot (Turkish)	17	13	Low
System	`!komutlar`	Show command list (Turkish)	12	8	Low
Security	`!lock`	Lock screen	39	7	Med
Security	`!task`	Toggle Task Manager & Regedit	60	39	High
Security	`!kill [exe]`	Kill process	91	29	High
Security	`!sıfırlama`	Toggle WinRE / Recovery (Turkish “reset”)	58	37	Critical
Security	`!inject`	Discord token injection (+ forced logout)	24	18	Critical
Security	`!wp [url]`	Set wallpaper	12	7	Low
Media	`!alert [message]`	Show alert popup	36	13	Low–Med (social eng.)
Media	`!msg [message]`	Show message / chat window	683	49	Low–Med (social eng.)
Media	`!audio [sec]`	Record mic 1–30 s	13	6	High
Media	`!tts [text]`	Text-to-speech	26	12	Low
Media	`!web [url]`	Open URL in browser	24	12	Med
Media	`!open [app]`	Open application	8	3	Low–Med
Encryption	`!micro [key]`	Encrypt files → .cryptedmicro (Fast Mode)	29	21	Critical
Encryption	`!unmicro [key]`	Decrypt files	0	0	Critical
Cookie	`!cookie [exeUrl] [webhookUrl]`	Download EXE → Defender exclusion → execute → send data.zip	14	10	Critical

Notable bot reply shapes: “Task Manager and Regedit: DISABLED”; “Discord injected and logged out.”; “Data collection triggered…”; “Micro operation started (Fast Mode)…” / “completed. Processed: N”; “PC Reset (WinRE) and Settings Page: DISABLED”; “Executed, waiting for data.zip…”; “Auto screenshot started (All Monitors, every 3s)”.




Figure 12 [FIG-12] — !sıfırlama reply "PC Reset (WinRE) and Settings Page: DISABLED" (and reagentc access-denied error on a non-elevated host). **Corroborates:** T1490 Inhibit System Recovery. **Anonymized** — Victim user@host → [REDACTED-VICTIM]; channel names hidden.
Source: Rendered message cards · Zengin Adam victim channels (msgs 1561305666927206522, 1561392248644567132, 1561147339257679933).



Figure 13 [FIG-13] — !cmd AV discovery (root\SecurityCenter2 AntiVirusProduct) and AV removal attempt (winget uninstall Kaspersky). **Corroborates:** T1518.001 Security Software Discovery; T1562.001. **Anonymized** — Victim user@host → [REDACTED-VICTIM]; channel names hidden.
Source: Rendered message cards · AİDS victim channel 1561883935070232676 (msgs 1561886627511541811… 1561886827248623760) + Zengin Adam victim channel 1561147191215661276 (msgs 1561148961249558689… 1561148984754708502).

7. Encryption Deep Dive

Operator-triggered via `!micro [key]` / `!unmicro [key]`. Offline canary files in the dossier were untouched because no live command was delivered — consistent with keyed, on-demand ransomware rather than automatic encryption at install. Extension: `.cryptedmicro`.

Analysis below uses the **public Dev7-decryptor** (https://github.com/Rho-9-Official/Dev7-decryptor, `unmicro.py` v3.9.1 constants) as the format reference. Do not confuse this with any paid decryptor service.

7.1 Two on-disk formats under one extension

Format	KDF / cipher	Layout	Notes
Legacy	No KDF — `key = Arrays.copyOf(keyString.getBytes(UTF_8), 32)`; AES-256-**ECB** / PKCS5Padding	ciphertext only (whole file)	One typed string covers every file on that host; guessing is practical
Current	PBKDF2-HMAC-SHA256, **600,000** iterations, 32-byte key; AES-256-**GCM**, 128-bit tag	`salt (16B) | iv (12B) | ciphertext | tag (16B)` — 44-byte overhead	Per-file salt/IV; tag verifies key; guessing is ~0.2 s/guess/core

Static dossier links (`PBEKeySpec` + `GCMParameterSpec`) align with the current GCM path. Bot replies in this corpus say “Micro operation started (**Fast Mode**)…” (28×) — which Fast Mode selects (ECB vs GCM, or a walker heuristic) is **not proven** from the text alone.

7.2 Observed live usage

- **29** operator `!micro` invocations across **21** distinct channels (incl. 1 operator test).
- **8** bot “Processed: N” completion lines summing to **40,721** files; many runs never posted a count.
- Anonymized summary: **20** numbered victims encrypted; largest single posted completion 16,145 files.
- Every observed `!micro` line included a plaintext key argument (29/29). Distinct keys ≈ 25; length 5–13 (mean ≈ 7.4); most contain digits. **Keys are not listed here.**

> **Recoverability:** Because operators type the key in cleartext into the C2 channel, any responder with the channel history (or a memory/pagefile scavenged string) can feed that key to the public Dev7-decryptor. For GCM files the 128-bit tag makes a correct key self-proving. Victim A was **not** encrypted in the capture.

7.3 Weaknesses (defensive summary)

- Human-chosen short keys instead of device-bound secrets.
- Legacy ECB path has no salt/IV and pads the key with zero bytes to 32.
- Keys are logged in Discord (and often in operator scrollback / screenshots).
- Encryption is on-demand and network-gated — removing C2 connectivity prevents new `!micro` runs (it does not decrypt existing files).
- Crew is known (per decryptor README) to randomize extensions before encrypting; naming alone is an unreliable type signal after recovery.




Figure 08 [FIG-08] — !micro ransomware run: "Micro operation started (Fast Mode)..." and "Micro operation completed. Processed: N". **Corroborates:** T1486 Data Encrypted for Impact. **Anonymized** — Operator's plaintext !micro key → [KEY REDACTED]; victim user@host → [REDACTED-VICTIM].
Source: Rendered message cards · Zengin Adam victim channels 1561406991123877888 (msgs 1561411891962716333... 1561412456704770081) and 1561180650801725580 (msg 1561181223651639367).

8. MITRE ATT&CK Mapping

Tactic	Technique	Evidence in this corpus
Resource Development	T1587.001 / T1588 / T1608.001 Develop & Stage Capabilities	Global 7-step builder → GoFile → Dropbox
Initial Access	T1204.002 User Execution: Malicious File	Fake game installer; fake Fabric mods
Execution	T1059.001 / T1059.003 PowerShell / Windows Command Shell	`!cmd`; schtasks; winget
Persistence	T1053.005 Scheduled Task	`App_<user>` ONLOGON HIGHEST
Privilege Escalation	T1548.002 Bypass UAC	ComputerDefaults.exe + COM CLSID (dossier); stock UAC in ANY.RUN
Privilege Escalation	T1134.001 Token Impersonation	ANY.RUN LSASS path only (not confirmed in RuneGunner)
Defense Evasion	T1027 Obfuscated Files	ZKM 21 / ZKM 27 / claimed QProtect; LZ-String / custom alphabets in JS
Defense Evasion	T1036.005 Match Legitimate Name	`javaw.exe` dropper; `miicrosoft.exe`; `svchost<digits>.exe`
Defense Evasion	T1497.001 Virtualization/Sandbox Evasion	VM process-name checks
Defense Evasion	T1562.001 Impair Defenses	`!task`; `!cookie` Defender exclusion; `!kill`; winget uninstall Kaspersky attempt
Credential Access	T1555.003 Credentials from Web Browsers	Micro Special Edition AutoFills/Passwords counts; ANY.RUN DPAPI
Credential Access	T1539 Steal Web Session Cookie	Cookies counts in auto-grab; !cookie second stage
Credential Access	T1056.001 Keylogging	`!log` (40 uses / 22 channels; Victim A confirmed)
Discovery	T1082 / T1518.001 System & Security Software Discovery	`!info`; SecurityCenter2 AV query via `!cmd`
Collection	T1113 Screen Capture	`!ss` (1154), `!otoss` every 3s
Collection	T1115 / T1123 Clipboard / Audio	`!clipboard`, `!audio`
Collection	T1560.001 Archive Collected Data	`data.zip` / hostname.zip
Command and Control	T1071.001 / T1102.002 Web Protocols / Bidirectional Web Service	Discord bot + WebSocketFactory; Cloudflare Workers
Command and Control	T1105 Ingress Tool Transfer	`!cookie` Dropbox EXEs
Exfiltration	T1567.002 / T1567.004 Exfil Over Web Service / Webhook	Workers `/m/`; Discord webhooks
Impact	T1486 Data Encrypted for Impact	`!micro`, `.cryptedmicro`
Impact	T1490 Inhibit System Recovery	`!sıfırlama` WinRE toggle (58 uses)
Impact	T1529 System Shutdown/Reboot	`!shutdown` (31)
Impact	T1657 Financial Theft (extortion)	Ransom !msg/!alert; BTC; gift-card rails

9. Victimology Aggregates

Source: anonymized per-victim impact summary derived from Hello “System Online” channels. Victim channel names, PC names, usernames, IPs, passwords, emails and wallet seeds are omitted. Operator test machines and Victim A (reporting party) are excluded from the 88-count.

88	20	18	18	9	23
Victims	Encrypted (!micro)	Discord-injected	Keylogged	!cookie dropper	Replied in chat

Metric	Value
First-seen per day (CT)	17 Oct: 15 · 18 Oct: 33 · 19 Oct: 27 · 20 Oct: 13
By server (first-seen)	Zengin Adam 28 · AİDS 60
Ransom / deal language	33 victims
Negotiated / offered to pay (reply language)	4
Confirmed payment evidence in logged replies	**0** (one operator message elsewhere claimed money was not received)
Dollar amounts seen	$30–$1250; common tiers $100 / $200–$400 / $500 / $900 / $1250
Payment methods demanded	Cash App (5), G2A (5), PayPal (4), Rewarble (4), BTC (4), unspecified crypto (3), gift cards (3), Visa gift (1), Venmo (1)
Dropper EXEs on victims	ggwp.exe (3), javaw.exe (3), 0.exe (3) — names as logged


9.1 Command totals across numbered victims

(Slightly lower than whole-corpus counts because tests / non-victim channels are excluded.)

ss	msg	kill	relog	otoss	task	log	inject	alert	micro	tts	cookie	cmd	audio	wp	botkapat
1124	663	89	80	77	60	35	24	35	28	26	13	20	13	12	10

9.2 Intimidation tactics

16 slur messages (7 victims) · 25 graphic/violent/“sell or leak” threats (19) · 10 doxxing/family threats (9) · 36 general intimidation scripts (24) · 27 heavy-profanity messages. Top tagged operators: burak (21), Alex (17), flkj (13), Ray_is_Deaf (11), xox (11), YuliDev7 (10). Slurs are masked in this report but counted as an intimidation tactic.



(b) Victim-desktop capture, programmatically anonymized — only the evidence region (red outline) is legible; zoom of that region below.





Figure 09 [FIG-09] — Ransom chat window via !msg with BTC address (operator burak, Zengin Adam). **Corroborates:** Extortion / T1657 Financial Theft; ransom BTC address. **Anonymized** — Card: victim user@host masked. Screenshot: whole desktop pixelated (≈150 px blocks) and darkened; only the DEV7 GANG chat window kept; every non-'Admin' (victim) bubble band blacked out; OCR re-check clean; downscaled to 900 px.
Source: Rendered message card · Zengin Adam victim channel 1561177594467192883 (msgs 1561182417748889701… 1561183645635444779) + victim !ss media 1561182443900240032_ss.jpg (part3.zip).



(b) Victim-desktop capture, programmatically anonymized — only the evidence region (red outline) is legible; zoom of that region below.




Figure 10 [FIG-10] — Ransom chat window via !msg with BTC address and bitpay "buy bitcoin" !web push (operator YuliDev7). **Corroborates:** Extortion; T1204/T1566-style coercion via !web. **Anonymized** — Card: victim user@host masked. Screenshot: desktop pixelated/darkened except chat window; victim reply bands (incl. victim username) blacked out; OCR re-check clean; 900 px.
Source: Rendered message card · Zengin Adam victim channel 1561333399510319204 (msgs 1561337411215163473… 1561341623496089662) + victim !ss media 1561337609106493533_ss.jpg (part2.zip).

9.3 Top operators by distinct victim count

Operator	Discord ID	Victims
Silent	1085107383287693342	14
flkj	1526349375209603242	11
Rascal426	333103649087684620	11
Alex	1393992369271078912	9
yxsinxdkapand	1560476433753702448	7
swazlican	1537257260332486749	7
22	1544360834472476797	6
burak / device / Ray_is_Deaf / ORGAMİZE	(see §2.2)	5 each

10. Victim A Case Study (18 Oct 2026)

Victim A (reporting party) · Server: AİDS · Operator: **Silent** (`1085107383287693342`)
Activity (America/Chicago): **2026-10-18 21:42 CDT → 22:14 CDT**
Commands observed: `ss` ×13 · `log` ×2 · `relog` ×2 · `inject` ×1 · `msg` ×6 · `alert` ×1 · `kill` ×2 · `task` ×2
Encryption: none · Dropper: none · Dollar ransom ask: none (deal language: yes) · Victim replies logged: 0 · Channel not deleted

Host name, Windows username, Discord channel name and any personal content visible inside screenshots or keylogs are withheld. Paths are generalized to `C:\Users\<user>\…`.

10.1 Timeline (CDT)

Time (CDT)	Event	Interpretation
~18:21	Fake-game NSIS installer run (contemporaneous report)	Initial infection; ~3 h 20 min before first C2 check-in
21:42	Hello: System Online (New Channel Created) + 26-command panel	First beacon
21:43	Silent: `!ss` → Screenshot 1/2 + 2/2	Immediate visual recon
21:44	`!task` → Task Manager & Regedit DISABLED	Impairs response
21:44	`!inject` → “Discord injected and logged out”	Token hooks + coerced re-auth
21:46	`!ss`; `!log` → keylogger STARTED (21 keylog relay messages follow)	Keystrokes + window context exfiltrated
21:47–21:48	`!ss`; `!relog` → “Data collection triggered…”	Interactive archive/exfil step; completion not shown
21:59	System Online (Existing Channel) + panel repost	Persistence survived partial cleanup
22:00–22:05	Multiple `!ss`; `!log` again; `!task` again	Continued surveillance / lockdown
22:01	`!alert LOGIN TO DISCORD ON DESKTOP IS NECESSARY. WE DETECTED MALICIOUS ACTIVITY`	Fake security lure after forced logout
22:10–22:12	`!ss`; `!msg hi buddy, lets talk` → chat window launched	Opens operator↔victim chat UI
22:12	`!msg we hacked you`; `!kill powershell.exe`; `!msg if you want to be safe you have to deal with use`	Extortion opener; kills responder tooling
22:13	`!msg otherwise i'll f*** your pc and leak everything` (masked); `!kill operagx.exe`; `!ss`; `!relog`	Threat + browser kill + another collection attempt
22:14	`!msg` / `!msg ds` (no further bot reply in capture)	End of observed C2; host reported offline ~22:15




Figure 14 [FIG-14] — Victim A: first check-in "System Online (New Channel Created)" + command panel, 18 Oct 2026 21:42 CDT. **Corroborates:** Initial C2 beacon; T1102.002. **Anonymized** — Victim A user@host in banner and panel title → [REDACTED-VICTIM]; channel name hidden.
Source: Rendered message card · Victim A channel (AİDS), msgs 1561570252372844737, 1561570253568352317.




Figure 15 [FIG-15] — Victim A: !task -> "Task Manager and Regedit: DISABLED" and !inject -> "Discord injected and logged out", 21:44 CDT. **Corroborates:** T1562.001 Impair Defenses; Discord client injection / token theft. **Anonymized** — Victim A user@host → [REDACTED-VICTIM].
Source: Rendered message card · Victim A channel, msgs 1561570589976694859…1561570608440156201.



Figure 16 [FIG-16] — Victim A: !log keylogger started, 21:46 CDT (captured keystrokes must be fully blacked out). **Corroborates:** T1056.001 Keylogging. **Anonymized** — Victim A user@host → [REDACTED-VICTIM]; no keystroke content exists in these messages and none is reproduced.
Source: Rendered message card · Victim A channel, msgs 1561571105422975110, 1561571106446647397, 1561574653640581192, 1561574654785880155.




Figure 17 [FIG-17] — Victim A: !relog -> "Data collection triggered...", 21:48 and 22:13 CDT. **Corroborates:** T1119 Automated Collection; T1560.001; T1567. **Anonymized** — Victim A user@host → [REDACTED-VICTIM].
Source: Rendered message card · Victim A channel, msgs 1561571608789917707...1561578020333158453.




Figure 18 [FIG-18] — Victim A: bot reconnect "System Online (Existing Channel)", 21:59 CDT (persistence survived in-incident cleanup). **Corroborates:** T1053.005 persistence / reconnect. **Anonymized** — Victim A user@host → [REDACTED-VICTIM].
Source: Rendered message card · Victim A channel, msg 1561574371032694875.

AIDS › [victim channel - anonymized]
times CDT (America/Chicago) · msg 1561575065974345729...1561575066985046109

18 October 2026

S **Silent** 22:01
!alert LOGIN TO DISCORD ON DESKTOP IS NECESSARY. WE DETECTED MALICIOUS ACTIVITY

H **Hello** BOT 22:01
[[REDACTED-VICTIM]] Alert displayed.

Rendered from Discord export HTML · anonymized: victim user/host, tokens, keys, PII replaced · avatars replaced by initials · IOCs defanged

(b) Victim-desktop capture, programmatically anonymized — only the evidence region (red outline) is legible; zoom of that region below.




Figure 19 [FIG-19] — Victim A: fake security alert via !alert "LOGIN TO DISCORD ON DESKTOP IS NECESSARY. WE DETECTED MALICIOUS ACTIVITY", 22:01 CDT. **Corroborates:** Social engineering / credential lure after !inject. **Anonymized** — Card: Victim A user@host masked. Screenshot: all of the desktop pixelated/darkened except the 'SYSTEM ALERT' popup; the single non-alert OCR word in the region black-boxed; OCR re-check shows only the alert text; 900 px.
Source: Rendered message card · Victim A channel, msgs 1561575065974345729, 1561575066985046109 + Victim A pre-redacted capture img/mine/12_2202_m1_R.jpg.




Figure 20 [FIG-20] — Victim A: ransom chat window via !msg ("we hacked you" / "deal" / leak threat) and !kill powershell.exe / operagx.exe, 22:12-22:14 CDT. **Corroborates:** Extortion, intimidation; T1489/T1562 (process kill). **Anonymized** — Victim A user@host → [REDACTED-VICTIM]; profanity masked (f***).
Source: Rendered message card · Victim A channel, msgs 1561577700785917973...1561578362512609412.




Figure 21 [FIG-21] — Victim A: !ss screenshot replies (desktop captures) 21:43-22:13 CDT - show only bot reply header, never the captured screen. **Corroborates:** T1113 Screen Capture. **Anonymized** — Bot reply headers + sha256 only; the captured desktop images are withheld (placeholder boxes); Victim A user@host masked.
Source: Rendered message card · Victim A channel, msgs 1561570579570757682…1561571103611035731.

10.2 What the attacker could see / take (scoped to this channel)

Data type	Likelihood	Basis
Screen contents (desktop, Discord, Opera GX, etc.)	Confirmed	11 dual-pane `!ss` replies
Keystrokes & active-window titles after 21:46	Confirmed	`!log` + 21 relay messages (contents withheld)
Discord token / password / MFA material	Likely	`!inject` forced logout + fake re-login alert; family injector design
Browser passwords / cookies / autofill (incl. Opera GX)	Likely attempted	Two `!relog` “Data collection triggered” — completion not shown; no `!cookie` on this channel
Amazon API key	Owner-reported	Amazon lockout notice held by Victim A (not reproduced here)
Wi-Fi passwords, mic audio, arbitrary files, ransomware	Not observed	No `!net` / `!audio` / `!cmd` / `!cookie` / `!micro` on this channel in the capture

Absence in the capture is not proof of absence in uncaptured history. Session-cookie reuse is unproven and often fails after password change or the forced Discord logout.

11. Indicators of Compromise

> Defanged (`hxxps`, bracketed dots). Webhook/bot tokens, passwords, cookies and API keys are redacted. Do not visit live malicious URLs from a production host. Do not execute jars/zips.

11.1 File hashes (SHA-256)

Context	SHA-256	Source
RocobeSetup.exe	`9cf1d4f87d9f2edf53ce681b59c209f57a805e6157693e784d9d946fc3b17a04`	ANY.RUN
Game Launcher.exe	`05f0c8e89248d3477115d9f62b20ca8a95d925140c727e975ab9f3025a5ad01d`	ANY.RUN
soft.jar	`df5e2b824c0fd40323a46019bfbc325f89b5b68697ed3c94b52189cf90e1bec4`	ANY.RUN
RuneGunnerBeta.-2.1.1.zip	`4255aa9c60dc5d1e1fa99fb1d628a125696949f14781ac4bd8c4238f28ffc3f5`	Dossier
RuneGunnerSetup.exe	`576017928c7295f5264534295efebdf632e00e4daecc1805f53d5bf50554f281`	Dossier
Rune Gunner.exe	`5bcaf87d62630ff2cab04846a05bc9bd50181dcc47621484568b0257001693e9`	Dossier
services.jar	`28138c4206ceb8cfa8956e040b9ca8510c0e6283a6ad3d1dad6dd70eef4d7e2e`	Dossier
app.asar	`c580a0d4a37c5fc9eab237cc9b7747182dfd31c7675440fac42c4abcb8a685f5`	Dossier
uxzi66una.js	`ce9d951d154f441bb9ebe685c3bfcf70614b75f130567b9de4c4fc2f507d7b27`	Dossier
BetterSurvival.jar (sample)	`43576e2b4c432e9e2fb25df81dffef5202ec0968306ecc0eb605fd30cf5bf6a3`	Live builder
BunnySMP.jar (sample)	`89d541a885d8c89ad03999c0e5aa24353acab8ce56ebabbd29e8777291a917c0`	Live builder
NewOrigins.jar	`e4bb5f20c0db7c36f315336e583a10d056a19fe5d437f13c77411ca258b3fbe3`	Live builder
essential.jar (sample)	`309daa743baa41cd2186c0b72459e2d2d56eb1f43a905c8ed908c5677c706583`	Live builder
plsdusearly.jar	`9fd97dae59479d52dfe079a4bc35de22753b9dca3a6fab741fadd14cb5014aa3`	Live builder

Additional BetterSurvival / BunnySMP / essential hashes are listed in §3.2; each builder run produces a new hash.

11.2 Domains / URLs (defanged)

Type	Indicator
Exfil (RuneGunner)	`hxxps[:]//zen[.]ayxandevgang[.]workers[.]dev/m/`
Exfil (ANY.RUN)	`hxxps[:]//78smp[.]com/m/`
Discord webhook (shape)	`hxxps[:]//discord[.]com/api/webhooks/<id>/[REDACTED]` · canary / ptb variants likewise
Gateway candidate	`wss[:]//gateway[.]discord[.]gg/?v=10&encoding=json`
Invite	`discord[.]gg/SzJZmwqcp`
Gift-card rails used in coercion	skine[.]com · g2a[.]com · kinguin[.]net · eneba[.]com · bitpay[.]com
ANY.RUN lure domains (family)	vrcpluginhub[.]com, buradakimvar[.]com, kittenscraft[.]com, dashlune[.]xyz, buradabmwking[.]com, crushfall[.]com, slumpcute[.]com, banterplugins[.]com, velyonar[.]com, churilend[.]com, zarvethion[.]com, kittiesmc[.]com, kittycraftmc[.]com, welarith[.]com, eldrynworld[.]com

11.3 GoFile codes (builder outputs)

EXE builds: `dudOcrwS`, `YIO94Z3F`, `rBQ07Fs6`, `PzuWApDg`, `g6ykJGgR`, `T9pnSVIB`, `H4Wqtu6E`, `jBlKM02F`, `kclUa8bl`, `pUIZTzZF`, `57VdVsuT`, `1cREBhKU`, `yUkhg1ZH`.

JAR-path zips: `Z7MQbTlH`, `q0QG143H`, `12chiNe2`, `JjaMpzvV`, `Hv4kO6UR`, `SoMOyAJH`, `3XPCmKVR`, `TSbSsxaR`, `EJECbv5J`, `jBgGtwrb`, `X7RZ6PJE`, `WEkGe2bb`, `V9whfy2S`, `xAqcOOOj`, `GaC98TEw`, `5XQqY7F1`, `yfntAVSp`.

Full URL shape: `hxxps[:]//gofile[.]io/d/<code>`.

11.4 Dropbox path IDs

Path id	Filename	Use
`drq9al4a6w8pfcio3l805`	ggwp.exe	!cookie
`xjow8ifrrnq8a9yk26mr0`	javaw.exe	!cookie
`25ytcwnjac11lmk1qc4mm` / `3y7y1tkwzzd3b26vselq4`	944388-Setup-1.0.0.exe	!cookie
`wsd8l04uch63nzpgpn0gx`	nk.zip (template)	Builder “paste your Dropbox link like this”
`nxdcnicmlve1ekjoq2ua0`, `chbynptvskkmnmopvaaqm`, `p14git8lo447izjq86ccl`, `n9wpfv0mi32c2kfwabj60`, `e0y602b7e9lbrzuds0hdk`, `dmyhjgn0cl2487atkawvb`, `kcam1b4dkd0cs5ctyfkfw`, `ntgir624qjs7eii7suiug`, `5cbum3r8v85ltkri057w0`, `lj3now76e8qh2mu0ufc4g`, `vj73xorpdzda7w3e1oett`, `x0598xxk4fr41ksueqkjr`, `tcnmmhreic960x0dbgegz`, `408dhli4oxto1zly49m66`	<16-hex>.zip	Affiliate re-hosts of builder zips

11.5 BTC addresses (from !msg ransom windows)

- `bc1qsxszrvx0rfs7pljzaetv6t44sj0w9xwlft3my5` — posted by burak (Zengin Adam)
- `bc1qq8te3t5w9z08x8wn74zxhw506nyy3vmqa8un3w` — posted by YuliDev7 (Zengin Adam)

11.6 Host artifacts

- Scheduled task: `App_<username>` (ONLOGON, HIGHEST, 5 s delay)
- Paths: `%LOCALAPPDATA%\java\services.jar`, `%LOCALAPPDATA%\java\java\bin\javaw.exe`; ANY.RUN: `%LOCALAPPDATA%\soft.jar`, `…\model\jre\bin\miicrosoft.exe`
- Encrypted extension: `.cryptedmicro`
- COM elevation CLSID: `{3E5FC7F9-9A51-4367-9063-A120244FBEC7}`
- Defender exclusions under `HKLM\SOFTWARE\Microsoft\Windows Defender\Exclusions` (from !cookie)
- !cookie local drop shape: `C:\Users\<user>\AppData\Local\svchost<digits>.exe`
- HTTP User-Agent (ANY.RUN): `MicroStealer/1.0`

11.7 Attacker Discord IDs (quick index)

See §2.2 for the full table. Primary: ORGAMİZE `1549134412501754020` · AyhanDev7 `1544071333955109067` · yxsinxdkapand `1560476433753702448` · Hello bot `1560940351836131382` · Global bot `1549139301651058738` · Silent (Victim A operator) `1085107383287693342`. Guilds: `1560938987697340456`, `1561490410256470180`.

12. Confidence & Limitations

Claim	Confidence	Basis / limit
Family = MicroStealer / Dev7 “Micro Special Edition”	High	Banner, chain, panel, `.cryptedmicro`, Micro Special Edition embeds, self-IDs
Commercial MaaS with licensing + builder	High	Global /add /sorgu /delete + 7-step wizard transcripts
Turkish-speaking operators / localization	Medium	Panel language, builder UI, Turkish slang; not a legal ID
Silent UAC via ComputerDefaults	Medium	Dossier Sysmon; not re-observed in Discord logs
Fabric mc.class drops the full Java RAT	Medium	ZKM + ProcessBuilder/URL strings; next-stage bytes not retrieved
Current encrypt path = AES-GCM + PBKDF2-600k	Medium–High	Dossier PBEKeySpec/GCMParameterSpec + decryptor; Fast Mode semantics unproven
No victim paid (in this corpus)	Medium	0 payment evidence in replies; off-channel payment possible
Individual operator legal identities	Low / none	Not asserted

- Analysis is text-first. Evidence figures were added afterwards: Discord messages are re-rendered from the export HTML with victim identifiers, tokens, keys and PII replaced; only four victim-desktop captures are shown, each programmatically redacted (OCR-guided black-boxing plus heavy pixelation outside the evidence region) before any human review.
- Deleted channels/messages and activity outside the capture window are invisible.
- Command meanings rely on panel labels and bot replies, not full handler reverse engineering for every command.
- No sample was executed; no URL was contacted; jars were inspected with `unzip -l` / `strings` only.
- This report intentionally omits post-incident recovery steps.
- `/workspace/MicroStealer_Comparison_Report.pdf` and `/workspace/report_src/` were not modified.

13. Figure List & Anonymization Method

Machine-readable list: `/workspace/payload_report/figures_needed.json`; provenance and per-figure redaction notes: `/workspace/payload_report/figures/manifest.json`.

Anonymization method. (1) **Message cards** (all figures): the specific messages were extracted by message ID from the DiscordChatExporter HTML and re-rendered in Discord style. Victim channel names, victim user/host names (incl. Victim A), e-mail addresses, phone numbers, IPs, Discord/webhook tokens, Dropbox access keys and the operator's `!micro` encryption key were replaced with `[REDACTED-VICTIM]` / `[REDACTED-TOKEN]` / `[KEY REDACTED]`; profanity masked; avatars replaced with initials; image attachments withheld; URLs defanged. Each rendered card was text-extracted and machine-checked against the victim-identifier list and token/PII patterns before inclusion. Attacker display names, usernames, IDs and commands are retained. (2) **Victim-desktop captures** (FIG-09, 10, 11, 19 only): the evidence region was located by OCR (tesseract) on the raw image without viewing it; everything outside that region was pixelated (≥54 px blocks) and darkened, victim-authored text inside the region was black-boxed, the result was downscaled to ≤900 px, re-OCR-checked, and only then visually reviewed.

ID	Caption	Corroborates
FIG-01	Global bot "Micro Services" builder, steps 1/7-7/7 (language, SRC, category ID, exe name, icon, webhook, build) ending in a GoFile link (EXE build)	MaaS builder workflow; T1587.001/ T1608.001 (develop/stage capabilities)
FIG-02	Global builder JAR path: "Paketleniyor... GoFile'a yükleniyor" -> "Dropbox'a Yükle" -> "Jar Hazır BetterSurvival.jar 6.2 KB sha256 43576e2b..."	Builder -> GoFile -> Dropbox -> Fabric loader JAR; T1608.001, T1105
FIG-03	Global licensing commands: /sorgu lookup, /delete license removed, /add license extended (ORGAMİZE, 17 Oct 2026)	MaaS licensing (/add, /sorgu, /delete)
FIG-04	Server member lists with roles (Admin / Jar / Remote / Global / Bot) for Zengin Adam and AİDS (capture metadata view)	MaaS ecosystem / roles
FIG-05	Hello bot "Command Panel — Total 26 commands available" on the operator's own test VPS (no victim data)	Discord-gateway C2 command panel; T1102.002, T1071.001
FIG-06	!cookie second stage: operator posts Dropbox EXE + webhook; bot replies "Executed, waiting for data.zip..." / "data.zip creation failed (timeout)"	T1105 Ingress Tool Transfer; T1562.001 (Defender exclusion); T1567.004
FIG-07	"Micro Special Edition" auto-grab webhook embeds (Discord profile card + AutoFills/Cookies/Passwords/Wallets/Cards counts + <HOST>.zip)	T1555.003, T1539, T1528/Discord token theft, T1560.001, T1567.004
FIG-08	!micro ransomware run: "Micro operation started (Fast Mode)..." and "Micro operation completed. Processed: N"	T1486 Data Encrypted for Impact
FIG-09	Ransom chat window via !msg with BTC address (operator burak, Zengin Adam)	Extortion / T1657 Financial Theft; ransom BTC address
FIG-10	Ransom chat window via !msg with BTC address and bitpay "buy bitcoin" !web push (operator YuliDev7)	Extortion; T1204/T1566-style coercion via !web
FIG-11	Gift-card payment coercion: operators open Rewarble / G2A / Kinguin / Eneba pages on the victim PC via !web / !cmd start	Extortion payment rails
FIG-12	!sıfırlama reply "PC Reset (WinRE) and Settings Page: DISABLED" (and reagentc access-denied error on a non-elevated host)	T1490 Inhibit System Recovery
FIG-13	!cmd AV discovery (root\SecurityCenter2 AntiVirusProduct) and AV removal attempt (winget uninstall Kaspersky)	T1518.001 Security Software Discovery; T1562.001
FIG-14	Victim A: first check-in "System Online (New Channel Created)" + command panel, 18 Oct 2026 21:42 CDT	Initial C2 beacon; T1102.002
FIG-15	Victim A: !task -> "Task Manager and Regedit: DISABLED" and !inject -> "Discord injected and logged out", 21:44 CDT	T1562.001 Impair Defenses; Discord client injection / token theft
FIG-16	Victim A: !log keylogger started, 21:46 CDT (captured keystrokes must be fully blacked out)	T1056.001 Keylogging
FIG-17	Victim A: !relog -> "Data collection triggered...", 21:48 and 22:13 CDT	T1119 Automated Collection; T1560.001; T1567

FIG-18	Victim A: bot reconnect "System Online (Existing Channel)", 21:59 CDT (persistence survived in-incident cleanup)	T1053.005 persistence / reconnect
FIG-19	Victim A: fake security alert via !alert "LOGIN TO DISCORD ON DESKTOP IS NECESSARY. WE DETECTED MALICIOUS ACTIVITY", 22:01 CDT	Social engineering / credential lure after ! inject
FIG-20	Victim A: ransom chat window via !msg ("we hacked you" / "deal" / leak threat) and !kill powershell.exe / operagx.exe, 22:12-22:14 CDT	Extortion, intimidation; T1489/T1562 (process kill)
FIG-21	Victim A: !ss screenshot replies (desktop captures) 21:43-22:13 CDT - show only bot reply header, never the captured screen	T1113 Screen Capture
FIG-22	Operators discussing AV detection counts of fresh builds ("dün aldığım build 3 dt olmuş", "exe 1dt") and AyhanDev7 support reply	Defense evasion awareness / builder support

Handling notes (redaction requirements) are in figures_needed.json. Do not open raw victim screenshots with the Read tool in a later pass without an explicit redaction step.

End of report · TLP:AMBER · Generated 20 Oct 2026 America/Chicago · Figures anonymized · No sample execution