



|   |                                                                                                                                                                                                                                                                                                     |   |   |   |   |   |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|---|---|---|---|
|   | 1                                                                                                                                                                                                                                                                                                   | 2 | 3 | 4 | 5 | 6 |
| A | <div>Power converters</div> <div>文件: power.kicad_sch</div>                                                                                                                                                                                                                                          |   |   |   |   | A |
| B | <div>Panel and temperature</div> <div>文件: panel.kicad_sch</div>                                                                                                                                                                                                                                     |   |   |   |   | B |
| C | <div>Host interface and test points</div> <div>文件: interface.kicad_sch</div>                                                                                                                                                                                                                        |   |   |   |   | C |
| D | <div><div>album</div><div>Sheet: /<br/>File: gdep133c02-driver.kicad_sch</div><div><div>Title: GDEP133C02 minimum driver – DRAFT</div><div><div>Size: A4</div><div>Date: 2026-10-09</div><div>Rev: 0.9-RESISTORS</div></div><div><div>KiCad E.D.A. 10.0.6</div><div>Id: 1/4</div></div></div></div> |   |   |   |   | D |
|   | 1                                                                                                                                                                                                                                                                                                   | 2 | 3 | 4 | 5 | 6 |

1 3.3V input / load switch / supply distribution




v0.4: U5 output = EPD\_3V3; direct copper feeds to logic and power branches


2 Positive source rail (VDDP)




3 Negative source rail (VDDN)




4 VCOM supply branch




5 Positive gate charge pump (VGH)



6 Negative gate charge pump (VGL)




Dots join wires: crossings without dots are not connected. Net labels retain the existing PCB net names.





Direct 3.3V host interface – NO power-off signal isolation



Host first ON / last OFF. Screen OFF: no GPIO HIGH, no pull-ups.

J2.16 unused. No live plugging. Short cable <= 10cm.

Test pads: copper only, no parts to buy or solder

