

TERMINAL TIPS AND TRICKS

“It can do that?”

Rhys Shaw

<https://github.com/RhysAlfShaw/terminal-tricks-pres>

WINS!

ISSUES

News?

TERMINAL TIPS AND TRICKS

“It can do that?”

Rhys Shaw

<https://github.com/RhysAlfShaw/terminal-tricks-pres>

For iterm:

- `imgcat` - png, gif, pdfs. (<https://kszenes.github.io/blog/2024/ImgCat/>)

For kitten (linux terminal emulator):

- `icat` (<https://sw.kovidgoyal.net/kitty/kittens/icat/>)

Brew:

- `mcats` (<https://github.com/Skardyy/mcats>)

ANSI escape codes (or “sequences”) are special command strings used in command-line terminals to control text formatting, color, and cursor movement. Instead of being printed as text, the terminal interprets them as instructions.

Most sequences start with an Escape Character followed by a Control Sequence Introducer (CSI), which is typically.

- `\x1b` (or `\e` or `\033`): The Escape character.
- `[`: The Control Sequence Introducer (CSI).
- `...`: One or more parameters (numbers) separated by semicolons.
- `m`: The command (known as SGR - Select Graphic Rendition). This is the most common command, used for colors and styles.

Practical Example (Bash Shell) This command prints “Hello!” in bold red text on a yellow background, then resets the formatting.

```
echo -e '\x1b[1;31;43mHello!\x1b[0m'
```

\x1b[1m: Set Bold

\x1b[31m: Set Foreground to Red

\x1b[43m: Set Background to Yellow

\x1b[0m: Reset all formatting to default

Code	Effect	Code	Effect
0	Reset/Normal	30-37	Set Foreground Color
1	Bold/Increased Intensity	40-47	Set Background Color
2	Faint/Decreased Intensity	90-97	Set Bright Foreground Color
3	Italic	100-107	Set Bright Background Color
4	Underline	38;5;x	Set 256-color Foreground
5	Slow Blink	48;5;x	Set 256-color Background
7	Reverse Video	38;2;r;g;b	Set RGB Foreground
8	Conceal	48;2;r;g;b	Set RGB Background
9	Crossed-out	20-29	Disable corresponding effect

YOUR TURN TO SHARE!

AOB?

PUB?
