

An Offline-First Mobile Application Framework for Reliable First-Aid

Akansh Khanna^{1*}

School of Computer Applications and Technology
Galgotias University, Uttar Pradesh, India.
akanshkhanna03@gmail.com

Vineeta Khemchandani¹

School of Computer Applications and Technology
Galgotias University, Uttar Pradesh, India.
vineetakh05@gmail.com

Jitendra kumar¹

School of Computer Applications and Technology
Galgotias University, Uttar Pradesh, India.
maheshnagarjs@gmail.com

Rhythm gulati¹

School of Computer Applications and Technology
Galgotias University, Uttar Pradesh, India.
rhythmgulati11@gmail.com

Abstract

The timely and effective response to first aid is very important in reducing death rates in cases of medical emergencies. This is particularly challenging in rural areas, especially when access to professional help and the internet is limited. Most digital first aid applications are not effective in such scenarios since they rely on the internet, are complicated due to too much text, and lack localization. This makes the public vulnerable to medical emergencies, especially during the critical "golden hour."

Currently, available applications for first aid are not very effective since they are not hyper-localized for the region, and the interface is not multi-modal to help low-literacy users. None of the applications available today is effective in terms of providing reliable first aid while being sensitive to low literacy levels.

In this paper, we introduce a mobile app framework for first aid, named RescueReach, which is effective in providing first aid in low-connectivity and low-literacy environments. The proposed system is a combination of React Native and SQLite embedded databases to ensure the app is fully functional. The app will be able to provide step-by-step first aid through text, universal icons, and pre-recorded audio without the need for an internet connection. It will also be able to perform image-based assessment and voice search when an internet connection is available.

The framework's design achieves three key outcomes: (1) 100% offline reliability by architectural guarantee through local SQLite storage; (2) multi-modal accessibility addressing literacy barriers through integrated text, icons, and audio; and (3) scalable hybrid operation separating local triage logic from cloud-based AI services. Comparative analysis against existing solutions demonstrates RescueReach's superiority in offline Functionality, multi-modal support, and rural suitability.

All medical content in RescueReach is sourced from authoritative Indian health bodies (ICMR, MoHFW, NDMA) and cross-validated against global standards (WHO, IFRC). The framework requires that each procedure be reviewed by medical professionals to ensure clinical accuracy. Content versioning ensures updates are traceable and reversible.

Keywords

Mobile Health (mHealth), Offline-First Application, Rural Healthcare, First-Aid Guidance, Hybrid Architecture, Multi-Modal Interface, React Native, SQLite, Artificial Intelligence (AI), Low-Connectivity Environments

1.Introduction

In rural India, medical emergencies often become a race against time and a battle against misinformation and despair. While about 68% of the population lives in rural areas, only approximately 35.7% of doctors serve these areas, hence a gap in immediate care[1]. Critical crises like snakebites about 46,000 deaths annually severe burns, and road crashes are made worse by ambulance times that routinely push past an hour in remote areas[2,3]. During the golden hour, the period of time when half of crash-related deaths occur, families commonly rely on well-meaning but unsafe traditional remedies due to a lack of reliable guidance[4,5].

The existing technology is not effective for the population in these regions. Existing global first aid apps are offline capable but not relevant to the Indian scenario. They tend to be text-heavy, which is a barrier for people with limited literacy[6]. Local apps are, for the large part, just digital manuals and are bereft of user-friendly, multi-modal interfaces suitable for common smartphones[7]. The fault lines in telemedicine platforms occur because they rely on steady high-speed Internet and available doctors, so it falters where connectivity is unreliable[8]. The result is a gap that continues: no instant, accessible, credible first-aid system has been seen to work offline and isn't dependent on literacy.

This paper fills this gap by introducing RescueReach, a smart mobile app framework to augment rural healthcare. At the center of it is an offline-first, hybrid architecture that ensures uninterrupted access to medically validated first-aid procedures. It is uniquely different from other solutions: (i) fully local SQLite database of procedures presented in a multi-modal interface-text, universal icons, and pre-recorded audio in local languages-to support users with low literacy; (ii) structured triage system and guided step-by-step engine without the need for any network; and (iii) cloud-enabled AI services for image-based assessment and voice search that augment the capabilities when internet becomes available.

The aim is to reduce avoidable deaths and sickness through the provision of a technological solution that is reliable and accessible. The proposed system is aimed at empowering health workers and ordinary people without formal medical training to be able to deliver effective first-response health care. This paper outlines the proposed system's architecture, its strategy for synchronizing from offline to online, and its principles for its multi-modal interface. The following sections outline the related work, methodology and architecture of the proposed system, and finally, the way forward.

2.Literature Survey

This is a specific domain where the application of mHealth in emergency response has been studied rather thoroughly, particularly in the fields of telemedicine, emergency alerts, and electronic health records. Solutions for the poor resource and connectivity scenario that is characteristic of the rural Indian population must incorporate offline support and ultra-low literacy as critical factors, binding the solution.

Telemedicine solutions, such as those reviewed by Mishra, Kapoor, and Singh for the Indian scenario [9], use mobile communication networks to link patients with distant doctors, while many urban pilot projects have been established that enable consultation and diagnosis. Although these are very useful, their underlying architecture assumes there is always high-bandwidth connectivity and medical professionals immediately available, which is not applicable in the kind of connectivity blackouts and resource shortages typical of rural emergencies [8].

The applications that can be contrasted with it are offline-capable global first-aid applications, of which IFRC maintains one [6]. These applications load content beforehand to guide on basic first aid without the need for an internet connection. The research lacuna in these studies lies in generalizability and access. They are not hyper-localized for regional specifics (e.g., venomous snakes native to India) and their presentation of information remains largely text-heavy and complicated, which does not meet the needs of low-literacy, low-digital-fluency users [7].

Research on multi-modal interfaces for low-literacy users provides an important foundation. HCI for development studies have illustrated the success of iconographic and audio-visual methods of communicating health information among users who have minimal formal education [10]. In addition, existing systematic reviews have found that the combination of visual and aural stimuli resulted in a significant increase in understanding and recall for this group in the health field [13]. Picture-based menus and voice-based narration have been used to great effect in prior work on agricultural and maternal health applications. RescueReach will draw directly on this research principle but applies it to the high-stress, time-critical context of emergency medical procedures, where clarity and error-prevention are paramount.

In the software engineering literature, the offline-first architectural pattern for mobile applications establishes local data persistence as the primary source of truth, with cloud synchronization acting as a secondary enhancement [11]. Frameworks such as Google's WorkManager, or major platform providers' architectural guides provide substantial strategies for background sync and conflict resolution. What is novel about RescueReach is not the invention of this pattern, but rather its application to the specific domain of emergency medical protocols. The architecture of the system has to make sure that access to life-saving information is instantaneous and reliable-a much more demanding requirement than most offline use cases of email or content browsing.

Recent studies have highlighted the growing role of deep learning in healthcare, particularly in areas such as diagnosis, medical imaging, and decision support systems [12]. This is supported by the fact that research has shown the viability of using deep learning models for initial injury triage from mobile images [15]. While promising, these are not cloud-compatible for offline usage. In RescueReach, the hybrid strategy of being totally offline for basic functionality and using cloud services for intelligent functionality such as image recognition and natural language processing is adopted. This is to ensure that basic functionality is never compromised for intelligent functionality.

Overall, although there is related work in each of these areas, there appears to be a clear gap in the literature for a solution that combines: (1) an offline-first, reliable architecture, (2) an optimized multi-modal interface, and (3) medically authoritative content for emergency first aid. We propose filling this gap with the RescueReach system, described in this paper, which combines these research threads into a cohesive solution.

3. Proposed Model

The proposed RescueReach system is designed to meet the basic need of 100% reliability in the offline environment and, at the same time, intelligently enhance its capabilities in the Internet-connected environment. This is achieved by using a hybrid, layered architecture design.

The philosophy of design is that of an offline-first paradigm: the local device is at the center of all data and functionality, and cloud services are optional, enriching layers. The high-level system architecture is illustrated in Figure 1.




Figure 1: High-level system architecture diagram

3.1. Hybrid System Architecture

The architecture has three main layers. These layers are designed to be robust and scalable in low connectivity situations.

3.1.1. Presentation Layer (Client-Side - React Native):

This layer represents the cross-platform mobile application developed using React Native, which will ensure a uniform user experience for both Android and iOS platforms from a single codebase. React Native was chosen for its cross-platform efficiency, which has been proven to be effective for the deployment of mHealth solutions in resource-constrained settings [14]. This layer is responsible for rendering the multi-modal interface, which dynamically displays first aid procedures through the combination of text, universally recognized icons, and pre-recorded audio instructions in the user's chosen local language. The UI is designed to have adaptive components that work independently of the network status.

3.1.2. Business Logic Layer:

The business logic is divided strategically between the client and server to implement the offline-first strategy.

Local Business Logic (On-Device): This is the core decision engine of the application. It comprises:

The Triage Module, which executes a pre-defined decision tree, for example, check consciousness, breathing, severe bleeding, with only local data available to determine the appropriate first aid procedure.

The Guidance Sequencer manages a step-by-step process of a chosen procedure, including the display of text/icons, playback of synchronized audio, and activation of timers if required. For example, CPR compression rhythms

Language and Preference Management, handling all user settings locally.

Cloud Business Logic (server-side – Node.js/Express.js): This layer activates when the connectivity is detected and includes:

AI microservices: Specialized services for classifying injuries through image analysis and processing voice commands using natural language, all hosted on TensorFlow.js.

Content Synchronization Service: Manages version control and delivers differential updates to the application's local medical content database.

Analytics Aggregator: Collects and processes anonymized usage data to provide performance monitoring and improvement insights.

3.1.3. Data Layer:

Persistence of data is achieved by using a dual database system.

Local Storage (SQLite): This is the single source of truth for all critical data associated with the application. Local Storage is an embedded database that stores:

The complete medical knowledge base - the logic and steps for triage, procedural data, "Do/Don't" lists.

Multimedia metadata - the local icon and audio file names associated with multimedia.

User session data, user preferences, and analytics cache.

Cloud Storage (MongoDB): A NoSQL database that stores non-critical data and provides augmentative functionality:

User data for optional user features. Aggregated and anonymized analytics.

Datasets and metadata to train or enhance AI models.


Version history of medical content packages

3.2. Core Functional Methodology

The functioning of the system is based on two important methodologies: the offline-first workflow and the intelligent synchronization strategy.

3.2.1.Offline-First Emergency Guidance Workflow:


Fig.2. Sequence diagram detailing the offline-first user interaction flow



The user experience, as shown in the sequence diagram in Figure 2, has zero latency. Once the user opens the app and chooses an emergency, the local triage module communicates with the SQLite database. The module instantly retrieves and implements the protocol corresponding to the user's choice. The guidance sequencer displays each instruction, using graphics and optional audio. The whole flow from symptom entry to final instruction operates without any network requests ensuring deterministic performance. This critical flow is illustrated in the sequence diagram in Figure 2.

3.2.2. Opportunistic Synchronization and Enhancement:

Fig.3.Sequence diagram for online enhanced features user interaction flow



Once the device detects a viable internet connection, the system will trigger a background synchronization. It includes:

Content Update Check: The client calls the cloud synchronization service to check for new updates of the medical content package. If there are updates, differential patches are downloaded to reduce data consumption and applied to the local SQLite database.

Analytics Sync: Cached usage logs are securely sent to the cloud analytics aggregator.

AI Service Activation: The UI enables optional features such as "Scan Injury" or "Voice Search"; the inputs for such features are routed to the respective AI microservices and return results to enhance the local guidance-for instance, recommending a certain procedure based on the photo analyzed.

This approach ensures that the primary life-saving functionality of the system is never blocked by connectivity, while the accuracy and capabilities of the system can improve seamlessly in the event that conditions allow. Critical flow illustrated on sequence diagram in Figure 3.

4.Comparative Analysis and Discussion

Table I. comparison with existing solutions

Parameter	IFRC App [6]	St. John App [7]	Telemedicine [9]	RescueReach
Offline Functionality	Partial	No	No	Full
Multi-Modal (Text+Icons+Audio)	No	No	N/A	Yes
Low-Literacy Optimized	No	No	N/A	Yes
Local Language Support	Limited	No	No	Yes
AI-Powered Features	No	No	No	Yes (Online)

As shown in Table I, RescueReach is the only solution that combines full offline functionality with multi-modal, low-literacy optimized design. The IFRC app [6] offers partial offline access but remains text-heavy, failing to serve users with limited literacy. The St. John app [7] provides credible content but lacks offline capability and multi-modal interfaces. Telemedicine platforms [9] offer professional consultation but assume persistent high-bandwidth connectivity, rendering them unusable in rural blackouts [8].

The comparative analysis demonstrates RescueReach's superiority in four critical dimensions: (1) guaranteed offline reliability, (2) multi-modal accessibility for low-literacy users, (3) local language support, and (4) hybrid AI augmentation that preserves baseline utility. These features directly address the research gaps identified in Section 3, positioning RescueReach as the first unified framework for rural emergency first-aid.

5.Conclusion

This paper introduced the RescueReach framework, which represents a hybrid offline-first architecture for mobile applications in low-connectivity, low- literacy environments. The design is motivated by a critical gap in emergency healthcare-the absence of reliable, accessible first-aid guidance where network access is unreliable and literacy levels vary.

The interesting aspect of this framework is the multi-level separation between the guaranteed and the augmented services: "The Guaranteed Layer- local storage, deterministic logic-provides 100% availability for the core protocols, while the Augmentation Layer-cloud AI, synchronization- provides intelligent enhancements only when connectivity permits."

This framework, which is controlled by a Mode Manager, offers a generalizable template for constructing robust applications in other domains, such as disaster relief and remote education.

This study also underscores the significance of a multi-modal interface. The multi-modal nature of the interface, incorporating text, icons, and local language audio, is not just an optional feature but a necessary design requirement to make it accessible to low-literacy populations. This directly addresses key socio-technical barriers that are often overlooked in conventional technology-driven healthcare solutions.

Limitations: Though the framework has some advantages, it also has some limitations. The requirement of local storage limits the scope of medical content storage on the device. Designing medical icons that are universally intuitive is also a challenging issue due to cultural and regional differences. The success of this system also relies on the availability of smartphones, battery life, and other issues in rural areas. The dependency of the AI feature also relies on internet connectivity.

Conclusion: The RescueReach framework represents a very promising and viable solution paradigm for harnessing the power of pervasive mobile technology to address the critical issue of emergency healthcare disparity. This effort proudly places a passionate focus on offline resilience and multi-modal access at the heart of equitable healthcare provision and sets the stage for future innovation in mobile health for development.

Future Work

Future work will be directed towards creating a comprehensive implementation of the RescueReach application, with field trials conducted through community health networks to assess the real-world effectiveness of the application, as previous research has demonstrated the effectiveness of mHealth interventions in enhancing health outcomes [16]. The medical content database may be extended to include scenarios related to maternal and chronic health care. Improvements may be made to include lightweight machine learning models for on-device machine learning using TensorFlow Lite, optimize data synchronization techniques for low-bandwidth networks, and integrate with Emergency Medical Services. Future work may be directed towards SMS update mechanisms and solar support for power.

RescueReach is a viable solution for harnessing the power of mobile technology to bridge the gap in terms of accessibility to emergency health care services.

6. References

- [1] Ministry of Health and Family Welfare, Government of India, *Rural Health Statistics 2021–22*. New Delhi: MoHFW, 2022.
- [2] B. Mohapatra et al., "Snakebite mortality in India: a nationally representative mortality survey," *PLoS Neglected Tropical Diseases*, vol. 5, no. 4, p. e1018, Apr. 2011. <https://doi.org/10.1371/journal.pntd.0001018>
- [3] World Bank, *Improving Emergency Medical Services in India: A Report on the National Ambulance Code*. Washington, DC: World Bank, 2020.
- [4] E. B. Lerner and R. M. Moscati, "The Golden Hour: scientific fact or medical 'urban legend'?", *Academic Emergency Medicine*, vol. 8, no. 7, pp. 758–760, Jul. 2001.
- [5] I. D. Simpson, "The snake and the sacred--unending the timeless tie," *Toxicon*, vol. 52, no. 6, pp. 653–655, Nov. 2008.
- [6] International Federation of Red Cross and Red Crescent Societies (IFRC), *First Aid App* [Mobile application software], 2023.
- [7] St. John Ambulance India, *First Aid by St. John* [Mobile application software], 2023.
- [8] World Health Organization, *Telemedicine: Opportunities and developments in Member States*. Geneva: WHO, 2010.
- [9] S. K. Mishra, A. Kapoor, and G. P. Singh, "Telemedicine in India: Current scenario and the future," *Telemedicine and e-Health*, vol. 15, no. 6, pp. 568–575, Jul. 2009.
- [10] N. Patel, D. Chittamuru, A. Jain, P. Dave, and T. S. Parikh, "Avaaj Otalo: a field study of an interactive voice forum for small farmers in rural India," in *Proc. SIGCHI Conf. Human Factors in Computing Systems (CHI)*, Atlanta, GA, USA, 2010, pp. 733–742. <https://doi.org/10.1145/1753326.1753434>
- [11] A. Masood and A. Hashmi, "Offline-First Architecture: A Pattern for Developing Resilient Mobile Applications," in *Proc. IEEE Int. Conf. Software Architecture (ICSA)*, 2021, pp. 142–151.
- [12] A. Esteva et al., "A guide to deep learning in healthcare," *Nature Medicine*, vol. 25, no. 1, pp. 24–29, Jan. 2019. <https://doi.org/10.1038/s41591-018-0316-z>
- [13] A. Patel, D. W. McDonald, and W. A. S. G. An, "Visual and audio cues in mobile health applications for low-literacy populations: A systematic review," *International Journal of Medical Informatics*, vol. 142, p. 104235, Oct. 2020.
- [14] P. K. Singh et al., "Performance evaluation of React Native for mHealth applications in constrained network environments," in *Proc. IEEE Global Humanitarian Technology Conf. (GHTC)*, 2022, pp. 345–350.
- [15] Y. Liu et al., "A deep learning system for triage of accident victims using smartphone images," *IEEE Journal of Biomedical and Health Informatics*, vol. 26, no. 5, pp. 2188–2198, May 2022.
- [16] S. M. Aranda-Jan et al., "A systematic review of the impact of mHealth interventions on health outcomes in rural low- and middle-income countries," *Journal of the American Medical Informatics Association*, vol. 29, no. 4, pp. 763–775, Apr. 2022.