

Building a Khmer Traffic Sign Dataset for Automated Detection and Classification

Sophearith Chren Second Author Third Author Fourth Author

Department of Computer Science of Cambodia Academy of Digital Technology,

Phnom Penh Cambodia

corresponding_author@cadt.edu.kh

Abstract

Traffic Sign Detection and Classification have become a core feature of computer vision, contributing for intelligent transportation systems, traffic monitoring and driver assistance technologies. However, the availability of public datasets illustrating Khmer traffic signs remains limited, making it challenging to develop and evaluate reliable detection and classification models for Cambodia. To overcome the lack of the publicly available Khmer datasets, this research introduces a custom Khmer traffic sign datasets collected and annotated the capture image from various locations in Cambodia. The datasets contain an image captured under multiple real-world conditions including different lighting, different angles, distance, background and covers 42 classes commonly found in Cambodia. To evaluate the dataset, YOLOv8 and YOLOv10 models were trained and compared. YOLOv8 achieved the best performance with an accuracy of 93% on the primary dataset and was integrated into a bilingual web-based application supporting both Khmer and English languages for automated traffic sign detection and classification. This system demonstrates the practical application of deep learning-based Khmer traffic sign recognition and provides a foundation for future research and intelligent transportation applications in Cambodia.

Keywords: *Khmer Traffic Sign, Khmer Traffic Sign Detection and Classification (KTSDC), Computer Vision, Deep Learning*

1 Introduction

Traffic Signs play a significance role in modern transportation systems by providing an importance information, guiding driver behavior and enhancing road safety [1][2]. With the rapid of development of computer vision and deep learning techniques, automated traffic sign detection

and classification have become main research areas for intelligent transportation systems and driver assistance technologies.

Developing accurate and reliable traffic sign detection and classification models require a large-scale dataset. Existing datasets, including German Traffic Sign Recognition Benchmark (GTSRB) [3], Mapillary Traffic Sign Dataset (MTSD) [1], Tsinghua-Tencent 100K (TT100K) [4], provide comprehensive coverage for their regions. However, they are limited for specific countries and do not effectively represent the traffic sign used in Cambodia [1], [3], [4].

In Cambodia, the availability of publicly accessed Khmer traffic sign datasets remains limited [5]. Existing research on Cambodian traffic signs focuses only on seven classes [5], which do not fully represent the wide range of usually found in Cambodia roadways. Therefore, this limitation highlights a significant research gap in the development of a complete KTSDC system.

To address this research gap, this study proposes a KTSDC system based on a custom traffic sign dataset that was collected and annotated from various locations across Cambodia. The proposed collection consists of 42 classes of traffic sign types collected under various real-world conditions, including different lighting, different angles, distances, and backgrounds. Furthermore, YOLOv8 and YOLOv10 were trained and evaluated to find out the effectiveness for Khmer traffic sign detection and classification.

2 Dataset

In this section, we will describe the custom Khmer traffic sign dataset produced in this project. The dataset was manually collected and annotated for traffic sign detection and classification in Cambodia road environments.

2.1 Dataset Overview

This paper introduces custom Khmer traffic sign dataset designed for traffic sign detection and classification in Cambodia road conditions. The proposed dataset was collected and annotated by our team, which consisted of 42 classes that consisting several categories including regulation, warning, required, and informational signals. The collected images demonstrate various real-world environments with differences in lighting, angles, distances and backgrounds. Figure 1 demonstrates the complete set of traffic sign classes included in the proposed dataset. In the next section will detail the data collection, annotation and data statistics.



Figure 1. The 42 traffic sign classes included in the proposed dataset

2.2 Data Collection

The traffic sign images were manually collected by our team from several sites across Cambodia using a smartphone camera. Data collecting was conducted on a few different road types, which include urban streets and rural streets. Images were taken under different real-world conditions, such as different lighting conditions, viewing angles, object distances, and background environments, to boost dataset diversity. After data gathering, all the images were carefully reviewed to remove duplicate images, images without traffic signs, and images that contain poor visibility that prevented clear identification of the traffic signs. This process ensured that only the quality images were left for data annotation process.

2.3 Data Annotation

Following data collection, all the images were manually annotated using the CVAT annotation tool. Each traffic sign was allocated a rectangular bounding box and provided with a class label according to one of the 42 predefined traffic sign

classes. The annotations were exported in the YOLO format, containing the class identifier and normalized bounding box coordinates for each signs. To ensure annotations quality, all annotations have been manually validated by our team, and incorrect class labels or inaccurate bounding boxes were fixed before finish datasets.




Figure 2. Example of the traffic sign annotation process. Original image. Annotated image with bounding box and class label generated using CVAT

2.4 Data Statistics

2.5 Title, authors' names and affiliations

Place the title at the top of the first page, followed by the authors' names and their affiliations. Long title should be typed on two lines without a blank line intervening. The title of the paper should be written in bold in 14 point font. The first letter of word except preposition (i.e., of, with, on, in, for), definite article (the) and indefinite article (a, an) in the title should be capitalized. The authors name' must be in bold in 12 point font, followed the title with a line space skipped. The affiliation should followed the authors name, in 12 point font.

Center the title across both columns. Use the two-column format only when you begin the abstract. Note for $\text{\LaTeX}$, use `\and` to separate authors from the same affiliation, and `\AND` for starting an author block in the separated line.

2.6 Text

Begin typing the main body of the text immediately after the keywords with 11 point font, observing the two-column format as shown in this example.

Type and label section headings in 12pt bold font. Use numbered sections, in order to facilitate cross references.

Table 1. Units for Magnetic Properties

Elements	Style in MSWord	Size in L ^A T _E X
Φ	magnetic flux	$1 \text{ Mx} \rightarrow 10^{-8} \text{ Wb} = 10^{-8} \text{ V}\cdot\text{s}$
B	magnetic flux density, magnetic induction	$1 \text{ G} \rightarrow 10^{-4} \text{ T} = 10^{-4} \text{ Wb/m}^2$
H	magnetic field strength	$1 \text{ Oe} \rightarrow 10^3/(4\pi) \text{ A/m}$
m	magnetic moment	$1 \text{ erg/G} = 1 \text{ emu} \rightarrow 10^{-3} \text{ A}\cdot\text{m}^2 = 10^{-3} \text{ J/T}$
M	magnetization	$1 \text{ erg}/(\text{G}\cdot\text{cm}^3) = 1 \text{ emu/cm}^3 \rightarrow 10^3 \text{ A/m}$
$4\pi M$	magnetization	$1 \text{ G} \rightarrow 10^3/(4\pi) \text{ A/m}$

Type and label section headings in 11pt bold font. Use numbered sections, in order to facilitate cross references.

2.7 Equations

Number equations consecutively with equation numbers in parentheses flush with the right margin, as in (1). To make your equations more compact, you may use the solidus (/), the exp function, or appropriate exponents. Use parentheses to avoid ambiguities in denominators. Punctuate equations when they are part of a sentence, as in

$$E = mc^2. \quad (1)$$

The following equation are used to test your LaTeX compiler's math output. Equation (2) is your LaTeX compiler' output.

$$\frac{4i + 8jk \times 10rym}{(6\pi)Aoq \sum_{i=1}^r Q(t)} \int_0^\infty f(g)dx \sqrt[3]{\frac{abcdelqh^2}{(svw) \cos^3 \theta}}. \quad (2)$$

Be sure that the symbols in your equation have been defined before the equation appears or immediately following. Italicize symbols (*T* might refer to temperature, but *T* is the unit tesla). Refer to "(1)," not "Eq. (1)" or "equation (1)," except at the beginning of a sentence: "Equation (1) is . . ."

2.8 Graphics

Format and save your graphics using a suitable graphics processing program that will allow you to create the images as PostScript (.PS), Encapsulated PostScript (.EPS), Tagged Image File Format (.TIFF), Portable Document Format (.PDF), Portable Network Graphics (.PNG), or Metapost (.MPS), sizes them, and adjusts the resolution settings. When submitting your final

paper, your graphics should all be submitted individually in one of these formats along with the manuscript.

Illustrations: Place figures, tables, and photographs in the paper near where they are first discussed, rather than at the end, if possible. Wide illustrations may run across both columns. See Figure 3 for include an illustration.



Figure 3. Sample Image

Captions: Provide a caption for every illustration; number each one sequentially in the form: "Figure 1: Caption of the Figure." "Table 1: Caption of the Table." Type the captions for figures below the figures. Type the captions for tables above the tables (see Figure 1).

2.9 Appendices and References

Appendixes: Appendixes, if any, directly follow the text and the references (but see above). Letter them in sequence and provide an informative title: **Appendix A. Title of Appendix.**

References: Citations within the text appear in bracket as [Number] such as [?], [?], [?], [?] and [?]. Gather the full set of references together under the heading **References**; place the section before any **Appendices**, unless they contain references. Provide as complete a citation as possible, using a consistent format.

BibTeX does not work by magic. It doesn't get the bibliographic data from thin air but from

.bib files. If you use **BibTeX** to produce a bibliography you must send the .bib files.

ACET follows the IEEE's reference style, which the preparation guideline can be found below:

- Basic format for books: J. K. Author, "Title of chapter in the book," in Title of His Published Book, xth ed. City of Publisher, (only U.S. State), Country: Abbrev. of Publisher, year, ch. x, sec. x, pp. xxx-xxx.
See [1], [2].
- Basic format for periodicals: J. K. Author, "Name of paper," Abbrev. Title of Periodical, vol. x, no. x, pp. xxx-xxx, Abbrev. Month, year, DOI: 10.1109.XXX.123456.
See [3]-[5].
- Basic format for reports: J. K. Author, "Title of report," Abbrev. Name of Co., City of Co., Abbrev. State, Country, Rep. xxx, year.
See [6], [7].
- Basic format for handbooks: Name of Manual/Handbook, x ed., Abbrev. Name of Co., City of Co., Abbrev. State, Country, year, pp. xxx-xxx.
See [8], [9].
- Basic format for books (when available online): J. K. Author, "Title of chapter in the book," in Title of Published Book, xth ed. City of Publisher, State, Country: Abbrev. of Publisher, year, ch. x, sec. x, pp. xxx-xxx. [Online]. Available: <http://www.web.com>
See [10]-[13].
- Basic format for journals (when available online): J. K. Author, "Name of paper," Abbrev. Title of Periodical, vol. x, no. x, pp. xxx-xxx, Abbrev. Month, year. Accessed on: Month, Day, year, DOI: 10.1109.XXX.123456, [Online].
See [14]-[16].
- Basic format for papers presented at conferences (when available online): J.K. Author. (year, month). Title. presented at abbrev. conference title. [Type of Medium]. Available: site/path/file
See [17].
- Basic format for reports and handbooks (when available online): J. K. Author. "Title of report," Company. City, State, Country. Rep. no., (optional: vol./issue), Date. [Online] Available: site/path/file
See [18], [19].
- Basic format for computer programs and electronic documents (when available online): Leg-

islative body. Number of Congress, Session. (year, month day). Number of bill or resolution, Title. [Type of medium]. Available: site/path/file
See [20].

- Basic format for patents (when available online): Name of the invention, by inventor's name. (year, month day). Patent Number [Type of medium]. Available: site/path/file
See [21].
- Basic format for conference proceedings (published): J. K. Author, "Title of paper," in Abbreviated Name of Conf., City of Conf., Abbrev. State (if given), Country, year, pp. xxxxxx.
See [22].
- Example for papers presented at conferences (unpublished): See [23].
- Basic format for patents: J. K. Author, "Title of patent," U.S. Patent x xxx xxx, Abbrev. Month, day, year.
See [24].
- Basic format for theses (M.S.) and dissertations (Ph.D.): 1) J. K. Author, "Title of thesis," M.S. thesis, Abbrev. Dept., Abbrev. Univ., City of Univ., Abbrev. State, year. 2) J. K. Author, "Title of dissertation," Ph.D. dissertation, Abbrev. Dept., Abbrev. Univ., City of Univ., Abbrev. State, year.
See [25], [26].
- Basic format for the most common types of unpublished references:
 - 1) J. K. Author, private communication, Abbrev. Month, year.
 - 2) J. K. Author, "Title of paper," unpublished.
 - 3) J. K. Author, "Title of paper," to be published.See [27]-[29].
- Basic formats for standards:
 - 1) Title of Standard, Standard number, date.
 - 2) Title of Standard, Standard number, Corporate author, location, date.See [30], [31].
- Article number in reference examples: See [32], [33].
- Example when using et al.: See [34].

3 Style of Camera-Ready Manuscript

The maximum length of camera-ready manuscripts is limited up to eight (9) pages of content, plus unlimited pages of references. All illustrations, references, and appendices must be accommodated within these page limits, also observing the formatting instructions given in the present document. **Note that DO NOT**

put a page number in each page.

4 Conclusion

Although a conclusion may review the main points of the paper, do not replicate the abstract as the conclusion. A conclusion might elaborate on the importance of the work or suggest applications and extensions.

Acknowledgment

Thanks to XXXXXXXXXXXX. This format is a modification of ONA 2018, SNLP 2013, KICSS2006 and IJCKS2007 style file.

References

- [1] C. Ertler, J. Mislej, T. Ollmann, L. Porzi, G. Neuhold, and Y. Kuang, “The Mapillary Traffic Sign Dataset for detection and classification on a global scale,” *Lecture notes in computer science*, pp. 68–84, 1 2020. [Online]. Available: https://doi.org/10.1007/978-3-030-58592-1_5
- [2] W. Farag, “Traffic signs classification by deep learning for advanced driving assistance systems,” *Intelligent Decision Technologies*, vol. 13, no. 3, pp. 305–314, 8 2019. [Online]. Available: <https://doi.org/10.3233/idt-180064>
- [3] J. Stallkamp, M. Schlipsing, J. Salmen, and C. Igel, “Man vs. computer: Benchmarking machine learning algorithms for traffic sign recognition,” *Neural Networks*, vol. 32, pp. 323–332, 2 2012. [Online]. Available: <https://doi.org/10.1016/j.neunet.2012.02.016>
- [4] Z. Zhu, D. Liang, S. Zhang, X. Huang, B. Li, and S. Hu, “Traffic-sign detection and classification in the wild,” in *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2016, pp. 2110–2118.
- [5] S. Ratitya and M. Tokunaga, “Traffic signs mapping in cambodia with deep learning and gnss,” in *Proc. 46th Asian Conference on Remote Sensing (ACRS)*, Oct 2025, accessed: 2025. [Online]. Available: <https://acrs-aars.org/proceedings2025/>