OppRadar

More opportunities. Closer to you.

Software Requirements Specification

Version 1.0 (draft)

14 October 2026

AI opportunity agent • Alerts • Chat

Contents

1 Introduction **3**
1.1 Purpose . . . 3
1.2 Scope . . . 3
1.3 Definitions and abbreviations . . . 3
1.4 Brand and design references . . . 4
1.5 Document conventions . . . 4

2 Overall description **4**
2.1 Product perspective . . . 4
2.2 User classes . . . 4
2.3 Operating environment . . . 5
2.4 Design and implementation constraints . . . 5
2.5 Assumptions and dependencies . . . 5

3 User journeys and use cases **5**
3.1 Primary scenario: from alert to decision . . . 6

4 Functional requirements **6**
4.1 FR-1 Account, intake and profile . . . 6
4.2 FR-2 Opportunity discovery and matching agent . . . 7
4.3 FR-3 Notifications . . . 8
4.4 FR-4 Swipe screen (next phase) . . . 8
4.5 FR-5 Chat assistant . . . 8
4.6 FR-6 Reels feed (next phase) . . . 9
4.7 FR-7 Organization accounts and admin . . . 10

5 External interface requirements **10**
5.1 User interface . . . 10
5.2 Hardware interfaces . . . 10
5.3 Software interfaces . . . 11
5.4 Communications . . . 11

6 Non-functional requirements **11**

7 Data requirements and high-level architecture **12**
7.1 Architecture . . . 12

7.2 Core data entities 12
7.3 Retention and deletion 13

8 AI and ML requirements **13**
8.1 Matching and ranking 13
8.2 Extraction and grounding 14
8.3 Safety, privacy and moderation 14
8.4 Evaluation targets 14

9 Release plan, risks and open questions **15**
9.1 Release phases 15
9.2 Risks 15
9.3 Open questions 16
9.4 Requirement traceability 16

1. Introduction

OppRadar is a mobile and web app whose AI agent continuously searches the internet for opportunities that fit a user's profile and notifies them when it finds a good one. This SRS defines what the first release must do, for whom, and how well.

1.1 Purpose

This document specifies the functional and non-functional requirements of OppRadar v1.0. It is the shared reference for product, design, engineering, QA and AI/data teams.

1.2 Scope

OppRadar v1.0 delivers four capabilities at launch (profile intake, opportunity agent, notifications, chat assistant) and plans two more for the next phase (swipe screen, reels feed). All are specified in Section 4, and next-phase items are labelled:

- **Profile intake**: the user enters their profile, experience, CV and past opportunities.
- **Opportunity agent**: a background agent discovers, scores and filters opportunities matching that profile.
- **Notifications**: push, email and in-app alerts when a strong match is found.
- **Swipe screen**: a Tinder-like card deck to accept or reject agent-found opportunities. Next phase, not in v1.0.
- **Chat assistant**: a conversational interface to ask about any opportunity, including ones the user found alone.
- **Reels feed**: a scrollable short-content feed where participants share their experiences and organizations announce events and opportunities. Next phase, not in v1.0.

"Opportunity" means any time-bound or application-based offer: scholarships, jobs, internships, fellowships, grants, hackathons, competitions, conferences, bootcamps, volunteering and funding programs.

Out of scope for v1.0: submitting applications on the user's behalf, payments, in-app messaging between users, and a native desktop app.

1.3 Definitions and abbreviations

Term	Meaning
Agent	The AI service that searches for and ranks opportunities for one user
Opportunity	A structured record of an external offer (title, organizer, deadline, eligibility, link)
Match score	A 0–100 value estimating fit between a profile and an opportunity
Intake	The profile and preference data a user provides, which drives the agent
Reel	A short vertical video or image-carousel post in the feed
Organization	A verified account that publishes opportunities and events

Term	Meaning
SRS	Software Requirements Specification
FR / NFR	Functional / Non-functional requirement

1.4 Brand and design references

The visual identity follows the OppRadar brand board: tagline “More opportunities. Closer to you.”; primary purple `#8B34FF`, accent yellow `#FAFC52`, light surface `#F6F2FC`, dark neutral `#1E1D1E`; LT Saeada for headings and DM Sans for body text.

1.5 Document conventions

Requirements are numbered (FR-x.y, NFR-x, AI-x) and use “shall” for mandatory items and “should” for desirable ones. Priority is marked P1 (must have for launch), P2 (should have) or P3 (later).

2. Overall description

OppRadar replaces manual opportunity hunting with an agent that works in the background and a chat for depth. A swipe deck for fast decisions and a social feed for discovery and trust follow in the next phase.

2.1 Product perspective

OppRadar is a new, standalone product with three loops that feed each other:

1. **Agent loop**: profile → search → score → notify → user feedback (saves and chat now, swipe in the next phase) → better scoring.
2. **Conversation loop**: the user asks about any opportunity, and the agent answers using the profile and the opportunity’s details.
3. **Community loop**: users and organizations post reels, which surface new opportunities and social proof, and feed the agent’s discovery index (next phase).

2.2 User classes

User class	Description	Main needs
Seeker	Student, graduate or professional looking for opportunities	Relevant matches, timely alerts, quick triage, honest answers about eligibility
Organization	Company, NGO, university, accelerator or event organizer	Reach the right audience, publish opportunities and event reels, see engagement

User class	Description	Main needs
Alumni contributor	A seeker who took part in an opportunity and shares the experience	Easy posting, credibility, visibility
Administrator	OppRadar staff	Moderation, organization verification, abuse handling, analytics

2.3 Operating environment

- Mobile apps for iOS 15+ and Android 9+, plus a responsive web app on current Chrome, Safari, Edge and Firefox.
- Cloud-hosted backend with a managed database, object storage and a CDN for reel media.
- Third-party services: LLM provider, push notification service, email service, video transcoding.

2.4 Design and implementation constraints

- The app shall respect the terms of service and robots rules of any website the agent reads; sources are accessed through permitted means (public pages, feeds, APIs, partner submissions).
- Personal data handling shall comply with applicable data protection law, including the user's local regime (for example Algeria's Law 18-07) and GDPR for EU users.
- Brand colours, fonts and tagline shall follow the brand board.
- The UI shall support English, French and Arabic (with right-to-left layout) at launch, since the first target market is Algeria and the wider MENA and Francophone regions.

2.5 Assumptions and dependencies

- Users will provide enough profile data (at least basic info plus a CV or manual experience) for matching to work.
- Enough public opportunity sources exist in the target regions to feed the agent; partner organizations will add more.
- LLM and search API costs per active user stay within the unit-economics budget (to be set, see open questions).

3. User journeys and use cases

Seven use cases cover the product; each maps to the functional requirements in Section 4. UC-3, UC-5 and UC-6 belong to the next phase.

ID	Use case	Actor	Flow summary	Covers
UC-1	Onboard and build profile	Seeker	Sign up, enter profile, upload CV, list past opportunities, set preferences, agent starts	FR-1
UC-2	Receive a match alert	Seeker	Agent finds a match above threshold, user gets a push, taps it, lands on the opportunity detail	FR-2, FR-3
UC-3	Triage by swiping (next phase)	Seeker	Open swipe screen, swipe right to save or left to dismiss, optionally undo, tap a card for detail	FR-4
UC-4	Ask the agent about an opportunity	Seeker	Open chat, pick a saved or self-found opportunity (link, text or screenshot), ask about eligibility, deadlines, how to apply	FR-5
UC-5	Browse and react to reels (next phase)	Seeker	Scroll the feed, like, save, comment, tap “Add to my radar” to import the linked opportunity	FR-6
UC-6	Share an experience (next phase)	Alumni contributor	Record or upload a reel, tag the opportunity, publish after moderation	FR-6
UC-7	Publish an opportunity or event	Organization	Verified organization creates an opportunity record that enters the discovery index (event reels come in the next phase)	FR-7

3.1 Primary scenario: from alert to decision

1. The agent finds a fellowship whose eligibility, field and deadline fit the user’s profile; its match score is 88.
2. The user receives a push notification with the title, deadline and a one-line reason for the match.
3. The user opens the detail card, sees why it matched, and saves it (in the next phase, by swiping right).
4. In chat, the user asks “Do I need a recommendation letter, and can I apply with my current CV?” and gets an answer grounded in the opportunity page and their profile.
5. The deadline reminder arrives three days before the closing date.

4. Functional requirements

The system shall deliver seven functional areas. Each requirement carries a priority (P1 launch, P2 should, P3 later). FR-4 (swipe screen) and FR-6 (reels feed) are next-phase: they are specified for planning and are not part of v1.0, whatever priority is shown inside them.

4.1 FR-1 Account, intake and profile

ID	Requirement	Pri.
FR-1.1	The user shall register and sign in with email and password, Google or Apple; email verification is required.	P1
FR-1.2	The intake wizard shall collect: name, location, education, skills, languages, work experience, interests, and target opportunity types.	P1
FR-1.3	The user shall upload a CV (PDF or DOCX, up to 10 MB); the system shall parse it and pre-fill the profile fields for the user to confirm or correct.	P1
FR-1.4	The user shall add past opportunities they participated in (title, organizer, year, outcome, notes).	P1
FR-1.5	The user shall set preferences: regions or remote, deadline horizon, funding required, language, and notification frequency.	P1
FR-1.6	The user shall edit the profile at any time; changes shall be reflected in the agent's next run.	P1
FR-1.7	The user shall export or delete all their data from settings.	P1
FR-1.8	The system should show a profile-completeness indicator with suggestions that improve match quality.	P2

4.2 FR-2 Opportunity discovery and matching agent

ID	Requirement	Pri.
FR-2.1	The agent shall run continuously per user (scheduled and event-triggered) and discover opportunities from web sources, partner feeds, organization submissions and, from the next phase, the reels feed.	P1
FR-2.2	The system shall normalize each found item into an Opportunity record: title, organizer, type, location, eligibility, benefits, deadline, source URL, and a source-checked timestamp.	P1
FR-2.3	The system shall de-duplicate opportunities across sources.	P1
FR-2.4	The agent shall compute a match score (0–100) per user and opportunity, and store a short human-readable reason and the criteria met or missed.	P1
FR-2.5	Opportunities with a score at or above the user's threshold (default 70) shall be queued for the notification engine and, from the next phase, the swipe deck.	P1
FR-2.6	The agent shall exclude expired opportunities and those the user already dismissed, saved or applied to.	P1
FR-2.7	The agent shall learn from user feedback (saves, chat questions, swipes in the next phase, "not relevant" reasons) and adjust ranking.	P2
FR-2.8	The agent shall re-check saved opportunities and alert the user to deadline changes or closures.	P2
FR-2.9	The user shall be able to pause or resume the agent and to narrow or widen its search scope.	P1

ID	Requirement	Pri.
FR-2.10	Until the swipe screen ships, the user shall save or dismiss an opportunity from the notification, the opportunity detail screen or the chat, and manage a saved list with statuses Saved, Preparing, Applied and Result received.	P1

4.3 FR-3 Notifications

ID	Requirement	Pri.
FR-3.1	The system shall send a push notification for each new match above the alert threshold, containing title, organizer, deadline and match reason.	P1
FR-3.2	The user shall choose between instant alerts, a daily digest and a weekly digest, and set quiet hours.	P1
FR-3.3	The system shall send deadline reminders for saved opportunities (default 7 days and 1 day before).	P1
FR-3.4	The system shall send email as a fallback or digest channel and keep an in-app notification inbox.	P2
FR-3.5	The system shall cap alerts per day (default 5 instant alerts) and batch the rest into a digest.	P1
FR-3.6	Tapping a notification shall deep-link to the opportunity detail screen.	P1

4.4 FR-4 Swipe screen (next phase)

ID	Requirement	Pri.
FR-4.1	The screen shall present agent-found opportunities as a stack of cards showing title, organizer, deadline, match score and reason.	P1
FR-4.2	Swiping right (or tapping a check) shall save the opportunity to the user's list; swiping left (or tapping a cross) shall dismiss it.	P1
FR-4.3	Swiping up (or tapping a star) should mark an opportunity as high priority.	P2
FR-4.4	The user shall undo the last swipe.	P1
FR-4.5	Tapping a card shall open the full detail view with eligibility, benefits, source link and an "Ask the agent" shortcut.	P1
FR-4.6	On dismiss, the app should offer optional quick reasons (not my field, too far, not eligible, deadline too close) to improve matching.	P2
FR-4.7	Swipe actions shall write to the same saved list and statuses defined in FR-2.10.	P1
FR-4.8	When the deck is empty, the screen shall show the next expected agent run and a link to adjust preferences.	P1

4.5 FR-5 Chat assistant

ID	Requirement	Pri.
FR-5.1	The user shall chat with the agent in natural language in English, French or Arabic; the agent replies in the user's language.	P1
FR-5.2	The chat shall have access to the user's profile, saved and dismissed opportunities, and the full detail of each opportunity.	P1
FR-5.3	The user shall add an opportunity they found themselves by pasting a link or text or uploading a screenshot or PDF; the agent shall extract and store it as an Opportunity record.	P1
FR-5.4	Answers about an opportunity shall be grounded in its source content and shall cite the source link; if information is missing the agent shall say so rather than guess.	P1
FR-5.5	The agent shall assess eligibility against the profile and explain gaps (for example a missing requirement) with suggested next steps.	P1
FR-5.6	The agent should help prepare an application: checklist of documents, key dates, and draft outlines for motivation letters using the user's own data.	P2
FR-5.7	Chat history shall be saved per conversation and be searchable; the user can delete conversations.	P1
FR-5.8	The user shall be able to ask the agent to change its search ("only fully funded masters in Europe") and the agent shall confirm and apply the change.	P2

4.6 FR-6 Reels feed (next phase)

ID	Requirement	Pri.
FR-6.1	The feed shall be a vertically scrollable full-screen sequence of reels with auto-play, mute toggle and swipe to next.	P1
FR-6.2	A reel shall support video up to 90 seconds or an image carousel, a caption, hashtags and an optional linked opportunity.	P1
FR-6.3	Users shall like, comment, share and save reels, and follow other users and organizations.	P1
FR-6.4	A reel linked to an opportunity shall show an "Add to my radar" action that creates the Opportunity record in the user's list and chat.	P1
FR-6.5	The feed shall have two tabs: For You (ranked by profile relevance and engagement) and Following.	P1
FR-6.6	Alumni contributors shall tag the opportunity they participated in; reels from verified participants shall show a "Participated" badge.	P2
FR-6.7	All uploads shall pass automated moderation (nudity, violence, spam, hate speech) before publishing, with a user reporting flow and admin review queue.	P1
FR-6.8	Videos shall be transcoded to adaptive streaming formats and captioned; captions should be auto-generated.	P2
FR-6.9	Reels content and captions should feed the discovery index so the agent can detect new opportunities mentioned in posts.	P3

4.7 FR-7 Organization accounts and admin

ID	Requirement	Pri.
FR-7.1	An organization shall register, submit verification documents, and be marked “Verified” by an administrator.	P1
FR-7.2	Verified organizations shall create opportunity listings with structured fields; publishing event reels comes in the next phase.	P1
FR-7.3	Organizations shall see analytics: impressions, saves, “Add to my radar” counts and audience breakdown (aggregated, no personal data).	P2
FR-7.4	Organization listings shall be labelled “Verified” and ranked as high-trust sources by the agent.	P1
FR-7.5	Administrators shall have a console to moderate opportunity listings and, from the next phase, reels and comments, verify organizations, suspend accounts and review reports.	P1
FR-7.6	The system should detect and flag suspicious or scam opportunities (fees to apply, requests for sensitive data) and warn users.	P1

5. External interface requirements

5.1 User interface

v1.0 has four bottom-navigation tabs: Radar (list of matches), Chat, Saved, Profile. In the next phase, Radar becomes the swipe deck and a Reels tab is added. Notifications open from a bell on Radar.

- **Brand:** purple `#8B34FF` as the primary and background colour for hero and splash screens, yellow `#FAFC52` for highlights and the radar-wave accent shapes, `#F6F2FC` for light surfaces, `#1E1D1E` for text and dark mode.
- **Typography:** LT Saeada for headings and the wordmark, DM Sans for body, labels and chat.
- **Cards and shapes:** large rounded corners (about 24 px) on cards, buttons and tiles, matching the brand board.
- **Contrast:** text and controls shall meet WCAG 2.1 AA; yellow is never used for text on white.
- **Modes:** light and dark theme; RTL mirroring for Arabic.
- **Motion:** from the next phase, swipe cards follow the finger with a physics-based animation; the reduced-motion setting shall be respected.

5.2 Hardware interfaces

Camera and microphone (reel recording, next phase), photo library and file storage (CV, screenshots), and push token registration. No special hardware is required.

5.3 Software interfaces

Interface	Purpose	Notes
LLM provider API	Chat, extraction, scoring explanations	Provider-agnostic abstraction layer, with fallback model
Web search and fetch API	Opportunity discovery	Respect source terms, rate limits and caching
Push services (APNs, FCM)	Notifications	Per-device tokens, targeted sends
Email service	Digests and account email	SPF/DKIM configured
Identity providers	Google and Apple sign-in	OAuth 2.0 / OpenID Connect
Video pipeline	Upload, transcode, stream, thumbnails (next phase)	Adaptive bitrate (HLS) via CDN
Moderation service	Image, video and text safety checks	Automated first pass, human review queue
Analytics	Product and funnel metrics	Privacy-respecting, consent-gated

5.4 Communications

All client–server traffic shall use HTTPS (TLS 1.2+). Real-time chat responses should stream over WebSocket or server-sent events. The mobile app shall cache the match list and saved list for offline viewing.

6. Non-functional requirements

Targets below are launch goals to be validated in load and user testing.

ID	Category	Requirement
NFR-1	Performance	App cold start under 3 s on a mid-range Android phone; swipe animation at 60 fps (next phase).
NFR-2	Performance	First reel frame within 1.5 s on 4G; next reel pre-buffered (next phase).
NFR-3	Performance	Chat first token within 3 s and full answer within 15 s for 95% of questions.
NFR-4	Timeliness	A new opportunity from a monitored source shall reach matching users within 6 hours of publication; a push alert within 5 minutes of a match above threshold.
NFR-5	Scalability	Support 100,000 registered users and 10,000 concurrent users at launch, scaling horizontally.
NFR-6	Availability	99.5% monthly uptime for the API; the agent pipeline degrades gracefully if an LLM or source is down.
NFR-7	Security	Encrypt data in transit and at rest; hash passwords with a modern algorithm; short-lived tokens with refresh.

ID	Category	Requirement
NFR-8	Security	CVs and personal documents are stored in private buckets with signed, expiring URLs.
NFR-9	Privacy	Collect only the data needed for matching; explicit consent for processing the CV and profile; user data is never sold or used to train third-party models.
NFR-10	Privacy	Full account and data deletion completes within 30 days; export available as JSON and PDF.
NFR-11	AI safety	The agent shall not fabricate opportunity details; every factual claim links to a source or is flagged as unverified.
NFR-12	Trust	Scam and fee-based opportunity detection runs on every new record before it reaches a user.
NFR-13	Usability	A new user completes intake in under 5 minutes and sees the first matches within 24 hours (target: within 1 hour).
NFR-14	Accessibility	WCAG 2.1 AA; screen reader labels, dynamic text sizes, captions for video.
NFR-15	Localization	English, French and Arabic (RTL); date and number formats follow locale; deadlines show the user's time zone.
NFR-16	Reliability	No lost saves, dismissals or swipes: actions are queued offline and synced; the server is idempotent.
NFR-17	Maintainability	Modular services, automated tests with at least 70% coverage on core logic, CI/CD with staged rollouts.
NFR-18	Observability	Structured logs, tracing, and dashboards for agent runs, match quality, notification delivery and moderation backlog.
NFR-19	Cost control	Per-user LLM spend is metered and capped; caching and cheaper models handle bulk filtering.

7. Data requirements and high-level architecture

OppRadar is built as stateless services behind one API, with the agent pipeline running as background jobs that read and write the same data stores.

7.1 Architecture

The Reels service and media storage are added in the next phase. The apps talk only to the API gateway; the agent pipeline reaches users through the Notifications and Opportunities services, never directly.

7.2 Core data entities

Entity	Key fields	Notes
User	id, email, language, time zone, notification settings	Authentication and preferences

Entity	Key fields	Notes
Profile	user id, education, skills, experience, interests, target types, CV file	Source of matching; versioned
PastOpportunity	user id, title, organizer, year, outcome, notes	Entered at intake or from a reel
Opportunity	id, title, organizer, type, eligibility, benefits, deadline, source URL, last checked, trust level	De-duplicated across sources
Match	user id, opportunity id, score, reasons, status (new, saved, dismissed, applied)	One row per user and opportunity
Conversation, Message	user id, opportunity id (optional), role, text, citations	Chat history
Reel	author id, media, caption, linked opportunity id, moderation state	Next phase; video stored in object storage
Engagement	user id, reel id, like, save, comment, follow	Next phase; feeds the For You ranking
Organization	name, verification state, documents, listings	Verified by an administrator
Notification	user id, type, payload, channel, sent, opened	Delivery and open tracking

7.3 Retention and deletion

- Dismissed and expired matches are kept for 12 months to avoid showing the same item again, then removed.
- Chat history is kept until the user deletes it or the account.
- Deleted accounts: profile, CV, chats and reels are erased within 30 days; aggregated, non-identifying metrics may remain.
- Backups are encrypted and rotated on a fixed schedule not longer than 35 days.

8. AI and ML requirements

The agent is the product's core; its quality is measured, not assumed.

8.1 Matching and ranking

- **AI-1** The matcher shall combine hard filters (eligibility, location, deadline, language, funding) with a semantic similarity score between the profile and the opportunity text.
- **AI-2** Every score shall come with the top three reasons and any unmet requirement, shown to the user in plain language.
- **AI-3** The ranker shall use save, dismiss, chat and (from the next phase) swipe signals as feedback, with a cold-start fallback based on declared interests.
- **AI-4** The user shall be able to see and correct the agent's understanding of their profile (skills, level, goals).




Figure 1: System architecture: the agent pipeline works in the background, away from the app request path.

8.2 Extraction and grounding

- **AI-5** Opportunity extraction from web pages, PDFs, screenshots and (from the next phase) reel captions shall output the structured schema in FR-2.2 and a confidence value per field; low-confidence fields are marked "to verify".
- **AI-6** Chat answers shall use retrieval over the stored opportunity content and the user's profile, and shall cite the source passage or link.
- **AI-7** The agent shall refuse to give guarantees ("you will be accepted") and shall state when deadlines or eligibility may have changed since the last check.

8.3 Safety, privacy and moderation

- **AI-8** Profile and CV content sent to an external model provider shall be minimized, covered by a no-training agreement, and excluded from provider logs where possible.
- **AI-9** Scam detection shall flag signals such as application fees, requests for bank or ID details, unverifiable organizers and mismatched domains.
- **AI-10** From the next phase, reel moderation shall combine automated classifiers with human review for flagged or borderline items.

8.4 Evaluation targets

Metric	Target at launch	How measured
Match precision (user saves or rates relevant)	At least 40% of delivered cards saved	In-app save and dismiss data
Extraction field accuracy (title, deadline, link)	At least 95%	Weekly labelled sample of 200 records
Chat grounding (answers supported by source)	At least 95%	Human audit of 100 chats per month
Expired or dead opportunities shown	Under 2%	Automated link and date checks
Scam items reaching users	Under 0.5%	Reports plus audit

9. Release plan, risks and open questions

9.1 Release phases

Phase	Scope	Exit criteria
MVP (private beta)	FR-1 to FR-3 and FR-5 with web-sourced opportunities; English and French	500 beta users, 40% of delivered matches saved, no critical privacy bug
v1.0 (public launch)	Adds FR-7 organization accounts (listings), Arabic and RTL, scam detection and admin tooling	Admin review queue under 24 h, uptime 99.5% for 30 days
Next phase	FR-4 swipe screen and FR-6 reels feed, with the video pipeline and reel moderation	To be set from v1.0 results (saved-match rate, weekly active users, moderation backlog)
v1.x	P2 items: application prep help, organization analytics, auto-captions, richer feedback learning	Retention and engagement targets set after v1.0
Later	P3: reels feed the discovery index, application submission with user approval	To be decided

9.2 Risks

Risk	Impact	Mitigation
Poor match quality early on	Users churn after first alerts	Strong hard filters, visible reasons, save and chat feedback, beta tuning
Hallucinated or outdated opportunity details	Loss of trust, harm to users	Source citations, freshness checks, “to verify” flags
Scam or fake opportunities	User harm, brand damage	Scam detection, verified organizations, user reports
Source blocking or legal limits on crawling	Fewer opportunities	Partner feeds, organization submissions, user-added links, permitted APIs

Risk	Impact	Mitigation
Reels moderation load and abuse (next phase)	Safety and cost issues	Automated checks, reporting, staged rollout, verified-only posting at first
LLM and search costs	Unit economics break	Metering, caching, cheap models for filtering, per-user caps
Notification fatigue	Users mute or uninstall	Caps, digests, quiet hours, relevance threshold
Cold-start feed with little content (next phase)	Empty reels tab	Seed with organizations and partner content before launch

9.3 Open questions

- ☐ Business model: free tier limits, premium plan, or organization-paid promotion?
- ☐ Launch markets and languages beyond Algeria, and the exact source list per market.
- ☐ When reels launch in the next phase, should they be open to everyone or only to verified organizations and alumni?
- ☐ Is the agent allowed to apply on the user's behalf in a later version (and with what consent flow)?
- ☐ Will the app use a single LLM provider, or several with automatic fallback?

9.4 Requirement traceability

Use case	Functional requirements	Related NFR and AI items
UC-1	FR-1.1 to FR-1.8	NFR-9, NFR-10, NFR-13
UC-2	FR-2.1 to FR-2.6, FR-3.1 to FR-3.6	NFR-4, AI-1, AI-2
UC-3	FR-4.1 to FR-4.8 (next phase)	NFR-1, NFR-16
UC-4	FR-5.1 to FR-5.8	NFR-3, NFR-11, AI-5 to AI-7
UC-5	FR-6.1 to FR-6.5 (next phase)	NFR-2, AI-10
UC-6	FR-6.2, FR-6.6, FR-6.7 (next phase)	AI-10
UC-7	FR-7.1 to FR-7.6	NFR-12, AI-9