

Nama : Rianda Saputra

Nim : 09030582226018

Kelas : TK3B

Install wordpress

```
rianda@rianda:~$ sudo systemctl ssh
[sudo] password for rianda:
Unknown command verb ssh.
rianda@rianda:~$ sudo systemctl status ssh
● ssh.service - OpenBSD Secure Shell server
   Loaded: loaded (/lib/systemd/system/ssh.service; enabled; vendor preset: enabled)
   Active: active (running) since Tue 2023-11-21 07:16:08 UTC; 6min ago
     Docs: man:sshd(8)
           man:sshd_config(5)
    Main PID: 641 (sshd)
      Tasks: 1 (limit: 2722)
     Memory: 6.8M
        CPU: 79ms
    CGroup: /system.slice/ssh.service
            └─641 "sshd: /usr/sbin/sshd -D [listener] 0 of 10-100 startups"

Nov 21 07:16:08 rianda systemd[1]: Starting OpenBSD Secure Shell server...
Nov 21 07:16:08 rianda sshd[641]: Server listening on 0.0.0.0 port 22.
Nov 21 07:16:08 rianda sshd[641]: Server listening on :: port 22.
Nov 21 07:16:08 rianda systemd[1]: Started OpenBSD Secure Shell server.
Nov 21 07:19:22 rianda sshd[976]: Accepted password for rianda from 192.168.55.158 port 59099 ssh2
Nov 21 07:19:22 rianda sshd[976]: pam_unix(sshd:session): session opened for user rianda(uid=1000) by (uid=0)
rianda@rianda:~$
```

```
rianda@rianda:~$ sudo systemctl status apache
Unit apache.service could not be found.
rianda@rianda:~$ sudo systemctl status apache2
● apache2.service - The Apache HTTP Server
   Loaded: loaded (/lib/systemd/system/apache2.service; enabled; vendor preset: enabled)
   Active: active (running) since Tue 2023-11-21 07:16:09 UTC; 7min ago
     Docs: https://httpd.apache.org/docs/2.4/
    Main PID: 660 (apache2)
      Tasks: 7 (limit: 2722)
     Memory: 35.9M
        CPU: 291ms
    CGroup: /system.slice/apache2.service
            └─660 /usr/sbin/apache2 -k start
              └─671 /usr/sbin/apache2 -k start
                └─672 /usr/sbin/apache2 -k start
                  └─673 /usr/sbin/apache2 -k start
                    └─674 /usr/sbin/apache2 -k start
                      └─675 /usr/sbin/apache2 -k start
                        └─1137 /usr/sbin/apache2 -k start

Nov 21 07:16:07 rianda systemd[1]: Starting The Apache HTTP Server...
Nov 21 07:16:08 rianda apachectl[698]: AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 127.0.1.1. Set the 'ServerName' directive globally to suppress this message
Nov 21 07:16:09 rianda systemd[1]: Started The Apache HTTP Server.
lines 1-20/20 (END)
● apache2.service - The Apache HTTP Server
   Loaded: loaded (/lib/systemd/system/apache2.service; enabled; vendor preset: enabled)
   Active: active (running) since Tue 2023-11-21 07:16:09 UTC; 7min ago
     Docs: https://httpd.apache.org/docs/2.4/
    Main PID: 660 (apache2)
      Tasks: 7 (limit: 2722)
     Memory: 35.9M
        CPU: 291ms
    CGroup: /system.slice/apache2.service
            └─660 /usr/sbin/apache2 -k start
              └─671 /usr/sbin/apache2 -k start
                └─672 /usr/sbin/apache2 -k start
                  └─673 /usr/sbin/apache2 -k start
                    └─674 /usr/sbin/apache2 -k start
                      └─675 /usr/sbin/apache2 -k start
                        └─1137 /usr/sbin/apache2 -k start
```

Hasil Cari Yahoo | Riandasaputra12 | Apache2 Ubuntu | 192.168.55.48

Apache2 Default Page

Ubuntu

It works!

This is the default welcome page used to test the correct operation of the Apache2 server after installation on Ubuntu systems. It is based on the equivalent page on Debian, from which the Ubuntu Apache packaging is derived. If you can read this page, it means that the Apache HTTP server installed at this site is working properly. You should **replace this file** (located at `/var/www/html/index.html`) before continuing to operate your HTTP server.

If you are a normal user of this web site and don't know what this page is about, this probably means that the site is currently unavailable due to maintenance. If the problem persists, please contact the site's administrator.

Configuration Overview

Ubuntu's Apache2 default configuration is different from the upstream default configuration, and split into several files optimized for interaction with Ubuntu tools. The configuration system is **fully documented in `/usr/share/doc/apache2/README.Debian.gz`**. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the **manual** if the `apache2-doc` package was installed on this server.

The configuration layout for an Apache2 web server installation on Ubuntu systems is as follows:

```
/etc/apache2/
|-- apache2.conf
|   |-- ports.conf
|-- mods-enabled
|   |-- *.load
|   |-- *.conf
|-- conf-enabled
|   |-- *.conf
|-- sites-enabled
|   |-- *.conf
```

