







Bill of Materials

<Parameter Title not found>

Source Data From: pizerousbhub.PrjPcb

Project: pizerousbhub.PrjPcb

Variant: None

 Creation Date:
 16/06/2016
 11:54:41

 Print Date:
 42537
 42537,49645

| Footprint | Comment | LibRef | Designator | Description | Quantity |
|------------|--------------|--------------|---------------------------------------|---|----------|
| SMD1,27- | SMD2 | SMD2 | +, -, G, V+ | SMD PAD | 4 |
| 2,54 | | | | | |
| | +3V3 | +3V3 | +3V1 | SUPPLY SYMBOL | 1 |
| C0603 | 0.01uF | C-EUC0603 | C2 | CAPACITOR, European symbol | 1 |
| C0603 | 15pf | C-EUC0603 | C5, C6 | CAPACITOR, European symbol | 2 |
| A/3216-18W | 1uF | CPOL- | C7, C15 | POLARIZED CAPACITOR, European | 2 |
| | | EUA/3216-18W | | symbol | |
| C0603 | 22Pf | C-EUC0603 | C9, C10, C11, C12, C13, C14, C32, C33 | CAPACITOR, European symbol | 8 |
| C/6032-28R | 1uF | CPOL- | C16 | POLARIZED CAPACITOR, European | 1 |
| | | EUC/6032-28R | | symbol | |
| SOT223 | LD117AS33TR | LD117A?*S | IC5 | Low drop fixed and adjustable positive | 1 |
| | | | | voltage regulators 1 A Source: | |
| | | | | http://www.st.com/stonline/products/literatur | |
| | | | | e/ds/7194/ld1117axx.pdf | |
| S4B-PH | USB-JST-2MM- | USB-JST-2MM- | JP1, JP3, JP5, JP8 | USB Connectors USB-B-PTH is fully | 4 |
| | SMT | SMT | | proven SKU: PRT-00139/CONN-08278 | |
| | | | | USB-miniB is fully proven SKU: PRT-00587 | |
| | | | | USB-A-PCB is untested. USB-A-H is | |
| | | | | throughly reviewed, but untested. Spark Fun | |
| | | | | Electronics SKU: PRT-00437 USB-B- | |
| | | | | SMT is throughly re | |
| CTS406 | 6MHz | CRYSTALCTS4 | Q2 | CRYSTAL | 1 |
| | | 06 | | | |
| R0603 | 15K | R-EU_R0603 | R1, R2, R12, R13, R14, R15, R16, R17, | RESISTOR, European symbol | 9 |
| | | | R18 | | |
| R0603 | 10k | R-EU_R0603 | R3 | RESISTOR, European symbol | 1 |
| R0603 | 22 | R-EU_R0603 | R4, R7 | RESISTOR, European symbol | 2 |
| LQFP-32 | TUSB2046 | TUSB2046 | U\$5 | | 1 |
| | - | | · | · | 38 |