

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by ☐ css

```
<!DOCTYPE html>

<html lang="pt"><head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta http-equiv="refresh" content="5">

  <title>Stock da Loja</title>

  <link
href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpucOmLASjC"
crossorigin="anonymous">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html><↵
2. ↵
3. <html lang="pt"><head>↵
4.   <meta charset="UTF-8">↵
5.   <meta name="viewport" content="width=device-width, initial-scale=1.0">↵
6.   <meta http-equiv="refresh" content="5">↵
7. ↵
8.   <title>Stock da Loja</title>↵
9. ↵
10.  <link
    href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
    rel="stylesheet" integrity="sha384-
```

```

EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpUuCOMLASjC"
crossorigin="anonymous"><
11. <
12. <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.5.0/font/bootstrap-icons.css"><
13. <
14. <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"><
15. <
16. <link rel="stylesheet" href="http://127.0.0.1/Projeto-TI/Dashboard/All-
Pages-Css/All.css"><
17. <
18. <link rel="stylesheet" href="stockLoja.css"><
19. <
20. <
21. </head><
22. <
23. <body><
24. <
25. <!-- #7968FA --><
26. <
27. <!-- sidebar --><
28. <
29. <div class="sidebar"><
30. <div class="navigation"><
31. <ul><
32. <li><
33. <a href="#"><
34. <span class="icon"><i class="bi bi-person-circle"
id="iconPerfil"></i></span><
35. <!-- icone perfil bootstrap --><
36. </a><
37. </li><
38. <!-- está fora da lista para poder dar efeitos hover --><
39. <li><
40. <a href="http://127.0.0.1/Projeto-
TI/Dashboard/dashboard.php" class="homePage"><
41. <span class="icon"><i class="bi bi-house-door-fill"></i>
</span> <!-- icone grafico bootstrap --><
42. <span class="title">Home Page</span><
43. </a><
44. </li><
45. <li><
46. <a href="sensores-Dashboard.php"><
47. <span class="icon"><i class="bi bi-grid-fill"></i>
</span> <!-- icone dashboard bootstrap --><
48. <span class="title">Dashboard</span><
49. </a><
50. </li><
51. <
52. <
53. <li><
54. <a href="#"><
55. <span class="icon"><i class="bi bi-bar-chart-
fill"></i></span> <!-- icone grafico bootstrap --><
56. <span class="title">Relatório Lucro</span><
57. </a><
58. </li><
59. <
60. <li><
61. <a href="#"><
62. <span class="icon"><i class="bi bi-exclamation-
diamond-fill"></i></span><
63. <!-- icone ajuda bootstrap --><
64. <span class="title">Erros</span><
65. </a><

```

```

66.         </li><
67.     <
68.         <li><
69.             <a href="#"><
70.                 <span class="icon"><i class="bi bi-info-circle-fill">
</i></span> <!-- icone ajuda bootstrap --><
71.                 <span class="title">Ajuda</span><
72.             </a><
73.         </li><
74.     <
75.         <
76.         <li><
77.             <a href="http://127.0.0.1/Projeto-
TI/loginGerenteToCliente.php"><
78.                 <span class="icon"><i class="bi bi-cart-plus-fill">
</i></span> <!-- icone cliente bootstrap --><
79.                 <span class="title">Interface Cliente</span><
80.             </a><
81.         </li><
82.     <
83.         <li><
84.             <a href="logout.php"><
85.                 <span class="icon"><i class="bi bi-box-arrow-left"></i>
</span> <!-- icone logout bootstrap --><
86.                 <span class="title">Logout</span><
87.             </a><
88.         </li><
89.     </ul><
90. </div><
91. </div><
92. <
93.     <div class="controlPage"><
94.         <div class="topbar"><
95.             <!-- --><
96.             <nav class="navbar navbar-light justify-content-between"
style="height: 70px; background-color: #252525;"><
97.                 <div class="toggle"><
98.                     <i class="bi bi-list"></i> <!-- icon menu bootstrap--><
99.                 </div><
100.                 <div class="notificações"><
101.                     <a href="#"><
102.                         <i class="bi bi-bell-fill" style="color: white;"></i><
103.                         <div class="notificações-content"><
104.                             <span>Notificações de erros ou problemas com
sensores</span><
105.                         </div><
106.                     </a><
107.                 </div><
108.                 <div class="perfilDropdown"><
109.                     <
110.                     <div class="perfil-content"><
111.                         <a href="http://127.0.0.1/Projeto-
TI/Dashboard/logout.php">Logout</a><
112.                     </div><
113.                 </div><
114.             </nav><
115.         </div><
116.         <div class="cardsMainPage"><
117.             <div class="card shadow-none rounded-0"><
118.                 <div class="card-top-enlatados"><
119.                     <h1 class="heading">Enlatados</h1><
120.                     <p class="valor"><
121.                         <span class="valor-value">N/A</span><
122.                     </p><
123.                 </div><

```

```

124.         <div class="card-body">↵
125.             <p class="card-text text-center">Atualização :
Indisponivel</p>↵
126.             <a href="API/historico.php?nome=PesoEnlatados" style="text-
decoration: none">↵
127.                 <div class="card">↵
128.                     <span class="historicoText text-
center">HISTORICO</span>↵
129.                 </div>↵
130.             </a>↵
131.         </div>↵
132.     </div>↵
133.     <div style="width: 5%"></div>↵
134.     <div class="card shadow-none rounded-0" style="width: 450px; height:
750px">↵
135.         <div class="card-top-frutas">↵
136.             <h1 class="heading">Frutas</h1>↵
137.             <p class="valor">↵
138.                 <span class="valor-value">N/A</span>↵
139.             </p>↵
140.         </div>↵
141.         <div class="card-body">↵
142.             <p class="card-text text-center">Atualização :
Indisponivel</p>↵
143.             <a href="API/historico.php?nome=PesoFrutas" style="text-
decoration: none">↵
144.                 <div class="card">↵
145.                     <span class="historicoText text-
center">HISTORICO</span>↵
146.                 </div>↵
147.             </a>↵
148.         </div>↵
149.     </div>↵
150.     <div style="width: 5%"></div>↵
151.     <div class="card shadow-none rounded-0">↵
152.         <div class="card-top-liquidos">↵
153.             <h1 class="heading">Liquidos</h1>↵
154.             <p class="valor">↵
155.                 <span class="valor-value">N/A</span>↵
156.             </p>↵
157.         </div>↵
158.         <div class="card-body">↵
159.             <p class="card-text text-center">Atualização :
Indisponivel</p>↵
160.             <a href="API/historico.php?nome=PesoLiquidos" style="text-
decoration: none">↵
161.                 <div class="card">↵
162.                     <span class="historicoText text-
center">HISTORICO</span>↵
163.                 </div>↵
164.             </a>↵
165.         </div>↵
166.     </div>↵
167. </div>↵
168. ↵
169.     <script> /* identifica quando o rato dá hover a uma das opções do sidebar
("Dashboard" etc) e cria uma class temporária no item <li class="hovered"> */↵
170.     ↵
171.     /* usado para manter a cor quando p.e dashboard e selecionada */↵
172.     let list = document.querySelectorAll('.navigation li');↵
173.     ↵
174.     function activelink() {↵
175.         list.forEach((item) =>↵
176.             item.classList.remove('hovered'));↵
177.             this.classList.add('hovered');↵
178.         }↵

```

```
179.         list.forEach((item) =>↵
180.             item.addEventListener('mouseover', activelink));↵
181. ↵
182.         /* FORMATO DE USO DA CLASS EM CSS↵
183. ↵
184.             .navigation ul li:hover,↵
185.             .navigation ul li.hovered↵
186. ↵
187.         */↵
188.     </script>↵
189. ↵
190.     <script> /* toggle do butao para abrir o sidemenu */↵
191. ↵
192.         let toggle = document.querySelector('.toggle');↵
193.         let navigation = document.querySelector('.navigation');↵
194.         let controlPage = document.querySelector('.controlPage');↵
195. ↵
196.         toggle.onclick = function () { /* função para a main page acompanhar
quando o side menu encolhe ou abre */↵
197.             navigation.classList.toggle('active');↵
198.             controlPage.classList.toggle('active');↵
199.         }↵
200. ↵
201.     </script>↵
202. ↵
203.     <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>↵
204. ↵
205. ↵
206. ↵
207. ↵
208. </div></body></html>
```

Used the HTML parser.

Total execution time 15 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.4.3