

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by ☐ css

```
<!DOCTYPE html>
<html lang="pt"><head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta http-equiv="refresh" content="5">

  <title>Historico</title>

  <link
href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpUuCOmLASjC"
crossorigin="anonymous">

  <link rel="stylesheet" href="https://cdn.jsdelivrivr.net/npm/bootstrap-
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html><↵
2. <html lang="pt"><head>↵
3.   <meta charset="UTF-8">↵
4.   <meta name="viewport" content="width=device-width, initial-scale=1.0">↵
5.   <meta http-equiv="refresh" content="5">↵
6. ↵
7.   <title>Historico</title>↵
8. ↵
9.   <link
href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpUuCOmLASjC"
crossorigin="anonymous">↵
```

```

10. ↵
11.     <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.5.0/font/bootstrap-icons.css">↵
12. ↵
13.     <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css">↵
14. ↵
15.     <link rel="stylesheet" href="http://127.0.0.1/Projeto-TI/Dashboard/All-
Pages-Css/All.css">↵
16. ↵
17.     <link rel="stylesheet" href="historico.css">↵
18. ↵
19. </head>↵
20. ↵
21. <body>↵
22. ↵
23.     <!-- #7968FA -->↵
24. ↵
25.     <!-- sidebar -->↵
26. ↵
27.     <div class="sidebar">↵
28.         <div class="navigation">↵
29.             <ul>↵
30.                 <li>↵
31.                     <a href="#">↵
32.                         <span class="icon"><i class="bi bi-person-circle"
id="iconPerfil"></i></span>↵
33.                         <!-- icone perfil bootstrap -->↵
34.                     </a>↵
35.                 </li>↵
36.                 <!-- está fora da lista para poder dar efeitos hover -->↵
37.                 <li>↵
38.                     <a href="http://127.0.0.1/Projeto-
TI/Dashboard/dashboard.php" class="homePage">↵
39.                         <span class="icon"><i class="bi bi-house-door-fill"></i>
</span> <!-- icone grafico bootstrap -->↵
40.                         <span class="title">Home Page</span>↵
41.                     </a>↵
42.                 </li>↵
43.                 <li>↵
44.                     <a href="http://127.0.0.1/Projeto-TI/Dashboard/sensores-
Dashboard.php">↵
45.                         <span class="icon"><i class="bi bi-grid-fill"></i>
</span> <!-- icone dashboard bootstrap -->↵
46.                         <span class="title">Dashboard</span>↵
47.                     </a>↵
48.                 </li>↵
49.                 ↵
50.                 ↵
51.                 <li>↵
52.                     <a href="#">↵
53.                         <span class="icon"><i class="bi bi-bar-chart-
fill"></i></span> <!-- icone grafico bootstrap -->↵
54.                         <span class="title">Relatório Lucro</span>↵
55.                     </a>↵
56.                 </li>↵
57.                 ↵
58.                 <li>↵
59.                     <a href="#">↵
60.                         <span class="icon"><i class="bi bi-exclamation-
diamond-fill"></i></span>↵
61.                         <!-- icone ajuda bootstrap -->↵
62.                         <span class="title">Erros</span>↵
63.                     </a>↵
64.                 </li>↵
65. ↵

```

```

66.                                     <li><
67.                                     <a href="#"><
68.                                     <span class="icon"><i class="bi bi-info-circle-fill">
</i></span> <!-- icone ajuda bootstrap --><
69.                                     <span class="title">Ajuda</span><
70.                                     </a><
71.                                     </li><
72.                                     <
73.                                     <
74.                                     <li><
75.                                     <a href="http://127.0.0.1/Projeto-
TI/loginGerenteToCliente.php"><
76.                                     <span class="icon"><i class="bi bi-cart-plus-fill">
</i></span> <!-- icone cliente bootstrap --><
77.                                     <span class="title">Interface Cliente</span><
78.                                     </a><
79.                                     </li><
80. <
81.                                     <li><
82.                                     <a href="http://127.0.0.1/Projeto-TI/Dashboard/logout.php"><
83.                                     <span class="icon"><i class="bi bi-box-arrow-left"></i>
</span> <!-- icone logout bootstrap --><
84.                                     <span class="title">Logout</span><
85.                                     </a><
86.                                     </li><
87.                                     </ul><
88.                                     </div><
89.                                     </div><
90. <
91. <div class="controlPage"><
92.     <div class="topbar"><
93.         <!-- --><
94.         <nav class="navbar navbar-light justify-content-between"
style="height: 70px; background-color: #252525;"><
95.             <div class="toggle"><
96.                 <i class="bi bi-list"></i> <!-- icon menu bootstrap--><
97.             </div><
98.             <div class="notificações"><
99.                 <i class="bi bi-bell-fill" style="color: white;"></i><
100.                 <div class="notificações-content"><
101.                     <span>Notificações de erros ou problemas com
sensores</span><
102.                 </div><
103.             </div><
104.             <div class="perfilDropdown"><
105.                 <
106.                 <div class="perfil-content"><
107.                     <a href="http://127.0.0.1/Projeto-
TI/Dashboard/logout.php">Logout</a><
108.                 </div><
109.             </div><
110.         </nav><
111.     </div><
112.     <div class="tituloTable" style="margin-left: 40%;"><
113.         <span><i class="bi bi-book-fill fa-3x" style="margin-left: 40%"></i>
</span><
114.         <span class="historicoText" style="margin-left:
20%">HISTORICO</span><
115.     </div><
116.     <div class="historico bdr"><
117.         <div class="table-responsive"><
118.             <table class="table table-borderless"><
119.                 <thead><
120.                     <tr><
121.                         <th scope="col">Data de Registo</th><

```

```

122.         <th scope="col">Valor</th>↵
123.     </tr>↵
124. </thead>↵
125. <tbody>↵
126.     ↵
127.         ↵
128.     <tr>↵
129.         <th scope="row">↵
130.             ↵
131.             ↵
132.         </th>↵
133.         <td>↵
134.             32↵
135. ↵
136.         </td>↵
137. ↵
138.     </tr>↵
139.     ↵
140.     ↵
141.     ↵
142. <tr>↵
143.     <th scope="row">↵
144.         ↵
145.         2022/01/02 12:45↵
146.     </th>↵
147.     <td>↵
148.         32↵
149. ↵
150.     </td>↵
151. ↵
152. </tr>↵
153.     ↵
154.     ↵
155. </tbody>↵
156. </table>↵
157. </div>↵
158. </div>↵
159. </div>↵
160. ↵
161. <script> /* identifica quando o rato dá hover a uma das opções do sidebar
("Dashboard" etc) e cria uma class temporária no item <li class="hovered"> */↵
162. ↵
163.     /* usado para manter a cor quando p.e dashboard e selecionada */↵
164.     let list = document.querySelectorAll('.navigation li');↵
165. ↵
166.     function activelink() {↵
167.         list.forEach((item) =>↵
168.             item.classList.remove('hovered'));↵
169.             this.classList.add('hovered');↵
170.         }↵
171.         list.forEach((item) =>↵
172.             item.addEventListener('mouseover', activelink));↵
173. ↵
174.         /* FORMATO DE USO DA CLASS EM CSS↵
175.     ↵
176.         .navigation ul li:hover,↵
177.         .navigation ul li.hovered↵
178.     ↵
179.         */↵
180. </script>↵
181. ↵
182. <script> /* toggle do butao para abrir o sidemenu */↵
183. ↵
184.     let toggle = document.querySelector('.toggle');↵
185.     let navigation = document.querySelector('.navigation');↵
186.     let controlPage = document.querySelector('.controlPage');↵

```

```
187. ↵
188.         toggle.onclick = function () { /* função para a main page acompanhar
      quando o side menu encolhe ou abre */↵
189.             navigation.classList.toggle('active');↵
190.             controlPage.classList.toggle('active');↵
191.         }↵
192. ↵
193.     </script>↵
194. ↵
195.     <script
      src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-
      MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
      crossorigin="anonymous"></script>↵
196. ↵
197. ↵
198. ↵
199. ↵
200. ↵
201. ↵
202. ↵
203. </body></html>
```

Used the HTML parser.

Total execution time 21 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.4.3