# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑source   ☐outline   ☐image report

Options…

Check by [text input ▾] ☐css

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!-- CSRF Token -->
    <meta name="csrf-token"
content="4KZ21GlBVNn6gRbG0w1bvcXbd4kipR2Se1hjkDAA">

    <title>WeBid</title>
      <link rel = "icon" href ="/logo.png">
      <!-- Styles -->
    <!-- CSS only -->
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

   From line 32, column 5; to line 32, column 35

   `ript>↵`   `<script type="text/javascript">↵`

2. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

   From line 36, column 5; to line 36, column 77

   `ript>↵`   `<script type="text/javascript"`
   `src=http://127.0.0.1:8000/js/app.js defer></scri`

3. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

   From line 37, column 5; to line 37, column 74

   `ript>↵`   `<script type="text/javascript"`
   `src=http://127.0.0.1:8000/js/search.js></scri`

4. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

[From line 38, column 5; to line 38, column 73](#)

```
ript>↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/login.js></scri
```

5. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 39, column 5; to line 39, column 79](#)

```
ript>↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/popup.js defer></scri
```

6. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 40, column 5; to line 40, column 83](#)

```
ript>↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/countdown.js defer></scri
```

7. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 41, column 5; to line 41, column 83](#)

```
ript>↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/createauc.js defer></scri
```

8. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 42, column 5; to line 42, column 77](#)

```
ript>↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/bid.js defer></scri
```

9. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 43, column 5; to line 43, column 80](#)

```
ript>↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/images.js defer></scri
```

10. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 44, column 5; to line 44, column 78](#)

```
ript>↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/rate.js defer></scri
```

11. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 45, column 5; to line 45, column 83](#)

```
ript>↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/favorites.js defer></scri
```

12. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 46, column 5; to line 46, column 85](#)

```
ript>↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/recoverpass.js defer></scri
```

13. **Warning** **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 48, column 5; to line 48, column 80

```
ipt>↵↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/notifs.js defer></scri
```

14. **Error** **The element** `button` **must not appear as a descendant of the** `a`
element.

From line 117, column 21; to line 117, column 28

```
            <button>↵
```

15. **Error** **Attribute** `notif-id` **not allowed on element** `li` **at this point.**

From line 136, column 37; to line 136, column 70

```
            <li class="d-flex"  notif-id = 11>↵
```

Attributes for element `li`:

Global attributes

If the element is not a child of an `ul` or `menu` element: `value` — Ordinal value of the list item

16. **Error** **The element** `button` **must not appear as a descendant of the** `a`
element.

From line 148, column 21; to line 148, column 28

```
            <button>↵
```

Document checking completed.

Source

```
 1.  ↵
 2.  <!DOCTYPE html>↵
 3.  <html lang="en">↵
 4.  <head>↵
 5.      <meta charset="utf-8">↵
 6.      <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
 7.      <meta name="viewport" content="width=device-width, initial-
     scale=1">↵
 8.      <!-- CSRF Token -->↵
 9.      <meta name="csrf-token"
     content="4KZ21GlBVNn6gRbG0w1bvcXbd4kipR2Se1hjkDAA">↵
10.  ↵
11.      <title>WeBid</title>↵
12.       <link rel = "icon" href ="/logo.png">↵
13.       <!-- Styles -->↵
14.      <!-- CSS only -->↵
15.      <link
     href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.mi
     n.css" rel="stylesheet"↵
16.                          integrity="sha384-
     Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeuOxjzrPF/et3URy9Bv1WTRi"
     crossorigin="anonymous">↵
```

```
17.    ↵
18.        <link href="http://127.0.0.1:8000/css/def.css" rel="stylesheet">↵
19.        <link href="http://127.0.0.1:8000/css/home.css" rel="stylesheet">↵
20.        <link href="http://127.0.0.1:8000/css/auth.css" rel="stylesheet">↵
21.        <link href="http://127.0.0.1:8000/css/search.css" rel="stylesheet">↵
22.        <link href="http://127.0.0.1:8000/css/auction.css"
    rel="stylesheet">↵
23.        <link href="http://127.0.0.1:8000/css/faq.css" rel="stylesheet">↵
24.        <link href="http://127.0.0.1:8000/css/aboutus.css"
    rel="stylesheet">↵
25.        <link href="http://127.0.0.1:8000/css/responsive.css"
    rel="stylesheet">↵
26.    ↵
27.    ↵
28.    ↵
29.        <script
    src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bund
    le.min.js" integrity="sha384-
    MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
    crossorigin="anonymous"></script>↵
30.        <script
    src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
    </script>↵
31.        <script src="https://kit.fontawesome.com/221bee115b.js"
    crossorigin="anonymous"></script>↵
32.        <script type="text/javascript">↵
33.            // Fix for Firefox autofocus CSS bug↵
34.            // See: http://stackoverflow.com/questions/18943276/html-5-
    autofocus-messes-up-css-loading/18945951#18945951↵
35.        </script>↵
36.        <script type="text/javascript" src=http://127.0.0.1:8000/js/app.js
    defer></script>↵
37.        <script type="text/javascript"
    src=http://127.0.0.1:8000/js/search.js></script>↵
38.        <script type="text/javascript"
    src=http://127.0.0.1:8000/js/login.js></script>↵
39.        <script type="text/javascript" src=http://127.0.0.1:8000/js/popup.js
    defer></script>↵
40.        <script type="text/javascript"
    src=http://127.0.0.1:8000/js/countdown.js defer></script>↵
41.        <script type="text/javascript"
    src=http://127.0.0.1:8000/js/createauc.js defer></script>↵
42.        <script type="text/javascript" src=http://127.0.0.1:8000/js/bid.js
    defer></script>↵
43.        <script type="text/javascript"
    src=http://127.0.0.1:8000/js/images.js defer></script>↵
44.        <script type="text/javascript" src=http://127.0.0.1:8000/js/rate.js
    defer></script>↵
45.        <script type="text/javascript"
    src=http://127.0.0.1:8000/js/favorites.js defer></script>↵
46.        <script type="text/javascript"
    src=http://127.0.0.1:8000/js/recoverpass.js defer></script>↵
47.    ↵
48.        <script type="text/javascript"
    src=http://127.0.0.1:8000/js/notifs.js defer></script>↵
49.    ↵
50. </head>↵
51. <body>↵
52. <main>↵
53.              <nav id="sidebar" class="active">↵
54.        <div class="custom-menu">↵
55.          <button type="button" id="sidebarCollapse" class="btn btn-
    secondary">↵
56.              <i class="fa fa-bars"></i>↵
57.              <span class="sr-only">Toggle Menu</span>↵
58.          </button>↵
59.        </div>↵
60.    ↵
61.        <div class="p-4">↵
62.          <h1><a href="http://127.0.0.1:8000" class="logo">WeBid</a></h1>↵
63.          <ul class="list-unstyled components mb-3">↵
64.    ↵
65.            <li>↵
66.    ↵
67.                <a href="http://127.0.0.1:8000/auction/create"><span
    class="fa-solid fa-plus mr-3"></span> Create a auction</a>↵
```

```
68.                    </li>↵
69.                    <li>↵
70.                        <a href="#"><span class="fa-regular fa-star mr-3">
    </span> Favorite Auctions</a>↵
71.                    </li>↵
72.                    <li>↵
73.                        <a
    href="http://127.0.0.1:8000/profile/cminister1/myauctions"><span
    class="fa-solid fa-house-user mr-3"></span> My Auctions</a>↵
74.                    </li>↵
75.                    <li>↵
76.                        <a
    href="http://127.0.0.1:8000/profile/cminister1/mybids"><span class="fa-
    solid fa-coins mr-3"></span> My Bids</a>↵
77.                    </li>↵
78.                    <li>↵
79.                        <a href="http://127.0.0.1:8000/profile/cminister1"><span
    class="fa-solid fa-user mr-3"></span> Profile</a>↵
80.                    </li>↵
81.                    <li>↵
82.                        <a
    href="http://127.0.0.1:8000/profile/cminister1/balance"><span class="fa-
    solid fa-sack-dollar mr-3"></span> Add Funds</a>↵
83.                    </li>↵
84.                    <li>↵
85.                        <a href="http://127.0.0.1:8000/search"><span class="fa-
    solid fa-magnifying-glass mr-3"></span> Search for Auction</a>↵
86.                    </li>↵
87. ↵
88.                    <li>↵
89.                        <form method="POST"
    action="http://127.0.0.1:8000/logout" class="reg">↵
90.                            <input type="hidden" name="_token"
    value="4KZ21GlBVNn6gRbG0w1bvcXbd4kipR2Se1hjkDAA">
    <button type="submit" id="logoutbt"><span class="fa-solid fa-right-from-
    bracket mr-3"></span> Logout</button>↵
91.                        </form>↵
92.                    </li>↵
93. ↵
94.            </ul>↵
95. ↵
96. ↵
97. ↵
98.        </div>↵
99. </nav>↵
100. <div class="cont">↵
101.        <header>↵
102. ↵
103. ↵
104.            <a href="http://127.0.0.1:8000" id="logo"> WeBid</a>↵
105.            <div class="search">↵
106.                <div class="sbar">↵
107. ↵
108.                                <form
    action="http://127.0.0.1:8000/search" method="get">↵
109.                        <input type="text" id="searchbar"
    name="search_query" placeholder="Search anything...">↵
110.                        <a href=""> <i class="fa fa-search"> </i> </a>↵
111.                    </form>↵
112. ↵
113.                                </div>↵
114.            </div>↵
115.            <div class="auth d-flex">↵
116.                        <a class="balance"
    href="http://127.0.0.1:8000/profile/cminister1/balance">↵
117.                        <button>↵
118.                    <span>Balance: 0€</span>↵
119.                    </button>↵
120.                </a>↵
121.                <div class="notif">↵
122.                    <button onclick="showNotif()">↵
123.                        <i class="fa-solid fa-bell fa-gradient"></i>↵
124.                                        <span class="num-
    count">1</span>↵
125.                                        </button>↵
```

```
126.                                              <div class="notlist
     escondido" id = "notifs">↵
127.        <ul>↵
128.          <li>↵
129.            <div class="d-flex init">↵
130.                <span class="fw-bold h5"> Notifications </span>↵
131.                <button class="mais">↵
132.                    <i class="fa-solid fa-gear"></i>↵
133.                </button>↵
134.            </div>↵
135.          </li>↵
136.                              <li class="d-flex"  notif-id = 11>↵
137.                <span class="h6 fw-bold me-2"> 1</span>↵
138.                <span>You won the auction: Wood Hut </span>↵
139.                <button class = "rNotif">↵
140.                    <i class="fa-solid fa-xmark"></i>↵
141.                </button>↵
142.          </li>↵
143.                              </ul>↵
144. </div>↵
145.                                  </div>↵
146. ↵
147.                  <a class="log"
     href="http://127.0.0.1:8000/profile/cminister1">↵
148.                      <button>↵
149.                    <i class="fa-solid fa-user"></i>↵
150.                    <span>Profile</span>↵
151.                </button>↵
152.              </a>↵
153.              <form method="POST"
     action="http://127.0.0.1:8000/logout" class="reg">↵
154.                      <input type="hidden" name="_token"
     value="4KZ21GlBVNn6gRbG0w1bvcXbd4kipR2Se1hjkDAA">
     <button type="submit">↵
155.                    <i class="fa-solid fa-user-minus"></i>↵
156.                    <span> Logout </span>↵
157.                </button>↵
158.              </form>↵
159.                  </div>↵
160.    </header>↵
161. </div>↵
162.      ↵
163. ↵
164.      <section id="content">↵
165.          <div class="FaqWrapper">↵
166.        <div class="accordion" id="accordionFAQ">↵
167.                              <div class="accordion-item
     caixaFaq">↵
168.                  <h2 class="accordion-header" id="heading0">↵
169.                  <button class="accordion-button collapsed
     caixaFaq" type="button" data-bs-toggle="collapse" data-bs-
     target="#collapse0" aria-expanded="false" aria-controls="collapse0">↵
170.                      <strong>What is WeBid?</strong>↵
171.                  </button>↵
172.                  </h2>↵
173.                  <div id="collapse0" class="accordion-collapse
     collapse" aria-labelledby="heading0" data-bs-parent="#accordionFAQ">↵
174.                      <div class="accordion-body caixaFaq">↵
175.                          WeBid is an online auction website were
     people can put their items for auction and wait for people to bid on
     them.                      </div>↵
176.                  </div>↵
177.                  </div>↵
178.                                  <div class="accordion-item
     caixaFaq">↵
179.                  <h2 class="accordion-header" id="heading1">↵
180.                      <button class="accordion-button collapsed
     caixaFaq" type="button" data-bs-toggle="collapse" data-bs-
     target="#collapse1" aria-expanded="false" aria-controls="collapse1">↵
181.                      <strong>How do I participate in an auction?
     </strong>↵
182.                      </button>↵
183.                  </h2>↵
184.                  <div id="collapse1" class="accordion-collapse
     collapse" aria-labelledby="heading1" data-bs-parent="#accordionFAQ">↵
185.                      <div class="accordion-body caixaFaq">↵
```

186.   To participate in an auction, first you have
     to find an item you want to buy. Then, go to it's auction page where you
     can see more detailed information about the product like pictures, item
     description, and asking/current price. If you're sure that's the item
     you want to attempt to purchase, you can place a bid. After a certain
     time, the highest bidding user wins the auction.
     </div>↵
187.   </div>↵
188.   </div>↵
189.   <div class="accordion-item
     caixaFaq">↵
190.   <h2 class="accordion-header" id="heading2">↵
191.   <button class="accordion-button collapsed
     caixaFaq" type="button" data-bs-toggle="collapse" data-bs-
     target="#collapse2" aria-expanded="false" aria-controls="collapse2">↵
192.   Do I need to pay to have an account
     on WeBid?↵
193.   </button>↵
194.   </h2>↵
195.   <div id="collapse2" class="accordion-collapse
     collapse" aria-labelledby="heading2" data-bs-parent="#accordionFAQ">↵
196.   <div class="accordion-body caixaFaq">↵
197.   Creating an account on WeBid is free.
     Accounts are needed in order to be able to place bids on an auction.
     </div>↵
198.   </div>↵
199.   </div>↵
200.   <div class="accordion-item
     caixaFaq">↵
201.   <h2 class="accordion-header" id="heading3">↵
202.   <button class="accordion-button collapsed
     caixaFaq" type="button" data-bs-toggle="collapse" data-bs-
     target="#collapse3" aria-expanded="false" aria-controls="collapse3">↵
203.   Is it safe to buy on WeBid?
     ↵
204.   </button>↵
205.   </h2>↵
206.   <div id="collapse3" class="accordion-collapse
     collapse" aria-labelledby="heading3" data-bs-parent="#accordionFAQ">↵
207.   <div class="accordion-body caixaFaq">↵
208.   Yes. All personal data is stored according
     to European Union laws. Furthermore, if an auction owner or auction
     winner refuses to sell/buy the product, we will handle that personally.
     </div>↵
209.   </div>↵
210.   </div>↵
211.   <div class="accordion-item
     caixaFaq">↵
212.   <h2 class="accordion-header" id="heading4">↵
213.   <button class="accordion-button collapsed
     caixaFaq" type="button" data-bs-toggle="collapse" data-bs-
     target="#collapse4" aria-expanded="false" aria-controls="collapse4">↵
214.   Can I cancel an auction after
     creating one?↵
215.   </button>↵
216.   </h2>↵
217.   <div id="collapse4" class="accordion-collapse
     collapse" aria-labelledby="heading4" data-bs-parent="#accordionFAQ">↵
218.   <div class="accordion-body caixaFaq">↵
219.   It depends. If the auction already has bids
     you cannot cancel it, as that would be abusive and unfair towards other
     people using the service, but if the auction has no bids, you can cancel
     it freely.   </div>↵
220.   </div>↵
221.   </div>↵
222.   <div class="accordion-item
     caixaFaq">↵
223.   <h2 class="accordion-header" id="heading5">↵
224.   <button class="accordion-button collapsed
     caixaFaq" type="button" data-bs-toggle="collapse" data-bs-
     target="#collapse5" aria-expanded="false" aria-controls="collapse5">↵
225.   What's the minimum increase on
     bids↵
226.   </button>↵
227.   </h2>↵

```
228.                                <div id="collapse5" class="accordion-collapse
      collapse" aria-labelledby="heading5" data-bs-parent="#accordionFAQ">↵
229.                                <div class="accordion-body caixaFaq">↵
230.                                Each new bid has a minimum increase of 5% of
      the base price from the previous bid. This is to stimulate a competitive
      environment and prevent minimal increases inbetween bids.
      </div>↵
231.                                </div>↵
232.                        </div>↵
233.                                                        <div class="accordion-item
      caixaFaq">↵
234.                                <h2 class="accordion-header" id="heading6">↵
235.                                <button class="accordion-button collapsed
      caixaFaq" type="button" data-bs-toggle="collapse" data-bs-
      target="#collapse6" aria-expanded="false" aria-controls="collapse6">↵
236.                                <strong>I have the highest bid, can I
      consider the item as mine?</strong>↵
237.                                </button>↵
238.                        </h2>↵
239.                                <div id="collapse6" class="accordion-collapse
      collapse" aria-labelledby="heading6" data-bs-parent="#accordionFAQ">↵
240.                                <div class="accordion-body caixaFaq">↵
241.                                No. Until the auction's over, you can't say
      for sure the item is yours, as someone might place a big higher than
      yours.                        </div>↵
242.                                </div>↵
243.                        </div>↵
244.                                                        <div class="accordion-item
      caixaFaq">↵
245.                                <h2 class="accordion-header" id="heading7">↵
246.                                <button class="accordion-button collapsed
      caixaFaq" type="button" data-bs-toggle="collapse" data-bs-
      target="#collapse7" aria-expanded="false" aria-controls="collapse7">↵
247.                                <strong>Can I put more than one item up for
      sale at the same time?</strong>↵
248.                                </button>↵
249.                        </h2>↵
250.                                <div id="collapse7" class="accordion-collapse
      collapse" aria-labelledby="heading7" data-bs-parent="#accordionFAQ">↵
251.                                <div class="accordion-body caixaFaq">↵
252.                                Yes, you're allowed to have multiple
      auctions up at the same time.                        </div>↵
253.                                </div>↵
254.                        </div>↵
255.                                                        <div class="accordion-item
      caixaFaq">↵
256.                                <h2 class="accordion-header" id="heading8">↵
257.                                <button class="accordion-button collapsed
      caixaFaq" type="button" data-bs-toggle="collapse" data-bs-
      target="#collapse8" aria-expanded="false" aria-controls="collapse8">↵
258.                                <strong>I placed a bid and now I regret it,
      can I cancel it?</strong>↵
259.                                </button>↵
260.                        </h2>↵
261.                                <div id="collapse8" class="accordion-collapse
      collapse" aria-labelledby="heading8" data-bs-parent="#accordionFAQ">↵
262.                                <div class="accordion-body caixaFaq">↵
263.                                Unfortunately, all bids are final. You'll
      have to wait for someone to outbid you.                        </div>↵
264.                                </div>↵
265.                        </div>↵
266.                                                </div>↵
267.        </div>↵
268.        </section>↵
269.                        <div class="cont2">↵
270.        <footer class="d-flex justify-content-between">↵
271.            <p class="m-4 option"><a id="lg" class="fw-bold h4"
      href="http://127.0.0.1:8000"> WeBid </a></p>↵
272.            <div class="m-4 option">↵
273.                <a class="m-3 fw-bold h4" href="http://127.0.0.1:8000/FAQs">
      FAQ </a>↵
274.                <a class="m-3 fw-bold h4"
      href="http://127.0.0.1:8000/AboutUs"> About Us </a>↵
275.                <a class="m-3 fw-bold h4"
      href="http://127.0.0.1:8000/ContactUs"> Contact Us </a>↵
276.            </div>↵
```

```
277.        </footer>↵
278. </div>↵
279.        ↵
280. </main>↵
281. </body>↵
282. </html>
```

Used the HTML parser.

Total execution time 50 milliseconds.

About this checker • Report an issue • Version: 22.12.5