

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

▼

☐ CSS

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!-- CSRF Token -->
  <meta name="csrf-token"
content="yeKQ2hVs1Sysn8fr89vK7v02HeFBxndN4DH59XZb">

  <title>WeBid</title>
  <link rel = "icon" href = "/logo.png">
  <!-- Styles -->
  <!-- CSS only -->
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The **type** attribute is unnecessary for JavaScript resources.

[From line 32, column 5; to line 32, column 35](#)

```
ript>... <script type="text/javascript">...
```

2. **Warning** The **type** attribute is unnecessary for JavaScript resources.

[From line 36, column 5; to line 36, column 86](#)

```
ript>... <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/app.js defer></scri
```

3. **Warning** The **type** attribute is unnecessary for JavaScript resources.

[From line 37, column 5; to line 37, column 83](#)

```
ript>... <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/search.js></scri
```

4. **Warning** The **type** attribute is unnecessary for JavaScript resources.

[From line 38, column 5; to line 38, column 82](#)

```
ript>... <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/login.js></scri
```

5. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 39, column 5; to line 39, column 88](#)

```
ript>... <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/popup.js defer></scri
```

6. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 40, column 5; to line 40, column 92](#)

```
ript>... <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/countdown.js defer></scri
```

7. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 41, column 5; to line 41, column 92](#)

```
ript>... <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/createauc.js defer></scri
```

8. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 42, column 5; to line 42, column 86](#)

```
ript>... <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/bid.js defer></scri
```

9. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 43, column 5; to line 43, column 89](#)

```
ript>... <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/images.js defer></scri
```

10. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 44, column 5; to line 44, column 87](#)

```
ript>... <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/rate.js defer></scri
```

11. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 45, column 5; to line 45, column 92](#)

```
ript>... <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/favorites.js defer></scri
```

12. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 46, column 5; to line 46, column 94](#)

```
ript>... <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/recoverpass.js defer></scri
```

- Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 48, column 5; to line 48, column 89

```
ipt><script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/notifs.js defer></scri
```

- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 74, column 29; to line 75, column 64

```
<input type="text" name="username" id="name" class="form-
control form-control-lg" value=""
required autofocus/>
```

- Error** A document must not include more than one autofocus attribute.

From line 81, column 29; to line 82, column 64.

```
<input class="form-control form-control-lg" id="email"
type="email" name="email" value=""
required autofocus/>
```

- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 81, column 29; to line 82, column 64

```
<input class="form-control form-control-lg" id="email"
type="email" name="email" value=""
required autofocus/>
```

- Error** A document must not include more than one autofocus attribute.

From line 89, column 29; to line 90, column 64

```
<input type="text" name="firstname" id="first_name"
class="form-control form-control-lg"↵
value="" required autofocus/>↵
```

- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 89, column 29; to line 90, column 64

```
<input type="text" name="firstname" id="first_name"
class="form-control form-control-lg"
value="" required autofocus/>
```

19. **Error** A document must not include more than one `autofocus` attribute.

[From line 96, column 29; to line 97, column 64](#)

```
<input type="text" name="lastname" id="last_name"
class="form-control form-control-lg"
value="" required autofocus/>
```

20. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 96, column 29; to line 97, column 64](#)

```
<input type="text" name="lastname" id="last_name"
class="form-control form-control-lg"
value="" required autofocus/>
```

21. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 103, column 29; to line 104, column 45](#)

```
<input type="password" name="password" id="password"
class="form-control form-control-lg"
required/>
```

22. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 109, column 29; to line 110, column 82](#)

```
<input type="password" name="password_confirmation"
id="password_confirmation"
class="form-control form-control-lg" required/>
```

23. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 57, column 13; to line 57, column 60](#)

```
<section class="registerpage" id="registerpage">
```

24. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 56, column 5; to line 56, column 26](#)

```
<section id="content">
```

25. **Error** The value of the `for` attribute of the `label` element must be the ID of a non-hidden form control.

[From line 83, column 29; to line 83, column 75](#)

```
<label class="form-label" for="form1Example13">Email
```

Document checking completed.

Source

```

1.  ␣
2.  <!DOCTYPE html>␣
3.  <html lang="en">␣
4.  <head>␣
5.      <meta charset="utf-8">␣
6.      <meta http-equiv="X-UA-Compatible" content="IE=edge">␣
7.      <meta name="viewport" content="width=device-width, initial-
scale=1">␣
8.      <!-- CSRF Token -->␣
9.      <meta name="csrf-token"
content="yeKQ2hVs1Sysn8fr89vK7v02HeFBxndN4DH59XZb">␣
10. ␣
11.     <title>WeBid</title>␣
12.     <link rel = "icon" href = "/logo.png">␣
13.     <!-- Styles -->␣
14.     <!-- CSS only -->␣
15.     <link
href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.mi
n.css" rel="stylesheet">␣
16.                                     integrity="sha384-
Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeu0xjzrPF/et3URy9Bv1WTRi"
crossorigin="anonymous">␣
17. ␣
18.     <link href="https://lbaw2225.lbaw.fe.up.pt/css/def.css"
rel="stylesheet">␣
19.     <link href="https://lbaw2225.lbaw.fe.up.pt/css/home.css"
rel="stylesheet">␣
20.     <link href="https://lbaw2225.lbaw.fe.up.pt/css/auth.css"
rel="stylesheet">␣
21.     <link href="https://lbaw2225.lbaw.fe.up.pt/css/search.css"
rel="stylesheet">␣
22.     <link href="https://lbaw2225.lbaw.fe.up.pt/css/auction.css"
rel="stylesheet">␣
23.     <link href="https://lbaw2225.lbaw.fe.up.pt/css/faq.css"
rel="stylesheet">␣
24.     <link href="https://lbaw2225.lbaw.fe.up.pt/css/aboutus.css"
rel="stylesheet">␣
25.     <link href="https://lbaw2225.lbaw.fe.up.pt/css/responsive.css"
rel="stylesheet">␣
26. ␣
27. ␣
28. ␣
29.     <script
src="https://cdn.jsdelivrivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bund
le.min.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>␣
30.     <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
</script>␣
31.     <script src="https://kit.fontawesome.com/221bee115b.js"
crossorigin="anonymous"></script>␣
32.     <script type="text/javascript">␣
33.         // Fix for Firefox autofocus CSS bug␣
34.         // See: http://stackoverflow.com/questions/18943276/html-5-
autofocus-messes-up-css-loading/18945951#18945951␣
35.     </script>␣
36.     <script type="text/iavascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/app.js defer></script>␣

```

```

37.     <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/search.js></script>↵
38.     <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/login.js></script>↵
39.     <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/popup.js defer></script>↵
40.     <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/countdown.js defer></script>↵
41.     <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/createauc.js defer></script>↵
42.     <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/bid.js defer></script>↵
43.     <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/images.js defer></script>↵
44.     <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/rate.js defer></script>↵
45.     <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/favorites.js defer></script>↵
46.     <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/recoverpass.js defer></script>↵
47. ↵
48.     <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/notifs.js defer></script>↵
49. ↵
50. </head>↵
51. <body>↵
52. <main>↵
53.     ↵
54.     ↵
55. ↵
56.     <section id="content">↵
57.         <section class="registerpage" id="registerpage">↵
58.             <div class="container h-100">↵
59.                 <div class="row d-flex align-items-center justify-content-
center h-95 py-5">↵
60.                     <div class="col-md-8 col-lg-7 col-xl-6">↵
61.                         ↵
62.                     </div>↵
63.                     <div class="col-md-7 col-lg-5 col-xl-5 offset-xl-1">↵
64.                         <div class="logoname">↵
65.                             <a href="http://lbaw2225.lbaw.fe.up.pt">
<span>WeBid</span></a>↵
66.                         </div>↵
67. ↵
68.                             <form method="POST"
action="http://lbaw2225.lbaw.fe.up.pt/register">↵
69.                                 <input type="hidden" name="_token"
value="yeKQ2hVs1Sysn8fr89vK7v02HeFBxndN4DH59XZb">↵
70.                                 ↵
71.                                 <!-- Name input -->↵
72.                                 <div class="form-outline mb-4">↵
73.                                     <input type="text" name="username" id="name"
class="form-control form-control-lg"
value="" required autofocus/>↵
74.                                     <label class="form-label"
for="name">Username</label>↵
75.                                 </div>↵
76. ↵
77.                                     <!-- Email input -->↵
78.                                     <div class="form-outline mb-4">↵
79.                                         <input class="form-control form-control-lg"
id="email" type="email" name="email"
value="" required autofocus/>↵
80.                                         <label class="form-label"
for="form1Example13">Email address</label>↵
81.                                     </div>↵
82. ↵
83.                                     <!-- First Name input -->↵
84.                                     <div class="form-outline mb-4">↵
85.                                         <input type="text" name="firstname"
id="first name" class="form-control form-control-lg"
value="" required autofocus/>↵
86.                                     </div>↵
87.                                     ↵
88.                                     <!-- Last Name input -->↵
89.                                     <div class="form-outline mb-4">↵
90.                                         <input type="text" name="lastname"
id="last name" class="form-control form-control-lg"
value="" required autofocus/>↵

```

```

91.         <label for="first_name" class="form-
label">First Name</label>↵
92.                                     </div>↵
93. ↵
94.         <!-- Last Name input -->↵
95.         <div class="form-outline mb-4">↵
96.             <input type="text" name="lastname"
id="last name" class="form-control form-control-lg"↵
97.                 value="" required autofocus/>↵
98.             <label for="last_name" class="form-
label">Last Name</label>↵
99.                                     </div>↵
100. ↵
101.         <!-- Password input -->↵
102.         <div class="form-outline mb-4">↵
103.             <input type="password" name="password"
id="password" class="form-control form-control-lg"↵
104.                 required/>↵
105.             <label for="password" class="form-
label">Password</label>↵
106.                                     </div>↵
107.         <!-- Password confirmation input -->↵
108.         <div class="form-outline mb-4">↵
109.             <input type="password"
name="password confirmation" id="password confirmation"↵
110.                 class="form-control form-control-lg"
required/>↵
111.             <label for="password_confirmation"
class="form-label">Confirm Password</label>↵
112.                                     </div>↵
113.             <button type="submit" class="btn btn-primary
btn-lg btn-block">↵
114.                 Register↵
115.             </button>↵
116.             <a id="login-link" title="Click to login"↵
117. href="http://lbaw2225.lbaw.fe.up.pt/login">Login</a>↵
118.         </form>↵
119.     </div>↵
120. </div>↵
121. </div>↵
122. </section>↵
123. </section>↵
124. <div class="cont2">↵
125.     <footer class="d-flex justify-content-between">↵
126.         <p class="m-4 option"><a id="lg" class="fw-bold h4"
href="http://lbaw2225.lbaw.fe.up.pt"> WeBid </a></p>↵
127.         <div class="m-4 option">↵
128.             <a class="m-3 fw-bold h4"
href="http://lbaw2225.lbaw.fe.up.pt/FAQs"> FAQ </a>↵
129.             <a class="m-3 fw-bold h4"
href="http://lbaw2225.lbaw.fe.up.pt/AboutUs"> About Us </a>↵
130.             <a class="m-3 fw-bold h4"
href="http://lbaw2225.lbaw.fe.up.pt/ContactUs"> Contact Us </a>↵
131.         </div>↵
132.     </footer>↵
133. </div>↵
134. </main>↵
135. </body>↵
136. </html>

```

Used the HTML parser.

Total execution time 21 milliseconds.