# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report

Options…

Check by text input ✔   ☐ css

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!-- CSRF Token -->
    <meta name="csrf-token"
content="4KZ21GlBVNn6gRbG0w1bvcXbd4kipR2Se1hjkDAA">

    <title>WeBid</title>
      <link rel = "icon" href ="/logo.png">
      <!-- Styles -->
<!-- CSS only -->
<link
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

   From line 31, column 5; to line 31, column 35

   ript>↵   <script type="text/javascript">↵

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

   From line 35, column 5; to line 35, column 77

   ript>↵   <script type="text/javascript"
   src=http://127.0.0.1:8000/js/app.js defer></scri

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

   From line 36, column 5; to line 36, column 74

   ript>↵   <script type="text/javascript"
   src=http://127.0.0.1:8000/js/search.js></scri

4. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 37, column 5; to line 37, column 73

```
ript>↵     <script type="text/javascript"
src=http://127.0.0.1:8000/js/login.js></scri
```

5. **Warning**   **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 38, column 5; to line 38, column 79

```
ript>↵     <script type="text/javascript"
src=http://127.0.0.1:8000/js/popup.js defer></scri
```

6. **Warning**   **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 39, column 5; to line 39, column 83

```
ript>↵     <script type="text/javascript"
src=http://127.0.0.1:8000/js/countdown.js defer></scri
```

7. **Warning**   **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 40, column 5; to line 40, column 83

```
ript>↵     <script type="text/javascript"
src=http://127.0.0.1:8000/js/createauc.js defer></scri
```

8. **Warning**   **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 41, column 5; to line 41, column 77

```
ript>↵     <script type="text/javascript"
src=http://127.0.0.1:8000/js/bid.js defer></scri
```

9. **Warning**   **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 42, column 5; to line 42, column 80

```
ript>↵     <script type="text/javascript"
src=http://127.0.0.1:8000/js/images.js defer></scri
```

10. **Warning**   **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 43, column 5; to line 43, column 78

```
ript>↵     <script type="text/javascript"
src=http://127.0.0.1:8000/js/rate.js defer></scri
```

11. **Warning**   **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 44, column 5; to line 44, column 83

```
ript>↵     <script type="text/javascript"
src=http://127.0.0.1:8000/js/favorites.js defer></scri
```

12. **Warning**   **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 45, column 5; to line 45, column 85

```
ript>↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/recoverpass.js defer></scri
```

13. **Warning** **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 47, column 5; to line 47, column 80

```
ipt>↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/notifs.js defer></scri
```

14. **Error** **The element** `button` **must not appear as a descendant of the** `a`
element.

From line 114, column 21; to line 114, column 28

```
              <button>↵
```

15. **Error** **The element** `button` **must not appear as a descendant of the** `a`
element.

From line 120, column 21; to line 120, column 28

```
              <button>↵
```

16. **Error** **Duplicate ID** `price`**.**

From line 223, column 41; to line 223, column 84

```
              <p id = "price" class = "fw-bold mb-0 mt-1">4312€
```

17. **Warning** **The first occurrence of ID** `price` **was here.**

From line 210, column 41; to line 210, column 84

```
              <p id = "price" class = "fw-bold mb-0 mt-1">95€ </
```

18. **Error** **Duplicate ID** `nome`**.**

From line 224, column 41; to line 224, column 78

```
              <p id = "nome" class = "fw-bold mb-5"> Apple
```

19. **Warning** **The first occurrence of ID** `nome` **was here.**

From line 211, column 41; to line 211, column 78

```
              <p id = "nome" class = "fw-bold mb-5"> Digit
```

20. **Error** **Duplicate ID** `price`**.**

From line 236, column 41; to line 236, column 84

```
              <p id = "price" class = "fw-bold mb-0 mt-1">1400€
```

21. **Warning** **The first occurrence of ID** `price` **was here.**

From line 210, column 41; to line 210, column 84

```
              <p id = "price" class = "fw-bold mb-0 mt-1">95€ </
```

22. **Error**   **Duplicate ID** `nome` .

From line 237, column 41; to line 237, column 78

```
            <p id = "nome" class = "fw-bold mb-5"> Nike
```

23. **Warning**   **The first occurrence of ID** `nome` **was here.**

From line 211, column 41; to line 211, column 78

```
            <p id = "nome" class = "fw-bold mb-5"> Digit
```

24. **Warning**   **Section lacks heading. Consider using** `h2` - `h6` **elements to add identifying headings to all sections, or else use a** `div` **element instead for any cases where no heading is needed.**

From line 130, column 5; to line 130, column 26

```
↵        <section id="content">↵
```

Document checking completed.

Source

1. `<!DOCTYPE html>↵`
2. `<html lang="en">↵`
3. `<head>↵`
4. `    <meta charset="utf-8">↵`
5. `    <meta http-equiv="X-UA-Compatible" content="IE=edge">↵`
6. `    <meta name="viewport" content="width=device-width, initial-scale=1">↵`
7. `    <!-- CSRF Token -->↵`
8. `    <meta name="csrf-token" content="4KZ21GlBVNn6gRbG0w1bvcXbd4kipR2Se1hjkDAA">↵`
9. `↵`
10. `    <title>WeBid</title>↵`
11. `     <link rel = "icon" href ="/logo.png">↵`
12. `     <!-- Styles -->↵`
13. `<!-- CSS only -->↵`
14. `    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.min.css" rel="stylesheet"↵`
15. `                        integrity="sha384-Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeuOxjzrPF/et3URy9Bv1WTRi" crossorigin="anonymous">↵`
16. `↵`
17. `    <link href="http://127.0.0.1:8000/css/def.css" rel="stylesheet">↵`
18. `    <link href="http://127.0.0.1:8000/css/home.css" rel="stylesheet">↵`
19. `    <link href="http://127.0.0.1:8000/css/auth.css" rel="stylesheet">↵`
20. `    <link href="http://127.0.0.1:8000/css/search.css" rel="stylesheet">↵`
21. `    <link href="http://127.0.0.1:8000/css/auction.css" rel="stylesheet">↵`
22. `    <link href="http://127.0.0.1:8000/css/faq.css" rel="stylesheet">↵`
23. `    <link href="http://127.0.0.1:8000/css/aboutus.css" rel="stylesheet">↵`
24. `    <link href="http://127.0.0.1:8000/css/responsive.css" rel="stylesheet">↵`
25. `↵`
26. `↵`
27. `↵`
28. `    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM" crossorigin="anonymous"></script>↵`

```
29.        <script
     src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
     </script>↵
30.        <script src="https://kit.fontawesome.com/221bee115b.js"
     crossorigin="anonymous"></script>↵
31.    <script type="text/javascript">↵
32.        // Fix for Firefox autofocus CSS bug↵
33.        // See: http://stackoverflow.com/questions/18943276/html-5-
     autofocus-messes-up-css-loading/18945951#18945951↵
34.        </script>↵
35.    <script type="text/javascript" src=http://127.0.0.1:8000/js/app.js
     defer></script>↵
36.    <script type="text/javascript"
     src=http://127.0.0.1:8000/js/search.js></script>↵
37.    <script type="text/javascript"
     src=http://127.0.0.1:8000/js/login.js></script>↵
38.    <script type="text/javascript" src=http://127.0.0.1:8000/js/popup.js
     defer></script>↵
39.    <script type="text/javascript"
     src=http://127.0.0.1:8000/js/countdown.js defer></script>↵
40.    <script type="text/javascript"
     src=http://127.0.0.1:8000/js/createauc.js defer></script>↵
41.    <script type="text/javascript" src=http://127.0.0.1:8000/js/bid.js
     defer></script>↵
42.    <script type="text/javascript"
     src=http://127.0.0.1:8000/js/images.js defer></script>↵
43.    <script type="text/javascript" src=http://127.0.0.1:8000/js/rate.js
     defer></script>↵
44.    <script type="text/javascript"
     src=http://127.0.0.1:8000/js/favorites.js defer></script>↵
45.    <script type="text/javascript"
     src=http://127.0.0.1:8000/js/recoverpass.js defer></script>↵
46. ↵
47.    <script type="text/javascript"
     src=http://127.0.0.1:8000/js/notifs.js defer></script>↵
48. ↵
49. </head>↵
50. <body>↵
51. <main>↵
52.            <nav id="sidebar" class="active">↵
53.    <div class="custom-menu">↵
54.        <button type="button" id="sidebarCollapse" class="btn btn-
     secondary">↵
55.            <i class="fa fa-bars"></i>↵
56.            <span class="sr-only">Toggle Menu</span>↵
57.        </button>↵
58.    </div>↵
59. ↵
60.    <div class="p-4">↵
61.        <h1><a href="http://127.0.0.1:8000" class="logo">WeBid</a></h1>↵
62.        <ul class="list-unstyled components mb-3">↵
63. ↵
64.            <li>↵
65. ↵
66.                <a href="http://127.0.0.1:8000/login"><span class="fa-
     solid fa-plus mr-3"></span> Create a auction</a>↵
67.            </li>↵
68.            <li>↵
69.                <a href="http://127.0.0.1:8000/login"><span class="fa-
     regular fa-star mr-3"></span> Favorite Auctions</a>↵
70.            </li>↵
71. ↵
72.            <li>↵
73.                <a href="http://127.0.0.1:8000/login"><span class="fa-
     solid fa-house-user mr-3"></span> My Auctions</a>↵
74.            </li>↵
75.            <li>↵
76.                <a href="http://127.0.0.1:8000/login"><span class="fa-
     solid fa-coins mr-3"></span> My Bids</a>↵
77.            </li>↵
78.            <li>↵
79.                <a href="http://127.0.0.1:8000/login"><span class="fa-
     solid fa-user mr-3"></span> Profile</a>↵
80.            </li>↵
81.            <li>↵
```

```
 82.                    <a href="http://127.0.0.1:8000/login"><span class="fa-
      solid fa-sack-dollar mr-3"></span> Add Funds</a>↵
 83.                </li>↵
 84.                <li>↵
 85.                    <a href="http://127.0.0.1:8000/login"><span class="fa-
      solid fa-magnifying-glass mr-3"></span> Search for Auction</a>↵
 86.                </li>↵
 87.                <li>↵
 88.                    <a href="http://127.0.0.1:8000/login"><span class="fa-
      solid fa-right-from-bracket mr-3"></span> Login</a>↵
 89.                </li>↵
 90.  ↵
 91.            </ul>↵
 92.  ↵
 93.  ↵
 94.  ↵
 95.        </div>↵
 96. </nav>↵
 97. <div class="cont">↵
 98.     <header>↵
 99.  ↵
100.  ↵
101.         <a href="http://127.0.0.1:8000" id="logo"> WeBid</a>↵
102.         <div class="search">↵
103.             <div class="sbar">↵
104.  ↵
105.                              <form
      action="http://127.0.0.1:8000/search" method="get">↵
106.                          <input type="text" id="searchbar"
      name="search_query" placeholder="Search anything...">↵
107.                          <a href=""> <i class="fa fa-search"> </i> </a>↵
108.                     </form>↵
109.  ↵
110.                         </div>↵
111.         </div>↵
112.         <div class="auth d-flex">↵
113.                          <a class="log"
      href="http://127.0.0.1:8000/login">↵
114.                     <button>↵
115.                     <i class="fa-solid fa-user"></i>↵
116.                     <span>Login</span>↵
117.                     </button>↵
118.                 </a>↵
119.                 <a href="http://127.0.0.1:8000/register" class="reg">↵
120.                     <button>↵
121.                     <i class="fa-solid fa-user-plus"></i>↵
122.                     <span> Register </span>↵
123.                     </button>↵
124.                 </a>↵
125.                     </div>↵
126.     </header>↵
127. </div>↵
128.        ↵
129.  ↵
130.     <section id="content">↵
131.             <div class ="pattern">↵
132.  ↵
133.  ↵
134.         <div class="container-fluid">↵
135.         <div class="d-flex flex-row flex-wrap justify-content-center
      ">↵
136.             <p class = "fw-bold fs-2"> Categories </p>↵
137.         </div>↵
138.                             <div class="d-flex flex-row flex-
      wrap justify-content-center ">↵
139.                             <div class="d-flex
      flex-column p-3">↵
140.                         <div class = "itemcateg d-flex justify-
      content-center" style="background-image: linear-gradient(rgba(0, 0, 0,
      0.3),rgba(0, 0, 0, 0.3)),url('../images/1.jpg');">↵
141.  ↵
142.                             <a href =
      "http://127.0.0.1:8000/search/1" class = "h4 fw-bold"> Desporto</a>↵
143.                             </div>↵
144.                         </div>↵
```

```
145.                                                  <div class="d-flex
     flex-column p-3">↵
146.                                          <div class = "itemcateg d-flex justify-
     content-center" style="background-image: linear-gradient(rgba(0, 0, 0,
     0.3),rgba(0, 0, 0, 0.3)),url('../images/2.jpg');">↵
147.      ↵
148.                                          <a href =
     "http://127.0.0.1:8000/search/2" class = "h4 fw-bold"> Lazer</a>↵
149.                                          </div>↵
150.                                  </div>↵
151.                                                  <div class="d-flex
     flex-column p-3">↵
152.                                          <div class = "itemcateg d-flex justify-
     content-center" style="background-image: linear-gradient(rgba(0, 0, 0,
     0.3),rgba(0, 0, 0, 0.3)),url('../images/3.jpg');">↵
153.      ↵
154.                                          <a href =
     "http://127.0.0.1:8000/search/3" class = "h4 fw-bold"> Veículos</a>↵
155.                                          </div>↵
156.                                  </div>↵
157.                                          </div>↵
158.                                  <div class="d-flex flex-row flex-
     wrap justify-content-center ">↵
159.                                                  <div class="d-flex
     flex-column p-3">↵
160.                                          <div class = "itemcateg d-flex justify-
     content-center" style="background-image: linear-gradient(rgba(0, 0, 0,
     0.3),rgba(0, 0, 0, 0.3)),url('../images/4.jpg');">↵
161.      ↵
162.                                          <a href =
     "http://127.0.0.1:8000/search/4" class = "h4 fw-bold"> Arte</a>↵
163.                                          </div>↵
164.                                  </div>↵
165.                                                  <div class="d-flex
     flex-column p-3">↵
166.                                          <div class = "itemcateg d-flex justify-
     content-center" style="background-image: linear-gradient(rgba(0, 0, 0,
     0.3),rgba(0, 0, 0, 0.3)),url('../images/5.jpg');">↵
167.      ↵
168.                                          <a href =
     "http://127.0.0.1:8000/search/5" class = "h4 fw-bold"> Imobiliário</a>↵
169.                                          </div>↵
170.                                  </div>↵
171.                                                  <div class="d-flex
     flex-column p-3">↵
172.                                          <div class = "itemcateg d-flex justify-
     content-center" style="background-image: linear-gradient(rgba(0, 0, 0,
     0.3),rgba(0, 0, 0, 0.3)),url('../images/6.jpg');">↵
173.      ↵
174.                                          <a href =
     "http://127.0.0.1:8000/search/6" class = "h4 fw-bold"> Moda</a>↵
175.                                          </div>↵
176.                                  </div>↵
177.                                          </div>↵
178.                                  <div class="d-flex flex-row flex-
     wrap justify-content-center ">↵
179.                                                  <div class="d-flex
     flex-column p-3">↵
180.                                          <div class = "itemcateg d-flex justify-
     content-center" style="background-image: linear-gradient(rgba(0, 0, 0,
     0.3),rgba(0, 0, 0, 0.3)),url('../images/7.jpg');">↵
181.      ↵
182.                                          <a href =
     "http://127.0.0.1:8000/search/7" class = "h4 fw-bold"> Tecnologia</a>↵
183.                                          </div>↵
184.                                  </div>↵
185.                                                  <div class="d-flex
     flex-column p-3">↵
186.                                          <div class = "itemcateg d-flex justify-
     content-center" style="background-image: linear-gradient(rgba(0, 0, 0,
     0.3),rgba(0, 0, 0, 0.3)),url('../images/8.jpg');">↵
187.      ↵
188.                                          <a href =
     "http://127.0.0.1:8000/search/8" class = "h4 fw-bold"> Casa e
     Jardim</a>↵
189.                                          </div>↵
```

```
190.                              </div>↵
191.                                                  <div class="d-flex
       flex-column p-3">↵
192.                                  <div class = "itemcateg d-flex justify-
       content-center" style="background-image: linear-gradient(rgba(0, 0, 0,
       0.3),rgba(0, 0, 0, 0.3)),url('../images/9.jpg');">↵
193.  ↵
194.                                      <a href =
       "http://127.0.0.1:8000/search/9" class = "h4 fw-bold"> Animais</a>↵
195.                                  </div>↵
196.                              </div>↵
197.                                      </div>↵
198.                          </div>↵
199.          <div class="container-fluid">↵
200.              <div class="d-flex flex-row flex-wrap justify-content-center
       ">↵
201.                    <p class = "fw-bold fs-2 mb-0"> Ending Soon! </p>↵
202.              </div>↵
203.              <div class="d-flex flex-row flex-wrap justify-content-
       center">↵
204.                                  <div class="d-flex flex-column ps-3
       pe-3 pt-3 ">↵
205.                          <div class="container-img">↵
206.                          <div class = "itemauc">↵
207.                                  <a
       href="http://127.0.0.1:8000/auction/10"><img class= "img-fluid" src=
       "images/10/1.jpg" alt='Auction Image'></a>↵
208.                                  <a
       href="http://127.0.0.1:8000/auction/10">↵
209.                                  <div class = "prop" >↵
210.                                      <p id = "price" class = "fw-bold
       mb-0 mt-1">95€ </p>↵
211.                                      <p id = "nome" class = "fw-bold
       mb-5"> Digital Camera </p>↵
212.                                  </div>↵
213.                              </a>↵
214.                          </div>↵
215.                      </div>↵
216.                      </div>↵
217.                                  <div class="d-flex flex-column ps-3
       pe-3 pt-3 ">↵
218.                          <div class="container-img">↵
219.                          <div class = "itemauc">↵
220.                                  <a
       href="http://127.0.0.1:8000/auction/2"><img class= "img-fluid" src=
       "images/2/1.jpg" alt='Auction Image'></a>↵
221.                                  <a
       href="http://127.0.0.1:8000/auction/2">↵
222.                                  <div class = "prop" >↵
223.                                      <p id = "price" class = "fw-bold
       mb-0 mt-1">4312€ </p>↵
224.                                      <p id = "nome" class = "fw-bold
       mb-5"> Apple iPhone 13 Max Pro </p>↵
225.                                  </div>↵
226.                              </a>↵
227.                          </div>↵
228.                      </div>↵
229.                      </div>↵
230.                                  <div class="d-flex flex-column ps-3
       pe-3 pt-3 ">↵
231.                          <div class="container-img">↵
232.                          <div class = "itemauc">↵
233.                                  <a
       href="http://127.0.0.1:8000/auction/9"><img class= "img-fluid" src=
       "images/9/1.jpg" alt='Auction Image'></a>↵
234.                                  <a
       href="http://127.0.0.1:8000/auction/9">↵
235.                                  <div class = "prop" >↵
236.                                      <p id = "price" class = "fw-bold
       mb-0 mt-1">1400€ </p>↵
237.                                      <p id = "nome" class = "fw-bold
       mb-5"> Nike Court Aerobill </p>↵
238.                                  </div>↵
239.                              </a>↵
240.                          </div>↵
241.                      </div>↵
```

242.   </div>↵
243.   </div>↵
244.   </div>↵
245.   ↵
246.   ↵
247.   ↵
248.   ↵
249.   ↵
250.   </div>↵
251.   ↵
252.   </section>↵
253.   <div class="cont2">↵
254.   <footer class="d-flex justify-content-between">↵
255.   <p class="m-4 option"><a id="lg" class="fw-bold h4"
       href="http://127.0.0.1:8000"> WeBid </p>↵
256.   <div class="m-4 option">↵
257.
       FAQ ↵
258.   <a class="m-3 fw-bold h4"
       href="http://127.0.0.1:8000/AboutUs"> About Us ↵
259.   <a class="m-3 fw-bold h4"
       href="http://127.0.0.1:8000/ContactUs"> Contact Us ↵
260.   </div>↵
261.   </footer>↵
262. </div>↵
263.   ↵
264. </main>↵
265. </body>↵
266. </html>

Used the HTML parser.

Total execution time 30 milliseconds.

About this checker • Report an issue • Version: 22.12.5