
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Warning | The type attribute is unnecessary for JavaScript resources.

```
From line 38, column 5; to line 38, column 73
```

5. Warning The type attribute is unnecessary for JavaScript resources.

From line 39, column 5; to line 39, column 79

```
ript>→ <script type="text/javascript" src=http://127.0.0.1:8000/js/popup.js defer></scri
```

6. Warning The type attribute is unnecessary for JavaScript resources.

From line 40, column 5; to line 40, column 83

```
ript>← <script type="text/javascript" src=http://127.0.0.1:8000/js/countdown.js defer></scri
```

7. Warning The type attribute is unnecessary for JavaScript resources.

From line 41, column 5; to line 41, column 83

8. Warning The type attribute is unnecessary for JavaScript resources.

From line 42, column 5; to line 42, column 77

ript>
coript type="text/javascript"
src=http://127.0.0.1:8000/js/bid.js defer></scri

9. Warning The type attribute is unnecessary for JavaScript resources.

From line 43, column 5; to line 43, column 80

10. Warning The type attribute is unnecessary for JavaScript resources.

From line 44, column 5; to line 44, column 78

11. Warning The type attribute is unnecessary for JavaScript resources.

From line 45, column 5; to line 45, column 83

```
ript> <script type="text/javascript" src=http://127.0.0.1:8000/js/favorites.js defer></scri
```

12. Warning The type attribute is unnecessary for JavaScript resources.

From line 46, column 5; to line 46, column 85

```
ript> <script type="text/javascript"
src=http://127.0.0.1:8000/js/recoverpass.js defer></scri
```

13. Warning The type attribute is unnecessary for JavaScript resources.

From line 48, column 5; to line 48, column 80

 $ipt > \underbrace{\ }$ <script type="text/javascript"

src=http://127.0.0.1:8000/js/notifs.js defer></scri</pre>

14. Error The element input must not appear as a descendant of the button element.

From line 107, column 25; to line 107, column 111

<input type="text" id="searchbar" name="search_query"
placeholder="Search anything...">↔

15. Error The element a must not appear as a descendant of the button element.

From line 108, column 25; to line 108, column 35

 <i cl

16. Error The element button must not appear as a descendant of the a element.

From line 114, column 21; to line 114, column 28

<button>↩

17. Error The element button must not appear as a descendant of the a element.

From line 120, column 21; to line 120, column 28

<button>↩

18. **Error Bogus comment.**

At line 135, column 24

<!- show Images he

19. Warning The document is not mappable to XML 1.0 due to a trailing hyphen in a comment.

At line 135, column 43

w Images here ->₩

20. Error Duplicate attribute alt.

At line 148, column 150

img-fluid' alt='Auction Image

21. Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 148, column 81; to line 148, column 167

ss='foto'></div>

22. Error Duplicate attribute alt.

At line 148, column 291

img-fluid' alt='Auction Image

23. Info Trailing slash on void elements <u>has no effect</u> and <u>interacts badly with</u> <u>unquoted attribute values</u>.

From line 148, column 222; to line 148, column 308

ss='foto'></div>

24. Error Bad value float for attribute type on element input.

From line 199, column 29; to line 199, column 138

<input type="float" class= "inpt p-1" placeholder=" 1402.15" value = " 1402.15" name="amount" min= " 1402.15">

value = " 1402.15" name="amount" min= " 1402.15" »

25. Error Attribute min not allowed on element input at this point.

From line 199, column 29; to line 199, column 138

<input type="float" class= "inpt p-1" placeholder=" 1402.15"</pre>

value = " 1402.15" name="amount" min= " 1402.15">₽

Attributes for element **input**:

Global attributes

accept when type is <u>file</u>
alt when type is <u>image</u>

<u>autocomplete</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, <u>date</u>, <u>month</u>,

week, time, datetime-local, number, range, or color

<u>autofocus</u>

<u>checked</u> when type is <u>checkbox</u> or <u>radio</u>

<u>dirname</u> when type is <u>text</u> or <u>search</u>

<u>disabled</u>

<u>form</u>

formactionwhen type is submit or imageformenctypewhen type is submit or imageformmethodwhen type is submit or imageformnovalidatewhen type is submit or image

1 1*1		Showing results for contents of text-input area - Nu Hithi Checker
	<u>formtarget</u>	when type is <u>submit</u> or <u>image</u>
	<u>height</u>	when type is <u>image</u>
	<u>list</u>	when type is <u>text</u> , <u>search</u> , <u>url</u> , <u>tel</u> , <u>email</u> , <u>date</u> , <u>month</u> , <u>week</u> , <u>time</u> ,
		datetime-local, number, range, or color
	<u>max</u>	when type is <u>date</u> , <u>month</u> , <u>week</u> , <u>time</u> , <u>datetime-local</u> , <u>number</u> , or
		<u>range</u>
	<u>maxlength</u>	when type is <u>text</u> , <u>search</u> , <u>url</u> , <u>tel</u> , <u>email</u> , or <u>password</u>
	<u>min</u>	when type is <u>date</u> , <u>month</u> , <u>week</u> , <u>time</u> , <u>datetime-local</u> , <u>number</u> , or
		<u>range</u>
	<u>multiple</u>	when type is <u>email</u> or <u>file</u>
	<u>name</u>	
	<u>pattern</u>	when type is <u>text</u> , <u>search</u> , <u>url</u> , <u>tel</u> , <u>email</u> , or <u>password</u>
	<u>placeholder</u>	when type is <u>text</u> , <u>search</u> , <u>url</u> , <u>tel</u> , <u>email</u> , <u>password</u> , or <u>number</u>
	<u>readonly</u>	when type is <u>text</u> , <u>search</u> , <u>url</u> , <u>tel</u> , <u>email</u> , <u>password</u> , <u>date</u> , <u>month</u> ,
		week, time, datetime-local, or number
	<u>required</u>	when type is <u>text</u> , <u>search</u> , <u>url</u> , <u>tel</u> , <u>email</u> , <u>password</u> , <u>date</u> , <u>month</u> ,
		week, time, datetime-local, number, checkbox, radio, or file
	size	when type is <u>text</u> , <u>search</u> , <u>url</u> , <u>tel</u> , <u>email</u> , or <u>password</u>
	src	when type is <u>image</u>
	<u>step</u>	when type is <u>date</u> , <u>month</u> , <u>week</u> , <u>time</u> , <u>datetime-local</u> , <u>number</u> , or
		<u>range</u>
	<u>type</u>	
	<u>value</u>	when type is not <u>file</u> or <u>image</u>
	<u>width</u>	when type is <u>image</u>

```
26. Error Attribute placeholder is only allowed when the input type is email, number, password, search, tel, text, or url.

From line 199, column 29; to line 199, column 138

<input type="float" class= "inpt p-1" placeholder=" 1402.15" value = " 1402.15" name="amount" min= " 1402.15">

value = " 1402.15" name="amount" min= " 1402.15" >

value = " 1402.15" name="amount" min= " 1402.15" >

value = " 1402.15" name="amount" min= " 1402.15" >

value = " 1402.15" name="amount" min= " 1402.15" >

value = " 1402.15" name="amount" min= " 1402.15" >

value = " 1402.15" name="amount" min= " 1402.15" >

value = " 1402.15" name="amount" min= " 1402.15" >

value = " 1402.15" name="amount" min= " 1402.15" >

value = " 1402.15" name="amount" min= " 1402.15" >

value = " 1402.15" name="amount" min= " 1402.15" >

value = " 1402.15" name="amount" min= " 1402.15" >

value = " 1402.15" name="amount" min= " 1402.15" >

value = " 1402.15" name="amount" min= " 1402.15" >

value = " 1402.15" name="amount" min= " 1402.15" >

value = " 1402.15" name="amount" min= " 1402.15" >

value = " 1402.15" name="amount" min= " 1402.15" >

value = " 1402.15" name="amount" min= " 1402.15" -

value = " 1402.15" name="amount" min= " 1402.15" -

value = " 1402.15" name="amount" min= " 1402.15" -

value = " 1402.15" name="amount" min= " 1402.15" -

value = " 1402.15" name="amount" min= " 1402.15" -

value = " 1402.15" name="amount" min= " 1402.15" -

value = " 1402.15" name="amount" min= " 1402.15" -

value = " 1402.15" name="amount" min= " 1402.15" -

value = " 1402.15" name="amount" min= " 1402.15" -

value = " 1402.15" name="amount" min= " 1402.15" -
```

```
27. Error The element button must not appear as a descendant of the a element.

From line 203, column 33; to line 203, column 89

Sutton class="open-modal fw-bold" data-target="modal-1">...
```

28. Info Trailing slash on void elements <u>has no effect</u> and <u>interacts badly with</u> <u>unquoted attribute values</u>.

From line 216, column 37; to line 216, column 115

```
Error Attribute idauction not allowed on element button at this point.
29.
     From line 228, column 29; to line 228, column 62
                   <button id="favbtn" idauction="9">↩
     Attributes for element button:
        Global attributes
        disabled — Whether the form control is disabled
        <u>form</u> — Associates the element with a <u>form</u> element
        <u>formaction</u> — <u>URL</u> to use for <u>form submission</u>
        <u>formenctype</u> — <u>Entry list</u> encoding type to use for <u>form submission</u>
        <u>formmethod</u> — Variant to use for <u>form submission</u>
        <u>formnovalidate</u> — Bypass form control validation for <u>form submission</u>
        <u>formtarget</u> — <u>Navigable</u> for <u>form submission</u>
        <u>name</u> — Name of the element to use for <u>form submission</u> and in the <u>form.elements</u> API
        type — Type of button
        <u>value</u> — Value to be used for <u>form submission</u>
      Error The element a must not appear as a descendant of the button
30.
     element.
     From line 230, column 41; to line 230, column 70
                   <a class = "pop" id="favtext"> Add t
      Error The element a must not appear as a descendant of the button
31.
     element.
     From line 242, column 41; to line 242, column 43
                   <a>Biddin
      Error Stray end tag a.
32.
     From line 244, column 33; to line 244, column 36
                   </a>↩
      Error The element a must not appear as a descendant of the button
33.
     element.
     From line 250, column 41; to line 250, column 43
                   <a>Report
      Error Start tag | div | seen in | table |.
34.
     From line 269, column 44; to line 270, column 77
```

	<u>↔</u>		
	<div>↔</div>		
35.	Fatal Error Cannot recover after last error. Any further errors will be ignored.		
	From line 269, column 44; to line 270, column 77		
	<u>⊬</u>		
	<div>↔</div>		

Document checking completed.

Source

```
2. <!DOCTYPE html>↔
  <html lang="en">↩
 3.
 4.
  <head>↩
        <meta charset="utf-8">↩
 5.
       <meta http-equiv="X-UA-Compatible" content="IE=edge">↔
 6.
       <meta name="viewport" content="width=device-width, initial-</pre>
 7.
   scale=1">↩
       <!-- CSRF Token -->₽
 8
       <meta name="csrf-token"</pre>
 9.
   content="4KZ21GlBVNn6gRbG0w1bvcXbd4kipR2Se1hjkDAA">↔
10. ↔
11.
        <title>WeBid</title>↩
         <link rel = "icon" href ="/logo.png">←
12.
13.
          <!-- Styles -->↔
       <!-- CSS only -->↔
14.
15.
       link
   href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.mi
   n.css" rel="stylesheet"↔
                                integrity="sha384-
16.
   Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeu0xjzrPF/et3URy9Bv1WTRi"
   crossorigin="anonymous">↩
17. ↔
        <link href="http://127.0.0.1:8000/css/def.css" rel="stylesheet">↔
18.
       <link href="http://127.0.0.1:8000/css/home.css" rel="stylesheet">→
19.
       <link href="http://127.0.0.1:8000/css/auth.css" rel="stylesheet">↔
20.
       21.
22.
   rel="stylesheet">↔
       <link href="http://127.0.0.1:8000/css/fag.css" rel="stylesheet">→
23.
        <link href="http://127.0.0.1:8000/css/aboutus.css"</pre>
24
   rel="stylesheet">↔
        <link href="http://127.0.0.1:8000/css/responsive.css"
25.
   rel="stylesheet">↩
26.
27. ↩
28. ↔
29.
        <script
   src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bund
le.min.js" integrity="sha384-
   MrcW6ZMFYlzcLA8Ňl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
   crossorigin="anonymous"></script>↩
30.
       <script
   src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
   </script>↩
   <script src="https://kit.fontawesome.com/221bee115b.js"
crossorigin="anonymous"></script>↩
31.
32.
       <script type="text/javascript">↩
33.
            // Fix for Firefox autofocus CSS bug↩
            // See: http://stackoverflow.com/questions/18943276/html-5-
34.
   autofocus-messes-up-css-loading/18945951#18945951↔
35.
       </script>↩
       <script type="text/javascript" src=http://127.0.0.1:8000/js/app.js</pre>
36.
   defer></script>↩
```

```
<script type="text/iavascript"</pre>
37
   src=http://127.0.0.1:8000/js/search.js></script>↔
        <script type="text/javascript"</pre>
38.
   src=http://127.0.0.1:8000/is/login.is></script>←
39.
        <script type="text/javascript" src=http://127.0.0.1:8000/js/popup.js
   defer></script>↩
        <script type="text/javascript"</pre>
40.
   src=http://127.0.0.1:8000/is/countdown.js defer></script>↔
        <script type="text/iavascript"</pre>
41.
   src=http://127.0.0.1:8000/js/createauc.js defer></script>
        <script type="text/javascript" src=http://127.0.0.1:8000/js/bid.js</pre>
42.
   defer></script>↔
        <script type="text/javascript"</pre>
43.
   src=http://127.0.0.1:8000/js/images.js defer></script>↩
        <script type="text/javascript" src=http://127.0.0.1:8000/js/rate.js</pre>
44.
   defer></script>↩
        <script type="text/iavascript"</pre>
45.
   src=http://127.0.0.1:8000/js/favorites.js defer></script>
        <script type="text/javascript"</pre>
46.
   src=http://127.0.0.1:8000/js/recoverpass.js defer></script>
47.
        <script type="text/javascript"</pre>
48.
   src=http://127.0.0.1:8000/js/notifs.js defer></script>↔
49.
50. </head>↔
51. <body>↩
   <main>↔
52.
                <nav id="sidebar" class="active">↩
53.
        <div class="custom-menu">↩
54.
            <button type="button" id="sidebarCollapse" class="btn btn-</pre>
55.
   secondary">↩
                <i class="fa fa-bars"></i>↩
56.
                <span class="sr-only">Toggle Menu</span>↔
57.
58.
            </button>↔
59.
       </div>↔
60. ↔
       <div class="p-4">↔
61.
            <h1><a href="http://127.0.0.1:8000" class="logo">WeBid</a></h1>↔
62.
63.
            ↔
64.
65.
                <ei>li>↔
66.
                    <a href="http://127.0.0.1:8000/login"><span class="fa-
67.
   solid fa-plus mr-3"></span> Create a auction</a>↔
68.
                ↩
69.
                →
                    <a href="http://127.0.0.1:8000/login"><span class="fa-
70.
   regular fa-star mr-3"></span> Favorite Auctions</a>↔
71.
                ↩
72.
73.
                li>↔
                    <a href="http://127.0.0.1:8000/login"><span class="fa-</pre>
74.
   solid fa-house-user mr-3"></span> My Auctions</a>
                ↔
75.
76.
                <ei>li>↔
                    <a href="http://127.0.0.1:8000/login"><span class="fa-</pre>
77.
   solid fa-coins mr-3"></span> My Bids</a>↔
                78.
                ا>ب
79.
                    <a href="http://127.0.0.1:8000/login"><span class="fa-
80.
   solid fa-user mr-3"></span> Profile</a>↔
                ↩
81.
82.
                    <a href="http://127.0.0.1:8000/login"><span class="fa-
83.
   solid fa-sack-dollar mr-3"></span> Add Funds</a>↔
84.
                ↔
                <e
85.
86.
                    <a href="http://127.0.0.1:8000/login"><span class="fa-
   solid fa-magnifying-glass mr-3"></span> Search for Auction</a>↔
                ์↩
87.
88.
                li>↩
                    <a href="http://127.0.0.1:8000/login"><span class="fa-
89.
   solid fa-right-from-bracket mr-3"></span> Login</a>→
90.
                91.
92.
```

```
93. ↩
 94. ↩
 95. ↔
 96.
         </div>↔
 97. </nav>↔
 98. <div class="cont">↩
 99.
         <header>↩
100. ↔
101. ↩
102.
              <a href="http://127.0.0.1:8000" id="logo"> WeBid</a>↔
103.
              <div class="search">↔
104.
                  <div class="sbar">↩
105. ↔
106.
                                             <button>↩
                                <input type="text" id="searchbar"</pre>
107.
     name="search_query" placeholder="Search anything...">↩
108.
                                <a href=""> <i class="fa fa-search"> </i> </a>↔
109.
                           </button>↔
                                    </div>↔
110.
111.
              </div>↩
112.
              <div class="auth d-flex">↔
                                    <a class="log"
113
     href="http://127.0.0.1:8000/login">↔
114.
                           <button>↔
                                <i class="fa-solid fa-user"></i>↔
115.
116.
                                <span>Login</span>↔
117.
                           </button>↩
118.
                       </a>↔
                       <a href="http://127.0.0.1:8000/register" class="reg">↔
119.
120.
                                <i class="fa-solid fa-user-plus"></i>↩
121.
122.
                                <span> Register </span>↩
123.
                           </button>↩
124.
                       </a>↔
125.
                           </div>↩
126.
         </header>↩
127. </div>↔
128.
129. ↔
130.
         <section id="content">↩
                       <div class = "hidden" id = "datat" style = "display:</pre>
131.
     none">Jan 27, 2023 15:00:00</div>↔
132.
              <div class = "page">↩
                  <div class = "d-flex">↔
133.
                       <div class = "text-center">↩
134.
135.
                           <!- show Images here ->↩
136.
                                                  <section aria-label="Images"</pre>
     class="foto">↔
137.
                                <div class="slideshow" data-slideshow>↔
138.
                                                                        <div
     class="buttons">↔
139.
                                             <button class="slideshow-button</pre>
     prev" data-slideshow-button="prev">↔
140.
                                                  <i class="fa-solid fa-angles-</pre>
     left"></i>↔
141.
                                             </button>↩
                                             <button class="next ms-5 slideshow-</pre>
142.
     button " data-slideshow-button="next">↔
143.
                                                  <i class="fa-solid fa-angles-</pre>
     right"></i>↔
144.
                                             </button>↩
                                         </div>↔
145.
146.
147.
                                    ul data-slides>↔
148.
                                        <div</pre>
     class='foto'><imq src='../images/9/1.jpg' alt='Image 1' class ='fds img-
fluid' alt='Auction Image'/></div>class='slide' hidden><div</pre>
     class='foto'><img src='../images/9/2.jpg' alt='Image 2' class ='fds img-</pre>
     fluid' alt='Auction Image'/></div>
149.
                                    150.
                                </div>↔
151.
                           </section>↩
152.
                           <div>↩
153. ↩
                           </div>↩
154.
155.
                       </div>↩
```

1/3/23, 8:17 PM

```
1/3/23, 8:17 PM
                        Showing results for contents of text-input area - Nu Html Checker
                  156.
  157.
  158.
      Aerobill↩
  159.
                                         </div>↩
                       Current Bid: <span</pre>
  160.
      id = "pl" class = "h4 pb-2">1400€</span> 
                      <div class = "caixa mb-4">↔
  161.
  162.
                         <div class ="ms-3">↔
  163.
                                                  <p class = "h5
      fw-bold pt-4 pb-2 defl"> Time Left: ↔
                            164.
  165.
      166.
                               <div class="opt2">↔
                                  <span id = "day" class = "h4 me-2</pre>
  167.
      fw-bold">
               </span>↔
  168.
                                   Days ↔
  169.
                               </div>↔
                               <div class="opt2">₽
  170.
                                  <span id = "hour" class = "h4 me-2</pre>
  171.
      fw-bold">
               </span>↔
                                   Hours
  172.
      ←
  173.
                               </div>↩
  174.
                               <div class="opt2">↔
  175.
                                  <span id = "minute" class = "h4 me-2</pre>
      fw-bold">
               </span>↩
                                   Minutes
  176.
      →
  177.
                               </div>↩
  178.
                               <div class="opt2">↔
                                  <span id = "second" class = "h4 me-2</pre>
  179.
      fw-bold">
               </span>↩
  180.
                                   Seconds
      →
                               </div>↔
  181.
  182.
                            </div>↔
                            183.
      Auction Ends: 
  184.
                             2023-01-27
      15:00:00 ↔
  185.
                                               </div>↩
  186.
                      </div>↩
                      <div class = "caixa2 mb-2">↔
  187.
                         188.
  189.
      minimum increase of 5% for each bid. 
                            <div class = "d-flex">↔
  190.
       The
minimum bid amount right now is <span id = "pp" class = "h4 pb-2">
  191.
      1402.15€</span> 
  192.
                            </div>↩
  193.
                         </div>↔
  194.
                      </div>↔
  195.
                                         <div>↩
                          Your Bid:
  196.
      →
                         <form id="myform" method="post"</pre>
  197.
      action="http://127.0.0.1:8000/auction/9">→
      198.
  199.
      1402.15">↩
  200.
                         </form>↔
  201.
                         <div class = "mt-3">↔
                            202.
  203.
      target="modal-1">↩
  204.
                                  Bid Now↩
                               </button>↔
  205.
  206.
                            </a>↩
                            207.
  208.
                                  <h2>Bid Confirmation</h2>↔
  209.
```

```
210.
                                        <button class = "close modal-hide">
    <i class="fa-solid fa-x "></i></button>↔
211
                                    </div>↔
                                    This is a confirmation
212.
    message to make sure you really want to bid on the auction <span class=
    "fw-bold h5">Nike Court Aerobill</span> 
If you do not wish to
213.
    bid, just press close otherwise press the confirm button.
                                    <div class = "d-flex">↔
214.
215.
                                        <button class="modal-btn modal-hide</pre>
    cl">Close</button>↩
216.
                                        <input type="submit" form="myform"</pre>
    class="modal-btn cf ms-3"
                               value="Confirm"/>
217.
                                    </div>↩
218.
                                </div>↔
                                <div class="modal-fader"></div>↔
219.
220.
                            </div>↩
                            221.
222.
                                    <i class="fa-solid fa-user-tag"></i>↔
223.
224.
                                    <a
    href="http://127.0.0.1:8000/profile/mbrasse8" class = "pop"> Seller
    Profile </a>↔
225.
                                </div>↔
                                <div class = "me-4 hov">↩
226.
227. ↔
228.
                                <button id="favbtn" idauction="9">↩
229.
    <i class="fa-regular fa-star" id="favorite"></i>↔
                                            <a class = "pop" id="favtext">
230.
    Add to Favourites </a>↔
231.
232.
233.
                                </button>↩
234. ↔ 235.
                                </div>↔
236. ↔
237.
                                <div class = "me-4 hov">↔
238. ↔
239. ↔
                                        <button class="open-modal" data-</pre>
240.
    target="modal-3">↔
241.
                                            <i class="fa-solid fa-coins">
    </i>→
242.
                                            <a>Bidding History</a>↔
243.
                                        </button>↩
244.
                                    </a>←
                                </div>ب
245.
246.
                                <div class = "me-4 hov">↔
247.
248.
                                        <button class="open-modal" data-</pre>
    target="modal-4">↔
249.
                                            <i class="fa-solid fa-flag">
    </i>→
250.
                                            <a>Report Auction</a>↔
251.
                                        </button>↔
252. ↔
253.
                                </div>↔
254.
                            </div>↩
                            255.
256.
                                    <h2>Bidding History</h2>↔
<button class = "close modal-hide"><i
257.
258.
    class="fa-solid fa-x "></i></button>↔
259.
                                </div>↔
260.
                                <div>↩
                                    ↔
261.
                                        <thead>₽
262.
263.
                                        ←
                                            Id↔
Date↔
264.
265.
                                            Price↔
266.
267.
                                        ~
268.
                                        </thead>↩
269.
                                        ↩
```

```
270.
    <div>↩
271.
                                             ~
272.
                                                 2~
                                                 2022-10-22
273.
    10:00:30↔
274.
                                                 1400€
275.
                                             ↔
276.
                                         </div>↔
277.
    ↩
278.
                                    ↩
279.
                                 </div>↔
                                 <div class = "d-flex">↔
280.
                                    <button class="modal-btn modal-hide</pre>
281.
    cl">Close</button>↔
282.
                                 </div>↩
283.
                            </div>↔
                            <div id="modal-4" class="modal-window bab">↔
284.
    <form id="myform4" method="post"
action="http://127.0.0.1:8000/auction/9/createReport">↔
285.
                                     <input type="hidden" name=" token"</pre>
286.
    value="4KZ21GlBVNn6gRbG0w1bvcXbd4kipR2Se1hjkDAA">↔
                                    287.
288.
    auction?</h4>↔
289.
                                        <button class = "close modal-hide</pre>
    ms-2 mt-1 xau"><i class="fa-solid fa-x "></i></button>↔
                                     </div>↔
290.
291.
                                    <div>↩
292.
                                         <div class = "mt-3">↩
293.
```

Used the HTML parser.

Total execution time 36 milliseconds.

About this checker • Report an issue • Version: 22.12.5