# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source ☐ outline ☐ image report

[Options…]

Check by [text input ▾] ☐ css

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!-- CSRF Token -->
    <meta name="csrf-token"
content="4KZ21GlBVNn6gRbG0w1bvcXbd4kipR2Se1hjkDAA">

    <title>WeBid</title>
      <link rel = "icon" href ="/logo.png">
      <!-- Styles -->
    <!-- CSS only -->
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

   From line 32, column 5; to line 32, column 35

   ript>↵   <script type="text/javascript">↵

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

   From line 36, column 5; to line 36, column 77

   ript>↵   <script type="text/javascript"
   src=http://127.0.0.1:8000/js/app.js defer></scri

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

   From line 37, column 5; to line 37, column 74

   ript>↵   <script type="text/javascript"
   src=http://127.0.0.1:8000/js/search.js></scri

4. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 38, column 5; to line 38, column 73

```
ript>↵     <script type="text/javascript"
src=http://127.0.0.1:8000/js/login.js></scri
```

5. **Warning** **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 39, column 5; to line 39, column 79

```
ript>↵     <script type="text/javascript"
src=http://127.0.0.1:8000/js/popup.js defer></scri
```

6. **Warning** **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 40, column 5; to line 40, column 83

```
ript>↵     <script type="text/javascript"
src=http://127.0.0.1:8000/js/countdown.js defer></scri
```

7. **Warning** **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 41, column 5; to line 41, column 83

```
ript>↵     <script type="text/javascript"
src=http://127.0.0.1:8000/js/createauc.js defer></scri
```

8. **Warning** **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 42, column 5; to line 42, column 77

```
ript>↵     <script type="text/javascript"
src=http://127.0.0.1:8000/js/bid.js defer></scri
```

9. **Warning** **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 43, column 5; to line 43, column 80

```
ript>↵     <script type="text/javascript"
src=http://127.0.0.1:8000/js/images.js defer></scri
```

10. **Warning** **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 44, column 5; to line 44, column 78

```
ript>↵     <script type="text/javascript"
src=http://127.0.0.1:8000/js/rate.js defer></scri
```

11. **Warning** **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 45, column 5; to line 45, column 83

```
ript>↵     <script type="text/javascript"
src=http://127.0.0.1:8000/js/favorites.js defer></scri
```

12. **Warning** **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 46, column 5; to line 46, column 85

```
ript>↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/recoverpass.js defer></scri
```

13. **Warning** **The** `type` **attribute is unnecessary for JavaScript resources.**

From line 48, column 5; to line 48, column 80

```
ipt>↵↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/notifs.js defer></scri
```

14. **Error** **The element** `button` **must not appear as a descendant of the** `a`
element.

From line 117, column 21; to line 117, column 28

```
            <button>↵
```

15. **Error** **Attribute** `notif-id` **not allowed on element** `li` **at this point.**

From line 136, column 37; to line 136, column 70

```
            <li class="d-flex"  notif-id = 11>↵
```

Attributes for element `li`:
    Global attributes
    If the element is not a child of an `ul` or `menu` element: `value` — Ordinal value of the list item

16. **Error** **The element** `button` **must not appear as a descendant of the** `a`
element.

From line 148, column 21; to line 148, column 28

```
            <button>↵
```

17. **Error** **Bad value** `` **for attribute** `action` **on element** `form` **: Must be non-empty.**

From line 167, column 9; to line 167, column 24

```
>↵        <form action="">↵
```

18. **Error** **Duplicate ID** `name` **.**

From line 174, column 17; to line 174, column 99

```
            <input id="name" type="text" name="name" placeholder="Type
your email..." required>↵
```

19. **Warning** **The first occurrence of ID** `name` **was here.**

From line 170, column 17; to line 170, column 98

```
            <input id="name" type="text" name="name" placeholder="Type
your name..." required>↵
```

20. Info   **Trailing slash on void elements [has no effect](#) and [interacts badly with](#)**
      [unquoted attribute values](#).

     [From line 181, column 17; to line 181, column 75](#)

     ```
             <input type="submit" class="continue-button" value="Send"/>↵
     ```

Document checking completed.

Source

```
  1.  ↵
  2.  <!DOCTYPE html>↵
  3.  <html lang="en">↵
  4.  <head>↵
  5.      <meta charset="utf-8">↵
  6.      <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
  7.      <meta name="viewport" content="width=device-width, initial-
      scale=1">↵
  8.      <!-- CSRF Token -->↵
  9.      <meta name="csrf-token"
      content="4KZ21GlBVNn6gRbG0w1bvcXbd4kipR2Se1hjkDAA">↵
 10.  ↵
 11.      <title>WeBid</title>↵
 12.       <link rel = "icon" href ="/logo.png">↵
 13.       <!-- Styles -->↵
 14.      <!-- CSS only -->↵
 15.      <link
      href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.mi
      n.css" rel="stylesheet"↵
 16.                           integrity="sha384-
      Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeuOxjzrPF/et3URy9Bv1WTRi"
      crossorigin="anonymous">↵
 17.  ↵
 18.      <link href="http://127.0.0.1:8000/css/def.css" rel="stylesheet">↵
 19.      <link href="http://127.0.0.1:8000/css/home.css" rel="stylesheet">↵
 20.      <link href="http://127.0.0.1:8000/css/auth.css" rel="stylesheet">↵
 21.      <link href="http://127.0.0.1:8000/css/search.css" rel="stylesheet">↵
 22.      <link href="http://127.0.0.1:8000/css/auction.css"
      rel="stylesheet">↵
 23.      <link href="http://127.0.0.1:8000/css/faq.css" rel="stylesheet">↵
 24.      <link href="http://127.0.0.1:8000/css/aboutus.css"
      rel="stylesheet">↵
 25.      <link href="http://127.0.0.1:8000/css/responsive.css"
      rel="stylesheet">↵
 26.  ↵
 27.  ↵
 28.  ↵
 29.      <script
      src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bund
      le.min.js" integrity="sha384-
      MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
      crossorigin="anonymous"></script>↵
 30.      <script
      src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
      </script>↵
 31.      <script src="https://kit.fontawesome.com/221bee115b.js"
      crossorigin="anonymous"></script>↵
 32.      <script type="text/javascript">↵
 33.          // Fix for Firefox autofocus CSS bug↵
 34.          // See: http://stackoverflow.com/questions/18943276/html-5-
      autofocus-messes-up-css-loading/18945951#18945951↵
 35.      </script>↵
 36.      <script type="text/javascript" src=http://127.0.0.1:8000/js/app.js
      defer></script>↵
 37.      <script type="text/javascript"
      src=http://127.0.0.1:8000/js/search.js></script>↵
 38.      <script type="text/javascript"
      src=http://127.0.0.1:8000/js/login.js></script>↵
```

```
39.         <script type="text/javascript" src=http://127.0.0.1:8000/js/popup.js
    defer></script>↵
40.         <script type="text/javascript"
    src=http://127.0.0.1:8000/js/countdown.js defer></script>↵
41.         <script type="text/javascript"
    src=http://127.0.0.1:8000/js/createauc.js defer></script>↵
42.         <script type="text/javascript" src=http://127.0.0.1:8000/js/bid.js
    defer></script>↵
43.         <script type="text/javascript"
    src=http://127.0.0.1:8000/js/images.js defer></script>↵
44.         <script type="text/javascript" src=http://127.0.0.1:8000/js/rate.js
    defer></script>↵
45.         <script type="text/javascript"
    src=http://127.0.0.1:8000/js/favorites.js defer></script>↵
46.         <script type="text/javascript"
    src=http://127.0.0.1:8000/js/recoverpass.js defer></script>↵
47. ↵
48.         <script type="text/javascript"
    src=http://127.0.0.1:8000/js/notifs.js defer></script>↵
49. ↵
50. </head>↵
51. <body>↵
52. <main>↵
53.             <nav id="sidebar" class="active">↵
54.     <div class="custom-menu">↵
55.         <button type="button" id="sidebarCollapse" class="btn btn-
    secondary">↵
56.             <i class="fa fa-bars"></i>↵
57.             <span class="sr-only">Toggle Menu</span>↵
58.         </button>↵
59.     </div>↵
60. ↵
61.     <div class="p-4">↵
62.         <h1><a href="http://127.0.0.1:8000" class="logo">WeBid</a></h1>↵
63.         <ul class="list-unstyled components mb-3">↵
64. ↵
65.             <li>↵
66. ↵
67.                 <a href="http://127.0.0.1:8000/auction/create"><span
    class="fa-solid fa-plus mr-3"></span> Create a auction</a>↵
68.             </li>↵
69.             <li>↵
70.                 <a href="#"><span class="fa-regular fa-star mr-3">
    </span> Favorite Auctions</a>↵
71.             </li>↵
72.             <li>↵
73.                 <a
    href="http://127.0.0.1:8000/profile/cminister1/myauctions"><span
    class="fa-solid fa-house-user mr-3"></span> My Auctions</a>↵
74.             </li>↵
75.             <li>↵
76.                 <a
    href="http://127.0.0.1:8000/profile/cminister1/mybids"><span class="fa-
    solid fa-coins mr-3"></span> My Bids</a>↵
77.             </li>↵
78.             <li>↵
79.                 <a href="http://127.0.0.1:8000/profile/cminister1"><span
    class="fa-solid fa-user mr-3"></span> Profile</a>↵
80.             </li>↵
81.             <li>↵
82.                 <a
    href="http://127.0.0.1:8000/profile/cminister1/balance"><span class="fa-
    solid fa-sack-dollar mr-3"></span> Add Funds</a>↵
83.             </li>↵
84.             <li>↵
85.                 <a href="http://127.0.0.1:8000/search"><span class="fa-
    solid fa-magnifying-glass mr-3"></span> Search for Auction</a>↵
86.             </li>↵
87. ↵
88.             <li>↵
89.                 <form method="POST"
    action="http://127.0.0.1:8000/logout" class="reg">↵
90.                     <input type="hidden" name="_token"
    value="4KZ21GlBVNn6gRbG0w1bvcXbd4kipR2Se1hjkDAA⸗">
    <button type="submit" id="logoutbt"><span class="fa-solid fa-right-from-
    bracket mr-3"></span> Logout</button>↵
```

```
 91.                      </form>↵
 92.                  </li>↵
 93.  ↵
 94.              </ul>↵
 95.  ↵
 96.  ↵
 97.  ↵
 98.          </div>↵
 99. </nav>↵
100. <div class="cont">↵
101.      <header>↵
102.  ↵
103.  ↵
104.          <a href="http://127.0.0.1:8000" id="logo"> WeBid</a>↵
105.          <div class="search">↵
106.              <div class="sbar">↵
107.  ↵
108.                              <form
     action="http://127.0.0.1:8000/search" method="get">↵
109.                          <input type="text" id="searchbar"
     name="search_query" placeholder="Search anything...">↵
110.                          <a href=""> <i class="fa fa-search"> </i> </a>↵
111.                      </form>↵
112.  ↵
113.                              </div>↵
114.          </div>↵
115.          <div class="auth d-flex">↵
116.                          <a class="balance"
     href="http://127.0.0.1:8000/profile/cminister1/balance">↵
117.                  <button>↵
118.                      <span>Balance: 0€</span>↵
119.                  </button>↵
120.              </a>↵
121.              <div class="notif">↵
122.                  <button onclick="showNotif()">↵
123.                      <i class="fa-solid fa-bell fa-gradient"></i>↵
124.                                      <span class="num-
     count">1</span>↵
125.                                  </button>↵
126.                                  <div class="notlist
     escondido" id = "notifs">↵
127.      <ul>↵
128.          <li>↵
129.              <div class="d-flex init">↵
130.                  <span class="fw-bold h5"> Notifications </span>↵
131.                  <button class="mais">↵
132.                      <i class="fa-solid fa-gear"></i>↵
133.                  </button>↵
134.              </div>↵
135.          </li>↵
136.                          <li class="d-flex"  notif-id = 11>↵
137.                  <span class="h6 fw-bold me-2"> 1</span>↵
138.                  <span>You won the auction: Wood Hut </span>↵
139.                  <button class = "rNotif">↵
140.                      <i class="fa-solid fa-xmark"></i>↵
141.                  </button>↵
142.              </li>↵
143.                              </ul>↵
144. </div>↵
145.                              </div>↵
146.  ↵
147.              <a class="log"
     href="http://127.0.0.1:8000/profile/cminister1">↵
148.                  <button>↵
149.                      <i class="fa-solid fa-user"></i>↵
150.                      <span>Profile</span>↵
151.                  </button>↵
152.              </a>↵
153.              <form method="POST"
     action="http://127.0.0.1:8000/logout" class="reg">↵
154.                      <input type="hidden" name="_token"
     value="4KZ21GlBVNn6gRbG0w1bvcXbd4kipR2Se1hjkDAA˝>
     <button type="submit">↵
155.                      <i class="fa-solid fa-user-minus"></i>↵
156.                      <span> Logout </span>↵
157.                  </button>↵
```

```
158.                    </form>↵
159.                        </div>↵
160.            </header>↵
161.    </div>↵
162.        ↵
163.    ↵
164.        <section id="content">↵
165.            <div class="contact">↵
166.        <h3 class="fw-bold mb-5 mt-5">Contact Us!</h3>↵
167.        <form action="">↵
168.            <div class="input-box">↵
169.                <label for="name">Name:</label>↵
170.                <input id="name" type="text" name="name"
    placeholder="Type your name..." required>↵
171.                </div>↵
172.                <div class="input-box">↵
173.                    <label for="name">Email:</label>↵
174.                    <input id="name" type="text" name="name"
    placeholder="Type your email..." required>↵
175.                </div>↵
176.                <div class="input-box">↵
177.                    <label for="desc">Motive:</label>↵
178.                    <textarea id="desc" name="desc" placeholder="What do you
    want to tell us?"></textarea>↵
179.                </div>↵
180.                <div class="continue-button mb-3">↵
181.                    <input type="submit" class="continue-button"
    value="Send"/>↵
182.                </div>↵
183.            </form>↵
184.        </div>↵
185.        </section>↵
186.                    <div class="cont2">↵
187.        <footer class="d-flex justify-content-between">↵
188.            <p class="m-4 option"><a id="lg" class="fw-bold h4"
    href="http://127.0.0.1:8000"> WeBid </a></p>↵
189.            <div class="m-4 option">↵
190.                <a class="m-3 fw-bold h4" href="http://127.0.0.1:8000/FAQs">
    FAQ </a>↵
191.                <a class="m-3 fw-bold h4"
    href="http://127.0.0.1:8000/AboutUs"> About Us </a>↵
192.                <a class="m-3 fw-bold h4"
    href="http://127.0.0.1:8000/ContactUs"> Contact Us </a>↵
193.            </div>↵
194.        </footer>↵
195.    </div>↵
196.        ↵
197.    </main>↵
198.    </body>↵
199.    </html>
```

Used the HTML parser.

Total execution time 25 milliseconds.