Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report

[Options…]

Check by [text input ▾] ☐ css

```
      <script type="text/javascript" src=http://127.0.0.1:8000/js/countdown.js
defer></script>
      <script type="text/javascript" src=http://127.0.0.1:8000/js/createauc.js
defer></script>
      <script type="text/javascript" src=http://127.0.0.1:8000/js/bid.js
defer></script>
      <script type="text/javascript" src=http://127.0.0.1:8000/js/images.js
defer></script>
      <script type="text/javascript" src=http://127.0.0.1:8000/js/rate.js
defer></script>
      <script type="text/javascript" src=http://127.0.0.1:8000/js/favorites.js
defer></script>
      <script type="text/javascript"
src=http://127.0.0.1:8000/js/recoverpass.js defer></script>
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

   [From line 32, column 5; to line 32, column 35](#)

   ```
   ript>↵      <script type="text/javascript">↵
   ```

2. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

   [From line 36, column 5; to line 36, column 77](#)

   ```
   ript>↵      <script type="text/javascript"
   src=http://127.0.0.1:8000/js/app.js defer></scri
   ```

3. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

   [From line 37, column 5; to line 37, column 74](#)

   ```
   ript>↵      <script type="text/javascript"
   src=http://127.0.0.1:8000/js/search.js></scri
   ```

4. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

From line 38, column 5; to line 38, column 73

```
ript>↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/login.js></scri
```

5. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 39, column 5; to line 39, column 79

```
ript>↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/popup.js defer></scri
```

6. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 40, column 5; to line 40, column 83

```
ript>↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/countdown.js defer></scri
```

7. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 41, column 5; to line 41, column 83

```
ript>↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/createauc.js defer></scri
```

8. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 42, column 5; to line 42, column 77

```
ript>↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/bid.js defer></scri
```

9. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 43, column 5; to line 43, column 80

```
ript>↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/images.js defer></scri
```

10. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 44, column 5; to line 44, column 78

```
ript>↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/rate.js defer></scri
```

11. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 45, column 5; to line 45, column 83

```
ript>↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/favorites.js defer></scri
```

12. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 46, column 5; to line 46, column 85

```
ript>↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/recoverpass.js defer></scri
```

13. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 48, column 5; to line 48, column 80

```
ipt>↵↵      <script type="text/javascript"
src=http://127.0.0.1:8000/js/notifs.js defer></scri
```

14. **Error** The element `input` must not appear as a descendant of the `button` element.

From line 107, column 25; to line 107, column 111

```
          <input type="text" id="searchbar" name="search_query"
placeholder="Search anything...">↵
```

15. **Error** The element `a` must not appear as a descendant of the `button` element.

From line 108, column 25; to line 108, column 35

```
          <a href=""> <i cl
```

16. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 114, column 21; to line 114, column 28

```
        <button>↵
```

17. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 120, column 21; to line 120, column 28

```
        <button>↵
```

18. **Error** The element `input` must not appear as a descendant of the `button` element.

From line 134, column 13; to line 134, column 100

```
          <input type="text" id="searchbar2" name="search_query"
placeholder="Search anything...">↵
```

19. **Error** The element `a` must not appear as a descendant of the `button` element.

From line 135, column 13; to line 135, column 23

```
          <a href=""> <i cl
```

20. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 291, column 68; to line 291, column 121

```
ction/10"><img src= "/images/10/1.jpg" width="287" height="190"></a>↵
```

21. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 302, column 67; to line 302, column 119

```
uction/9"><img src= "/images/9/1.jpg" width="287" height="190"></a>↵
```

22. **Error** Duplicate ID `price`.

From line 305, column 33; to line 305, column 76

```
            <p id = "price" class = "fw-bold mb-0 mt-1"> 1400€
```

23. **Warning** The first occurrence of ID `price` was here.

From line 294, column 33; to line 294, column 76

```
            <p id = "price" class = "fw-bold mb-0 mt-1"> 95€ <
```

24. **Error** Duplicate ID `nome`.

From line 306, column 33; to line 306, column 70

```
            <p id = "nome" class = "fw-bold mb-5"> Nike
```

25. **Warning** The first occurrence of ID `nome` was here.

From line 295, column 33; to line 295, column 70

```
            <p id = "nome" class = "fw-bold mb-5"> Digit
```

26. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 313, column 67; to line 313, column 119

```
uction/7"><img src= "/images/7/1.jpg" width="287" height="190"></a>↵
```

27. **Error** Duplicate ID `price`.

From line 316, column 33; to line 316, column 76

```
            <p id = "price" class = "fw-bold mb-0 mt-1"> 1151€
```

28. **Warning** The first occurrence of ID `price` was here.

From line 294, column 33; to line 294, column 76

```
              <p id = "price" class = "fw-bold mb-0 mt-1"> 95€ <
```

29.   **Error**   **Duplicate ID** `nome` **.**

From line 317, column 33; to line 317, column 70

```
              <p id = "nome" class = "fw-bold mb-5"> Samsu
```

30.   **Warning**   **The first occurrence of ID** `nome` **was here.**

From line 295, column 33; to line 295, column 70

```
              <p id = "nome" class = "fw-bold mb-5"> Digit
```

31.   **Error**   **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult** **guidance on providing text alternatives for images** **.**

From line 324, column 67; to line 324, column 119

```
uction/6"><img src= "/images/6/1.jpg" width="287" height="190"></a>↵
```

32.   **Error**   **Duplicate ID** `price` **.**

From line 327, column 33; to line 327, column 76

```
              <p id = "price" class = "fw-bold mb-0 mt-1"> 100€
```

33.   **Warning**   **The first occurrence of ID** `price` **was here.**

From line 294, column 33; to line 294, column 76

```
              <p id = "price" class = "fw-bold mb-0 mt-1"> 95€ <
```

34.   **Error**   **Duplicate ID** `nome` **.**

From line 328, column 33; to line 328, column 70

```
              <p id = "nome" class = "fw-bold mb-5"> Laser
```

35.   **Warning**   **The first occurrence of ID** `nome` **was here.**

From line 295, column 33; to line 295, column 70

```
              <p id = "nome" class = "fw-bold mb-5"> Digit
```

36.   **Error**   **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult** **guidance on providing text alternatives for images** **.**

From line 335, column 67; to line 335, column 119

```
uction/5"><img src= "/images/5/1.jpg" width="287" height="190"></a>↵
```

37.   **Error**   **Duplicate ID** `price` **.**

From line 338, column 33; to line 338, column 76

```
              <p id = "price" class = "fw-bold mb-0 mt-1"> 20000
```

38. **Warning**   The first occurrence of ID `price` was here.

From line 294, column 33; to line 294, column 76

```
            <p id = "price" class = "fw-bold mb-0 mt-1"> 95€ <
```

39. **Error**   Duplicate ID `nome` .

From line 339, column 33; to line 339, column 70

```
            <p id = "nome" class = "fw-bold mb-5"> Honda
```

40. **Warning**   The first occurrence of ID `nome` was here.

From line 295, column 33; to line 295, column 70

```
            <p id = "nome" class = "fw-bold mb-5"> Digit
```

41. **Error**   An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 346, column 67; to line 346, column 119

```
uction/2"><img src= "/images/2/1.jpg" width="287" height="190"></a>↵
```

42. **Error**   Duplicate ID `price` .

From line 349, column 33; to line 349, column 76

```
            <p id = "price" class = "fw-bold mb-0 mt-1"> 4312€
```

43. **Warning**   The first occurrence of ID `price` was here.

From line 294, column 33; to line 294, column 76

```
            <p id = "price" class = "fw-bold mb-0 mt-1"> 95€ <
```

44. **Error**   Duplicate ID `nome` .

From line 350, column 33; to line 350, column 70

```
            <p id = "nome" class = "fw-bold mb-5"> Apple
```

45. **Warning**   The first occurrence of ID `nome` was here.

From line 295, column 33; to line 295, column 70

```
            <p id = "nome" class = "fw-bold mb-5"> Digit
```

46. **Error**   An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 357, column 67; to line 357, column 119

```
uction/1"><img src= "/images/1/1.jpg" width="287" height="190"></a>↵
```

47. **Error** **Duplicate ID** `price`.

From line 360, column 33; to line 360, column 76

```
            <p id = "price" class = "fw-bold mb-0 mt-1"> 150€
```

48. **Warning** **The first occurrence of ID** `price` **was here.**

From line 294, column 33; to line 294, column 76

```
            <p id = "price" class = "fw-bold mb-0 mt-1"> 95€ <
```

49. **Error** **Duplicate ID** `nome`.

From line 361, column 33; to line 361, column 70

```
            <p id = "nome" class = "fw-bold mb-5"> Wilso
```

50. **Warning** **The first occurrence of ID** `nome` **was here.**

From line 295, column 33; to line 295, column 70

```
            <p id = "nome" class = "fw-bold mb-5"> Digit
```

51. **Error** **Element** `hidden` **not allowed as child of element** `section` **in this context. (Suppressing further errors from this subtree.)**

From line 369, column 5; to line 369, column 38

```
/div>↵    <hidden id="search_text" value=""></hidd
```

Content model for element `section`:
   Flow content.

52. **Warning** **Section lacks heading. Consider using** `h2` - `h6` **elements to add identifying headings to all sections, or else use a** `div` **element instead for any cases where no heading is needed.**

From line 130, column 5; to line 130, column 26

```
↵↵    <section id="content">↵
```

53. **Error** **The value of the** `for` **attribute of the** `label` **element must be the ID of a non-hidden form control.**

From line 239, column 21; to line 239, column 39

```
            <label for="tempo">Upcomi
```

54. **Error** **The value of the** `for` **attribute of the** `label` **element must be the ID of a non-hidden form control.**

From line 243, column 21; to line 243, column 39

```
            <label for="tempo">Past I
```

55. **Error** **The value of the** `for` **attribute of the** `label` **element must be the ID of a non-hidden form control.**

From line 252, column 21; to line 252, column 40

```
          <label for="filter">Price<
```

56. **Error** **The value of the** `for` **attribute of the** `label` **element must be the ID of a non-hidden form control.**

From line 256, column 21; to line 256, column 40

```
          <label for="filter">Most P
```

57. **Error** **The value of the** `for` **attribute of the** `label` **element must be the ID of a non-hidden form control.**

From line 260, column 21; to line 260, column 40

```
          <label for="filter">Rating
```

Document checking completed.

Source

```
  1.  ↵
  2.  <!DOCTYPE html>↵
  3.  <html lang="en">↵
  4.  <head>↵
  5.      <meta charset="utf-8">↵
  6.      <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
  7.      <meta name="viewport" content="width=device-width, initial-
      scale=1">↵
  8.      <!-- CSRF Token -->↵
  9.      <meta name="csrf-token"
      content="4KZ21GlBVNn6gRbG0w1bvcXbd4kipR2Se1hjkDAA">↵
 10.  ↵
 11.      <title>WeBid</title>↵
 12.        <link rel = "icon" href ="/logo.png">↵
 13.        <!-- Styles -->↵
 14.      <!-- CSS only -->↵
 15.      <link
      href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.mi
      n.css" rel="stylesheet"↵
 16.                        integrity="sha384-
      Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeuOxjzrPF/et3URy9Bv1WTRi"
      crossorigin="anonymous">↵
 17.  ↵
 18.      <link href="http://127.0.0.1:8000/css/def.css" rel="stylesheet">↵
 19.      <link href="http://127.0.0.1:8000/css/home.css" rel="stylesheet">↵
 20.      <link href="http://127.0.0.1:8000/css/auth.css" rel="stylesheet">↵
 21.      <link href="http://127.0.0.1:8000/css/search.css" rel="stylesheet">↵
 22.      <link href="http://127.0.0.1:8000/css/auction.css"
      rel="stylesheet">↵
 23.      <link href="http://127.0.0.1:8000/css/faq.css" rel="stylesheet">↵
 24.      <link href="http://127.0.0.1:8000/css/aboutus.css"
      rel="stylesheet">↵
 25.      <link href="http://127.0.0.1:8000/css/responsive.css"
      rel="stylesheet">↵
 26.  ↵
 27.  ↵
 28.  ↵
 29.      <script
      src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bund
      le.min.js" integrity="sha384-
```

```
           MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
           crossorigin="anonymous"></script>↵
30.           <script
           src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
           </script>↵
31.           <script src="https://kit.fontawesome.com/221bee115b.js"
           crossorigin="anonymous"></script>↵
32.        <script type="text/javascript">↵
33.              // Fix for Firefox autofocus CSS bug↵
34.              // See: http://stackoverflow.com/questions/18943276/html-5-
           autofocus-messes-up-css-loading/18945951#18945951↵
35.           </script>↵
36.        <script type="text/javascript" src=http://127.0.0.1:8000/js/app.js
           defer></script>↵
37.        <script type="text/javascript"
           src=http://127.0.0.1:8000/js/search.js></script>↵
38.        <script type="text/javascript"
           src=http://127.0.0.1:8000/js/login.js></script>↵
39.        <script type="text/javascript" src=http://127.0.0.1:8000/js/popup.js
           defer></script>↵
40.        <script type="text/javascript"
           src=http://127.0.0.1:8000/js/countdown.js defer></script>↵
41.        <script type="text/javascript"
           src=http://127.0.0.1:8000/js/createauc.js defer></script>↵
42.        <script type="text/javascript" src=http://127.0.0.1:8000/js/bid.js
           defer></script>↵
43.        <script type="text/javascript"
           src=http://127.0.0.1:8000/js/images.js defer></script>↵
44.        <script type="text/javascript" src=http://127.0.0.1:8000/js/rate.js
           defer></script>↵
45.        <script type="text/javascript"
           src=http://127.0.0.1:8000/js/favorites.js defer></script>↵
46.        <script type="text/javascript"
           src=http://127.0.0.1:8000/js/recoverpass.js defer></script>↵
47. ↵
48.        <script type="text/javascript"
           src=http://127.0.0.1:8000/js/notifs.js defer></script>↵
49. ↵
50. </head>↵
51. <body>↵
52. <main>↵
53.              <nav id="sidebar" class="active">↵
54.       <div class="custom-menu">↵
55.          <button type="button" id="sidebarCollapse" class="btn btn-
           secondary">↵
56.              <i class="fa fa-bars"></i>↵
57.              <span class="sr-only">Toggle Menu</span>↵
58.          </button>↵
59.       </div>↵
60. ↵
61.       <div class="p-4">↵
62.          <h1><a href="http://127.0.0.1:8000" class="logo">WeBid</a></h1>↵
63.          <ul class="list-unstyled components mb-3">↵
64. ↵
65.              <li>↵
66. ↵
67.                  <a href="http://127.0.0.1:8000/login"><span class="fa-
           solid fa-plus mr-3"></span> Create a auction</a>↵
68.              </li>↵
69.              <li>↵
70.                  <a href="http://127.0.0.1:8000/login"><span class="fa-
           regular fa-star mr-3"></span> Favorite Auctions</a>↵
71.              </li>↵
72. ↵
73.              <li>↵
74.                  <a href="http://127.0.0.1:8000/login"><span class="fa-
           solid fa-house-user mr-3"></span> My Auctions</a>↵
75.              </li>↵
76.              <li>↵
77.                  <a href="http://127.0.0.1:8000/login"><span class="fa-
           solid fa-coins mr-3"></span> My Bids</a>↵
78.              </li>↵
79.              <li>↵
80.                  <a href="http://127.0.0.1:8000/login"><span class="fa-
           solid fa-user mr-3"></span> Profile</a>↵
81.              </li>↵
```

```
82.            <li>↵
83.                <a href="http://127.0.0.1:8000/login"><span class="fa-
        solid fa-sack-dollar mr-3"></span> Add Funds</a>↵
84.            </li>↵
85.            <li>↵
86.                <a href="http://127.0.0.1:8000/login"><span class="fa-
        solid fa-magnifying-glass mr-3"></span> Search for Auction</a>↵
87.            </li>↵
88.            <li>↵
89.                <a href="http://127.0.0.1:8000/login"><span class="fa-
        solid fa-right-from-bracket mr-3"></span> Login</a>↵
90.            </li>↵
91.   ↵
92.        </ul>↵
93.   ↵
94.   ↵
95.   ↵
96.      </div>↵
97.  </nav>↵
98.  <div class="cont">↵
99.      <header>↵
100.  ↵
101.  ↵
102.          <a href="http://127.0.0.1:8000" id="logo"> WeBid</a>↵
103.          <div class="search">↵
104.              <div class="sbar">↵
105.  ↵
106.                              <button>↵
107.                  <input type="text" id="searchbar"
        name="search_query" placeholder="Search anything...">↵
108.                      <a href=""> <i class="fa fa-search"> </i> </a>↵
109.                  </button>↵
110.                      </div>↵
111.          </div>↵
112.          <div class="auth d-flex">↵
113.                          <a class="log"
        href="http://127.0.0.1:8000/login">↵
114.                  <button>↵
115.                  <i class="fa-solid fa-user"></i>↵
116.                  <span>Login</span>↵
117.              </button>↵
118.          </a>↵
119.              <a href="http://127.0.0.1:8000/register" class="reg">↵
120.                  <button>↵
121.                  <i class="fa-solid fa-user-plus"></i>↵
122.                  <span> Register </span>↵
123.              </button>↵
124.          </a>↵
125.              </div>↵
126.      </header>↵
127.  </div>↵
128.      ↵
129.  ↵
130.      <section id="content">↵
131.          <div class="search s2">↵
132.      <div class="sbar sb2">↵
133.          <button>↵
134.              <input type="text" id="searchbar2" name="search_query"
        placeholder="Search anything...">↵
135.              <a href=""> <i class="fa fa-search"> </i> </a>↵
136.          </button>↵
137.      </div>↵
138.  </div>↵
139.  <div class = "catg d-flex justify-content-center mb-3">↵
140.          <div class = "ms-3 me-3 junto">↵
141.          <a href="http://127.0.0.1:8000/search/1" class = "d-flex
        flex-column fic">↵
142.              ↵
143.              <div class = "bgo d-flex justify-content-center">↵
144.  ↵
145.              <img src="../images/1.jpg" width="70" height="70"
        alt='Category Image'>↵
146.              </div>↵
147.              <span class = "fw-bold">Desporto</span>↵
148.          </a>↵
149.      </div>↵
```

```
150.                 <div class = "ms-3 me-3 junto">↵
151.                     <a href="http://127.0.0.1:8000/search/2" class = "d-flex
     flex-column fic">↵
152.                         ↵
153.                         <div class = "bgo d-flex justify-content-center">↵
154.  ↵
155.                             <img src="../images/2.jpg" width="70" height="70"
     alt='Category Image'>↵
156.                         </div>↵
157.                         <span class = "fw-bold">Lazer</span>↵
158.                     </a>↵
159.                 </div>↵
160.                 <div class = "ms-3 me-3 junto">↵
161.                     <a href="http://127.0.0.1:8000/search/3" class = "d-flex
     flex-column fic">↵
162.                         ↵
163.                         <div class = "bgo d-flex justify-content-center">↵
164.  ↵
165.                             <img src="../images/3.jpg" width="70" height="70"
     alt='Category Image'>↵
166.                         </div>↵
167.                         <span class = "fw-bold">Veículos</span>↵
168.                     </a>↵
169.                 </div>↵
170.                 <div class = "ms-3 me-3 junto">↵
171.                     <a href="http://127.0.0.1:8000/search/4" class = "d-flex
     flex-column fic">↵
172.                         ↵
173.                         <div class = "bgo d-flex justify-content-center">↵
174.  ↵
175.                             <img src="../images/4.jpg" width="70" height="70"
     alt='Category Image'>↵
176.                         </div>↵
177.                         <span class = "fw-bold">Arte</span>↵
178.                     </a>↵
179.                 </div>↵
180.                 <div class = "ms-3 me-3 junto">↵
181.                     <a href="http://127.0.0.1:8000/search/5" class = "d-flex
     flex-column fic">↵
182.                         ↵
183.                         <div class = "bgo d-flex justify-content-center">↵
184.  ↵
185.                             <img src="../images/5.jpg" width="70" height="70"
     alt='Category Image'>↵
186.                         </div>↵
187.                         <span class = "fw-bold">Imobiliário</span>↵
188.                     </a>↵
189.                 </div>↵
190.                 <div class = "ms-3 me-3 junto">↵
191.                     <a href="http://127.0.0.1:8000/search/6" class = "d-flex
     flex-column fic">↵
192.                         ↵
193.                         <div class = "bgo d-flex justify-content-center">↵
194.  ↵
195.                             <img src="../images/6.jpg" width="70" height="70"
     alt='Category Image'>↵
196.                         </div>↵
197.                         <span class = "fw-bold">Moda</span>↵
198.                     </a>↵
199.                 </div>↵
200.                 <div class = "ms-3 me-3 junto">↵
201.                     <a href="http://127.0.0.1:8000/search/7" class = "d-flex
     flex-column fic">↵
202.                         ↵
203.                         <div class = "bgo d-flex justify-content-center">↵
204.  ↵
205.                             <img src="../images/7.jpg" width="70" height="70"
     alt='Category Image'>↵
206.                         </div>↵
207.                         <span class = "fw-bold">Tecnologia</span>↵
208.                     </a>↵
209.                 </div>↵
210.                 <div class = "ms-3 me-3 junto">↵
211.                     <a href="http://127.0.0.1:8000/search/8" class = "d-flex
     flex-column fic">↵
212.                         ↵
```

```
213.                    <div class = "bgo d-flex justify-content-center">↵
214.    ↵
215.                        <img src="../images/8.jpg" width="70" height="70"
        alt='Category Image'>↵
216.                    </div>↵
217.                    <span class = "fw-bold">Casa e Jardim</span>↵
218.                </a>↵
219.            </div>↵
220.            <div class = "ms-3 me-3 junto">↵
221.            <a href="http://127.0.0.1:8000/search/9" class = "d-flex
        flex-column fic">↵
222.                    ↵
223.                    <div class = "bgo d-flex justify-content-center">↵
224.    ↵
225.                        <img src="../images/9.jpg" width="70" height="70"
        alt='Category Image'>↵
226.                    </div>↵
227.                    <span class = "fw-bold">Animais</span>↵
228.                </a>↵
229.            </div>↵
230.        </div>↵
231. <hr class = "mt-3 mb-4 lina">↵
232. <div class = "filtros">↵
233.        <form name= "ajax">↵
234.            <div class = "ms-5 mt-2">↵
235.                <p class = "h4"> Display: </p>↵
236.                <div class = "d-flex flex-column">↵
237.                    <div>↵
238.                        <input id = "up" class  type="radio" name= "tempo"
        value="0" checked>↵
239.                        <label for="tempo">Upcoming Items</label>↵
240.                    </div>↵
241.                    <div>↵
242.                        <input id = "past" class type="radio" name= "tempo"
        value="1">↵
243.                        <label for="tempo">Past Items</label>↵
244.                    </div>↵
245.                </div>↵
246.            </div>↵
247.            <div class = "ms-5 mt-2">↵
248.                <p class = "h4"> Sort by: </p>↵
249.                <div class = "d-flex flex-column">↵
250.                    <div>↵
251.                        <input id = "normal" class  type="radio" name=
        "filter" value="0" checked>↵
252.                        <label for="filter">Price</label>↵
253.                    </div>↵
254.                    <div>↵
255.                        <input id = "sort_pop" class type="radio" name=
        "filter" value="1">↵
256.                        <label for="filter">Most Popular</label>↵
257.                    </div>↵
258.                    <div>↵
259.                        <input id = "sort_rating" class type="radio" name=
        "filter" value="2">↵
260.                        <label for="filter">Rating</label>↵
261.                    </div>↵
262.                </div>↵
263.            </div>↵
264.            <div class = "ms-5 mt-4 class =">↵
265.                <p class = "h4"> Price Range: </p>↵
266.                <div class = "d-flex range">↵
267.                    <input id="pricemin" type="number" name="min"
        value="" min = "0" max = "1000000" placeholder="0">↵
268.                    <span class = "h5 ms-2 me-2 mt-1"> to </span>↵
269.                    <input id="pricemax" type="number" name="max"
        value="" min = "0" max = "100000000" placeholder="10000000">↵
270.                </div>↵
271.            </div>↵
272.        <div>↵
273.    ↵
274.        </div>↵
275.        <div>↵
276.    ↵
277.        </div>↵
278.        <div>↵
```

```
279. ↵
280.            </div>↵
281.        </form>↵
282. </div>↵
283. <div class ="pattern">↵
284.      <div class="container-fluid">↵
285.            <div>↵
286.                <div class = "h4 titt"> 7 items displayed</div>↵
287.                    </div>↵
288.            <div id = "auction" class="d-flex flex-row flex-wrap justify
      gridd">↵
289.                                <div class="d-flex flex-column ps-3 pe-3 pt-
      3 ">↵
290.                      <div class = "itemauc">↵
291.                          <a href="http://127.0.0.1:8000/auction/10"><img
      src= "/images/10/1.jpg" width="287" height="190"></a>↵
292.                          <a href="http://127.0.0.1:8000/auction/10">↵
293.                          <div class = "prop" >↵
294.                                <p id = "price" class = "fw-bold mb-0
      mt-1"> 95€ </p>↵
295.                                <p id = "nome" class = "fw-bold mb-5">
      Digital Camera </p>↵
296.                          </div>↵
297.                      </a>↵
298.                  </div>↵
299.              </div>↵
300.                          <div class="d-flex flex-column ps-3 pe-3 pt-
      3 ">↵
301.                      <div class = "itemauc">↵
302.                          <a href="http://127.0.0.1:8000/auction/9"><img
      src= "/images/9/1.jpg" width="287" height="190"></a>↵
303.                          <a href="http://127.0.0.1:8000/auction/9">↵
304.                          <div class = "prop" >↵
305.                                <p id = "price" class = "fw-bold mb-0
      mt-1"> 1400€ </p>↵
306.                                <p id = "nome" class = "fw-bold mb-5">
      Nike Court Aerobill </p>↵
307.                          </div>↵
308.                      </a>↵
309.                  </div>↵
310.              </div>↵
311.                          <div class="d-flex flex-column ps-3 pe-3 pt-
      3 ">↵
312.                      <div class = "itemauc">↵
313.                          <a href="http://127.0.0.1:8000/auction/7"><img
      src= "/images/7/1.jpg" width="287" height="190"></a>↵
314.                          <a href="http://127.0.0.1:8000/auction/7">↵
315.                          <div class = "prop" >↵
316.                                <p id = "price" class = "fw-bold mb-0
      mt-1"> 1151€ </p>↵
317.                                <p id = "nome" class = "fw-bold mb-5">
      Samsung Galaxy S20 </p>↵
318.                          </div>↵
319.                      </a>↵
320.                  </div>↵
321.              </div>↵
322.                          <div class="d-flex flex-column ps-3 pe-3 pt-
      3 ">↵
323.                      <div class = "itemauc">↵
324.                          <a href="http://127.0.0.1:8000/auction/6"><img
      src= "/images/6/1.jpg" width="287" height="190"></a>↵
325.                          <a href="http://127.0.0.1:8000/auction/6">↵
326.                          <div class = "prop" >↵
327.                                <p id = "price" class = "fw-bold mb-0
      mt-1"> 100€ </p>↵
328.                                <p id = "nome" class = "fw-bold mb-5">
      Laser Pointer </p>↵
329.                          </div>↵
330.                      </a>↵
331.                  </div>↵
332.              </div>↵
333.                          <div class="d-flex flex-column ps-3 pe-3 pt-
      3 ">↵
334.                      <div class = "itemauc">↵
335.                          <a href="http://127.0.0.1:8000/auction/5"><img
      src= "/images/5/1.jpg" width="287" height="190"></a>↵
```

```
336.                          <a href="http://127.0.0.1:8000/auction/5">↵
337.                              <div class = "prop" >↵
338.                                  <p id = "price" class = "fw-bold mb-0
     mt-1"> 20000€ </p>↵
339.                                  <p id = "nome" class = "fw-bold mb-5">
     Honda Civic </p>↵
340.                              </div>↵
341.                          </a>↵
342.                      </div>↵
343.                  </div>↵
344.                          <div class="d-flex flex-column ps-3 pe-3 pt-
     3 ">↵
345.                      <div class = "itemauc">↵
346.                          <a href="http://127.0.0.1:8000/auction/2"><img
     src= "/images/2/1.jpg" width="287" height="190"></a>↵
347.                          <a href="http://127.0.0.1:8000/auction/2">↵
348.                              <div class = "prop" >↵
349.                                  <p id = "price" class = "fw-bold mb-0
     mt-1"> 4312€ </p>↵
350.                                  <p id = "nome" class = "fw-bold mb-5">
     Apple iPhone 13 Max Pro </p>↵
351.                              </div>↵
352.                          </a>↵
353.                      </div>↵
354.                  </div>↵
355.                          <div class="d-flex flex-column ps-3 pe-3 pt-
     3 ">↵
356.                      <div class = "itemauc">↵
357.                          <a href="http://127.0.0.1:8000/auction/1"><img
     src= "/images/1/1.jpg" width="287" height="190"></a>↵
358.                          <a href="http://127.0.0.1:8000/auction/1">↵
359.                              <div class = "prop" >↵
360.                                  <p id = "price" class = "fw-bold mb-0
     mt-1"> 150€ </p>↵
361.                                  <p id = "nome" class = "fw-bold mb-5">
     Wilson Rf97 V10 </p>↵
362.                              </div>↵
363.                          </a>↵
364.                      </div>↵
365.                  </div>↵
366.                      </div>↵
367.          </div>↵
368.  </div>↵
369.      <hidden id="search_text" value=""></hidden>↵
370.      <script>↵
371.          let txt = document.getElementById("search_text");↵
372.          let search = document.getElementById("searchbar").value =
     txt.attributes.value.value;↵
373.      </script>↵
374.  ↵
375.      </section>↵
376.                  <div class="cont2">↵
377.      <footer class="d-flex justify-content-between">↵
378.          <p class="m-4 option"><a id="lg" class="fw-bold h4"
     href="http://127.0.0.1:8000"> WeBid </a></p>↵
379.          <div class="m-4 option">↵
380.              <a class="m-3 fw-bold h4" href="http://127.0.0.1:8000/FAQs">
     FAQ </a>↵
381.              <a class="m-3 fw-bold h4"
     href="http://127.0.0.1:8000/AboutUs"> About Us </a>↵
382.              <a class="m-3 fw-bold h4"
     href="http://127.0.0.1:8000/ContactUs"> Contact Us </a>↵
383.          </div>↵
384.      </footer>↵
385.  </div>↵
386.          ↵
387.  </main>↵
388.  </body>↵
389.  </html>
```

Used the HTML parser.

Total execution time 43 milliseconds.