

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by  ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!-- CSRF Token -->
  <meta name="csrf-token"
content="4KZ21GlBVNn6gRbG0w1bvcXbd4kipR2Se1hjkDAA">

  <title>WeBid</title>
  <link rel = "icon" href = "/logo.png">
  <!-- Styles -->
  <!-- CSS only -->
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The **type** attribute is unnecessary for JavaScript resources.

[From line 32, column 5; to line 32, column 35](#)

```
ript>... <script type="text/javascript">...
```

2. **Warning** The **type** attribute is unnecessary for JavaScript resources.

[From line 36, column 5; to line 36, column 77](#)

```
ript>... <script type="text/javascript"
src=http://127.0.0.1:8000/js/app.js defer></scri
```

3. **Warning** The **type** attribute is unnecessary for JavaScript resources.

[From line 37, column 5; to line 37, column 74](#)

```
ript>... <script type="text/javascript"
src=http://127.0.0.1:8000/js/search.js></scri
```

4. **Warning** The **type** attribute is unnecessary for JavaScript resources.

[From line 38, column 5; to line 38, column 73](#)

```
ript>... <script type="text/javascript"  
src=http://127.0.0.1:8000/js/login.js></scri
```

5. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 39, column 5; to line 39, column 79](#)

```
ript>... <script type="text/javascript"  
src=http://127.0.0.1:8000/js/popup.js defer></scri
```

6. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 40, column 5; to line 40, column 83](#)

```
ript>... <script type="text/javascript"  
src=http://127.0.0.1:8000/js/countdown.js defer></scri
```

7. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 41, column 5; to line 41, column 83](#)

```
ript>... <script type="text/javascript"  
src=http://127.0.0.1:8000/js/createauc.js defer></scri
```

8. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 42, column 5; to line 42, column 77](#)

```
ript>... <script type="text/javascript"  
src=http://127.0.0.1:8000/js/bid.js defer></scri
```

9. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 43, column 5; to line 43, column 80](#)

```
ript>... <script type="text/javascript"  
src=http://127.0.0.1:8000/js/images.js defer></scri
```

10. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 44, column 5; to line 44, column 78](#)

```
ript>... <script type="text/javascript"  
src=http://127.0.0.1:8000/js/rate.js defer></scri
```

11. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 45, column 5; to line 45, column 83](#)

```
ript>... <script type="text/javascript"  
src=http://127.0.0.1:8000/js/favorites.js defer></scri
```

12. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 46, column 5; to line 46, column 85](#)

```
ript>... <script type="text/javascript"
src=http://127.0.0.1:8000/js/recoverpass.js defer></scri
```

13. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 48, column 5; to line 48, column 80

```
ipt><script type="text/javascript"
src=http://127.0.0.1:8000/js/notifs.js defer></scri
```

14. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 79, column 17; to line 79, column 40

```
<button class="fw-bold">↵
```

15. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 87, column 17; to line 87, column 40

```
<button class="fw-bold">↵
```

16. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 95, column 17; to line 95, column 40

```
<button class="fw-bold">↵
```

17. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 103, column 17; to line 103, column 40

```
<button class="fw-bold">↵
```

18. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 111, column 17; to line 111, column 40

```
<button class="fw-bold">↵
```

19. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 119, column 17; to line 119, column 40

```
<button class="fw-bold">↵
```

20. **Error** The element `button` must not appear as a descendant of the `a` element.

[From line 127, column 17; to line 127, column 40](#)

```
<button class="fw-bold">↵
```

21. **Error** The element `button` must not appear as a descendant of the `a` element.

[From line 135, column 17; to line 135, column 40](#)

```
<button class="fw-bold">↵
```

22. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 62, column 5; to line 62, column 26](#)

```
↵ <section id="content">↵
```

Document checking completed.

## Source

```
1. ↵
2. <!DOCTYPE html>↵
3. <html lang="en">↵
4. <head>↵
5.     <meta charset="utf-8">↵
6.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7.     <meta name="viewport" content="width=device-width, initial-
scale=1">↵
8.     <!-- CSRF Token -->↵
9.     <meta name="csrf-token"
content="4KZ21GlBVNn6gRbG0wlbvXbd4kipR2Se1hjkDAA">↵
10. ↵
11.     <title>WeBid</title>↵
12.     <link rel = "icon" href = "/logo.png">↵
13.     <!-- Styles -->↵
14.     <!-- CSS only -->↵
15.     <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.mi
n.css" rel="stylesheet"↵
16.                                     integrity="sha384-
Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeu0xjzrPF/et3URy9Bv1WTRi"
crossorigin="anonymous">↵
17. ↵
18.     <link href="http://127.0.0.1:8000/css/def.css" rel="stylesheet">↵
19.     <link href="http://127.0.0.1:8000/css/home.css" rel="stylesheet">↵
20.     <link href="http://127.0.0.1:8000/css/auth.css" rel="stylesheet">↵
21.     <link href="http://127.0.0.1:8000/css/search.css" rel="stylesheet">↵
22.     <link href="http://127.0.0.1:8000/css/auction.css"
rel="stylesheet">↵
23.     <link href="http://127.0.0.1:8000/css/faq.css" rel="stylesheet">↵
24.     <link href="http://127.0.0.1:8000/css/aboutus.css"
rel="stylesheet">↵
25.     <link href="http://127.0.0.1:8000/css/responsive.css"
rel="stylesheet">↵
26. ↵
27. ↵
28. ↵
29.     <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bund
le.min.js" integrity="sha384-
MrcW6ZMFYlzcLa8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>↵
```

```

30.     <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
</script>↵
31.     <script src="https://kit.fontawesome.com/221bee115b.js"
crossorigin="anonymous"></script>↵
32.         <script type="text/javascript">↵
33.             // Fix for Firefox autofocus CSS bug↵
34.             // See: http://stackoverflow.com/questions/18943276/html-5-
autofocus-messes-up-css-loading/18945951#18945951↵
35.         </script>↵
36.         <script type="text/javascript" src=http://127.0.0.1:8000/js/app.js
defer></script>↵
37.         <script type="text/javascript"
src=http://127.0.0.1:8000/js/search.js></script>↵
38.         <script type="text/javascript"
src=http://127.0.0.1:8000/js/login.js></script>↵
39.         <script type="text/javascript" src=http://127.0.0.1:8000/js/popup.js
defer></script>↵
40.         <script type="text/javascript"
src=http://127.0.0.1:8000/js/countdown.js defer></script>↵
41.         <script type="text/javascript"
src=http://127.0.0.1:8000/js/createauc.js defer></script>↵
42.         <script type="text/javascript" src=http://127.0.0.1:8000/js/bid.js
defer></script>↵
43.         <script type="text/javascript"
src=http://127.0.0.1:8000/js/images.js defer></script>↵
44.         <script type="text/javascript" src=http://127.0.0.1:8000/js/rate.js
defer></script>↵
45.         <script type="text/javascript"
src=http://127.0.0.1:8000/js/favorites.js defer></script>↵
46.         <script type="text/iavascript"
src=http://127.0.0.1:8000/js/recoverpass.js defer></script>↵
47.     ↵
48.         <script type="text/javascript"
src=http://127.0.0.1:8000/js/notifs.js defer></script>↵
49.     ↵
50. </head>↵
51. <body>↵
52. <main>↵
53.     ↵
54.         <div class="conth">↵
55.             <header class="mt-0 mb-0">↵
56.                 <a href="http://127.0.0.1:8000" id="logo" class="lgg">
WeBid</a>↵
57.                 <p class="fw-bold tmp mb-0"> My Account </p>↵
58.             </header>↵
59.         </div>↵
60.         ↵
61.     ↵
62.         <section id="content">↵
63.             <link href="http://127.0.0.1:8000/css/profile.css"
rel="stylesheet">↵
64.             <div class = "cover out1">↵
65.                 <div class="prof d-flex">↵
66.                     <div id="aside">↵
67.                         <div class="hi d-flex pt-4 pb-4">↵
68.                             <div class="lg">↵
69.                                 ↵
70.                             </div>↵
71.                             <div class="nome ms-2 me-2">↵
72.                                 <p class="fw-bold mb-1">Hi,</p>↵
73.                                 <p class="fw-bold mb-0"> Constantina Minister </p>↵
74.                             </div>↵
75.                         </div>↵
76.                         <ul class="ps-0 mt-2">↵
77.                             <li>↵
78.                                 <a href="http://127.0.0.1:8000/profile/cminister1">↵
79.                                     <button class="fw-bold">↵
80.                                         <i class="fa-solid fa-user"></i>↵
81.                                         Account Overview↵
82.                                     </button>↵
83.                                 </a>↵
84.                             </li>↵
85.                             <li>↵

```

```

86.         <a
href="http://127.0.0.1:8000/profile/cminister1/mydetails">
87.             <button class="fw-bold">
88.                 <i class="fa-solid fa-address-card"></i>
89.                 My Details
90.             </button>
91.         </a>
92.     </li>
93.     <li>
94.         <a href="http://127.0.0.1:8000/profile/cminister1/balance">
95.             <button class="fw-bold">
96.                 <i class="fa-solid fa-wallet"></i>
97.                 My Wallet
98.             </button>
99.         </a>
100.    </li>
101.    <li>
102.        <a href="http://127.0.0.1:8000/profile/cminister1/mybids">
103.            <button class="fw-bold">
104.                <i class="fa-solid fa-coins"></i>
105.                My Bids
106.            </button>
107.        </a>
108.    </li>
109.    <li>
110.        <a
href="http://127.0.0.1:8000/profile/cminister1/myauctions">
111.            <button class="fw-bold">
112.                <i class="fa-solid fa-house-user"></i>
113.                My Auctions
114.            </button>
115.        </a>
116.    </li>
117.    <li>
118.        <a
href="http://127.0.0.1:8000/profile/cminister1/myfavourites">
119.            <button class="fw-bold">
120.                <i class="fa-solid fa-star"></i>
121.                My Favourites
122.            </button>
123.        </a>
124.    </li>
125.    <li>
126.        <a href="http://127.0.0.1:8000/profile/cminister1/mywins">
127.            <button class="fw-bold">
128.                <i class="fa-solid fa-crown"></i>
129.                My Winnings
130.            </button>
131.        </a>
132.    </li>
133.    <li>
134.        <a href="">
135.            <button class="fw-bold">
136.                <i class="fa-solid fa-question"></i>
137.                Support
138.            </button>
139.        </a>
140.    </li>
141.    <li>
142.        <form method="POST" action="http://127.0.0.1:8000/logout">
143.            <input type="hidden" name=" token"
value="4KZ21GLBVNn6gRbG0wlbvcXbd4kipR2Se1hjKDAA">
144.            <button class="fw-bold">
145.                <i class="fa-solid fa-right-from-bracket"></i>
146.                Logout
147.            </button>
148.        </form>
149.    </li>
150. </ul>
151. </div>
152.     <div class = "outside">
153.         <div class="spec d-flex flex-column ps-3 pe-3">
154.             <div class = "stuf ms-3 mt-4 mb-4">
155.                 <p class ="h2 fw-bold"> Overview </p>
156.                 <p class ="h4"> Check information on the user!

```

<https://validator.w3.org/nu/#textarea>

```
213.         <a class="m-3 fw-bold h4" href="http://127.0.0.1:8000/FAQs">
      FAQ </a>↵
214.         <a class="m-3 fw-bold h4"
      href="http://127.0.0.1:8000/AboutUs"> About Us </a>↵
215.         <a class="m-3 fw-bold h4"
      href="http://127.0.0.1:8000/ContactUs"> Contact Us </a>↵
216.     </div>↵
217. </footer>↵
218. </div>↵
219. ↵
220. </main>↵
221. </body>↵
222. </html>
```

Used the HTML parser.

Total execution time 36 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 22.12.5