# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report

Options…

Check by [text input ▾]   ☐ css

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!-- CSRF Token -->
    <meta name="csrf-token"
content="yeKQ2hVs1Sysn8fr89vK7v02HeFBxndN4DH59XZb">

    <title>WeBid</title>
      <link rel = "icon" href ="/logo.png">
      <!-- Styles -->
    <!-- CSS only -->
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

   From line 32, column 5; to line 32, column 35

   ript>↵   <script type="text/javascript">↵

2. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

   From line 36, column 5; to line 36, column 86

   ript>↵   <script type="text/javascript"
   src=https://lbaw2225.lbaw.fe.up.pt/js/app.js defer></scri

3. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

   From line 37, column 5; to line 37, column 83

   ript>↵   <script type="text/javascript"
   src=https://lbaw2225.lbaw.fe.up.pt/js/search.js></scri

4. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

From line 38, column 5; to line 38, column 82

```
ript>↵      <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/login.js></scri
```

5. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

From line 39, column 5; to line 39, column 88

```
ript>↵      <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/popup.js defer></scri
```

6. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

From line 40, column 5; to line 40, column 92

```
ript>↵      <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/countdown.js defer></scri
```

7. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

From line 41, column 5; to line 41, column 92

```
ript>↵      <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/createauc.js defer></scri
```

8. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

From line 42, column 5; to line 42, column 86

```
ript>↵      <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/bid.js defer></scri
```

9. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

From line 43, column 5; to line 43, column 89

```
ript>↵      <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/images.js defer></scri
```

10. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

From line 44, column 5; to line 44, column 87

```
ript>↵      <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/rate.js defer></scri
```

11. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

From line 45, column 5; to line 45, column 92

```
ript>↵      <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/favorites.js defer></scri
```

12. **Warning**   The `type` attribute is unnecessary for JavaScript resources.

From line 46, column 5; to line 46, column 94

```
ript>↵       <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/recoverpass.js defer></scri
```

13.   **Warning**   The `type` attribute is unnecessary for JavaScript resources.

From line 48, column 5; to line 48, column 89

```
ipt>↵↵       <script type="text/javascript"
src=https://lbaw2225.lbaw.fe.up.pt/js/notifs.js defer></scri
```

14.   **Error**   The element `button` must not appear as a descendant of the `a` element.

From line 77, column 17; to line 77, column 40

```
              <button class="fw-bold">↵
```

15.   **Error**   The element `button` must not appear as a descendant of the `a` element.

From line 85, column 17; to line 85, column 40

```
              <button class="fw-bold">↵
```

16.   **Error**   The element `button` must not appear as a descendant of the `a` element.

From line 93, column 17; to line 93, column 40

```
              <button class="fw-bold">↵
```

17.   **Error**   The element `button` must not appear as a descendant of the `a` element.

From line 101, column 17; to line 101, column 40

```
              <button class="fw-bold">↵
```

18.   **Error**   The element `button` must not appear as a descendant of the `a` element.

From line 109, column 17; to line 109, column 40

```
              <button class="fw-bold">↵
```

19.   **Error**   The element `button` must not appear as a descendant of the `a` element.

From line 117, column 17; to line 117, column 40

```
              <button class="fw-bold">↵
```

20.   **Error**   The element `button` must not appear as a descendant of the `a` element.

From line 125, column 17; to line 125, column 40

```
            <button class="fw-bold">↵
```

21.   **Error** **Duplicate ID** `createuser`.

From line 158, column 25; to line 158, column 64

```
            <hr id="createuser" class = "mt-2 mb-2">↵
```

22.   **Warning** **The first occurrence of ID** `createuser` **was here.**

From line 156, column 25; to line 156, column 64

```
            <hr id="createuser" class = "mt-2 mb-2">↵
```

23.   **Error** **Start tag** `div` **seen in** `table`.

From line 169, column 56; to line 170, column 101

```
econtent">↵
```
```
<div class = "d-flex align-items-center">↵
```

24.   **Fatal Error** **Cannot recover after last error. Any further errors will be ignored.**

From line 169, column 56; to line 170, column 101

```
econtent">↵
```
```
<div class = "d-flex align-items-center">↵
```

Document checking completed.

Source

```
1.  ↵
2.  <!DOCTYPE html>↵
3.  <html lang="en">↵
4.  <head>↵
5.      <meta charset="utf-8">↵
6.      <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7.      <meta name="viewport" content="width=device-width, initial-
    scale=1">↵
8.      <!-- CSRF Token -->↵
9.      <meta name="csrf-token"
    content="yeKQ2hVs1Sysn8fr89vK7v02HeFBxndN4DH59XZb">↵
10. ↵
11.     <title>WeBid</title>↵
12.       <link rel = "icon" href ="/logo.png">↵
13.       <!-- Styles -->↵
14.     <!-- CSS only -->↵
15.     <link
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.mi
    n.css" rel="stylesheet"↵
16.                      integrity="sha384-
    Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeuOxjzrPF/et3URy9Bv1WTRi"
    crossorigin="anonymous">↵
17. ↵
18.     <link href="https://lbaw2225.lbaw.fe.up.pt/css/def.css"
    rel="stylesheet">↵
19.     <link href="https://lbaw2225.lbaw.fe.up.pt/css/home.css"
    rel="stylesheet">↵
20.     <link href="https://lbaw2225.lbaw.fe.up.pt/css/auth.css"
    rel="stylesheet">↵
```

```
21.        <link href="https://lbaw2225.lbaw.fe.up.pt/css/search.css"
    rel="stylesheet">↵
22.        <link href="https://lbaw2225.lbaw.fe.up.pt/css/auction.css"
    rel="stylesheet">↵
23.        <link href="https://lbaw2225.lbaw.fe.up.pt/css/faq.css"
    rel="stylesheet">↵
24.        <link href="https://lbaw2225.lbaw.fe.up.pt/css/aboutus.css"
    rel="stylesheet">↵
25.        <link href="https://lbaw2225.lbaw.fe.up.pt/css/responsive.css"
    rel="stylesheet">↵
26.  ↵
27.  ↵
28.  ↵
29.        <script
    src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bund
    le.min.js" integrity="sha384-
    MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
    crossorigin="anonymous"></script>↵
30.        <script
    src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
    </script>↵
31.        <script src="https://kit.fontawesome.com/221bee115b.js"
    crossorigin="anonymous"></script>↵
32.        <script type="text/javascript">↵
33.        // Fix for Firefox autofocus CSS bug↵
34.        // See: http://stackoverflow.com/questions/18943276/html-5-
    autofocus-messes-up-css-loading/18945951#18945951↵
35.        </script>↵
36.        <script type="text/javascript"
    src=https://lbaw2225.lbaw.fe.up.pt/js/app.js defer></script>↵
37.        <script type="text/javascript"
    src=https://lbaw2225.lbaw.fe.up.pt/js/search.js></script>↵
38.        <script type="text/javascript"
    src=https://lbaw2225.lbaw.fe.up.pt/js/login.js></script>↵
39.        <script type="text/javascript"
    src=https://lbaw2225.lbaw.fe.up.pt/js/popup.js defer></script>↵
40.        <script type="text/javascript"
    src=https://lbaw2225.lbaw.fe.up.pt/js/countdown.js defer></script>↵
41.        <script type="text/javascript"
    src=https://lbaw2225.lbaw.fe.up.pt/js/createauc.js defer></script>↵
42.        <script type="text/javascript"
    src=https://lbaw2225.lbaw.fe.up.pt/js/bid.js defer></script>↵
43.        <script type="text/javascript"
    src=https://lbaw2225.lbaw.fe.up.pt/js/images.js defer></script>↵
44.        <script type="text/javascript"
    src=https://lbaw2225.lbaw.fe.up.pt/js/rate.js defer></script>↵
45.        <script type="text/javascript"
    src=https://lbaw2225.lbaw.fe.up.pt/js/favorites.js defer></script>↵
46.        <script type="text/javascript"
    src=https://lbaw2225.lbaw.fe.up.pt/js/recoverpass.js defer></script>↵
47.  ↵
48.        <script type="text/javascript"
    src=https://lbaw2225.lbaw.fe.up.pt/js/notifs.js defer></script>↵
49.  ↵
50.  </head>↵
51.  <body>↵
52.  <main>↵
53.            <div class="conth">↵
54.      <header class="mt-0 mb-0">↵
55.        <a href="http://lbaw2225.lbaw.fe.up.pt" id="logo" class="lgg">
    WeBid</a>↵
56.      </header>↵
57.  </div>↵
58.        ↵
59.  ↵
60.      <section id="content">↵
61.            <link href="https://lbaw2225.lbaw.fe.up.pt/css/admin.css"
    rel="stylesheet">↵
62.      <div class = "cover out2">↵
63.        <div class="prof d-flex">↵
64.            <div id="side">↵
65.      <div class="hi d-flex pt-4 pb-4 wat">↵
66.        <div class="lg">↵
67.            <img src="/admin.png" width="120" height="120" alt='Admin
    Image'>↵
68.        </div>↵
```

```
69.              <div class="nome ms-2 me-2">↵
70.                  <p class="fw-bold mb-1">Hi,</p>↵
71.                  <p class="fw-bold mb-0"> Admin</p>↵
72.              </div>↵
73.          </div>↵
74.          <ul class="ps-0 mt-2">↵
75.              <li>↵
76.                  <a href="http://lbaw2225.lbaw.fe.up.pt/admin">↵
77.                      <button class="fw-bold">↵
78.                          <i class="fa-solid fa-user"></i>↵
79.                          Dashboard↵
80.                      </button>↵
81.                  </a>↵
82.              </li>↵
83.              <li>↵
84.                  <a href="http://lbaw2225.lbaw.fe.up.pt/admin/users">↵
85.                      <button class="fw-bold">↵
86.                          <i class="fa-solid fa-address-card"></i>↵
87.                          Costumers↵
88.                      </button>↵
89.                  </a>↵
90.              </li>↵
91.              <li>↵
92.                  <a href="http://lbaw2225.lbaw.fe.up.pt/admin/auctions">↵
93.                      <button class="fw-bold">↵
94.                          <i class="fa-solid fa-house-user"></i>↵
95.                          Auctions↵
96.                      </button>↵
97.                  </a>↵
98.              </li>↵
99.              <li>↵
100.                 <a href="http://lbaw2225.lbaw.fe.up.pt/admin/bids">↵
101.                     <button class="fw-bold">↵
102.                         <i class="fa-solid fa-coins"></i>↵
103.                         Bids↵
104.                     </button>↵
105.                 </a>↵
106.             </li>↵
107.             <li>↵
108.                 <a
    href="http://lbaw2225.lbaw.fe.up.pt/admin/sellerreports">↵
109.                     <button class="fw-bold">↵
110.                         <i class="fa-solid fa-question"></i>↵
111.                         Seller Reports↵
112.                     </button>↵
113.                 </a>↵
114.             </li>↵
115.             <li>↵
116.                 <a
    href="http://lbaw2225.lbaw.fe.up.pt/admin/auctionreports">↵
117.                     <button class="fw-bold">↵
118.                         <i class="fa-solid fa-question"></i>↵
119.                         Auction Reports↵
120.                     </button>↵
121.                 </a>↵
122.             </li>↵
123.             <li>↵
124.                 <a href="http://lbaw2225.lbaw.fe.up.pt/admin/logs">↵
125.                     <button class="fw-bold">↵
126.                         <i class="fa-solid fa-book"></i>↵
127.                         Logs↵
128.                     </button>↵
129.                 </a>↵
130.             </li>↵
131.             <li>↵
132.                 <form method="POST"
    action="http://lbaw2225.lbaw.fe.up.pt/logout">↵
133.                     <input type="hidden" name="_token"
    value="yeKQ2hVs1Sysn8fr89vK7v02HeFBxndN4DH59XZb">↵
134.                     <button class="fw-bold">↵
135.                         <i class="fa-solid fa-right-from-bracket"></i>↵
136.                         Logout↵
137.                     </button>↵
138.                 </form>↵
139.             </li>↵
140. ↵
```

```
141.          </ul>↵
142. </div>↵
143.              <div class = "outside">↵
144.                  <div class="spec d-flex flex-column ps-3 pe-3">↵
145.                      <div class = "stuf mt-4 mb-4">↵
146.                                          <div class = "d-flex
     query mt-4">↵
147.                              <p class ="h3 fw-bold"> All Users </p>↵
148. ↵
149.                              <div class="search2">↵
150.                                  <div class = "sbar2">↵
151.                                      <input type="text" id="searchbar2"
     name="search_query" placeholder="Search a user...">↵
152.                                          <i class="fa fa-search"></i>↵
153.                                      </div>↵
154.                                  </div>↵
155.                              </div>↵
156.                          <hr id="createuser" class = "mt-2 mb-2">↵
157.                                  <a
     href="http://lbaw2225.lbaw.fe.up.pt/admin/createuser" class = "linkii
     mt-4"><i class="fa-solid fa-user-plus"></i> Create a user</a>↵
158.                          <hr id="createuser" class = "mt-2 mb-2">↵
159.                              <div class = "tableContainer">↵
160.                              <table class="table oview mt-4">↵
161.                                  <thead>↵
162.                                  <tr>↵
163.                                      <th scope="col">Id</th>↵
164.                                      <th scope="col">Name</th>↵
165.                                      <th scope="col">Email</th>↵
166.                                      <th scope="col">Action</th>↵
167.                                  </tr>↵
168.                                  </thead>↵
169.                                  <tbody id = "tablecontent">↵
170.                                                          <div class =
     "d-flex align-items-center">↵
171.                                          <tr>↵
172.                                              <th class = "fw-bold">1</th>↵
173.                                              <td>↵
174.                                                  <span class = "ms-2 fw-
     light">Constantina Minister</span>↵
175.                                              </td>↵
176.                                              <td class = "mt-
     3">cminister0@gmail.com</td>↵
177.                                              <td>↵
178.                                                  <a href =
     "http://lbaw2225.lbaw.fe.up.pt/profile/cminister0" class = "linkii"> <i
     class="fa-solid fa-eye"></i></a>↵
179.                                                  <a class="open-modal fw-bold
     linkii" data-target="modal-1"> <i class="fa-solid fa-ban"></i> </a>↵
180.                                                  <a class="open-modal fw-bold
     linkii" data-target="modal-2"> <i class="fa-solid fa-trash"></i> </a>↵
181.                                              </td>↵
182.                                          </tr>↵
183.                                      </div>↵
184.                                      <div id="modal-1" class="modal-window">↵
185.                                          <div class = "d-flex">↵
186.                                              <h2>Ban Confirmation</h2>↵
187.                                              <button class = "close modal-
     hide"><i class="fa-solid fa-x "></i></button>↵
188.                                          </div>↵
189.                                          <p class = "rfix">This is a
     confirmation message to make sure you really want to <span class = "fw-
     bold"> BAN </span>  the user <span class = "fw-bold"></span> </p>↵
190.                                          <p class = "rfix">If you do not wish
     to perform this action, just press close otherwise press the confirm
     button.</p>↵
191.                                          <div class = "d-flex">↵
192.
```

Used the HTML parser.

Total execution time 769 milliseconds.