

# The W3C CSS Validation Service

W3C CSS Validator results for TextArea (CSS level 3 + SVG)

Jump to: Warnings (16) Validated CSS

# W3C CSS Validator results for TextArea (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as CSS level 3 + SVG!

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:

(close the img tag with > instead of /> if using HTML <= 4.01)



The W3C validators rely on community support for hosting and development.

<u>Donate</u> and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
or http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

↑ TOP

## Warnings (16)

#### URI: TextArea

1	Imported style sheets are not checked in direct input and file upload modes
3	Imported style sheets are not checked in direct input and file upload modes
5	Imported style sheets are not checked in direct input and file upload modes
16	-webkit-box-sizing is a vendor extension
17	-moz-box-sizing is a vendor extension
306 #sidebar	Same color for background-color and color
#sidebar 387 .btn.btn- primary	Same color for background-color and border-color
391 .btn.btn- primary:focus	Same color for background-color and border-color
391 .btn.btn- primary:focus	Same color for background-color and border-color
410	::-webkit-input-placeholder is a vendor extended pseudo-element
413	::-moz-placeholder is a vendor extended pseudo-element
416	:-ms-input-placeholder is a vendor extended pseudo- class
419	:-moz-placeholder is a vendor extended pseudo-class
573	<pre>-webkit-gradient(linear,left top,left bottom,from(#000428),to(#004e92)) is a vendor extension</pre>
574	-webkit-background-clip is a vendor extension
575	-webkit-text-fill-color is a vendor extension

↑ TOP

## Valid CSS information

```
@import url('https://fonts.googleapis.com/css2?family=Fredoka:wght@300&display=swap'); @import url('https://fonts.googleapis.com/css2?family=Lexend+Deca&display=swap'); @import url('https://fonts.googleapis.com/css2?family=Lexend+Deca&display=swap%27');
```

```
margin : 0;
  padding : 0;
  font-family : 'Lexend Deca', sans-serif, 'Fredoka', sans-serif;
font-size : 15px;
  box-sizing : border-box;
#logo:hover {
  color : inherit;
.option a:hover {
 color : white;
.cont {
  width : 100%;
margin-right : auto;
  margin-left : auto;
  box-shadow: 0 0.5px 4px rgb(0, 0, 0, 0.12);
.conth {
  width : 100%;
  margin-right : auto;
  margin-left : auto;
.auth {
  margin-left : auto;
.acc {
  margin : auto;
text-align : center;
vertical-align : middle;
.acc p {
  text-align : center;
.cont2 {
  width : 100%;
  margin-right : auto;
  margin-left : auto;
  background-color: #0f0f0f;
  bottom : -10vh;
  position : absolute;
button {
   background : none;
   border : none;
   list-style : none;
.pattern {
  max-width : 70%;
margin-left : 15%;
margin-right : 15%;
```

```
header {
  max-width : 70%;
margin-left : 15%;
margin-right : 15%;
   text-align : center;
   align-items : center;
  display : flex;
height : 4.5em;
  margin-bottom : 2em;
body {
    min-height : 90vh;
  position : relative;
footer {
  display: flex;
margin-left: 15%;
margin-right: 15%;
max-width: 70%;
   background-color : #0f0f0f;
.log {
   text-decoration : none;
  margin-right : 2em;
.notif {
  position : relative;
   text-decoration: none;
  margin-right : 2em;
. \\ \textbf{notif button} \ \{
   background : #efefef;
   color : black;
   border-radius : 12px;
  padding : 0.4em 0.4em;
width : 36px;
font-weight : bold;
   cursor : pointer;
.log button {
  background : #0f0f0f;
   color : white;
   border-radius : 12px;
  padding : 0.4em 0.4em;
width : 98px;
font-weight : bold;
   cursor : pointer;
.reg button {
  background : #efefef;
   color : #0f0f0f;
padding : 0.4em 0.4em;
   border-radius : 12px;
   width: 98px;
   font-weight : bold;
   cursor : pointer;
.search form {
   box-shadow : none;
   border : none;
   display: flex;
   flex-direction : row;
```

```
.balance {
   text-decoration : none;
   margin-right : 2em;
   align-self : center;
.log button i {
  font-size : 14px;
  color : white;
.reg button i {
  font-size : 14px;
  color : #0f0f0f;
#logo {
   font-size : 30px;
font-weight : bold;
   text-decoration : none;
   color : #0f0f0f;
.option a {
   color : white;
   text-decoration : none;
.option {
  color : white;
   margin-left : auto;
.hamb button i \{
   font-size : 1.8em;
.links {
   display : flex;
.search {
  margin-left : 9em;
  vertical-align : middle;
   border : none;
   background-color : #efefef;
   border-radius : 50px;
padding-top : 8px;
   padding-bottom : 8px;
.sbar a {
   vertical-align : middle;
   margin-right : 1.6em;
text-decoration : none;
   color : inherit;
.sbar a:hover {
   text-decoration : none;
   color : inherit;
#searchbar {
  border : none;
  text-align : left;
```

```
margin-left : 0.8em;
width : 350px;
float : left;
  background-color : #efefef;
#searchbar2 {
  border: none;
text-align: left;
margin-left: 0.8em;
  width : 350px;
float : left;
  background-color : #efefef;
#searchbar:focus {
  outline : none;
.ftco-section {
 padding : 7em 0;
.ftco-no-pt {
  padding-top : 0;
.ftco-no-pb {
  padding-bottom : 0;
.heading-section {
  font-size : 28px;
  color: black;
.heading-section small {
  font-size : 18px;
#sidebar.img {
  background-size : cover;
  background-repeat : no-repeat;
  background-position : center center;
.navbar {
  padding : 15px 10px;
  background : #fff;
  border : none;
  border-radius : 0;
  margin-bottom : 40px;
box-shadow : 1px 1px 3px rgb(0, 0, 0, 0.1);
.navbar-btn {
  box-shadow : none;
  outline : none !important ;
  border : none;
#sidebar .wrapper {
  width : 100%;
#sidebar {
  min-width: 260px;
```

```
max-width : 260px;
background : #0f0f0f;
  color: #fff;
   transition : all 0.3s;
   position : absolute;
   top : 0;
   left: 0;
  border-top-right-radius : 25px;
   border-bottom-right-radius : 25px;
  z-index : 4;
  min-height : 85vh;
#sidebar.active {
  margin-left : -270px;
#sidebar.active .custom-menu {
  margin-right : -60px;
#sidebar h1 {
  margin-bottom : 20px;
   font-weight : 700;
#sidebar h1 .logo {
  color: white;
#sidebar ul.components {
padding: 0;
#sidebar ul li {
  font-size : 16px;
#sidebar ul li > ul {
  margin-left : 10px;
#sidebar ul li > ul li {
  font-size : 14px;
#sidebar ul li a {
  padding : 10px 0;
  display : block;
  color : rgb(255, 255, 255, 0.6);
  border-bottom : 1px solid rgb(255, 255, 255, 0.1);
#sidebar ul li a:hover {
  color : white;
#sidebar ul li.active > a {
  background : transparent;
   color : white;
#sidebar .custom-menu {
  display : inline-block;
position : absolute;
  top : 20px;
right : 0;
```

```
margin-right : -20px;
a[data-toggle="collapse"] {
  position : relative;
.dropdown-toggle::after {
  display : block;
  position: absolute;
  top : 50%;
right : 0;
  transform : translateY(-50%);
#sidebar #content {
  width : 100%;
  padding: 0;
min-height: 100vh;
transition: all 0.3s;
#sidebar .btn.btn-primary {
  background: #494ca2;
  border-color: #494ca2;
#sidebar .btn.btn-primary:hover, .btn.btn-primary:focus {
  background : #494ca2 !important ;
  border-color : #494ca2 !important ;
#sidebar .form-control {
   height : 40px !important ;
  background : white;
  color: black;
   font-size: 13px;
  border-radius : 4px;
  box-shadow : none !important ;
  border : transparent;
#sidebar .form-control:focus, .form-control:active {
  border-color : black;
#sidebar .form-control::-webkit-input-placeholder {
  color : rgb(255, 255, 255, 0.5);
#sidebar .form-control::-moz-placeholder {
  color: rgb(255, 255, 255, 0.5);
#sidebar .form-control:-ms-input-placeholder {
  color: rgb(255, 255, 255, 0.5);
#sidebar .form-control:-moz-placeholder {
  color: rgb(255, 255, 255, 0.5);
#sidebar .subscribe-form .form-control {
  background : #lalaff;
```

```
.notlist {
  top : 3.3em;
  right : -10px;
   background : white;
   z-index : 999;
  position : absolute;
.notlist > span {
  padding-left : lem;
.notlist ul {
  margin-bottom : 0;
.notlist {
  width : 420px;
  box-shadow : 0 3px 20px rgb(0 0 0 / 12%);
  border-radius : 8px;
   text-align : left;
.notlist ul {
padding : 0;
.notlist ul li {
  padding : lem;
.init, .init button i {
  color : #575757;
.notlist ul li:not(:first-child):hover {
  background: #f6f6f6;
.notlist ul li:not(:last-child) {
   border-bottom : 1px solid gray;
.init span {
  margin : 0;
.init button {
 margin-left : auto;
.notlist:before {
   content: ""
   position : absolute;
  top : 1px;
right : 0;
width : 0;
  height: 0;

transform: translate(-1rem,-100%);

border-left: 1rem solid transparent;

border-right: 1rem solid transparent;
   border-bottom : 1rem solid #ffffff;
.escondido {
```

opacity : 0; https://jigsaw.w3.org/css-validator/validator

```
display : none;
.notlist ul li {
  align-items : center;
.notlist ul li div {
  align-items : center;
.notlist ul li span {
  margin-bottom : 0;
.notlist ul li button {
  margin-left : auto;
#logoutbt {
   border-radius : 0;
   background-color : black;
color : white;
  margin : 0;
padding : 10px 0;
width : 215px;
   border-bottom : 1px solid rgb(255, 255, 255, 0.1);
  text-align : left;
color : rgb(255, 255, 255, 0.6);
font-weight : normal;
#logoutbt:hover {
   color : white;
.fadeIn {
  animation : opa 0.5s ease-in-out;
@keyframes opa {
  0% {
    opacity : 0;
     transform : translateY(-100%);
  50% {
    opacity: 0.3;
  100% {
    opacity : 1;
transform : translateY(0);
}
.fadeOut {
   animation : opa2 0.5s ease-in-out;
@keyframes opa2 {
```

transform : translateY(0);

```
opacity : 1;
  50% {
   opacity: 0.3;
  100% {
    transform : translateY(-100%);
    opacity : 0;
}
span.num-count {
  position : absolute;
   user-select : none;
   cursor : default;
   font-size : 0.6rem;
  background : #e74c3c;
  width : 1.2rem;
height : 1.2rem;
color : white;
  display: inline-flex;
  justify-content : center;
   align-items : center;
  border-radius: 50%;
   top : -0.33rem;
   right : -0.66rem;
   box-sizing : border-box;
.search .sbar button {
  display : flex;
   flex-direction : row;
.opt2 {
   display : flex;
   flex-direction : row;
#content {
  padding-bottom : 3em;
.search.s2 {
  display : none;
.notlist {
  height : fit-content;
  max-height : 393px;
  overflow : auto;
.bandesc {
  padding : 1rem 3rem;
   background-color : #f4f4f4;
   box-shadow: 0 0.5px 4px rgb(129 129 129 / 22%);
   color: black;
  margin-bottom : 0;
  border-radius : 0.5rem;
```

↑ TOP

## Home About Documentation Download Feedback Credits





COPYRIGHT © 1994-2014 W3C® (MIT, ERCIM, KEIO, BEIHANG), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE

AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.