

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!-- CSRF Token -->
  <meta name="csrf-token"
content="4KZ21GlBVNn6gRbG0w1bvcXbd4kipR2Se1hjkDAA">

  <title>WeBid</title>
  <link rel = "icon" href = "/logo.png">
  <!-- Styles -->
  <!-- CSS only -->
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The **type** attribute is unnecessary for JavaScript resources.

[From line 32, column 5; to line 32, column 35](#)

```
ript>... <script type="text/javascript">...
```

2. **Warning** The **type** attribute is unnecessary for JavaScript resources.

[From line 36, column 5; to line 36, column 77](#)

```
ript>... <script type="text/javascript"
src=http://127.0.0.1:8000/js/app.js defer></scri
```

3. **Warning** The **type** attribute is unnecessary for JavaScript resources.

[From line 37, column 5; to line 37, column 74](#)

```
ript>... <script type="text/javascript"
src=http://127.0.0.1:8000/js/search.js></scri
```

4. **Warning** The **type** attribute is unnecessary for JavaScript resources.

[From line 38, column 5; to line 38, column 73](#)

```
ript>... <script type="text/javascript"  
src=http://127.0.0.1:8000/js/login.js></scri
```

5. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 39, column 5; to line 39, column 79](#)

```
ript>... <script type="text/javascript"  
src=http://127.0.0.1:8000/js/popup.js defer></scri
```

6. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 40, column 5; to line 40, column 83](#)

```
ript>... <script type="text/javascript"  
src=http://127.0.0.1:8000/js/countdown.js defer></scri
```

7. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 41, column 5; to line 41, column 83](#)

```
ript>... <script type="text/javascript"  
src=http://127.0.0.1:8000/js/createauc.js defer></scri
```

8. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 42, column 5; to line 42, column 77](#)

```
ript>... <script type="text/javascript"  
src=http://127.0.0.1:8000/js/bid.js defer></scri
```

9. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 43, column 5; to line 43, column 80](#)

```
ript>... <script type="text/javascript"  
src=http://127.0.0.1:8000/js/images.js defer></scri
```

10. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 44, column 5; to line 44, column 78](#)

```
ript>... <script type="text/javascript"  
src=http://127.0.0.1:8000/js/rate.js defer></scri
```

11. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 45, column 5; to line 45, column 83](#)

```
ript>... <script type="text/javascript"  
src=http://127.0.0.1:8000/js/favorites.js defer></scri
```

12. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 46, column 5; to line 46, column 85](#)

```
ript>... <script type="text/javascript"
src=http://127.0.0.1:8000/js/recoverpass.js defer></scri
```

13. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 48, column 5; to line 48, column 80

```
ipt><script type="text/javascript"
src=http://127.0.0.1:8000/js/notifs.js defer></scri
```

14. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 117, column 21; to line 117, column 28

```
<button>↩
```

15. **Error** Attribute notif-id not allowed on element li at this point.

From line 136, column 37; to line 136, column 70

```
<li class="d-flex" notif-id = 11>
```

Attributes for element `li`:

Global attributes

If the element is not a child of an `ul` or `menu` element: `value` — `Ordinal value` of the list item

16. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 148, column 21; to line 148, column 28

<button>↩

Document checking completed.

Source

```

1.  ↵
2.  <!DOCTYPE html>↵
3.  <html lang="en">↵
4.  <head>↵
5.      <meta charset="utf-8">↵
6.      <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7.      <meta name="viewport" content="width=device-width, initial-
scale=1">↵
8.      <!-- CSRF Token -->↵
9.      <meta name="csrf-token"
content="4KZ2lGlBVNn6gRbG0w1bvcXbd4kipR2Se1hjKDAA">↵
10.  ↵
11.      <title>WeBid</title>↵
12.      <link rel = "icon" href = "/logo.png">↵
13.      <!-- Styles -->↵
14.      <!-- CSS only -->↵
15.      <link
href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.mi
n.css" rel="stylesheet">
16.          integrity="sha384-
Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeu0xjzrPF/et3URy9Bv1WTRi"
crossorigin="anonymous">↵

```

```

17. ↵
18.     <link href="http://127.0.0.1:8000/css/def.css" rel="stylesheet">↵
19.     <link href="http://127.0.0.1:8000/css/home.css" rel="stylesheet">↵
20.     <link href="http://127.0.0.1:8000/css/auth.css" rel="stylesheet">↵
21.     <link href="http://127.0.0.1:8000/css/search.css" rel="stylesheet">↵
22.     <link href="http://127.0.0.1:8000/css/auction.css"
rel="stylesheet">↵
23.     <link href="http://127.0.0.1:8000/css/faq.css" rel="stylesheet">↵
24.     <link href="http://127.0.0.1:8000/css/aboutus.css"
rel="stylesheet">↵
25.     <link href="http://127.0.0.1:8000/css/responsive.css"
rel="stylesheet">↵
26. ↵
27. ↵
28. ↵
29.     <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bund
le.min.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>↵
30.     <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
</script>↵
31.     <script src="https://kit.fontawesome.com/221bee115b.js"
crossorigin="anonymous"></script>↵
32.     <script type="text/javascript">↵
33.         // Fix for Firefox autofocus CSS bug↵
34.         // See: http://stackoverflow.com/questions/18943276/html-5-
autofocus-messes-up-css-loading/18945951#18945951↵
35.     </script>↵
36.     <script type="text/javascript" src=http://127.0.0.1:8000/js/app.js
defer></script>↵
37.     <script type="text/javascript"
src=http://127.0.0.1:8000/is/search.js></script>↵
38.     <script type="text/javascript"
src=http://127.0.0.1:8000/is/login.is></script>↵
39.     <script type="text/javascript" src=http://127.0.0.1:8000/js/popup.js
defer></script>↵
40.     <script type="text/javascript"
src=http://127.0.0.1:8000/is/countdown.js defer></script>↵
41.     <script type="text/javascript"
src=http://127.0.0.1:8000/is/createauc.is defer></script>↵
42.     <script type="text/javascript" src=http://127.0.0.1:8000/js/bid.js
defer></script>↵
43.     <script type="text/javascript"
src=http://127.0.0.1:8000/is/images.is defer></script>↵
44.     <script type="text/javascript" src=http://127.0.0.1:8000/js/rate.js
defer></script>↵
45.     <script type="text/javascript"
src=http://127.0.0.1:8000/is/favorites.js defer></script>↵
46.     <script type="text/iavascript"
src=http://127.0.0.1:8000/js/recoverpass.js defer></script>↵
47. ↵
48.     <script type="text/iavascript"
src=http://127.0.0.1:8000/js/notifs.js defer></script>↵
49. ↵
50. </head>↵
51. <body>↵
52. <main>↵
53.     <nav id="sidebar" class="active">↵
54.     <div class="custom-menu">↵
55.         <button type="button" id="sidebarCollapse" class="btn btn-
secondary">↵
56.             <i class="fa fa-bars"></i>↵
57.             <span class="sr-only">Toggle Menu</span>↵
58.         </button>↵
59.     </div>↵
60. ↵
61.     <div class="p-4">↵
62.         <h1><a href="http://127.0.0.1:8000" class="logo">WeBid</a></h1>↵
63.         <ul class="list-unstyled components mb-3">↵
64. ↵
65.             <li>↵
66. ↵
67.                 <a href="http://127.0.0.1:8000/auction/create"><span
class="fa-solid fa-plus mr-3"></span> Create a auction</a>↵

```

```

68.         </li>↵
69.     </li>↵
70.         <a href="#"><span class="fa-regular fa-star mr-3">
</span> Favorite Auctions</a>↵
71.     </li>↵
72. </li>↵
73.     <a
href="http://127.0.0.1:8000/profile/cminister1/myauctions"><span
class="fa-solid fa-house-user mr-3"></span> My Auctions</a>↵
74.     </li>↵
75. </li>↵
76.     <a
href="http://127.0.0.1:8000/profile/cminister1/mybids"><span class="fa-
solid fa-coins mr-3"></span> My Bids</a>↵
77.     </li>↵
78. </li>↵
79.     <a href="http://127.0.0.1:8000/profile/cminister1"><span
class="fa-solid fa-user mr-3"></span> Profile</a>↵
80.     </li>↵
81. </li>↵
82.     <a
href="http://127.0.0.1:8000/profile/cminister1/balance"><span class="fa-
solid fa-sack-dollar mr-3"></span> Add Funds</a>↵
83.     </li>↵
84. </li>↵
85.     <a href="http://127.0.0.1:8000/search"><span class="fa-
solid fa-magnifying-glass mr-3"></span> Search for Auction</a>↵
86.     </li>↵
87. ↵
88.     </li>↵
89.         <form method="POST"
action="http://127.0.0.1:8000/logout" class="reg">↵
90.             <input type="hidden" name="token"
value="4KZ21GlBVNn6gRbG0wlbvcXbd4kipR2SelhjkDAA">↵
<button type="submit" id="logoutbt"><span class="fa-solid fa-right-from-
bracket mr-3"></span> Logout</button>↵
91.         </form>↵
92.     </li>↵
93. ↵
94. </ul>↵
95. ↵
96. ↵
97. ↵
98. </div>↵
99. </nav>↵
100. <div class="cont">↵
101.     <header>↵
102.     ↵
103.     ↵
104.         <a href="http://127.0.0.1:8000" id="logo"> WeBid</a>↵
105.         <div class="search">↵
106.             <div class="sbar">↵
107.             ↵
108.                 <form
action="http://127.0.0.1:8000/search" method="get">↵
109.                     <input type="text" id="searchbar"
name="search_query" placeholder="Search anything...">↵
110.                     <a href="#"> <i class="fa fa-search"> </i> </a>↵
111.                 </form>↵
112.             ↵
113.             </div>↵
114.         </div>↵
115.         <div class="auth d-flex">↵
116.             <a class="balance"
href="http://127.0.0.1:8000/profile/cminister1/balance">↵
117.                 <button>↵
118.                     <span>Balance: 0€</span>↵
119.                 </button>↵
120.             </a>↵
121.             <div class="notif">↵
122.                 <button onclick="showNotif()">↵
123.                     <i class="fa-solid fa-bell fa-gradient"></i>↵
124.                     <span class="num-
count">1</span>↵
125.                 </button>↵

```

```

126.                                     <div class="notlist
escondido" id = "notifs">
127.     <ul>
128.         <li>
129.             <div class="d-flex init">
130.                 <span class="fw-bold h5"> Notifications </span>
131.                 <button class="mais">
132.                     <i class="fa-solid fa-gear"></i>
133.                 </button>
134.             </div>
135.         </li>
136.             <li class="d-flex" notif-id = 11>
137.                 <span class="h6 fw-bold me-2"> 1</span>
138.                 <span>You won the auction: Wood Hut </span>
139.                 <button class = "rNotif">
140.                     <i class="fa-solid fa-xmark"></i>
141.                 </button>
142.             </li>
143.         </ul>
144.     </div>
145. </div>
146.
147.     <a class="log"
href="http://127.0.0.1:8000/profile/cminister1">
148.         <button>
149.             <i class="fa-solid fa-user"></i>
150.             <span>Profile</span>
151.         </button>
152.     </a>
153.     <form method="POST"
action="http://127.0.0.1:8000/logout" class="reg">
154.         <input type="hidden" name=" token"
value="4KZ21GlBVNn6gRbG0wlbvcXbd4kipR2Se1hjkDAA">
<button type="submit">
155.             <i class="fa-solid fa-user-minus"></i>
156.             <span> Logout </span>
157.         </button>
158.     </form>
159. </div>
160. </header>
161. </div>
162.
163. <section id="content">
164.     <div class="d-flex globalWrapper">
165.         <div id="aboutUsGlobal">
166.             <div id="meetTheTeam"><h1>Meet the team</h1></div>
167.             <div class="d-flex aboutUsWrapper">
168.                 <div class="d-flex aboutUsPerson">
169.                     
170.                     <div class="aboutUsName">Diogo B.</div>
171.                 </div>
172.                 <div class="d-flex aboutUsPerson">
173.                     
174.                     <div class="aboutUsName">Gustavo C.</div>
175.                 </div>
176.                 <div class="d-flex aboutUsPerson">
177.                     
178.                     <div class="aboutUsName">João O.</div>
179.                 </div>
180.                 <div class="d-flex aboutUsPerson">
181.                     
182.                     <div class="aboutUsName">Ricardo C.</div>
183.                 </div>
184.             </div>
185.             <div class="aboutUsTextWrapper">
186.                 <div class="aboutUsText"><h5>WeBid is an online auction
platform built by 4 LEIC (FEUP) students for the LBAW course 22/23
edition.</h5></div>
187.                 <div class="aboutUsText"><h5>It was built using the
Bootstrap and Laravel frameworks for front-end and back-end web
development, respectively.</h5></div>
188.

```

```
189.         <div class="aboutUsText"><h5>The group had to go through
many stages of development to get to this final product, from
requirements engineering to building the website, without forgetting
database planning.</h5></div>↵
190.         <div class="aboutUsText"><h5>This was by far one of our
favourite projects to work on, something that cemented our passion for
web dev.</h5></div>↵
191.     </div>↵
192. </div>↵
193. </div>↵
194. </section>↵
195.     <div class="cont2">↵
196.     <footer class="d-flex justify-content-between">↵
197.         <p class="m-4 option"><a id="lg" class="fw-bold h4"
href="http://127.0.0.1:8000"> WeBid </a></p>↵
198.         <div class="m-4 option">↵
199.             <a class="m-3 fw-bold h4" href="http://127.0.0.1:8000/FAQs">
FAQ </a>↵
200.             <a class="m-3 fw-bold h4"
href="http://127.0.0.1:8000/AboutUs"> About Us </a>↵
201.             <a class="m-3 fw-bold h4"
href="http://127.0.0.1:8000/ContactUs"> Contact Us </a>↵
202.         </div>↵
203.     </footer>↵
204. </div>↵
205.     ↵
206. </main>↵
207. </body>↵
208. </html>
```

Used the HTML parser.

Total execution time 25 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.12.5