Table of Contents

Config	guraciones previas al desarrollo	2
1)	Instalar GIT para Windows	2
2)	Verificar la correcta versión de ruby	2
3)	Verificar la correcta versión de node	3
4)	Instalar rails	3
5)	Instalar sql lite	3
6)	Actualizar el Yarn	4
7)	Crear una carpeta Sites	5
8)	Instalar Sublime	5
Sprint	1	7
9)	Creación de carpeta Development	7
10)	Creación de nuevo proyecto	7
11)	Agregación de Gemas	g
12)	Instalando y configurando las gemas	11
13)	Generación de controller y views para vistas estáticas	12
14)	Estableciendo la ruta raíz para el proyecto	14
15)	Creando un partial	16
16)	Adicionar un layout para las vistas internas	21
17)	Modificación de las vistas internas	24
a.	Modificando 'About us'	24
b.	Modificando 'FAQ'	27
c.	Modificando 'TOS'	29
d.	Modificando 'Contact Us'	34
18)	Agregando un Carrousel de imágenes a la vista index	37
19)	Eiecutando la aplicación	47

Configuraciones previas al desarrollo

1) Instalar GIT para Windows

Primero, mediante línea de comandos, verificamos si tenemos instalado GIT:

```
Símbolo del sistema

— X

C:\Sites\Development>git --version
git version 2.25.1.windows.1

C:\Sites\Development>
```

En caso no se tenga instalado, ingresar a la web de GIT y descargar la versión para Windows.

Instalarlo.



2) Verificar la correcta versión de ruby

Ejecutar:

ruby -v

```
Command Prompt

Microsoft Windows [Version 10.0.17763.1039]
(c) 2018 Microsoft Corporation. All rights reserved.

C:\Users\Felix>ruby -v
ruby 2.6.5p114 (2019-10-01 revision 67812) [x64-mingw32]
```

3) Verificar la correcta versión de node

Ejecutar:

node -v



4) Instalar rails

Ejecutar:

gem install rails

```
Command Prompt
 arsing documentation for mimemagic-0.3.4
Installing ri documentation for mimemagic-0.3.4
Parsing documentation for marcel-0.3.3
Installing ri documentation for marcel-0.3.3
Parsing documentation for activestorage-6.0.2.1
Installing ri documentation for activestorage-6.0.2.1
Parsing documentation for actionmailbox-6.0.2.1
Installing ri documentation for actionmailbox-6.0.2.1
Parsing documentation for actiontext-6.0.2.1
Installing ri documentation for actiontext-6.0.2.1
Parsing documentation for thor-1.0.1
Installing ri documentation for thor-1.0.1
Parsing documentation for method_source-0.9.2
Installing ri documentation for method_source-0.9.2
Parsing documentation for railties-6.0.2.1
Installing ri documentation for railties-6.0.2.1
Parsing documentation for sprockets-4.0.0
Installing ri documentation for sprockets-4.0.0
Parsing documentation for sprockets-rails-3.2.1
Installing ri documentation for sprockets-rails-3.2.1
Parsing documentation for rails-6.0.2.1
Installing ri documentation for rails-6.0.2.1
Done installing documentation for concurrent-ruby, i18n, thread_safe, tzinfo, zeitwerk, activesupport, rack, rack-test, mini_portile2, nokogiri, crass, loofah, rails-html-sanitizer, rails-dom-testing, builder, erubi, actionview, actionpack, activemodel, activerecord, globalid, activejob, mini_mime, mail, actionmailer, nio4r, websocket-extensions, websocket-river, actioncable, mimemagic, marcel, activestorage, actionmailbox, actiontext, thor, method_source, railties, sprocket
 s, sprockets-rails, rails after 84 seconds
40 gems installed
C:\Users\Felix>
```

5) Instalar sql lite

Ejecutar

gem install sqlite3

```
X
Command Prompt
Installing ri documentation for sprockets-rails-3.2.1
Parsing documentation for rails-6.0.2.1
Installing ri documentation for rails-6.0.2.1
Done installing documentation for concurrent-ruby, i18n, thread_safe, tzinfo, zeitwerk, activesupport, rack, rack-test,
mini_portile2, nokogiri, crass, loofah, rails-html-sanitizer, rails-dom-testing, builder, erubi, actionview, actionpack,
activemodel, activerecord, globalid, activejob, mini_mime, mail, actionmailer, nio4r, websocket-extensions, websocket-driver, actioncable, mimemagic, marcel, activestorage, actionmailbox, actiontext, thor, method_source, railties, sprocket
s, sprockets-rails, rails after 84 seconds
40 gems installed
 :\Users\Felix>gem install sqlite3
etching sqlite3-1.4.2.gem
Temporarily enhancing PATH for MSYS/MINGW...
Installing required msys2 packages: mingw-w64-x86_64-sqlite3
error: failed retrieving file 'mingw-w64-x86_64-termcap-1.3.1-5-any.pkg.tar.xz' from repo.msys2.org : Connection timed o
ut after 10000 milliseconds
error: failed retrieving file 'mingw-w64-x86_64-readline-8.0.000-4-any.pkg.tar.xz' from repo.msys2.org : Connection time
d out after 10001 milliseconds
error: failed retrieving file 'mingw-w64-x86_64-tcl-8.6.9-2-any.pkg.tar.xz' from repo.msys2.org : Connection timed out a
fter 10000 milliseconds
error: failed retrieving file 'mingw-w64-x86 64-sqlite3-3.29.0-2-any.pkg.tar.xz' from repo.msys2.org : Connection timed
out after 10000 milliseconds
Building native extensions. This could take a while...
Successfully installed sqlite3-1.4.2
Parsing documentation for sqlite3-1.4.2
Installing ri documentation for sqlite3-1.4.2
Done installing documentation for sqlite3 after 2 seconds
 gem installed
```

6) Actualizar el Yarn

Ejecutar

yarn install --check-files

```
C:\Sites\Development>yarn install --check-files
yarn install v1.22.1
info No lockfile found.
[1/4] Resolving packages...
[2/4] Fetching packages...
[3/4] Linking dependencies...
[4/4] Building fresh packages...
success Saved lockfile.
Done in 0.10s.
C:\Sites\Development>
```

7) Crear una carpeta Sites

```
C:\Sites>dir

Volume in drive C has no label.

Volume Serial Number is 328D-61F8

Directory of C:\Sites

27/03/2020 01:48 <DIR> ...
07/03/2020 01:48 <DIR> ...
0 File(s) 0 bytes
2 Dir(s) 928,657,600,512 bytes free

C:\Sites>
```

Ejecutar:


rails new prueba

Se termina de descargar las librerías faltantes

```
C:\Sites>rails new prueba
create
create README.md
create Rakefile
create .ruby-version
create config.ru
create .gitignore
create Gemfile
run git init from "."
```

8) Instalar Sublime

Ingresar a https://www.sublimetext.com/3 y descargar la versión para Windows. Abrir el ejecutable:



Listo, ahora podemos empezar a desarrollar.

Sprint 1

A través de los siguientes pasos, crearemos una aplicación en Ruby on Rails que represente el sitio de Wok & Wine, una cadena internacional de restaurantes.

9) Creación de carpeta Development

En esta carpeta iremos a desarrollar la aplicación:

mkdir Development

cd Development

10) Creación de nuevo proyecto

Se requiere crear un nuevo proyecto, en base al framework rails. Ejecutar:

rails new restapp-sprint1

```
- □ ×
  Símbolo del sistema
  — portfinder@1.0.25
— proxy-addr@2.0.6
— querystringify@2.1.1
— raw-body@2.4.0
  - regexp.prototype.flags@1.3.0
  — regeap.prototype.r
— retry@0.12.0
— select-hose@2.0.0
— selfsigned@1.10.7
— serve-index@1.9.1
   - serve-static@1.14.1
  - serve-static@1.14.1
- sockjs-client@1.4.0
- sockjs@0.3.19
- spdy-transport@3.0.0
- spdy@4.0.1
- thunky@1.1.0
  - type-is@1.6.18
  - unpipe@1.0.0
 utils-merge@1.0.1
— wbuf@1.7.3
— webpack-dev-middleware@3.7.2
  - webpack-dev-server@3.10.3
  - websocket-extensions@0.1.3
   - ws@6.2.1
yargs-parser@11.1.1
yargs@12.0.5
Done in 23.57s.
Webpacker successfully installed 2 22 2222
C:\Sites\Development>
```


Se debería crear un proyecto y su estructura:


Nombre	Fecha de modifica	Tipo	Tamaño
app	7/3/2020 03:20	Carpeta de archivos	
in bin	7/3/2020 03:20	Carpeta de archivos	
config	7/3/2020 03:20	Carpeta de archivos	
l db	7/3/2020 03:20	Carpeta de archivos	
lib 📜	7/3/2020 03:20	Carpeta de archivos	
log	7/3/2020 03:20	Carpeta de archivos	
node_modules	7/3/2020 03:24	Carpeta de archivos	
public	7/3/2020 03:20	Carpeta de archivos	
storage	7/3/2020 03:20	Carpeta de archivos	
test	7/3/2020 03:20	Carpeta de archivos	
tmp	7/3/2020 03:20	Carpeta de archivos	
vendor	7/3/2020 03:20	Carpeta de archivos	
.browserslistrc	7/3/2020 03:20	Archivo BROWSER	1 KE
	7/3/2020 03:20	Documento de tex	1 KE
ruby-version	7/3/2020 03:20	Archivo RUBY-VER	1 KE
babel.config	7/3/2020 03:20	JavaScript File	2 KE
config.ru	7/3/2020 03:20	Archivo RU	1 KE
Gemfile	7/3/2020 03:20	Archivo	2 KE
Gemfile.lock	7/3/2020 03:20	Archivo LOCK	6 KE
package.json	7/3/2020 03:24	Archivo JSON	1 KE
g postcss.config	7/3/2020 03:20	JavaScript File	1 KE
Rakefile	7/3/2020 03:20	Archivo	1 KE
README.md	7/3/2020 03:20	Archivo MD	1 KE
yarn.lock	7/3/2020 03:24	Archivo LOCK	323 KE

11) Agregación de Gemas

Ahora, agregamos Gemas.


En Sublime, abrir la carpeta del proyecto:





untitled (restapp-sprint1) - Sublime Text (UNREGISTERED)


File Edit Selection Find View Goto Tools Project Preferences Help



12) Instalando y configurando las gemas

Ejecutamos en la consola el siguiente comando:

bundle



Ahora, instalamos los components de webpacker. Ejecutar:

bundle exec rake webpacker:install

```
Símbolo del sistema
                                                                                                                               \times
[1/4] Resolving packages...
[2/4] Fetching packages...
info fsevents@1.2.11: The platform "win32" is incompatible with this module.
info "fsevents@1.2.11" is an optional dependency and failed compatibility check. Excluding it from installation.
[3/4] Linking dependencies...
parning " > webpack-dev-server@3.10.3" has unmet peer dependency "webpack@^4.0.0 || ^5.0.0".

| varning "webpack-dev-server > webpack-dev-middleware@3.7.2" has unmet peer dependency "webpack@^4.0.0".
[4/4] Building fresh packages...
      ss Saved 0 new dependencies.
Done in 5.49s.
Installing dev server for live reloading
          run yarn add --dev webpack-dev-server from "."
yarn add v1.22.1
[1/4] Resolving packages...
[2/4] Fetching packages...
info fsevents@1.2.11: The platform "win32" is incompatible with this module.
info "fsevents@1.2.11" is an optional dependency and failed compatibility check. Excluding it from installation.
[3/4] Linking dependencies...
varning "webpack-dev-server > webpack-dev-middleware@3.7.2" has unmet peer dependency "webpack@^4.0.0".
varning " > webpack-dev-server@3.10.3" has unmet peer dependency "webpack@^4.0.0 || ^5.0.0".
[4/4] Building fresh packages...
      s Saved 1 new dependency.
info Direct dependencies
 - webpack-dev-server@3.10.3
info All dependencies
 webpack-dev-server@3.10.3
Done in 7.42s.
Webpacker successfully installed 2 22 2222
:\Sites\Development\restapp-sprint1>
```

13) Generación de controller y views para vistas estáticas

Vamos a adicionar a nuestro proyecto una vista **index**, una para la sección **About Us**, otra para **Frequently Asked Questions (FAQ)**, una sección para **Terms of Service (TOS)** y finalmente, una vista para **Contact Us**. Para ello, en la consola y ubicados en la carpeta raíz del proyecto, escribimos el siguente comando:


rails g controller pages index about_us faq tos contact_us


```
X
Símbolo del sistema
                                                                                                                   <DTR>
08/03/2020
            05:01
                     <DIR>
08/03/2020
            04:49
                                  9 .browserslistro
08/03/2020
            04:49
                                 777 .gitignore
                                 11 .ruby-version
08/03/2020
           04:49
                     <DIR>
08/03/2020
           04:49
08/03/2020
            04:49
                               1,722 babel.config.js
                     <DIR>
08/03/2020
            04:49
                     <DIR>
                                     config
08/03/2020
            04:49
08/03/2020
           04:49
                                 130 config.ru
08/03/2020
            04:49
                     <DIR>
                                    db
08/03/2020
                               1,829 Gemfile
            14:31
                              5,774 Gemfile.lock
08/03/2020
            14:50
                                    lib
08/03/2020
            04:49
                     <DIR>
08/03/2020
            04:49
                     <DIR>
                                     log
08/03/2020
            05:01
                     <DIR>
                                    node_modules
08/03/2020
            05:01
                                 324 package.json
                                 224 postcss.config.js
08/03/2020
           04:49
                     <DIR>
08/03/2020
            04:49
                                     public
                                 227 Rakefile
08/03/2020
            04:49
08/03/2020
                                 374 README.md
            04:49
08/03/2020
            04:49
                                    storage
08/03/2020
            04:49
                     <DIR>
                                     test
08/03/2020
            04:49
                     <DTR>
                                     tmp
08/03/2020
            04:49
                     <DIR>
                                     vendor
08/03/2020
            05:01
                             330,070 yarn.lock
              12 File(s)
                                 341,471 bytes
              14 Dir(s) 924,915,302,400 bytes free
 :\Sites\Development\restapp-sprint1>rails g controller pages index about_us faq tos contact_us
```

```
Símbolo del sistema
                                                                                                                    X
08/03/2020
                     <DIR>
                                     tmp
08/03/2020
           04:49
                     <DIR>
                                     vendor
08/03/2020 05:01
                             330,070 yarn.lock
              12 File(s)
                                 341,471 bytes
              14 Dir(s) 924,915,302,400 bytes free
C:\Sites\Development\restapp-sprint1>rails g controller pages index about_us faq tos contact_us
     \verb|create app/controllers/pages_controller.rb| \\
route get 'pages/index'
get 'pages/about_us'
get 'pages/faq'
    pages/tos
    'pages/contact_us'
     invoke erb
     create
                app/views/pages
      create
                app/views/pages/index.html.erb
                app/views/pages/about_us.html.erb
     create
                app/views/pages/faq.html.erb
     create
                app/views/pages/tos.html.erb
     create
      create
                app/views/pages/contact_us.html.erb
      invoke
              test_unit
     create
                test/controllers/pages_controller_test.rb
      invoke
              helper
     create
                app/helpers/pages_helper.rb
      invoke
                test_unit
      invoke
              assets
      invoke
                scss
      create
                  app/assets/stylesheets/pages.scss
 :\Sites\Development\restapp-sprint1>
```

Comprobamos que se genera una carpeta app/views/pages con los archivos index.html.erb, about_us.html.erb, faq.html.erb, tos.html.erb y contact_us.html.erb. Adicionalmente se crea

entre otros, el archivo app/controllers/pages_controller.erb que contendrá la clase PagesController.






14) Estableciendo la ruta raíz para el proyecto


Modificamos el archivo config/routes.rb. En él reemplazamos la línea:

get 'pages/index'

por:

root 'pages#index'





Con esto indicamos al **routing process** de la aplicación, que cuando llegue un request con la ruta raíz de la aplicación (/), dicho request será procesado por el **controller home** y por su **action** con el nombre **index**. Guardamos el archivo para preservar los cambios.

Luego en la consola ejecutamos el comando:

rake routes

Observaremos que se presenta una ruta root, junto con rutas para las vistas creadas las cuales inician con pages_.

```
Símbolo del sistema
      rails conductor inbound emails GET
                                            /rails/conductor/action_mailbox/inbound_emails(.:format)
             rails/conductor/action_mailbox/inbound_emails#index
                                            /rails/conductor/action mailbox/inbound emails(.:format)
                                     POST
             rails/conductor/action_mailbox/inbound_emails#create
   new_rails_conductor_inbound_email GET
                                            /rails/conductor/action_mailbox/inbound_emails/new(.:format)
             rails/conductor/action_mailbox/inbound_emails#new
                                            /rails/conductor/action_mailbox/inbound_emails/:id/edit(.:format)
  edit_rails_conductor_inbound_email GET
             rails/conductor/action_mailbox/inbound_emails#edit
       rails_conductor_inbound_email GET
                                            /rails/conductor/action_mailbox/inbound_emails/:id(.:format)
             rails/conductor/action_mailbox/inbound_emails#show
                                     PATCH /rails/conductor/action_mailbox/inbound_emails/:id(.:format)
             rails/conductor/action_mailbox/inbound_emails#update
                                     PUT
                                            /rails/conductor/action_mailbox/inbound_emails/:id(.:format)
             rails/conductor/action_mailbox/inbound_emails#update
                                     DELETE /rails/conductor/action_mailbox/inbound_emails/:id(.:format)
             rails/conductor/action_mailbox/inbound_emails#destroy
rails_conductor_inbound_email_reroute POST /rails/conductor/action_mailbox/:inbound_email_id/reroute(.:format)
             rails/conductor/action_mailbox/reroutes#create
                  rails_service_blob GET
                                            /rails/active_storage/blobs/:signed_id/*filename(.:format)
             active_storage/blobs#show
                                            /rails/active_storage/representations/:signed_blob_id/:variation_key/*filen
           rails_blob_representation GET
ame(.:format) active_storage/representations#show
                  rails disk service GET
                                            /rails/active storage/disk/:encoded key/*filename(.:format)
             active_storage/disk#show
           update_rails_disk_service PUT
                                            /rails/active_storage/disk/:encoded_token(.:format)
             active_storage/disk#update
                rails_direct_uploads POST
                                            /rails/active_storage/direct_uploads(.:format)
             active_storage/direct_uploads#create
 :\Sites\Development\restapp-sprint1>
```

15) Creando un partial

Ahora creamos un partial para evitar redundancia del código en el Application layout

En la carpeta raíz del proyecto, ubicados en la consola de comandos, escribimos la siguiente instrucción:


echo > app/views/layouts/ menu.html.erb

```
C:\Sites\Development\restapp-sprint1>echo > app/views/layouts/_menu.html.erb

C:\Sites\Development\restapp-sprint1>
```

Este comando crea el partial 'layouts/menu'. Procedemos a abrir este archivo para edición, agregando las siguientes líneas, en lugar de su contenido actual:

```
<%= link_to "About us", pages_about_us_path %> <%= link_to "FAQ", pages_faq_path %> <%= link_to "Terms of Service", pages_tos_path %> <%= link_to "Contact us", pages_contact_us_path %>
```



```
🗾 C:\Sites\Development\restapp-sprint1\app\views\layouts\_menu.html.erb • (restapp-sprint1) - Sublime Text (U...
File Edit Selection Find View Goto Tools Project Preferences Help
 FOLDERS
                                0
 ▼ im restapp-sprint1
                                            <%= link_to "About us",</li>
  ▼ 🚞 app
                                0
                                                 pages_about_us_path %> 
                                            <%= link_to "FAQ", pages_faq_path %> 
    ▶ assets
                                0
    0
                                            <%= link to "Terms of Service",</li>
    0
                                                pages_tos_path %> 
     ▶ Concerns
                                0
                                            <%= link_to "Contact us",</li>
       /* application_controller.rb
                                0
                                                pages_contact_us_path %> 
       /* pages_controller.rb
                                0
    ▶ ■ helpers
                                0
    ▶ i javascript
                                0
    ▶ ijobs
                                0
    ▶ mailers
                                0
    ▶ models
                                0
    ▼  iews
                                0
     ▼ layouts
                                0
         <> _menu.html.erb
                                0
```

A continuación, abrimos para edición el archivo app/views/layouts/application.html.erb

```
C:\Sites\Development\restapp-sprint1\app\views\layouts\application.html.erb (restapp-sprint1) - Sublime Text (UNREGISTERED)
File Edit Selection Find View Goto Tools Project Preferences Help
                                                           application.html.erb ×
  FOLDERS
  ▼ im restapp-sprint1
    ▼ 🚞 app
                                          0
     ▶ assets
                                          0
                                                            <title>RestappSprint1</title>
<%= csrf_meta_tags %>
<%= csp_meta_tag %>
      ▶ a channels
      ► controllers
      ▶ lim helpers
                                          0
      ▶ i javascript
                                                               <%= stylesheet_link_tag 'application', media: 'all', 'data-turbolinks-track': 'reload' %>
<%= javascript_pack_tag 'application', 'data-turbolinks-track': 'reload' %>
      ▶ 🛅 jobs
      ▶ mailers
      ▶ models
                                                          <body>
<%= yield %>
</body>
</html>
        ▼ 📄 layouts
             <> menu.html.erb
           application.html.erb
              mailer.html.erb
                                          0
              mailer.text.erb
                                           0
         ▶ ■ pages
```

En este archivo, ubicamos las líneas

<body> <%= yield %>

</body>

```
Luego de ello, reemplazamos <%= yield %> por el siguiente codigo:
  <div class="navbar navbar-default navbar-static-top">
   <div class="container">
    <button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-
responsive-collapse">
     <span class="icon-bar"></span>
     <span class="icon-bar"></span>
     <span class="icon-bar"></span>
    </button>
    <a class="navbar-brand" href=<%= root_path %>>Wok & Wine</a>
    <div class="navbar-collapse collapse navbar-responsive-collapse">
     ul class="nav navbar-nav">
      <%= render 'layouts/menu' %>
     </div>
   </div>
  </div>
  <div class="container">
   <div class="row">
    <div class="col-lg-9">
     <%= yield %>
    </div>
    <div class="col-lg-3">
     <div class="well sidebar-nav">
      <h3>Sidebar</h3>
      ul class="nav nav-list">
       <%= render "layouts/menu" %>
      </div>
```

```
</div>
</div>
</div>
```

Además, dentro de la sección Head, agregamos los siguientes CDN:

```
<!-- Latest compiled and minified CSS -->
  <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css"
integrity="sha384-
BVYiiSIFeK1dGmJRAkycuHAHRg32OmUcww7on3RYdg4Va+PmSTsz/K68vbdEjh4u"
crossorigin="anonymous">
  <!-- Optional theme -->
  <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap-theme.min.css"
integrity="sha384-
rHyoN1iRsVXV4nD0JutlnGaslCJuC7uwjduW9SVrLvRYooPp2bWYgmgJQIXwl/Sp"
crossorigin="anonymous">
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
  <!-- Latest compiled and minified JavaScript -->
  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"</pre>
integrity="sha384-
Tc5IQib027qvyjSMfHjOMaLkfuWVxZxUPnCJA7I2mCWNIpG9mGCD8wGNIcPD7Txa"
crossorigin="anonymous"></script>
```

Guardamos el archivo application.html.erb.

```
C:\Sites\Development\restapp-sprint1\app\views\layouts\application.html.erb (restapp-sprint1) - Sublime Text (UNREGISTERED)
   File Edit Selection Find View Goto Tools Project Preferences Help
    FOLDERS
       restapp-sprint1
                                                                                                                     cloctive new./
chtml>

chtml>
chtml>
chtml>
chtml>
chtml>
chtml>
chtml>
chtml>
chtml>
chtml

         ▼ app
            ▶ 🛅 channels
             /* application controller.rb
                                                                                                                                   <%= stylesheet_link_tag 'application', media: 'all', 'data-turbolinks-track': 'reload' %>
<%= javascript_pack_tag 'application', 'data-turbolinks-track': 'reload' %>
                       /* pages_controller.rb
             ▶ melpers
             ▶ I iavascript
                                                                                                                                   <|-- Latest compiled and minified CSS -->
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css" integrity="
sha384-BVYiiSIFeKIdGmJRAkycuthAlkg32OmUcwv7on3RYdgdVa+PmSTsz/K68vbdEjhdu" crossorigin="anonymous">
             ▶ ijobs
             ▶ 🛅 mailers
             ▶ ■ models
                                                                                                                                                       rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap-theme.min.css" integrity=
                                                                                                                                     sha384-rHyoNliRsVXV4nD0JutlnGaslCJuC7uwjduW9SVrLvRYooPp2bWYgmgJQIXwl/Sp" crossorigin="an <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
                 ▼ 🖮 layouts
                           _menu.html.erb
                       application.html.erb
                                                                                      0
                                                                                                                                   <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js" integrity="
sha384-Tc5IQib027qvyjSMfHjOMaLkfuWxZxUPnCJA712mCWNIp69mGCD8wGNIcPD7Txa" crossorigin="anonymous"></script>
                           mailer.html.erb
                   fag.html.erb
                                                                                                                                                <> index.html.erb
                         <> tos.html.erb
         ▶ 🛅 bin
                                                                                                                                                                 an class="icon-bar"></span>
an class="icon-bar"></span>
             config
             ▶ ■ environments
                                                                                                                                                <a class="navbar-brand" href=<%= root_path %>>Wok & Wine<div class="navbar-collapse collapse navbar-responsive-collapse">
             ▶ initializers
                                                                                                                                                          ul class="nav navbar-nav">
<%= render 'layouts/menu' %>
             ▶ m webpack
                  /* application.rb
                  /* boot.rb
                   /* cable.vml
                 credentials.yml.enc
                   /* database.yml
                                                                                                                                                   class="container"
```

16) Adicionar un layout para las vistas internas

A continuación, vamos a modificar la experiencia de tal forma que las vistas internas (about_us, faq, tos, contact_us) tengan un layout distinto del layout por defecto. Para ello iniciamos con lo siguiente:

Copiar el archivo de la ruta:

app/views/layouts/application.html.erb

como:

app/views/layouts/internal.html.erb



Con esto hemos creado un nuevo layout con el nombre **internal**, hasta ahora con el mismo contenido que application layout. Abrimos el archivo internal.html.erb para edición. Ubicamos la siguiente línea de código:

<%= yield %>

```
C:\Sites\Development\restapp-sprint1\app\views\layouts\internal.html.erb (restapp-sprint1) - Sublime Text (UNREGISTERED)
 File Edit Selection Find View Goto Tools Project Preferences Help
 FOLDERS
                                        ▼ 🚞 app
   ▶ ■ assets
   ▶ 🛅 channels
    ▼ Controllers
     ▶ 🔳 concerns
      /* application_controller.rb
                                           /* pages_controller.rb
    ▶ lill helpers
    ▶ 🛅 javascript
                                        ▶ 🛅 jobs
    mailers
    ▶ ■ models
    ▼ 🚞 views
     ▼ 📄 layouts
       <> _menu.html.erb
        application.html.erb
      <> internal.html.erb
                                            <div class="col-lg-3">
  <div class="well sidebar-nav">
        mailer.text.erb
      ▼ pages
                                               <h3>Sidebar</h3>

  <%= render "layouts/menu" %>
       contact_us.html.erb
       <> fag.html.erb
       index.html.erb
       <> tos.html.erb
   ▶ 🛅 bin
   ▼ 🚞 config
    initializers
```

Sobre dicha línea adicionamos el siguiente bloque de código (no borrar el <%= yield %> existente):

<h1><%= yield :header title %> <small><%= yield :header sub title %></small></h1>


```
C\Sites\Development\restapp-sprint1\app\views\lavouts\internal.html.erb (restapp-sprint1) - Sublime Text (UNREGISTERED)
File Edit Selection Find View Goto Tools Project Preferences Help
                                             FOLDERS
  restapp-sprint1
  ▼ 🚞 app
    ▶ I assets
    ▶ 🛅 channels
    ▶ 🛅 controllers
    ▶ IIII helpers
    ▶ i javascript

<a class="navbar-brand" href=<%= root_path %>>Wok & Wine</a>
<div class="navbar-collapse collapse navbar-responsive-collapse">

<%= render 'layouts/menu' %>
    ▶ 🛅 jobs
    ▶ ■ mailers
    ▶ models
      ▼ 🖮 layouts
        <> _menu.html.erb
        application.html.erb
                                               cdiv class="container">
     <div class="row">
    internal.html.erb
                              0
         mailer.html.erb
                                         <> mailer.text.erb
                                                                  !::header_title:%>:<small><%=:yield::header_sub_title:%></small></h1>
     ▶ ■ pages
  ▶ 🛅 bin
                                                 ▶ 🛅 config
  ▶ IIII db
  ▶ 🛅 lib
  ▶ 🛅 log
  ▶ ■ node modules
  ▶ m public
  ▶ 🛅 storage
  ▶ 🕅 test
  ▶ m tmp
   ▶ ■ vendor
    .browserslistro
```

Esto permitirá contar con un encabezado que contenga título y subtítulo como zonas variables, además de aplicar el estilo **page-header** de **Bootstrap**. Guardamos el archivo **internal.html.erb**.


Nos corresponde ahora indicar al **controller** que aplique el **layout** para las vistas internas (about_us, faq, tos, contact_us). Para ello, abrimos para edición el archivo **app/controllers/pages_controller.rb**.



Debajo de la instrucción 'class' adicionamos la siguiente línea antes de la declaración de los métodos.

layout 'internal', except: [:index]

De esta forma el código de **pages_controller.rb** se apreciará de la siguiente manera:




Guardamos el archivo pages_controller.rb.

17) Modificación de las vistas internas

a. Modificando 'About us'

Abrimos para edición el archivo app/views/pages/about_us.html.



Reemplazamos el código por defecto con el siguiente bloque de instrucciones:

```
<%= content_for :header_title do %>
  About us
<% end %>
<%= content_for :header_sub_title do %>
  Who we are
<% end %>
<h2>Our history</h2>
```

Opened in 1999, Restaurant Wok & Wine is a casual fine dining restaurant, offering eclectic American cuisine and warm hospitality in a rustic historically preserved building. A high, open beam ceiling, exposed brick and concrete floors display the original space, while an open kitchen, banquette seating and gentle lighting contribute to an intimate and contemporary feel.

We specialize in three course tasting menus, allowing the customer to select any three dishes from the menu for \$55 per person. A la Carte dining is also available.

Our food is sourced from top quality seasonal ingredients, featuring a high percentage of local and organic products. Our menu changes every six to eight weeks, offering a mix of new and

signature dishes. We consider Wok & Wine to be a truly "American" restaurant honoring many different cooking traditions and interpreting them with our unique creative vision.

Inspired by great artisanal foods of the world. We craft all of our stocks, sauces, breads, pastries and ice creams from scratch on a daily basis. We also strive to support other artisanal producers when purchasing wine, cheese, honey and many other ingredients.

Our approach towards the operation of the restaurant is truly cooperative. We believe that every single member of our staff is integral to our success and pay sustainable living wages to all employees, offering medical benefits and profit sharing to all full time employees.

```
<h2>Who lead us</h2>
Our current leaders of kitchen and service at Wok & Wine:
Alexander Roberts – Executive Chef / CEO / ProprietorMike Berger / General ManagerLucas Rosenbrook – Chef / Kitchen ManagerJames Hirdler – Service Supervisor / Wine DirectorHannah Drehmann – Event CoordinatorCarrie Riggs – Pastry Chef<h2>Alexander Roberts</h2>
```

Alexander Roberts was born in Buffalo, New York, but his formative years were spent here in Minneapolis. He started working in local kitchens in high school and through college. In the early 1990's, Alex moved to New York City, where he attended the French Culinary Institute. After graduation, Alex gained experience in several renowned New York restaurants, including Gramercy Tavern, Bouley, and the Union Square Cafe.

Alex returned to Minneapolis and opened Restaurant Wok & Wine in 1999. He has been able to advance his commitment to organic, sustainably produced food at Wok & Wine and has received numerous accolades in the process.


Alex opened Brasa Premium Rotisserie in 2007, also committed to organic, sustainably produced food. For more details about Brasa please call 612-379-3030 or visit their website at www.brasa.us.

```
C\Sites\Development\restapp-sprint1\app\views\pages\about_us.html.erb • (restapp-sprint1) - Sublime Text (UNREGISTERED)
      ile Edit Selection Find View Goto Tools Project Preferences Help
      FOLDERS
                                                                                                                                           about us.html.erb
          restapp-sprint1
                                                                                                                                       <%= content_for :header_title do %>
   About us
<% end %>
          ▼ 🚞 app
               ▶ 📗 assets
                                                                                                                                         <%= content for :header sub title do %>
               ▶ ■ helpers
                ▶ iii javascript
                ▶ IIII iobs
                ▶ 🛅 mailers
               ▶ 🛅 models
                                                                                                                                     feel.
«p>We specialize in three course tasting menus, allowing the customer to select any three dishes from the menu for $55 per person. A la Carte dining is also available.
«p>Our food is sourced from top quality seasonal ingredients, featuring a high percentage of local and organic products. Our menu changes every six to eight weeks, offering a mix of new and signature dishes. We consider Wok & Wine to be a truly "American" restaurant honoring many different cooking traditions and interpreting them with our unique creative vision.
«p>Inspired by great artisanal foods of the world. We craft all of our stocks, sauces, breads, pastries and ice creams from scratch on a daily basis. We also strive to support other artisanal producers when purchasing wine, cheese, honey and many other ingredients.
«Polyue approach towards the operation of the restaurant is truly concertive. We helieve that every single member of our state.
                ▼ 🚞 views
                    ▶ III layouts
                    ▼ mages
                    about_us.html.erb
                                                                                              0
                            contact_us.html.erb
                            faq.html.erb
                             <> index.html.erb
                                                                                                                                        color anglesteness(p)
cypOur approach towards the operation of the restaurant is truly cooperative. We believe that every single member of our staff
is integral to our success and pay sustainable living wages to all employees, offering medical benefits and profit sharing to
all full time employees.
cnl2>Who lead us
cnl2>Who lead us
                             <> tos.html.erb
          ▶ 🛅 bin
          ▶ 🛅 config
                                                                                                                                     all full time employees.
fiz>Who lead us
fiz>who lead us
poour current leaders of kitchen and service at Wok & Wine:
fix>di>Alexander Roberts - Executive Chef / CEO / Proprietor
fix>di>Alexander Roberts - Executive Chef / CEO / Proprietor
fix>di>Alexander Roberts - Executive Chef / CEO / Proprietor
fix>li>Liana Rosenbrook - Chef / Kitchen Manager
fix>li>Liana Rosenbrook - Chef / Kitchen Manager
fix>li>Liana Drehmann - Event Coordinator
fix>li>Liana Drehmann - Event Coordinator
fix>li>Liana Riggs - Pastry Chef
fix>liana Riggs - Pastry Chef
fixliana Riggs - Pastry Chef
fixliana Riggs - Pastry Chef
fixliana Riggs - Pastry Chef
fix
fix
fix
fix
f
         ▶ 🛅 db
         ▶ 🛅 lib
          ▶ IIII log
          ▶ m public
          ▶ IIII test
          ▶ m vendor
                 /* babel.config.is
                 /* Gemfile
```

Guardamos el archivo about_us.html.erb.

b. Modificando 'FAQ'

Abrimos para edición el archivo faq.html.erb:



Remplazamos el código existente por lo siguiente:

```
<%= content_for :header_title do %>
  Frequently Asked Questions
<% end %>
<%= content_for :header_sub_title do %>
  Your doubts, clarified
<% end %>
<<strong>What hours are the Restaurant open for dining?</strong>
```

Lunch Hours: Monday through Friday | 11:30am to 2:00pm, and Dinner Hours: Tuesday through Saturday | 5:30pm to 9:00pm. Our Restaurant lounge is always open during our dining hours.

Do you have to be a member to dine at Wok & Wine ?

we lcome non-members to try the restaurant for lunch or dinner on a one time basis, but we do require membership for continuous usage and always give priority seating to our members.

Do Wok & Wine members get a discount?

Yes, all Wok & Wine members receive a 10% discount on food and beverage purchases in the restaurant.

Are there any blackout dates for the restaurant?

Our online calendar (click here) is always kept up to date with the latest sold out dates and times. The restaurant is typically closed the week after the October and May races for postrace clean up. Wok & Wine is not open on Sundays except for special occasions.

Should I make a reservation?

Yes, we recommend making a reservation in order to give you the best possible service and ensure that we have your desired time available. We do accept walk-ins unless we are sold out for a private function.

What is the easiest way to make reservations?

To make a reservation, please call the main restaurant line at 704-455-3216. You can also click here to make an online reservation request.

What is the dress code for the restaurant?

Find details about our dress code by clicking here.

Will Wok & Wine do anything special for a birthday or anniversary?

Wok & Wine members can receive a complimentary 6-inch white cake for a birthday or anniversary when they make a dinner reservation. A minimum 48-hour notice is required. Depending on availability, a balloon bouquet can also be placed at the guest's table. Cakes can also be pre-ordered for a fee determined by the size and type of cake requested.

Can a non-member make a dining reservation during race?


Non-members can only make a reservation during ticketed events if they are a guest of a member or have a ticket in Wok & Wine Convention Center. Event tickets are required by all in order to dine in the restaurant during the event.

```
C:\Sites\Development\restapp-sprint1\app\views\pages\faq.html.erb (restapp-sprint1) - Sublime Text (UNREGISTERED)
  ile Edit Selection Find View Goto Tools Project Preferences Help
   FOLDERS
                                                           ▼ app
       ▶ m channels
                                                           ▶ m helpers
        ▶ 🛅 javascript
        ▶ iobs
        ▶ mailers
        ▶ models
        ▼ iews
          ▼ mages
             about_us.html.erb
               contact us.html.erb
           <> faq.html.erb
                                                                    special occasions.
<strong>Should I make a reservation?</stro</pre>
              index.html.erb
tos.html.erb
                                                                   ▶ IIII bin
    ► config
    ▶ 🛅 db
▶ 🛅 lib
                                                                  reservation request./p>
reservation request./p>
reservation request.
reservation request.
reservation request.
reservation request.
reservations while work wine do anything special for a birthday or anniversary
reservation. A minimum 48-hour notice is required. Depending on availability, a balloon bouquet can also be placed at the guest's table. Cakes can also be pre-ordered for a fee determined by the size and type of cake requested./p>
reservation. A minimum 48-hour notice is required be determined by the size and type of cake requested./p>
reservation.
reservation and type of cake requested./p>
reservation during race?
reservation during race?
reservation during race?
reservation during ticketed events if they are a guest of a member or have a ticket in Wok & Wine Convention Center. Event tickets are required by all in order to dine in the restaurant during the event.
    ▶ 🛅 log
     ▶ mode modules
     ▶ 🛅 public
     ▶ m storage
     ► IIII tmp
     ▶ 🛅 vendor
        .browserslistro
           gitignore.
```

Guardamos el archivo faq.html.erb.

c. Modificando 'TOS'

Abrimos para edición el archivo tos.html.erb:



Remplazamos el código por defecto con este conjunto de sentencias:

<%= content_for :header_title do %>

Terms of Service

<% end %>

<%= content_for :header_sub_title do %>

Important information about our offer

<% end %>

This website is owned by Alex's Place. You may contact Alex's Place via our contact form or call us at 585-344-2999.

The alexsribs.com website is hosted by Alternative Aspect.

Your use of this website is governed by these Terms and Conditions. Please take a few minutes to review these Terms and Conditions. Your use of this website constitutes your agreement to follow these rules and to be bound by them. If you do not agree with any of these Terms and Conditions, do not use the alexsribs.com website.

These Terms and Conditions may change

Alex's Place reserves the right to update or modify these Terms and Conditions at any time without prior notice. Your use of this website following any such change constitutes your

agreement to follow and be bound by the Terms and Conditions as changed. For this reason, we encourage you to review these Terms and Conditions whenever you use this website.

<h2>Copyright Notice</h2>

All of the Content you see and hear on alexsribs.com, including, for example, all of the page headers, images, illustrations, graphics, audio clips, video clips and text, are subject to trademark, service mark, trade dress, copyright and/or other intellectual property rights or licenses held by Alex's Place, one of its affiliates or by third parties who have licensed their materials to Alex's Place. The entire content of this website is copyrighted as a collective work under U.S. copyright laws.

The Content of this website, and the site as a whole, is intended solely for personal, noncommercial use by the users of oursite. You may download, print and store selected portions of the content, provided you (1) only use these copies of the content for your own personal, non commercial use, (2) do not copy or post the content on any network computer or broadcast the content in any media, and (3) do not modify or alter the content in any way, or delete or change any copyright or trademark notice.

No right, title or interest in any downloaded materials is transferred to you as a result of any such downloading. Alex's Place reserves complete title and full intellectual property rights in any content you download from this website.

Except as noted above, you may not copy, download, reproduce, modify, publish, distribute, transmit, transfer or create derivative works from the content without first obtaining written permission from Alex's Place.

<h2>Submissions</h2>

We welcome your comments regarding this website. However, any comments, feedback, notes, messages, ideas, suggestions or other communications (collectively, "comments") sent to Alex's Place shall be and remain the exclusive property of Alex's Place. Your submission of any such comments shall constitute an assignment to Alex's Place of all worldwide rights, titles and interests in all copyrights and other intellectual property rights in the comments. Alex's Place will be entitled to use, reproduce, disclose, publish and distribute any material you submit for any purpose whatsoever, without restriction and without compensating you in any way. For this reason, we ask that you not send us any comments that you do not wish to assign to us, including any confidential information or any original creative materials such as stories, product ideas, computer code or original artwork.

User Submitted Content including, but not limited to, text, photos, or video submitted in connection with Gift, E-Cards, E-Vites, Forward-to-a-Friend messages or any other messaging service.

The Alex's Place message services available to our guests are subject to the following guidelines. Out of respect for all of our guests, we ask that you do not use obscene, profane or threatening language in messages. In addition, we ask that you do not submit or post photos,

videos or other media that include obscene, profane or threatening images. Examples of the kinds of conduct or content that are prohibited in user submitted content include:

The transmission of any content that could violate, or could facilitate the violation of, any applicable law.

The transmission of any content that is profane, libelous, defamatory, obscene, pornographic, indecent, lewd, harassing, threatening, harmful, invasive of privacy or publicity rights, abusive, inflammatory or otherwise objectionable.

The impersonation of any person or entity in any part of a gift message.

You are solely responsible for the content of any messages and/or images you submit and Alex's Place assumes no liability for any content submitted by you. We may, but are not obligated to, restrict or remove any and all content from a message that we determine in our sole discretion violates these guidelines or is otherwise harmful to us, or any third party. Alex's Place reserves the right to purge the content you provide after 90 days of creation. Any content you submit is for non-commercial use only. You must provide your actual e-mail address in order to send your content.

Any content you submit will be routed through the Internet and you understand and acknowledge that you have no expectation of privacy with regard to any content you submit.

<h2>Discounts; Limitations on Quantity</h2>

We do offer additional discounts on large orders of a single item. Please inquire directly.We reserve the right to limit quantities.

<h2>Return Policy</h2>

If you are not fully satisfied with your purchase you may return it with the original packing receipt within 30 days of the order date. Additional restrictions apply.

Gift Certificates returned to Alex's Place shall be in like new condition and unopened. The refund will be issued once Alex's Place confirms that the gift certificate is in the same condition that you received it and processes the return through Alex's Place's system.

For gift certificates returned within 30 days, Alex's Place will reimburse the cost of the gift certificate, and the cost of initial shipping. Alex's Place will not reimburse the cost of shipping to return the gift certificate to Alex's Place.

If your return is shipped after the timeframe indicated above or without a packing slip, we regret that we cannot issue a refund or send the merchandise back to you.

The risk of loss and title to items pass to the purchaser upon delivery.

<h2>Disclaimers general</h2>

Alex's place reserves the right to refuse any sale.

The alexsribs.com website is operated by Alex's Place on an "as is", "as available" basis, without representations or warranties of any kind. To the full extent permitted by law, Alex's Place disclaims any and all representations and warranties with respect to this site and its contents, whether express, implied, or statutory.

Without limiting the foregoing, Alex's Place does not represent or warrant that the information on this website is accurate, complete, reliable, useful, timely or current or that this website will operate without interruption or error.

Alex's Place does not endorse nor make any warranties or representations about the options or other service or data you may access, download or use as a result of the use of the information contained on this website, or about any website you may access through this website. Links to other sites are provided for convenience only. You need to make your own decisions regarding your interactions or communications with any other website.

Alex's Place makes no representation that content provided on this website is applicable or appropriate for use in locations outside of the United States.

Alex's Place assumes no risk or responsibility for your use of any of the content provided on this website.

<h2>Limitation of Liability</h2>

Under no circumstances, shall Alex's Place or any of their employees, directors, officers, agents, vendors or suppliers be liable for any direct or indirect losses or damages arising out of or in connection with the use of or inability to use this website.


This is a comprehensive Limitation of Liability that applies to all losses and damages of any kind (whether general, special, consequential, incidental, exemplary or otherwise, including, without limitation, loss of data, income or profits), whether in contract, negligence or other tortious action, even if an authorized representative of alex's place has been advised of or should have known of the possibility of such damages.

If you are dissatisfied with this website or any content on the site, or with these terms and conditions, your sole and exclusive remedy is to discontinue using this website. You acknowledge, by your use of this website, that your use of the site is at your sole risk.

Applicable law may not allow the limitation of liability set forth above, so this limitation of liability may not apply to you. If any part of this Limitation on Liability is found to be invalid or unenforceable for any reason, then the aggregate liability of Alex's Place under such circumstances for liabilities that otherwise would have been limited shall not exceed one hundred dollars (\$100).

<h2>Enforcement of terms and conditions</h2>


Sy accessing and using the alexsribs.com website, you agree that your access to and use of this website is subject to these terms and conditions, as well as all applicable laws, as governed and interpreted pursuant to the laws of the state of North Carolina, United States of America.



Guardamos el archivo tos.html.erb.


d. Modificando 'Contact Us'

Abrimos para edición el archivo **contact us.html.erb**:



Reemplazamos el contenido por:


```
<%= content_for :header_title do %>
   Contact us
<% end %>
<%= content_for :header_sub_title do %>
   Find us here
<% end %>
<div id="maps">
   <%= render 'map' %>
</div>
```




Guardamos el archivo contact_us.html.erb.

Observamos que hay una sentencia render para un **partial 'map'**, el cual aún no hemos creado. Para ello ejecutamos en la consola, dentro de la carpeta raíz del proyecto, el siguiente comando:

echo > app/views/pages/_map.html.erb





El objetivo de este **partial** es contener un **frame** con una ubicación en **Google Maps**. Para ello procedemos a registrarnos como **Google Developers**, obtenemos un **key** y generamos un **embedded code** como un **iframe** para colocarlo en el **partial _map.html.erb**

Aquí el enlace para el registro y obtención del key y el iframe:

https://developers.google.com/maps/documentation/embed/

A continuación, un ejemplo del código de iframe que este proceso genera (el valor de key está en función a su cuenta de developer).


<iframe width="600" height="450" frameborder="0" style="border:0" src="https://www.google.com/maps/embed/v1/place?q=Universidad%20Peruana%20de%2 0Ciencias%20Aplicadas&key=AlzaSyA-mX5Z7eJL5GKASzo5gSNavXxX748a5Y4" allowfullscreen> </iframe>



Luego de colocar el código de iframe obtenido, guardamos el archivo _map.html.erb.

18) Agregando un Carrousel de imágenes a la vista index

Abrimos para edición el archivo app/views/pages/index.html.erb



Remplazamos el código generado por las siguientes sentencias:

```
</div>
  </div>
  <div class="item">
   <%= image_tag "rest_slider2.jpg", html: { alt: "rest_slider2" } %>
   <div class="carousel-caption">
    <h3>Our service</h3>
    Best quality
   </div>
  </div>
  <div class="item">
   <%= image_tag "rest_slider3.jpg", html: { alt: "rest_slider3" }%>
   <div class="carousel-caption">
    <h3>Our service</h3>
    Best quality
   </div>
  </div>
 </div>
 <!-- Controls -->
 <a class="left carousel-control" href="#carousel-example-generic" role="button" data-</p>
slide="prev">
  <span class="glyphicon glyphicon-chevron-left" aria-hidden="true"></span>
  <span class="sr-only">Previous</span>
 </a>
 <a class="right carousel-control" href="#carousel-example-generic" role="button" data-
slide="next">
  <span class="glyphicon glyphicon-chevron-right" aria-hidden="true"></span>
  <span class="sr-only">Next</span>
 </a>
</div>
```

```
C\Sites\Development\restapp-sprint1\app\views\pages\index.html.erb (restapp-sprint1) - Sublime Text (UNREGISTERED)
File Edit Selection Find View Goto Tools Project Preferences Help
                    FOLDERS

▼ image: restapp-sprint1

  ▼ app
   ▶ assets
   ▶ controllers
   ▶ lim helpers
   ▶ i javascript
   ▶ ijobs
                     0 10
0 11
   ▶ ■ mailers
                                  ▶ models
                                ▼ iews
                      0
                      0
   ▶ 🛅 layouts
    ▼ mages
                      0
                                     The best for you
                    0
     <> _map.html.erb

    map.htm.erb
    about_us.html.erb
    contact_us.html.erb
    faq.html.erb
    index.html.erb

                    0 21
0 22
0 23
0 24
0 25
      <> tos.html.erb O
                               ▶ ■ bin
  ► config
  ▶ IIII db
                    0
                                   <%= image_tag "rest_slider3.jpg", html: { alt: "rest_slider3" }%>
  ▶ IIII lib
  ▶ Ioq
  ▶ ■ node_modules
                   0 0 0
                          Best quality
  ▶ public
  ▶ storage
  ▶ test
  ▶ mp tmp
  ▶ m vendor
   .browserslistrc
                      0
                      0
   ∴ gitignore
   ruby-version
                      0
                                <a class="right carousel-control" href="#carousel-example-generic" role="button" data-slide="next">
                      0
   /* babel.config.js
                                 <span class="glyphicon glyphicon-chevron-right" aria-hidden="true"></span>
<span class="sr-only">Next</span>
                      0
   /* config.ru
   /* Gemfile
```

Guardamos el archivo index.html.erb.

Debemos copiar tres imágenes de alta calidad con <u>dimensiones de 1300x867 pixels</u>, con los nombres **rest_slider1.jpg**, **rest_slider2.jpg** y **rest_slider3.jpg**. Estas imágenes ya están adjuntas con este tutorial y deben ser copiadas a la carpeta:

app/assets/images

<mark>☑ </mark>	s ompart	ir Vista			
← → · ↑ 📜	> Est	e equipo > Disco local (C:) > Sit	tes > Development > restapp-sprint1	> app > assets	> images
		Nombre	Fecha de modifica	Tipo	Tamaño
Escritorio	*	.keep	7/3/2020 03:20	Archivo KEEP	0 KB
	,	rest_slider1	8/3/2020 00:15	Archivo JPG	73 KB
Descargas	オ	rest_slider2	8/3/2020 00:15	Archivo JPG	113 KB
Documentos	Documentos 🖈	rest_slider3	8/3/2020 00:15	Archivo JPG	185 KB
Imágenes	x				
Clase 2					

```
En el archivo index.html.erb adicionamos al final las siguientes sentencias:
```

```
<div class="jumbotron">
  <h1>Welcome</h1>
  It is a pleasure to have you at our site
  <a class="btn btn-primary btn-lg" href=<%= pages_about_us_path %>
  role="button">Learn more</a>
</div>
```

```
C\Sites\Development\restapp-sprint1\app\views\pages\index.html.erb • (restapp-sprint1) - Sublime Text (UNREGISTERED)
  File Edit Selection Find View Goto Tools Project Preferences Help
     ▼ im restapp-sprint1
                                                                                                                           <h3>0ur restaurants</h3>
     ▼ 🚞 app
                                                                                                                             The best for you
                                                                                                             ▶ ■ assets
           0
                                                                            0
           ▶ Controllers
                                                                            0
           ▶ I helpers
                                                                            0
            ▶ ■ javascript
            ▶ 🛅 jobs
                                                                             0
                                                                            0
            ▶ ■ mailers
                                                                                                                </div>
</div>
</div>
<div class="item"></div</pre>
                                                                             0
             ▶ 🛅 models
             ▼ 🖮 views
                ▶ 🛅 layouts
                                                                                                                       <%= image_tag "rest_slider3.jpg", html: { alt: "rest_slider3" }%>
                                                                                                                    <div class="carousel-caption">
<h3>Our service</h3>
                ▼ 📄 pages
                      <> _map.html.erb
                                                                             0
                                                                                                                              Best quality
                      <> about_us.html.erb
                                                                             0
                                                                                                            </div>
</div>
</div>
                       <> contact us.html.erb
                                                                             0
                       <> facility facility
                                                                             0
               <> index.html.erb
                                                                          0
                                                                                                            <a class="left carousel-control" href="#carousel-example-generic" role="button" data-slide="prev">
                       <> tos.html.erb
                                                                             0
        ▶ 🛅 bin
                                                                                                            <span class="glyphicon glyphicon-chevron-left" aria-hidden="true"></span class="sr-only">Previous</span>
                                                                             0
        ▶  config
                                                                            0
        ▶ 🛅 db
                                                                                                             ▶ 🛅 lib
                                                                            0
                                                                            0
        ▶ IIII log
        ▶ ■ node_modules
                                                                             0
        ▶ □ public
         ▶ storage
                                                                             0
        ▶ 🛅 test
                                                                             0
                                                                                                         <div class="jumbotron">
        ▶ 🛅 tmp
                                                                             0
                                                                                                            <h1>Welcome</h1>
        ▶ 🛅 vendor
                                                                             0
                                                                                                               It is a pleasure to have you at our site
                                                                                                              <a class="btn btn-primary btn-lg" href=<%= pages_about_us_path %> role=_button_>Learn more</a>
             .browserslistrc
                                                                             0
             \equiv .gitignore
                                                                             0
             nuby-version
                                                                             0
```

Guardamos nuevamente el archivo index.html.erb.

19) Ejecutando la aplicación

Es momento de apreciar la experiencia desarrollada. En la consola ejecutamos el siguiente comando:

rails s

```
C:\Sites\Development\restapp-sprint1>echo > app/views/pages/_map.html.erb

C:\Sites\Development\restapp-sprint1>rails s
=> Booting Puma
=> Rails 6.0.2.1 application starting in development
=> Run `rails server --help` for more startup options
**** SIGUSR2 not implemented, signal based restart unavailable!
**** SIGUSR1 not implemented, signal based restart unavailable!
**** SIGHUP not implemented, signal based logs reopening unavailable!
Puma starting in single mode...
* Version 4.3.3 (ruby 2.6.5-p114), codename: Mysterious Traveller
* Min threads: 5, max threads: 5
* Environment: development
* Listening on tcp://[::1]:3000
* Listening on tcp://[::1]:3000
Use Ctrl-C to stop
```

Al ingresar al URL localhost:3000, podrá apreciar la vista index.

