

```

MINGW64:/d/Desktop/QALabNTTDATA092024
it
JUAN ANDRES@LAPTOP-V8UKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$ git add bucleFor
JUAN ANDRES@LAPTOP-V8UKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   bucleFor/.idea/.gitignore
    new file:   bucleFor/.idea/misc.xml
    new file:   bucleFor/.idea/modules.xml
    new file:   bucleFor/bucleFor.iml
    new file:   bucleFor/out/production/bucleFor/Main.class
    new file:   bucleFor/src/Main.java

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .idea/.ipsw/
    .idea/.workspace/
    .idea/.workspace.xml
    .idea/.workspace.xml

JUAN ANDRES@LAPTOP-V8UKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$ git remote add origin https://github.com/RicardoJavierah/QALabNTTDATA092024.git
JUAN ANDRES@LAPTOP-V8UKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$ git remote -v
origin https://github.com/RicardoJavierah/QALabNTTDATA092024.git (fetch)
origin https://github.com/RicardoJavierah/QALabNTTDATA092024.git (push)

```

```

JUAN ANDRES@LAPTOP-V8UKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$ git commit -m "bucleFor"
[master (root-commit) 2a358a8] bucleFor
 6 files changed, 77 insertions(+)
 create mode 100644 bucleFor/.idea/.gitignore
 create mode 100644 bucleFor/.idea/misc.xml
 create mode 100644 bucleFor/.idea/modules.xml
 create mode 100644 bucleFor/bucleFor.iml
 create mode 100644 bucleFor/out/production/bucleFor/Main.class
 create mode 100644 bucleFor/src/Main.java
JUAN ANDRES@LAPTOP-V8UKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$ git push -u origin master
Enumerating objects: 14, done.
Counting objects: 100% (14/14), done.
Delta compression using up to 8 threads
Compressing objects: 100% (8/8), done.
Writing objects: 100% (14/14), 2.18 KiB | 745.00 KiB/s, done.
Total 14 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/RicardoJavierah/QALabNTTDATA092024.git
 * [new branch] master -> master
branch 'master' set up to track 'origin/master'.
JUAN ANDRES@LAPTOP-V8UKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (master)

```

```

JUAN ANDRES@LAPTOP-V8UKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$ git branch test

JUAN ANDRES@LAPTOP-V8UKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$ git branch develop

JUAN ANDRES@LAPTOP-V8UKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$ gti branch feature/hu-290
bash: gti: command not found

JUAN ANDRES@LAPTOP-V8UKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$ git branch feature/hu-290

JUAN ANDRES@LAPTOP-V8UKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$ git branch
  develop
  feature/hu-290
* master
  test

JUAN ANDRES@LAPTOP-V8UKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$

```

```
MINGW64:/d/Desktop/QALabNTTDATA092024

JUAN ANDRES@LAPTOP-V8UKTFF7 MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$ git branch
  develop
  feature/hu-290
* master
  test

JUAN ANDRES@LAPTOP-V8UKTFF7 MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$ git push -u origin test
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'test' on GitHub by visiting:
remote:   https://github.com/RicardoJavierah/QALabNTTDATA092024/pull/new/test
remote:
To https://github.com/RicardoJavierah/QALabNTTDATA092024.git
 * [new branch]      test -> test
branch 'test' set up to track 'origin/test'.

JUAN ANDRES@LAPTOP-V8UKTFF7 MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$ git push -u origin develop
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:   https://github.com/RicardoJavierah/QALabNTTDATA092024/pull/new/develop
remote:
To https://github.com/RicardoJavierah/QALabNTTDATA092024.git
 * [new branch]      develop -> develop
branch 'develop' set up to track 'origin/develop'.

JUAN ANDRES@LAPTOP-V8UKTFF7 MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$ git push -u origin feature/hu-290
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'feature/hu-290' on GitHub by visiting:
remote:   https://github.com/RicardoJavierah/QALabNTTDATA092024/pull/new/feature/hu-290
remote:
To https://github.com/RicardoJavierah/QALabNTTDATA092024.git
 * [new branch]      feature/hu-290 -> feature/hu-290
branch 'feature/hu-290' set up to track 'origin/feature/hu-290'.

JUAN ANDRES@LAPTOP-V8UKTFF7 MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$
```

Overview

Yours

Active

Stale

All

Q

Search branches...

Default

Branch	Updated	Check status	Behind	Ahead	Pull request
<div>master</div> <div></div>	<div></div> 13 minutes ago				<div>Default</div> <div></div> ...

Your branches

Branch	Updated	Check status	Behind	Ahead	Pull request
<div>feature/hu-290</div> <div></div>	<div></div> 4 minutes ago		0	0	<div></div> ...
<div>develop</div> <div></div>	<div></div> 4 minutes ago		0	0	<div></div> ...
<div>test</div> <div></div>	<div></div> 4 minutes ago		0	0	<div></div> ...

Active branches

Branch	Updated	Check status	Behind	Ahead	Pull request
<div>feature/hu-290</div> <div></div>	<div></div> 4 minutes ago		0	0	<div></div> ...
<div>develop</div> <div></div>	<div></div> 4 minutes ago		0	0	<div></div> ...
<div>test</div> <div></div>	<div></div> 4 minutes ago		0	0	<div></div> ...

```
MINGW64/d/Desktop/QALabNTTDA092024
MINGW64 /d/Desktop/QALabNTTDA092024 (master)
$ git checkout test
Switched to branch 'test'
Your branch is up to date with 'origin/test'.

MINGW64 /d/Desktop/QALabNTTDA092024 (test)
$ git status
On branch test
Your branch is up to date with 'origin/test'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    AppArrays/
    ArrayMulti/
    POO_Game/

nothing added to commit but untracked files present (use "git add" to track)

MINGW64 /d/Desktop/QALabNTTDA092024 (test)
$ git add AppArrays
warning: In the working copy of 'AppArrays/.idea/workspace.xml', LF will be replaced by CRLF the next time Git touches it

MINGW64 /d/Desktop/QALabNTTDA092024 (test)
$ git status
On branch test
Your branch is up to date with 'origin/test'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   AppArrays/.idea/workspace.xml

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    ArrayMulti/
    POO_Game/

MINGW64 /d/Desktop/QALabNTTDA092024 (test)
$ git commit -m "appArrays"
[test f91dff1] appArrays
1 file changed, 44 insertions(+)
create mode 100644 AppArrays/.idea/workspace.xml

MINGW64 /d/Desktop/QALabNTTDA092024 (test)
$ git push -u origin test
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (5/5), 1.11 KiB | 1.11 MiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0
to https://github.com/RicardoJavierah/QALabNTTDA092024.git
2a558a9..f91dff1 test -> test
branch 'test' set up to track 'origin/test'.

MINGW64 /d/Desktop/QALabNTTDA092024 (test)
$
```

```
MINGW64/d/Desktop/QALabNTTDA092024
ArrayMulti/
POO_Game/

nothing added to commit but untracked files present (use "git add" to track)

MINGW64 /d/Desktop/QALabNTTDA092024 (test)
$ git add ArrayMulti
warning: In the working copy of 'ArrayMulti/src/Main.java', LF will be replaced by CRLF the next time Git touches it

MINGW64 /d/Desktop/QALabNTTDA092024 (test)
$ git status
On branch test
Your branch is up to date with 'origin/test'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   ArrayMulti/.idea/.gitignore
    new file:   ArrayMulti/.idea/misc.xml
    new file:   ArrayMulti/.idea/modules.xml
    new file:   ArrayMulti/ArrayMulti.iml
    new file:   ArrayMulti/out/production/ArrayMulti/Main.class
    new file:   ArrayMulti/src/Main.java

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    POO_Game/

MINGW64 /d/Desktop/QALabNTTDA092024 (test)
$ git commit -m "Se agrego la carpeta Java ArrayMulti"
[test 11b4ecd] Se agrego la carpeta Java ArrayMulti
6 files changed, 46 insertions(+)
create mode 100644 ArrayMulti/.idea/.gitignore
create mode 100644 ArrayMulti/.idea/misc.xml
create mode 100644 ArrayMulti/.idea/modules.xml
create mode 100644 ArrayMulti/ArrayMulti.iml
create mode 100644 ArrayMulti/out/production/ArrayMulti/Main.class
create mode 100644 ArrayMulti/src/Main.java

MINGW64 /d/Desktop/QALabNTTDA092024 (test)
$ git push -u origin test
Enumerating objects: 15, done.
Counting objects: 100% (15/15), done.
Delta compression using up to 8 threads
Compressing objects: 100% (9/9), done.
Writing objects: 100% (14/14), 2.14 KiB | 730.00 KiB/s, done.
Total 14 (delta 0), reused 0 (delta 0), pack-reused 0
to https://github.com/RicardoJavierah/QALabNTTDA092024.git
f91dff1..11b4ecd test -> test
branch 'test' set up to track 'origin/test'.

MINGW64 /d/Desktop/QALabNTTDA092024 (test)
$
```

```
NIAN ANDRES@LAPTOP-VBUKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (test)
$ git checkout feature/hu-290
Switched to branch 'feature/hu-290'
Your branch is up to date with 'origin/feature/hu-290'.

NIAN ANDRES@LAPTOP-VBUKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (feature/hu-290)
$ git status
On branch feature/hu-290
Your branch is up to date with 'origin/feature/hu-290'.

Untracked files:
  (use "git add <files>..." to include in what will be committed)
    ArrayMulti/
    POO_Game/

nothing added to commit but untracked files present (use "git add" to track)

NIAN ANDRES@LAPTOP-VBUKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (feature/hu-290)
$ git add POO_Game
warning: in the working copy of 'POO_Game/src/Main.java', LF will be replaced by CRLF the next time Git touches it



NIAN ANDRES@LAPTOP-VBUKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (feature/hu-290)
$ git commit -m "Se agrego la carpeta Java Poo_game"
[feature/hu-290 536ce43] Se agrego la carpeta Java Poo_game
12 files changed, 213 insertions(+)
create mode 100644 POO_Game/.idea/.gitignore
create mode 100644 POO_Game/.idea/misc.xml
create mode 100644 POO_Game/.idea/modules.xml
create mode 100644 POO_Game/POO_Game.iml
create mode 100644 POO_Game/out/production/POO_Game/Auto.class
create mode 100644 POO_Game/out/production/POO_Game/Main.class
create mode 100644 POO_Game/out/production/POO_Game/Nissan.class
create mode 100644 POO_Game/out/production/POO_Game/Toyota.class
create mode 100644 POO_Game/src/Auto.java
create mode 100644 POO_Game/src/Main.java
create mode 100644 POO_Game/src/Nissan.java
create mode 100644 POO_Game/src/Toyota.java

NIAN ANDRES@LAPTOP-VBUKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (feature/hu-290)
$ git push -u origin feature/hu-290
Enumerating objects: 21, done.
Counting objects: 100% (21/21), done.
Delta compression using up to 8 threads
Compressing objects: 100% (17/17), done.
Writing objects: 100% (20/20), 5.05 KiB | 1.01 MiB/s, done.
Total 20 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/RicardoJavierah/QALabNTTDATA092024.git
 2a55Ba9..536ce43 feature/hu-290 -> feature/hu-290
branch 'feature/hu-290' set up to track 'origin/feature/hu-290'.

NIAN ANDRES@LAPTOP-VBUKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (feature/hu-290)
$
```

The screenshot shows the GitHub web interface for the repository 'RicardoJavierah / QALabNTTDATA092024'. A modal dialog titled 'Commit changes' is open, showing the commit message 'Agrego archivo desde la interfaz web a la rama feature/hu-290'. The dialog also includes an 'Extended description' field and two radio button options: 'Commit directly to the feature/hu-290 branch' (selected) and 'Create a new branch for this commit and start a pull request'. The background shows the code editor for 'Archivo1.txt' with the content 'Hola mundo'.

The screenshot shows the GitHub web interface for the repository 'RicardoJavierah / QALabNTTDATA092024'. A modal dialog titled 'Commit changes' is open, showing the commit message 'Agrego archivo desde la interfaz web a la rama test'. The dialog also includes an 'Extended description' field and two radio button options: 'Commit directly to the test branch' (selected) and 'Create a new branch for this commit and start a pull request'. The background shows the code editor for 'Archivo2.txt' with the content 'Hola mundo'.



```

RMAN ANDRES@LAPTOP-VBUKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (test)
$ git status
On branch test
Your branch is behind 'origin/test' by 1 commit, and can be fast-forwarded.
(use 'git pull' to update your local branch)

Changes not staged for commit:
  (use 'git add <file>...' to update what will be committed)
  (use 'git restore <file>...' to discard changes in working directory)
    modified:   ArrayMulti/src/Main.java

Untracked files:
  (use 'git add <file>...' to include in what will be committed)
    .idea/
    POO_Game/

no changes added to commit (use "git add" and/or "git commit -a")

RMAN ANDRES@LAPTOP-VBUKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (test)
$ git add ArrayMulti
RMAN ANDRES@LAPTOP-VBUKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (test)
$ git commit -m "Se agrego comando linea #24"
[test ecd8b5] Se agrego comando linea #24
1 file changed, 9 insertions(+)

RMAN ANDRES@LAPTOP-VBUKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (test)
$ git pull
Merge made by the 'ort' strategy.
  Archivo2.txt | 1 +
  1 file changed, 1 insertion(+)
  create mode 100644 Archivo2.txt

RMAN ANDRES@LAPTOP-VBUKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (test)
$ git status
On branch test
Your branch is ahead of 'origin/test' by 2 commits.
(use 'git push' to publish your local commits)

Untracked files:
  (use 'git add <file>...' to include in what will be committed)
    .idea/
    POO_Game/

nothing added to commit but untracked files present (use "git add" to track)

RMAN ANDRES@LAPTOP-VBUKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (test)
$ git push -u origin test
Enumerating objects: 15, done.
Counting objects: 100% (12/12), done.
Delta compression using up to 8 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (7/7), 698 bytes | 698.00 KiB/s, done.
Total 7 (delta 4), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (4/4), completed with 3 local objects.
To https://github.com/RicardoAvterah/QALabNTTDATA092024.git
   23fb57c..8687a0f test -> test
branch 'test' set up to track 'origin/test'.

```

```

RMAN ANDRES@LAPTOP-VBUKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (test)
$ git checkout feature/hu-290
Switched to branch 'feature/hu-290'
Your branch is up to date with 'origin/feature/hu-290'.

RMAN ANDRES@LAPTOP-VBUKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (feature/hu-290)
$ git status
On branch feature/hu-290
Your branch is up to date with 'origin/feature/hu-290'.

Untracked files:
  (use 'git add <file>...' to include in what will be committed)
    .idea/
    ArrayMulti/
    POO_Game/src/Hyundai.java

nothing added to commit but untracked files present (use "git add" to track)

RMAN ANDRES@LAPTOP-VBUKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (feature/hu-290)
$ git add POO_Game
RMAN ANDRES@LAPTOP-VBUKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (feature/hu-290)
$ git commit -m "Se agrego la clase Hyundai"
(feature/hu-290 826cd22) Se agrego la clase Hyundai
1 file changed, 3 insertions(+)
create mode 100644 POO_Game/src/Hyundai.java

RMAN ANDRES@LAPTOP-VBUKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (feature/hu-290)
$ git push -u origin feature/hu-290
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 8 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 511 bytes | 511.00 KiB/s, done.
Total 5 (delta 2), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/RicardoAvterah/QALabNTTDATA092024.git
   b6f2f89..826cd22 feature/hu-290 -> feature/hu-290
branch 'feature/hu-290' set up to track 'origin/feature/hu-290'.

```

```

MINGW64/d/Desktop/QALabNTTDATA092024

RMAN ANDRES@LAPTOP-VBUKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (develop)
$ git merge test
Updating 2a558a9..8687a0f
Fast-forward
 AppArrays/.idea/workspace.xml | 44 ++++++
 Archivo2.txt                  | 1 +
 ArrayMulti/.idea/gitignore    | 3 ++
 ArrayMulti/.idea/misc.xml     | 6 +++
 ArrayMulti/.idea/modules.xml  | 8 +++++
 ArrayMulti/ArrayMulti.iml     | 11 +++++
 ArrayMulti/out/production/ArrayMulti/Main.class | Bin 0 -> 742 bytes
 ArrayMulti/src/Main.java      | 27 ++++++
 8 files changed, 100 insertions(+)
create mode 100644 AppArrays/.idea/workspace.xml
create mode 100644 Archivo2.txt
create mode 100644 ArrayMulti/.idea/gitignore
create mode 100644 ArrayMulti/.idea/misc.xml
create mode 100644 ArrayMulti/.idea/modules.xml
create mode 100644 ArrayMulti/ArrayMulti.iml
create mode 100644 ArrayMulti/out/production/ArrayMulti/Main.class
create mode 100644 ArrayMulti/src/Main.java

RMAN ANDRES@LAPTOP-VBUKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (develop)
$ git merge feature/hu-290
Merge made by the 'ort' strategy.
  Archivo2.txt | 1 +
  POO_Game/.idea/misc.xml | 3 ++
  POO_Game/.idea/modules.xml | 6 +++
  POO_Game/POO_Game.iml | 8 +++
  POO_Game/out/production/POO_Game/Auto.class | Bin 0 -> 1227 bytes
  POO_Game/out/production/POO_Game/Main.class | Bin 0 -> 1187 bytes
  POO_Game/out/production/POO_Game/Nissan.class | Bin 0 -> 241 bytes
  POO_Game/out/production/POO_Game/Toyota.class | Bin 0 -> 294 bytes
  POO_Game/src/Auto.java | 122 ++++++
  POO_Game/src/Hyundai.java | 3 +
  POO_Game/src/Main.java | 49 ++++++
  POO_Game/src/Nissan.java | 6 ++
  POO_Game/src/Toyota.java | 8 ++
  14 files changed, 217 insertions(+)
create mode 100644 Archivo2.txt
create mode 100644 POO_Game/.idea/gitignore
create mode 100644 POO_Game/.idea/misc.xml
create mode 100644 POO_Game/.idea/modules.xml
create mode 100644 POO_Game/POO_Game.iml
create mode 100644 POO_Game/out/production/POO_Game/Auto.class
create mode 100644 POO_Game/out/production/POO_Game/Main.class
create mode 100644 POO_Game/out/production/POO_Game/Nissan.class
create mode 100644 POO_Game/out/production/POO_Game/Toyota.class
create mode 100644 POO_Game/src/Auto.java
create mode 100644 POO_Game/src/Hyundai.java
create mode 100644 POO_Game/src/Main.java
create mode 100644 POO_Game/src/Nissan.java
create mode 100644 POO_Game/src/Toyota.java

RMAN ANDRES@LAPTOP-VBUKTF77 MINGW64 /d/Desktop/QALabNTTDATA092024 (develop)
$

```

```
MINGW64/d/Desktop/QALabNTTDATA092024
MINGW64 /d/Desktop/QALabNTTDATA092024 (develop)
$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.

MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$ git merge develop
Updating 2a558a9..66adee5
Fast-forward
 AppArrays/.idea/workspace.xml | 44 ++++++
 Archivol1.txt | 1 +
 Archivol2.txt | 1 +
 ArrayMulti/.idea/.gitignore | 3 +
 ArrayMulti/.idea/misc.xml | 6 ++
 ArrayMulti/.idea/modules.xml | 8 ++
 ArrayMulti/ArrayMulti.iml | 11 +++
 ArrayMulti/out/production/ArrayMulti/Main.class | Bin 0 -> 742 bytes
 ArrayMulti/src/Main.java | 27 +++++
 POO_Game/.idea/.gitignore | 3 +
 POO_Game/.idea/misc.xml | 6 ++
 POO_Game/.idea/modules.xml | 8 ++
 POO_Game/POO_Game.iml | 11 +++
 POO_Game/out/production/POO_Game/Auto.class | Bin 0 -> 3222 bytes
 POO_Game/out/production/POO_Game/Main.class | Bin 0 -> 1187 bytes
 POO_Game/out/production/POO_Game/Nissan.class | Bin 0 -> 211 bytes
 POO_Game/out/production/POO_Game/Toyota.class | Bin 0 -> 294 bytes
 POO_Game/src/Auto.java | 122 ++++++
 POO_Game/src/Hyundai.java | 3
 POO_Game/src/Main.java | 49 ++++++
 POO_Game/src/Nissan.java | 6 ++
 POO_Game/src/Toyota.java | 8 ++
 22 files changed, 317 insertions(+)
 create mode 100644 AppArrays/.idea/workspace.xml
 create mode 100644 Archivol1.txt
 create mode 100644 Archivol2.txt
 create mode 100644 ArrayMulti/.idea/.gitignore
 create mode 100644 ArrayMulti/.idea/misc.xml
 create mode 100644 ArrayMulti/.idea/modules.xml
 create mode 100644 ArrayMulti/ArrayMulti.iml
 create mode 100644 ArrayMulti/out/production/ArrayMulti/Main.class
 create mode 100644 ArrayMulti/src/Main.java
 create mode 100644 POO_Game/.idea/.gitignore
 create mode 100644 POO_Game/.idea/misc.xml
 create mode 100644 POO_Game/.idea/modules.xml
 create mode 100644 POO_Game/POO_Game.iml
 create mode 100644 POO_Game/out/production/POO_Game/Auto.class
 create mode 100644 POO_Game/out/production/POO_Game/Main.class
 create mode 100644 POO_Game/out/production/POO_Game/Nissan.class
 create mode 100644 POO_Game/out/production/POO_Game/Toyota.class
 create mode 100644 POO_Game/src/Auto.java
 create mode 100644 POO_Game/src/Hyundai.java
 create mode 100644 POO_Game/src/Main.java
 create mode 100644 POO_Game/src/Nissan.java
 create mode 100644 POO_Game/src/Toyota.java
MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$
```

```
MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$ git push -u origin master
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 336 bytes | 336.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/RicardoJavierah/QALabNTTDATA092024.git
 2a558a9..66adee5 master -> master
branch 'master' set up to track 'origin/master'.
MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$
```

```
MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$ git log --oneline --graph --all
* 66adee5 (HEAD -> master, origin/master, develop) Merge branch 'feature/hu-290' into develop
* 826cd22 (origin/feature/hu-290, feature/hu-290) Se agrego la clase Hyundai
* b6f2f89 Agrego archivo desde la interfaz web a la rama feature/hu-290
* 58ice41 Se agrego la carpeta Java Poo_game
* 8a87a0f (origin/test, test) Merge branch 'test' of https://github.com/RicardoJavierah/QALabNTTDATA092024 into test
* 23f057c Agrego archivo desde la interfaz web a la rama test
* e7ee8b5 Se agrego comando linea #24
* 1bb8edc Se agrego la carpeta Java ArrayMulti
* f91df11 appArrays
* 2a558a9 (origin/develop, checkout) bucleFor
MINGW64 /d/Desktop/QALabNTTDATA092024 (master)
$
```

TODAS LAS IMÁGENES ESTAN EN EL ORDEN DE LAS PREGUNTAS

<https://github.com/RicardoJavierah/QALabNTTDATA092024.git>