# Fei Song

Google Scholar | ORCID | Email: Fei.Song-Acad@outlook.com | Blog: ricardosung.tech

## Research Interests

My research interests lie in **power electronics (PE)** and **power management integrated circuits (PMIC)**. I mainly focuses on the design and improvement of monolithic hybrid switched-capacitor topologies, power supply systems for SoC, gate drivers, and RF envelope tracking SM.

## Work Experience

**Light Semibucks (Wuxi) Company Limited** — Wuxi, Jiangsu, P.R.China
*Internship, Analog Design Engineer* — *Mar. 2026 – Aug. 2026*

**Tsinghua University** — Beijing, P.R.China
*Full-time Research Assistant* — *Jun. 2025 – Jan. 2026*

## Education Experience

**Columbia University** — New York City, NY, USA
*Doctor of Philosophy (Ph.D.) of Electrical Engineering* — *Aug. 2026 – Jun. 2031*

**University of Macau** — Macau SAR, P.R.China
*Master of Philosophy (M.Phil.) of Microelectronics*
*Excellent Graduate Honor, GPA: 3.56/4.0* — *Aug. 2022 – Jun. 2025*

**University of Electronic Science and Technology of China** — Chengdu, Sichuan, P.R.China
*Bachelor of Optoelectronic Information Science and Engineering*
*Undergraduate Distinguished Honor, GPA: 3.67/4.0* — *Sep. 2018 – Jun. 2022*

## Publications

[1] S. Han, **F. Song**, Z. Zhu, S.-W. Sin, X. Wu, H. Jiang, T. Ren, and Y. Lu, "A lego-like easy-stacking sc boost converter," *IEEE Journal of Solid-State Circuits*, pp. 1–13, 2026, doi: 10.1109/JSSC.2026.3676525.

[2] **F. Song**, S. Han, R. P. Martins, and Y. Lu, "A 1.52-w capacitor-drop sigma-floating-sc ac/dc converter for grid power to iot devices," *IEEE Journal of Solid-State Circuits*, pp. 1–11, 2025, doi: 10.1109/JSSC.2025.3603990.

[3] S. Han, **F. Song**, Z. Zhu, X. Wu, H. Jiang, T. Ren, and Y. Lu, "A lego-like easy-stacking step-up sc converter with ultra-high and wide vcr using all input-stress-only devices," in *2025 IEEE Custom Integrated Circuits Conference (CICC)*, 2025, pp. 1–3, doi: 10.1109/CICC63670.2025.10983382.

[4] **F. Song**, S. Han, R. P. Martins, and Y. Lu, "An 85-to-230vac to 3.3-to-4.6vdc 1.52w capacitor-drop sigma-floating-sc ac-dc converter with 81.3% peak efficiency," in *2025 IEEE International Solid-State Circuits Conference (ISSCC)*, vol. 68, 2025, pp. 1–3, doi: 10.1109/ISSCC49661.2025.10904504.

[5] **F. Song**, Y. Zhang, and J. Zhang, "Optimization of cnn-based garbage classification model," in *Proceedings of the 4th International Conference on Computer Science and Application Engineering*, ser. CSAE '20. New York, NY, USA: Association for Computing Machinery, 2020, doi: 10.1145/3424978.3425089.

## Project Experience

**A segment-quantity-match minimized-ripple SITO converter** — *May 2025 - Now*
- Wait for the next 180nm BCD MPW.

**A non-cross-regulation fast-transient SIMO converter** — *Oct. 2024 - Now*
- Fabricated in a 180nmBCD process and under measurement.

**A slope-fitting SITO converter for AMOLED displays** — *Oct. 2024 - Now*

- Fabricated in a 180nmBCD process and under measurement.

**An 85-230VAC input and 3.3-4.6VDC output AC-DC converter** *Oct. 2023 - Oct. 2024*

- A Sigma-Floating-SC topology is proposed to achieve 81.3% peak efficiency and 1.52W maximum output power.
- Up to 10% increased efficiency over a large load current range, compared with prior works.
- The design is fabricated in a 180nmBCD process and the manuscript has been accepted by ISSCC 2025.

**Ultra-light-weight multi-chip easy-stacking step-up SC DC-DC converter** *Oct. 2023 - Oct. 2024*

- The design is proposed to convert 5V voltage to 30V, 70V, and 150V to drive electrostatic and piezoelectric (PZT) actuators.
- The proposed topology combines local drivers and level-shifters together without bootstrap capacitors to reduce the driver loss.
- The design is fabricated in a 180nmBCD process and the manuscript has been accepted by CICC 2025.

**A fast-transient response single-input-multiple-output DC-DC converter** *Sep. 2022 - Oct. 2023*

- The design utilize an auxiliary capacitor stacked with the input power source to increase the inductor charging speed and thereby improve the transient response.
- Collaborated with 3Peak INCORPORATED.

**Low-power, high transient response LDO design without off-chip capacitors** *Nov. 2020 - Aug. 2021*

- Developed a bandgap with 1.2V voltage reference and 50nA current reference, whose power consumption was less than 200nW, in the temprature variation range of -40 to 125 degrees celsius.
- Developed a circuit of super positive feedback and self-bias amplifier, with static power consumption of 3-7uA and high bandwidth of 80M-160MHz.
- Won the first prize of National University Student Integrated Circuit Innovation and Entrepreneurship Competition in Southwest Devision (2021).

**Smartphone-based Analysis of Non-destructive Apple Brix Measurement** *Apr. 2021 - Aug. 2021*

- Designed an optical system using Zemax OpticStudio to achieve Czerny-Turner Spectroscope structure using a positive (converging) lens, two spherical mirrors, a blazed grating and a linear CCD.
- Designed a CCD driver board including a Xilinx FPGA, a Toshiba linear CCD, a high-speed and high-precision ADC and so on to capture light spectra and transmit digital spectra data to smart phones.
- Programmed verilog HDL codes on Xilinx FPGA to drive CCD and ADC, besides communicating with smart phones by USB protocol.
- Won the second prize of National University Student's Opt-Sci-Tech Competition (2021).

**Intelligent Biological Microscope** *Apr. 2020 - Jul. 2020*

- Designed a multi-method of resizing and merging limited images under microscope to make up a full cell image.
- Migrated M2Det algorithm to suit the blood cell recognizing, segmentation and counting.
- Developed a dataset of blood cells with five classification including neutrophils, lymphocytes, moncytes, eosinophils and basophils.
- Won the fisrt prize of National University Student's Opt-Sci-Tech Competition (2020) and the first prize of China-U.S. Young Maker Competition in Chengdu Division (2020).

**Intelligent Device to Protect Children left in Cars** *Apr. 2019 - Jul. 2019*

- Designed a multi-model network merged by AgeNet and Yolo-v2 to detect children left in cars.
- Used sensors such as temperature and humidity sensor, Oxygen sensor and AIoT to send data to private servers.
- Programmed a mobile app to receive warnings sent by servers to remind children's guardians of the states in cars about their children.
- Won the third prize of National University Student's Opt-Sci-Tech Competition (2019).

## Honors & Awards

- First Prize of National University Student Integrated Circuit Innovation and Entrepreneurship Competition in Southwest Devision, 2021.
- Second Prize of National University Student's Opt-Sci-Tech Competition, 2021.
- First Prize of National University Student's Opt-Sci-Tech Competition, 2020.
- First Prize of China-U.S. Young Maker Competition in Chengdu Division, 2020.
- Third Prize of National University Student's Opt-Sci-Tech Competition, 2019.
- Third Prize of National Undergraduate Engineering Training Integration Ability Competition in Sichuan Province Division, 2019.

## Leadership Experience

**Excellent President of Application Electronics Association** *Sep. 2019 – Sep. 2021*
*Organized lectures and competitions about electronic design and program.*

**Member of UESTC Linux User Group** *Jul. 2020 – Jul. 2021*