



# 7Solutions - 990ppm range Tetrafluoroethane (R134a) in Air

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance  
Trade name : 7Solutions - 990ppm range Tetrafluoroethane (R134a) in Air

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

No additional information available

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

BUSE Gas BV  
De Overmaat 21  
6831 AE Arnhem

#### 1.4. Emergency telephone number

Emergency number : +31-(0)263230740

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Gases under pressure : Compressed gas H280

Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS04

Signal word (CLP)

: Warning

Hazard statements (CLP)

: H280 - Contains gas under pressure; may explode if heated.

#### 2.3. Other hazards

Other hazards not contributing to the classification : None.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Name : 990ppm Tetrafluoroethane (R134a) in Air

# 7Solutions - 990ppm range Tetrafluoroethane (R134a) in Air

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Name                      | Product identifier                                                                        | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---------------------------|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------|
| Nitrogen                  | (CAS-No.) 7727-37-9<br>(EC-No.) 231-783-9<br>(REACH-no) *1                                | Press. Gas (Comp.), H280                                        |
| oxygen                    | (CAS-No.) 7782-44-7<br>(EC-No.) 231-956-9<br>(EC Index-No.) 008-001-00-8<br>(REACH-no) *1 | Ox. Gas 1, H270<br>Press. Gas (Comp.), H280                     |
| Tetrafluoroethane (R134a) | (CAS-No.) 811-97-2<br>(EC-No.) 212-377-0<br>(REACH-no) 01-2119459374-33                   | Press. Gas (Liq.), H280                                         |

Full text of H-statements: see section 16

### 3.2. Mixtures

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : Adverse effects not expected from this product.  
First-aid measures after skin contact : Adverse effects not expected from this product.  
First-aid measures after eye contact : Adverse effects not expected from this product.  
First-aid measures after ingestion : Ingestion is not considered a potential route of exposure.

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

### 4.3. Indication of any immediate medical attention and special treatment needed

None.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray or fog.  
Unsuitable extinguishing media : Do not use water jet to extinguish.

### 5.2. Special hazards arising from the substance or mixture

Reactivity in case of fire : No reactivity hazard other than the effects described in sub-sections below.

### 5.3. Advice for firefighters

No additional information available

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Act in accordance with local emergency plan. Stay upwind.

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

# 7Solutions - 990ppm range Tetrafluoroethane (R134a) in Air

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 6.2. Environmental precautions

None.

### 6.3. Methods and material for containment and cleaning up

No additional information available

### 6.4. Reference to other sections

See also sections 8 and 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

No additional information available

### 7.2. Conditions for safe storage, including any incompatibilities

No additional information available

### 7.3. Specific end use(s)

None.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Tetrafluoroethane (R134a) (811-97-2)

##### United Kingdom - Occupational Exposure Limits

|                              |                                      |
|------------------------------|--------------------------------------|
| Local name                   | 1,1,1,2-Tetrafluoroethane (HFC 134a) |
| WEL TWA (mg/m <sup>3</sup> ) | 4240 mg/m <sup>3</sup>               |
| WEL TWA (ppm)                | 1000 ppm                             |
| Regulatory reference         | EH40/2005 (Third edition, 2018). HSE |

### 8.2. Exposure controls

#### Appropriate engineering controls:

Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Ensure exposure is below occupational exposure limits (where available). Consider the use of a work permit system e.g. for maintenance activities.

#### Personal protective equipment:

A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered: PPE compliant to the recommended EN/ISO standards should be selected.

#### Hand protection:

Wear working gloves when handling gas containers. Standard EN 388 - Protective gloves against mechanical risk.

#### Eye protection:

Wear safety glasses with side shields. Standard EN 166 - Personal eye-protection - specifications

#### Respiratory protection:

Gas filters may be used if all surrounding conditions e.g. type and concentration of the contaminant(s) and duration of use are known. Use gas filters with full face mask, where exposure limits may be exceeded for a short-term period, e.g. connecting or disconnecting containers. Gas filters do not protect against oxygen deficiency. Standard EN 14387 - Gas filter(s), combined filter(s) and standard EN136, full face masks .

# 7Solutions - 990ppm range Tetrafluoroethane (R134a) in Air

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Thermal hazard protection:

None in addition to the above sections.

### Environmental exposure controls:

None necessary.

### Other information:

Wear safety shoes while handling containers. Standard EN ISO 20345 - Personal protective equipment - Safety footwear.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                                 |                                                                         |
|-------------------------------------------------|-------------------------------------------------------------------------|
| Physical state                                  | : Gas                                                                   |
| Molecular mass                                  | : Not applicable for gas mixtures.                                      |
| Colour                                          | : Colourless.                                                           |
| Odour                                           | : Odourless.                                                            |
| Odour threshold                                 | : Odour threshold is subjective and inadequate to warn of overexposure. |
| pH                                              | : Not applicable for gases and gas mixtures.                            |
| Relative evaporation rate (butylacetate=1)      | : No data available                                                     |
| Relative evaporation rate (ether=1)             | : Not applicable for gases and gas mixtures.                            |
| Melting point                                   | : Not known.                                                            |
| Freezing point                                  | : No data available                                                     |
| Boiling point                                   | : Not known.                                                            |
| Flash point                                     | : Not applicable for gases and gas mixtures.                            |
| Auto-ignition temperature                       | : Non flammable.                                                        |
| Decomposition temperature                       | : Not applicable.                                                       |
| Flammability (solid, gas)                       | : Non flammable.                                                        |
| Vapour pressure                                 | : Not applicable.                                                       |
| Vapour pressure at 50 °C                        | : Not applicable.                                                       |
| Relative vapour density at 20 °C                | : Not applicable.                                                       |
| Relative density                                | : No reliable data available.                                           |
| Relative gas density                            | : Lighter or similar to air.                                            |
| Solubility                                      | : Water: No reliable data available.                                    |
| Partition coefficient n-octanol/water (Log Pow) | : Not applicable for gas mixtures.                                      |
| Partition coefficient n-octanol/water (Log Kow) | : Not applicable for gas mixtures.                                      |
| Viscosity, kinematic                            | : No data available                                                     |
| Viscosity, dynamic                              | : No reliable data available.                                           |
| Explosive properties                            | : Not applicable.                                                       |
| Oxidising properties                            | : Not applicable.                                                       |
| Explosive limits                                | : Non flammable.                                                        |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No reactivity hazard other than the effects described in sub-sections below.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None.

### 10.4. Conditions to avoid

Avoid moisture in installation systems.

# 7Solutions - 990ppm range Tetrafluoroethane (R134a) in Air

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 10.5. Incompatible materials

None. For additional information on compatibility refer to ISO 11114.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

#### Tetrafluoroethane (R134a) (811-97-2)

|                           |               |
|---------------------------|---------------|
| LC50 inhalation rat (ppm) | 567000 ppm/4h |
|---------------------------|---------------|

|                                   |                                                                                         |
|-----------------------------------|-----------------------------------------------------------------------------------------|
| Skin corrosion/irritation         | : No known effects from this product.<br>pH: Not applicable for gases and gas mixtures. |
| Serious eye damage/irritation     | : No known effects from this product.<br>pH: Not applicable for gases and gas mixtures. |
| Respiratory or skin sensitisation | : No known effects from this product.                                                   |
| Germ cell mutagenicity            | : No known effects from this product.                                                   |
| Carcinogenicity                   | : No known effects from this product.                                                   |
| Reproductive toxicity             | : Not classified                                                                        |
| STOT-single exposure              | : No known effects from this product.                                                   |
| STOT-repeated exposure            | : No known effects from this product.                                                   |
| Aspiration hazard                 | : Not applicable for gases and gas mixtures.                                            |

## SECTION 12: Ecological information

### 12.1. Toxicity

|                                                           |                                        |
|-----------------------------------------------------------|----------------------------------------|
| Ecology - general                                         | : Classification criteria are not met. |
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified                       |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified                       |

### 12.2. Persistence and degradability

#### 7Solutions - 990ppm range Tetrafluoroethane (R134a) in Air

|                               |                    |
|-------------------------------|--------------------|
| Persistence and degradability | No data available. |
|-------------------------------|--------------------|

#### Tetrafluoroethane (R134a) (811-97-2)

|                               |                            |
|-------------------------------|----------------------------|
| Persistence and degradability | Not readily biodegradable. |
|-------------------------------|----------------------------|

#### Nitrogen (7727-37-9)

|                               |                                              |
|-------------------------------|----------------------------------------------|
| Persistence and degradability | No ecological damage caused by this product. |
|-------------------------------|----------------------------------------------|

#### oxygen (7782-44-7)

|                               |                                              |
|-------------------------------|----------------------------------------------|
| Persistence and degradability | No ecological damage caused by this product. |
|-------------------------------|----------------------------------------------|

# 7Solutions - 990ppm range Tetrafluoroethane (R134a) in Air

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.3. Bioaccumulative potential

#### 7Solutions - 990ppm range Tetrafluoroethane (R134a) in Air

|                                                 |                                  |
|-------------------------------------------------|----------------------------------|
| Partition coefficient n-octanol/water (Log Pow) | Not applicable for gas mixtures. |
| Partition coefficient n-octanol/water (Log Kow) | Not applicable for gas mixtures. |
| Bioaccumulative potential                       | No data available.               |

#### Tetrafluoroethane (R134a) (811-97-2)

|                                                 |                                                                                         |
|-------------------------------------------------|-----------------------------------------------------------------------------------------|
| Partition coefficient n-octanol/water (Log Pow) | 0,94                                                                                    |
| Partition coefficient n-octanol/water (Log Kow) | Not applicable for gas mixtures.                                                        |
| Bioaccumulative potential                       | Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9. |

#### Nitrogen (7727-37-9)

|                                                 |                                        |
|-------------------------------------------------|----------------------------------------|
| Partition coefficient n-octanol/water (Log Pow) | Not applicable for inorganic products. |
| Partition coefficient n-octanol/water (Log Kow) | Not applicable for gas mixtures.       |
| Bioaccumulative potential                       | No data available.                     |

#### oxygen (7782-44-7)

|                                                 |                                        |
|-------------------------------------------------|----------------------------------------|
| Partition coefficient n-octanol/water (Log Pow) | Not applicable for inorganic products. |
| Partition coefficient n-octanol/water (Log Kow) | Not applicable for gas mixtures.       |
| Bioaccumulative potential                       | No data available.                     |

### 12.4. Mobility in soil

#### 7Solutions - 990ppm range Tetrafluoroethane (R134a) in Air

|                |                                                                                                                                 |
|----------------|---------------------------------------------------------------------------------------------------------------------------------|
| Ecology - soil | Because of its high volatility, the product is unlikely to cause ground or water pollution.<br>Partition into soil is unlikely. |
|----------------|---------------------------------------------------------------------------------------------------------------------------------|

#### Tetrafluoroethane (R134a) (811-97-2)

|                |                                                                                                                                 |
|----------------|---------------------------------------------------------------------------------------------------------------------------------|
| Ecology - soil | Because of its high volatility, the product is unlikely to cause ground or water pollution.<br>Partition into soil is unlikely. |
|----------------|---------------------------------------------------------------------------------------------------------------------------------|

#### Nitrogen (7727-37-9)

|                |                                                                                                                                 |
|----------------|---------------------------------------------------------------------------------------------------------------------------------|
| Ecology - soil | Because of its high volatility, the product is unlikely to cause ground or water pollution.<br>Partition into soil is unlikely. |
|----------------|---------------------------------------------------------------------------------------------------------------------------------|

#### oxygen (7782-44-7)

|                |                                                                                                                                 |
|----------------|---------------------------------------------------------------------------------------------------------------------------------|
| Ecology - soil | Because of its high volatility, the product is unlikely to cause ground or water pollution.<br>Partition into soil is unlikely. |
|----------------|---------------------------------------------------------------------------------------------------------------------------------|

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

Other adverse effects : No known effects from this product.

# 7Solutions - 990ppm range Tetrafluoroethane (R134a) in Air

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

- Waste treatment methods : May be vented to atmosphere in a well ventilated place. Refer to supplier's waste gas recovery programme. Do not discharge into any place where its accumulation could be dangerous. Return unused product in original container to supplier.
- Additional information : External treatment and disposal of waste should comply with applicable local and/or national regulations.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR                                                                                    | IMDG                                                                                | IATA                                                                                | ADN                                                                                   | RID                                                                                   |
|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>14.1. UN number</b>                                                                 |                                                                                     |                                                                                     |                                                                                       |                                                                                       |
| UN 1956                                                                                | UN 1956                                                                             | UN 1956                                                                             | UN 1956                                                                               | UN 1956                                                                               |
| <b>14.2. UN proper shipping name</b>                                                   |                                                                                     |                                                                                     |                                                                                       |                                                                                       |
| COMPRESSED GAS, N.O.S. (Nitrogen, oxygen, Tetrafluoroethane (R134a))                   | COMPRESSED GAS, N.O.S. (Nitrogen, oxygen, Tetrafluoroethane (R134a))                | Compressed gas, n.o.s. (Nitrogen, oxygen, Tetrafluoroethane (R134a))                | COMPRESSED GAS, N.O.S. (Nitrogen, oxygen, Tetrafluoroethane (R134a))                  | COMPRESSED GAS, N.O.S. (Nitrogen, oxygen, Tetrafluoroethane (R134a))                  |
| <b>Transport document description</b>                                                  |                                                                                     |                                                                                     |                                                                                       |                                                                                       |
| UN 1956 COMPRESSED GAS, N.O.S. (Nitrogen, oxygen, Tetrafluoroethane (R134a)), 2.2, (E) | UN 1956 COMPRESSED GAS, N.O.S. (Nitrogen, oxygen, Tetrafluoroethane (R134a)), 2.2   | UN 1956 Compressed gas, n.o.s. (Nitrogen, oxygen, Tetrafluoroethane (R134a)), 2.2   | UN 1956 COMPRESSED GAS, N.O.S. (Nitrogen, oxygen, Tetrafluoroethane (R134a)), 2.2     | UN 1956 COMPRESSED GAS, N.O.S. (Nitrogen, oxygen, Tetrafluoroethane (R134a)), 2.2     |
| <b>14.3. Transport hazard class(es)</b>                                                |                                                                                     |                                                                                     |                                                                                       |                                                                                       |
| 2.2                                                                                    | 2.2                                                                                 | 2.2                                                                                 | 2.2                                                                                   | 2.2                                                                                   |
|     |  |  |  |  |
| <b>14.4. Packing group</b>                                                             |                                                                                     |                                                                                     |                                                                                       |                                                                                       |
| Not applicable                                                                         | Not applicable                                                                      | Not applicable                                                                      | Not applicable                                                                        | Not applicable                                                                        |
| <b>14.5. Environmental hazards</b>                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |
| Dangerous for the environment : No                                                     | Dangerous for the environment : No<br>Marine pollutant : No                         | Dangerous for the environment : No                                                  | Dangerous for the environment : No                                                    | Dangerous for the environment : No                                                    |
| No supplementary information available                                                 |                                                                                     |                                                                                     |                                                                                       |                                                                                       |

#### 14.6. Special precautions for user

- Special transport precautions : Avoid transport on vehicles where the load space is not separated from the driver's compartment, Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency, Before transporting product containers: - Ensure there is adequate ventilation, - Ensure that containers are firmly secured, - Ensure valve is closed and not leaking, - Ensure valve outlet cap nut or plug (where provided) is correctly fitted, - Ensure valve protection device (where provided) is correctly fitted.

#### Overland transport


- Classification code (ADR) : 1A
- Special provisions (ADR) : 274, 378, 655, 660, 662
- Limited quantities (ADR) : 120ml
- Excepted quantities (ADR) : E1

# 7Solutions - 990ppm range Tetrafluoroethane (R134a) in Air

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                                                                         |                   |
|-------------------------------------------------------------------------|-------------------|
| Packing instructions (ADR)                                              | : P200            |
| Mixed packing provisions (ADR)                                          | : MP9             |
| Portable tank and bulk container instructions (ADR)                     | : (M)             |
| Tank code (ADR)                                                         | : CxBN(M)         |
| Tank special provisions (ADR)                                           | : TA4, TT9        |
| Vehicle for tank carriage                                               | : AT              |
| Transport category (ADR)                                                | : 3               |
| Special provisions for carriage - Loading, unloading and handling (ADR) | : CV9, CV10, CV36 |
| Hazard identification number (Kemler No.)                               | : 20              |
| Orange plates                                                           | :                 |



|                               |       |
|-------------------------------|-------|
| Tunnel restriction code (ADR) | : E   |
| EAC code                      | : 2TE |

### Transport by sea

|                             |            |
|-----------------------------|------------|
| Special provisions (IMDG)   | : 274, 378 |
| Limited quantities (IMDG)   | : 120 ml   |
| Excepted quantities (IMDG)  | : E1       |
| Packing instructions (IMDG) | : P200     |
| EmS-No. (Fire)              | : F-C      |
| EmS-No. (Spillage)          | : S-V      |
| Stowage category (IMDG)     | : A        |

### Air transport

|                                              |             |
|----------------------------------------------|-------------|
| PCA Excepted quantities (IATA)               | : E1        |
| PCA Limited quantities (IATA)                | : Forbidden |
| PCA limited quantity max net quantity (IATA) | : Forbidden |
| PCA packing instructions (IATA)              | : 200       |
| PCA max net quantity (IATA)                  | : 75kg      |
| CAO packing instructions (IATA)              | : 200       |
| CAO max net quantity (IATA)                  | : 150kg     |
| Special provisions (IATA)                    | : A202      |
| ERG code (IATA)                              | : 2L        |

### Inland waterway transport

|                                   |                      |
|-----------------------------------|----------------------|
| Classification code (ADN)         | : 1A                 |
| Special provisions (ADN)          | : 274, 378, 655, 662 |
| Limited quantities (ADN)          | : 120 ml             |
| Excepted quantities (ADN)         | : E1                 |
| Equipment required (ADN)          | : PP                 |
| Number of blue cones/lights (ADN) | : 0                  |

### Rail transport

|                                                                         |                           |
|-------------------------------------------------------------------------|---------------------------|
| Classification code (RID)                                               | : 1A                      |
| Special provisions (RID)                                                | : 274, 378, 655, 660, 662 |
| Limited quantities (RID)                                                | : 120ml                   |
| Excepted quantities (RID)                                               | : E1                      |
| Packing instructions (RID)                                              | : P200                    |
| Mixed packing provisions (RID)                                          | : MP9                     |
| Portable tank and bulk container instructions (RID)                     | : (M)                     |
| Tank codes for RID tanks (RID)                                          | : CxBN(M)                 |
| Special provisions for RID tanks (RID)                                  | : TA4, TT9                |
| Transport category (RID)                                                | : 3                       |
| Special provisions for carriage - Loading, unloading and handling (RID) | : CW9, CW10, CW36         |
| Colis express (express parcels) (RID)                                   | : CE3                     |
| Hazard identification number (RID)                                      | : 20                      |

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable



# 7Solutions - 990ppm range Tetrafluoroethane (R134a) in Air

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

7Solutions - 990ppm range Tetrafluoroethane (R134a) in Air is not on the REACH Candidate List

7Solutions - 990ppm range Tetrafluoroethane (R134a) in Air is not on the REACH Annex XIV List

7Solutions - 990ppm range Tetrafluoroethane (R134a) in Air is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

7Solutions - 990ppm range Tetrafluoroethane (R134a) in Air is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Other information, restriction and prohibition : Ensure all national/local regulations are observed.  
regulations

##### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

A CSA does not need to be carried out for this product.

### SECTION 16: Other information

#### Indication of changes:

Revised safety data sheet in accordance with commission regulation (EU) No 2015/830.

#### Abbreviations and acronyms:

|  |                                                                                                           |
|--|-----------------------------------------------------------------------------------------------------------|
|  | ATE - Acute Toxicity Estimate                                                                             |
|  | CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008                         |
|  | REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
|  | EINECS - European Inventory of Existing Commercial Chemical Substances                                    |
|  | CAS# - Chemical Abstract Service number                                                                   |
|  | PPE - Personal Protection Equipment                                                                       |
|  | LC50 - Lethal Concentration to 50 % of a test population                                                  |
|  | RMM - Risk Management Measures                                                                            |
|  | PBT - Persistent, Bioaccumulative and Toxic                                                               |
|  | vPvB - Very Persistent and Very Bioaccumulative                                                           |
|  | STOT- SE : Specific Target Organ Toxicity - Single Exposure                                               |
|  | CSA - Chemical Safety Assessment                                                                          |
|  | EN - European Standard                                                                                    |
|  | UN - United Nations                                                                                       |
|  | ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road                 |
|  | IATA - International Air Transport Association                                                            |
|  | IMDG code - International Maritime Dangerous Goods                                                        |
|  | RID - Regulations concerning the International Carriage of Dangerous Goods by Rail                        |
|  | WGK - Water Hazard Class                                                                                  |
|  | STOT - RE : Specific Target Organ Toxicity - Repeated Exposure                                            |

# 7Solutions - 990ppm range Tetrafluoroethane (R134a) in Air

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Training advice : None.

### Full text of H- and EUH-statements:

|                    |                                                     |
|--------------------|-----------------------------------------------------|
| Ox. Gas 1          | Oxidising Gases, Category 1                         |
| Press. Gas (Comp.) | Gases under pressure : Compressed gas               |
| Press. Gas (Liq.)  | Gases under pressure : Liquefied gas                |
| H270               | May cause or intensify fire; oxidiser.              |
| H280               | Contains gas under pressure; may explode if heated. |

The classification complies with : ATP 12

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.