

SCHOOL OF COMPUTER SCIENCE AND APPLICATIONS A PROJECT REPORT

on

"CAR RENTAL STORE"

Submitted in partial fulfillment of the requirements for the award of the Degree of

BACHELOR OF COMPUTER APPLICATIONS

Submitted by

Mr. abc (R19CA000) Mr. def (R19CA000) Mr. xyz (R19CA000)

Under the Guidance of Prof. <name>

2020 Rukmini Knowledge Park, Kattigenahalli, Yelahanka, Bengaluru -560064 www.reva.edu.in

DECLARATION

Computer Science and Applications, REV	Computer Applications, belong to School of A University, declare that this Project Report of the project work done by me under the
	artial fulfillment of the requirements for the puter Applications by the REVA University, 2020.
I further declare that this project report or a of any other Degree / Diploma of this University	any part of it has not been submitted for award ersity or any other University/ Institution.
(Signature of the candidate)	
	by <name> has been carried out under my candidate is true to the best of my knowledge.</name>
Signature of Guide Coordinator Date :	Signature of Program Date :

Signature of Director of School Date :..... Official Seal of the School



SCHOOL OF COMPUTER SCIENCE AND APPLICATIONS

CERTIFICATE

Certified that the project work entitled **Car Rental Store** carried out under my guidance by <name>, R19CA000, a bonafide student of REVA University during the academic year 2019-2020, is submitting the project report in partial fulfillment for the award of **Bachelor of Computer Applications** during the academic year **2019-2020**. The project report has been approved as it satisfies the academic requirements in respect of Project work prescribed for the said Degree.

Signature with date
Guide name
Prof. <name>

Signature with date Prof. Lokesh .C K Program Coordinator Signature with date Dr. S Senthil Director

Signature with date External Examiner

Name of the Examiner with affiliation

Signature with Date

2.

ACKNOWLEDGEMENT

I would like to acknowledge all whose guidance and encouragement that has made us to do what is done so far, I avail the opportunity to express our deep sense of gratitude and sincere thanks to our School of Computer Science and Applications which is always been a tremendous source for inspiration.

I express my sincere gratitude to Dr. P. Shyama Raju, Honorable Chancellor, REVA University, Bangalore for providing us the facilities.

I am thankful to Dr. Surendra Rao Shankapal, Vice Chancellor (In-charge), Dr. M. Dhanamjaya, Registrar, Dr. Yadavalli Lakshman Kumar, Pro Vice-Chancellor, Dr. Sunil Kumar S. Manvi, Dean, Faculty of Engineering and Technology, Dr. N. Ramesh, Dean, Faculty of Science and Technology, REVA University, Bangalore for their support and encouragement.

I take this opportunity to express my heartfelt sincere thanks to Dr. S. Senthil, Professor & Director School of CSA, REVA University and Prof. Lokesh, Assistant Professor, BCA Programme Coordinator, School of CSA, REVA University whose encouragement and best wishes provided impetus for this project.

My sincere gratitude to my internal guide, Amutha. A, Assistant Professor, for this valuable suggestion and her/his ever-following encouragement towards the completion of this project.

Last but not the least I also thank our parents for being supportive in all our activities and carrier without whom it wouldn't be possible for us to reach successful completion of this project.

ABSTRACT

Energy is one of the most essential aspect of a country's technological process. It is the primary unit, which enables every element to perform it's desired task. Saving energy is one of the main challenges in our day-to-day life.

Energy management is a subject of great importance and complexity. It is necessary to choose sources that can produce energy and reduce the involved losses. There are many technologies available to effectively monitor and save energy consumption but the Internet of Things (IoT) provides a better solution for this aspect.

The main idea here is to design an Car Rental Store where appliances like bulb and fans are controlled wirelessly based on the temperature and light intensity data. This prototype system is developed to achieve energy conservation by keeping a tab on the amount of energy consumed by each connected appliance. The system can also control the appliances.

TABLE OF CONTENTS

CHAPTERS	PAGE NO
1. INTRODUCTION	7
1.1 INTRODUCTION TO PROJECT	7
1.1.1 PROJECT DESCRIPTION	7
2. LITERATURE SURVEY	8
3. SYSTEM ANALYSIS	9
3.1 EXISTING SYSTEM	9
3.3 PROPOSED SYSTEM	9
3.3 MODULE WISE DESCRIPTION	10
4. SYSTEM REQUIREMENTS	11
5. SYSTEM DESIGN	12
5.1 DESIGN	12
5.1.1 INPUT DESIGN	12
5.1.2 OBJECTIVES FOR INPUT DESIGN	12
5.2 ENTITY-RELATIONSHIP DIAGRAM	14
6. CODING	15
7. TESTING	159
8. SNAPSHOTS	161
9. CONCLUSION	165
10 RIRILOGRAPHY	165

INTRODUCTION

1.1 INTRODUCTION TO PROJECT

Description of the project:

This project is designed so as to be used by Car Rental Company specializing in renting cars to customers. It is an online system through which customers can view available cars, register, view profile and rent a car. This web application would be implementable irrespective of the location. Instead of providing products from only one rental show room the application is acting as interface between different users (borrowers and lenders). This web application is providing some additional features for vendors to edit or delete their products. Customers need to register with our site as they search and place orders in our site. We are responsible for communication between customer and the vendor and maintain the database.

Purpose:

The purpose of this project is to provide a platform for users to get rental cars in an effective and efficient manner. Online Car Store System is a one rental portal. It provides services such as Hiring Vehicles. It provides the facility to make online orders and get everything done before you reach the destination.

Aims and Objectives:

- To produce a web-based system that allow customer to register and reserve car online and for the company to effectively manage their car rental business.
- To ease customer's task whenever they need to rent a car.

Scope:

This project traverses a lot of areas ranging from business concept to computing field, and required to perform several researches to be able to achieve the project objectives. The area covers include:

- Car rental industry: This includes study on how the car rental business is being done, process involved and opportunity that exist for improvement.
- PHP Technology used for the development of the application.
- Web-platform means that the system will be available for access 24/7 except when there is a temporary server issue which is expected to be minimal.

LITRATURE SURVEY

The Rental vehicles web system is a web-based that creates by JavaScript. Our software application aims to be a complete solution for a web based car rental broker companies with the support of call center functionality in Langkawi Island It can be easy for tourist, travel agency ,and Private visitor to online make research, comparison vehicles prices and make reservation, online payment when they travel.

Problem background

The web-based that creates by administrator has many useful functions. It contains auto save data, show customer products, contact and feedback form. The web system is focuses on web-based orders, products and data binding. This system is just design for online web-based system implementation, used for administrative purpose. This system will show customers details, order details, product details, payment lists and also including online product itemized bills.

Project aim

The main mission of Rental vehicles web-based system is looking for Lankawi island rental vehicles market. It can be easy provide for tourist, travel agency, and Private visitor to online make research, comparison vehicles prices and make reservation when they travel

Project objective

In the objectives, we aim to improve the Rental vehicles business market in langkawi Island and we also consider to provide customers able to user easy way to make reservation .Example customer can use internet access to web-based system to, looking for vehicles detail or prices and so on .

- -The system will save all customers details for feature references.
- Customers can save Time, save cost, get information on the web-based and can access in any time any where
- Develop for Rental Vehicles business market in Langkawi Island.

Project scope

The scope of this project is create a user friendly web-based system for customers. The web-based system must be secured and easy to manage by administrator. The following feature to be focused on my web system. In booking list, this function enables customers to see booking date when customer booking. In registration account this function enables customers to create user details and information. In vehicles model list this function enables customers to view all types of vehicles. In payment list this function enables customers to view total of pay booking list.

The important of the project

The important weakness in the current system are include, connects between web pages and layout theme or maybe more. the connection at storing data to web system loading will be slow, because the system is trying to load data files on the web-based first then only will load the contents. Sometimes it may fails and need to refresh the page again and again. Then is the layout theme, the administrator was weak in web designing. Some of the webpage tables or images maybe corrupted.

SYSTEM ANALYSIS

3.1 EXISTING SYSTEM

A car rental is a vehicle that can be used temporarily for a fee during a specified period. Getting a rental car helps people get around despite the fact they do not have access to their own personal vehicle or don't own a vehicle at all. The individual who needs a car must contact a rental car company and contract out for a vehicle. This system increases customer retention and simplify vehicle and staff management.

3.2 PROPOSED SYSTEM

The proposed system is a web based system which can be accessed by customer from anywhere around the world. The system can offer number of products from vendor in different locations. A vendor directly registers into this system using this system user interface without any manual approach. The proposed system can accept any type of product for rental, this system interface support to the vendors to upload their product image into the system. A customer directly interacts with this product image and gets necessary information regarding the rental products. The proposed system accepts an online request from the customers to reserve any rental system product for his own purpose. Administration play vital role here. Administrator can able to communicate the reservation information of any product to that particular vendor using this system.

3.3 Module wise Description:

Registration: The User fills the registration form by giving the personal information and successfully registers with the website.

Product: After entering into vendor's homepage vendor will add his products by filling add product form, by providing sufficient details about product such as product id, available dates, rent etc and upload the image of that product.

It consists of following sub modules:

- 1. Update Product: Vendor can update the existing product details such as rent, available dates, etc. by entering the product id of that product.
- 2. Delete Product: Vendor can delete his products by entering the product id.

Searching and Booking the product: The Customer after accessing the site searches for products, if he/she finds the required product then he/she need to fill the booking form and submit to the database.

Authentication: Authentication is nothing but providing security to the system. Here everyone must enter into the system through login page. The login page will restrict the unauthorized users. A user must provide his credential like user Id and password for log into the system. For that the system maintains data for all users. Whenever a user enters his user id and password, it checks in the database for user existence. If the user exists he can be treated as a valid user. Otherwise the request will throw back.

SYSTEM REQUIREMENTS

Hardware and Software Requirements:

Hardware requirements

Processor: Intel Pentium or More

Ram: 512 MB Ram

Hard Disk: PC with 20GB

Software requirements:

• Operating System Server: Windows XP or later.

• Database Server: MY SQL.

• Tools: WAMP Server, Sublime Text, Web Browser.

• User Interface: HTML, CSS and JavaScript.

•Backend: PHP.

SYSTEM DESIGN

5.1.1 INPUT DESIGN

In an information system, input is the raw data that is processed to produce output. During the input design, the developers must consider the input devices such as PC, MICR, OMR, etc.

Therefore, the quality of system input determines the quality of system output. Well designed input forms and screens have following properties –

- It should serve specific purpose effectively such as storing, recording, and retrieving the information.
- It ensures proper completion with accuracy.
- It should be easy to fill and straightforward.
- It should focus on user's attention, consistency, and simplicity.
- All these objectives are obtained using the knowledge of basic design principles regarding
 - o What are the inputs needed for the system?
 - o How end users respond to different elements of forms and screens.

5.1.2 OBJECTIVES FOR INPUT DESIGN

The objectives of input design are:

- To design data entry and input procedures
- To reduce input volume
- To design source documents for data capture or devise other data capture methods
- To design input data records, data entry screens, user interface screens, etc.

To use validation checks and develop effective input controls.

Data Input Methods

It is important to design appropriate data input methods to prevent errors while entering data. These methods depend on whether the data is entered by customers in forms manually and later entered by data entry operators, or data is directly entered by users on the PCs.

A system should prevent user from making mistakes by –

- Clear form design by leaving enough space for writing legibly.
- Clear instructions to fill form.
- Clear form design.
- Reducing key strokes.
- Immediate error feedback.

Some of the popular data input methods are –

- Online data input method
- Computer readable forms

Interactive data input

Input Integrity Controls

Input integrity controls include a number of methods to eliminate common input errors by end-users. They also include checks on the value of individual fields; both for format and the completeness of all inputs. Audit trails for data entry and other system operations are created using transaction logs which gives a record of all changes introduced in the database to provide security and means of recovery in case of any failure.

Output Design

The design of output is the most important task of any system. During output design, developers identify the type of outputs needed, and consider the necessary output controls and prototype report layouts.

Objectives for Output Design

The objectives of input design are -

- To develop output design that serves the intended purpose and eliminates the production of unwanted output.
- To develop the output design that meets the end users requirements.
- To deliver the appropriate quantity of output.
- To form the output in appropriate format and direct it to the right person.
- To make the output available on time for making good decisions.

Various Types of Outputs

External Outputs

Manufacturers create and design external outputs for printers. External outputs enable the system to leave the trigger actions on the part of their recipients or confirm actions to their recipients.

Some of the external outputs are designed as turnaround outputs, which are implemented as a form and re-enter the system as an input.

Internal Outputs

Internal outputs are present inside the system, and used by end-users and managers. They support the management in decision making and reporting.

There are three types of reports produced by management information –

- **Detailed Reports** they contain present information which has almost no filtering or restriction generated to assist management planning and control.
- **Summary Reports** they contain trends and potential problems which are categorized and summarized that are generated for managers who do not want details.
- Exception Reports they contain exceptions, filtered data to some condition or standard before presenting it to the manager, as information.

Output Integrity Controls

Output integrity controls include routing codes to identify the receiving system, and verification messages to confirm successful receipt of messages that are handled by network protocol.

Printed or screen-format reports should include a date/time for report printing and the data. Multipage reports contain report title or description, and pagination. Pre-printed forms usually include a version number and effective date.

5.2 ENTITY RELATIONSHIP DIAGRAM

An entity-relationship (ER) diagram is a specialized graphic that illustrates the interrelationships between entities in a database. ER diagrams often use symbols to represent three different types of information. Boxes are commonly used to represent entities. Diamonds are normally used to represent relationships and ovals are used to represent attributes

An entity-relationship model (ERM) in software engineering is an abstract and conceptual representation of data. Entity-relationship modeling is a relational schema database modeling method, used to produce a type of conceptual schema or semantic data model of a system, often a relational database, and its requirements in a top-down fashion.

Symbols used in this E-R Diagram:


Entity: Entity is a "thing" in the real world with an independent existence. An entity may be an object with a physical existence such as person, car or employee. Entity symbol is as follows



Attribute: Attribute is a particular property that describes the entity. Attribute symbol is




Relationship: Relationship will be several implicit relationships among various entity types whenever an attribute of one entity refers to another entity type some relationship exits.




Key attributes: An entity type usually has an attribute whose values are distinct for each individual entity in the collection. Such an attribute is called key attribute. Key attribute symbol is as follows

Composite attributes:







CODING

```
<?php
session start();
include('includes/config.php');
error_reporting(0);
?>
<!DOCTYPE HTML>
<html lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width,initial-scale=1">
<meta name="keywords" content="">
<meta name="description" content="">
<title>Car Rental Portal</title>
link rel="stylesheet" href="assets/css/bootstrap.min.css" type="text/css">
link rel="stylesheet" href="assets/css/style.css" type="text/css">
link rel="stylesheet" href="assets/css/owl.carousel.css" type="text/css">
link rel="stylesheet" href="assets/css/owl.transitions.css" type="text/css">
<link href="assets/css/slick.css" rel="stylesheet">
link href="assets/css/bootstrap-slider.min.css" rel="stylesheet">
link href="assets/css/font-awesome.min.css" rel="stylesheet">
link href="https://fonts.googleapis.com/css?family=Lato:300,400,700,900" rel="stylesheet">
</head>
<body>
<?php include('includes/header.php');?>
<section id="banner" class="banner-section" >
 <div class="container">
  <div class="div zindex">
   <div class="row">
    <div class="col-md-5 col-md-push-7">
     <div class="banner content"style="margin-top: 0;">
     <h4 style="color: white;">Find the right car for you.</h4>
       </div>
       <br><br><br><br>>
    </div>
```

```
</div>
  </div>
 </div>
</section>
<!--Footer -->
<?php include('includes/footer.php');?>
<!--Back to top-->
<div id="back-top" class="back-top"> <a href="#top"><i class="fa fa-angle-up" aria-hidden="true"></i>
</a> </div>
<!--Login-Form -->
<?php include('includes/login.php');?>
<!--Register-Form -->
<?php include('includes/registration.php');?>
<!--Forgot-password-Form -->
<?php include('includes/forgotpassword.php');?>
<!-- Scripts -->
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/interface.js"></script>
<script src="assets/js/bootstrap-slider.min.js"></script>
<script src="assets/js/slick.min.js"></script>
<script src="assets/js/owl.carousel.min.js"></script>
</body>
</html>
<?php
session start();
error reporting(0);
include('includes/config.php');
<!DOCTYPE HTML>
<html lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width,initial-scale=1">
```

```
<meta name="keywords" content="">
<meta name="description" content="">
<title>Car Rental</title>
link rel="stylesheet" href="assets/css/bootstrap.min.css" type="text/css">
link rel="stylesheet" href="assets/css/style.css" type="text/css">
link rel="stylesheet" href="assets/css/owl.carousel.css" type="text/css">
link rel="stylesheet" href="assets/css/owl.transitions.css" type="text/css">
<link href="assets/css/slick.css" rel="stylesheet">
link href="assets/css/bootstrap-slider.min.css" rel="stylesheet">
link href="assets/css/font-awesome.min.css" rel="stylesheet">
link rel="shortcut icon" href="assets/images/favicon-icon/favicon.png">
link href="https://fonts.googleapis.com/css?family=Lato:300,400,700,900" rel="stylesheet">
</head>
<body>
<?php include('includes/header.php');?>
            <?php
$pagetype=$ GET['type'];
$sql = "SELECT type,detail,PageName from tblpages where type=:pagetype";
$query = $dbh -> prepare($sql);
$query->bindParam(':pagetype',$pagetype,PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
cnt=1:
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
<section class="page-header aboutus page">
 <div class="container">
  <div class="page-header wrap">
   <div class="page-heading">
    <h1><?php echo htmlentities($result->PageName); ?></h1>
   </div>
   <a href="#">Home</a>
    <!php echo htmlentities($result->PageName); ?>
   </u1>
  </div>
 </div>
 <div class="dark-overlay"></div>
</section>
<section class="about us section-padding">
 <div class="container">
```

```
<div class="section-header text-center">
   <h2><?php echo htmlentities($result->PageName); ?></h2>
   <?php echo $result->detail; ?> 
  </div>
 <?php } }?>
 </div>
</section>
<?php include('includes/footer.php');?>
<?php include('includes/login.php');?>
<?php include('includes/registration.php');?>
<?php include('includes/forgotpassword.php');?>
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/interface.js"></script>
<script src="assets/js/bootstrap-slider.min.js"></script>
<script src="assets/js/slick.min.js"></script>
<script src="assets/js/owl.carousel.min.js"></script>
</body>
</html>
<?php
session start();
$ SESSION = array();
if (ini get("session.use cookies")) {
  $params = session get cookie params();
  setcookie(session name(), ", time() - 60*60,
     $params["path"], $params["domain"],
     $params["secure"], $params["httponly"]
  );
unset($ SESSION['login']);
session destroy();
header("location:index.php");
?>
<?php
session start();
include('includes/config.php');
error reporting(0);
if(isset($ POST['submit']))
$fromdate=$ POST['fromdate'];
$todate=$ POST['todate'];
$message=$ POST['message'];
```

```
$useremail=$ SESSION['login'];
$status=0;
$vhid=$ GET['vhid'];
$sql="INSERT INTO tblbooking(userEmail,VehicleId,FromDate,ToDate,message,Status)
VALUES(:useremail,:vhid,:fromdate,:todate,:message,:status)";
$query = $dbh->prepare($sql);
$query->bindParam(':useremail',$useremail,PDO::PARAM STR);
$query->bindParam(':vhid',$vhid,PDO::PARAM STR);
$query->bindParam(':fromdate',$fromdate,PDO::PARAM STR);
$query->bindParam(':todate',$todate,PDO::PARAM STR);
$query->bindParam(':message',$message,PDO::PARAM STR);
$query->bindParam(':status',$status,PDO::PARAM STR);
$query->execute();
$lastInsertId = $dbh->lastInsertId();
if($lastInsertId)
echo "<script>alert('Booking successfull.');</script>";
else
echo "<script>alert('Something went wrong. Please try again');</script>";
?>
<!DOCTYPE HTML>
<html lang="en">
<head>
<title>Car Rental</title>
link rel="stylesheet" href="assets/css/bootstrap.min.css" type="text/css">
link rel="stylesheet" href="assets/css/style.css" type="text/css">
link rel="stylesheet" href="assets/css/owl.carousel.css" type="text/css">
link rel="stylesheet" href="assets/css/owl.transitions.css" type="text/css">
<link href="assets/css/slick.css" rel="stylesheet">
link href="assets/css/bootstrap-slider.min.css" rel="stylesheet">
link href="assets/css/font-awesome.min.css" rel="stylesheet">
<link href="https://fonts.googleapis.com/css?family=Lato:300,400,700,900" rel="stylesheet">
</head>
<body>
<?php include('includes/header.php');?>
<?php
```

```
$vhid=intval($ GET['vhid']);
$sql = "SELECT tblvehicles.*,tblbrands.BrandName,tblbrands.id as bid from tblvehicles join tblbrands
on tblbrands.id=tblvehicles.VehiclesBrand where tblvehicles.id=:vhid";
$query = $dbh -> prepare($sql);
$query->bindParam(':vhid',$vhid, PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
$ SESSION['brndid']=$result->bid;
<section id="listing img slider">
 <div><img src="admin/img/vehicleimages/<?php echo htmlentities($result->Vimage1);?>" class="img-
responsive" alt="image" width="900" height="560"></div>
 <div><img src="admin/img/vehicleimages/<?php echo htmlentities($result->Vimage2);?>" class="img-
responsive" alt="image" width="900" height="560"></div>
 <div><img src="admin/img/vehicleimages/<?php echo htmlentities($result->Vimage3);?>" class="img-
responsive" alt="image" width="900" height="560"></div>
 <div><img src="admin/img/vehicleimages/<?php echo htmlentities($result->Vimage4);?>" class="img-
responsive" alt="image" width="900" height="560"></div>
 <?php if($result->Vimage5=="")
{
} else {
 ?>
 <div><img src="admin/img/vehicleimages/<?php echo htmlentities($result->Vimage5);?>" class="img-
responsive" alt="image" width="900" height="560"></div>
 <?php } ?>
</section>
<section class="listing-detail">
 <div class="container">
  <div class="listing detail head row">
   <div class="col-md-9">
    <h2><?php echo htmlentities($result->BrandName);?>, <?php echo htmlentities($result-
>VehiclesTitle);?></h2>
   </div>
   <div class="col-md-3">
    <div class="price info">
     $<?php echo htmlentities($result->PricePerDay);?> Per Day
```

```
</div>
         </div>
      </div>
      <div class="row">
         <div class="col-md-9">
            <div class="main features">
               <ul>
                  <i class="fa fa-calendar" aria-hidden="true"></i>
                     <h5><?php echo htmlentities($result->ModelYear);?></h5>
                     Reg.Year
                  <i class="fa fa-cogs" aria-hidden="true"></i>
                     <h5><?php echo htmlentities($result->FuelType);?></h5>
                     Fuel Type
                  <i class="fa fa-user-plus" aria-hidden="true"></i>
                     <h5><?php echo htmlentities($result->SeatingCapacity);?></h5>
                     Seats
                  </u1>
            </div>
            <div class="listing more info">
              <div class="listing detail wrap">
                  ul class="nav nav-tabs gray-bg" role="tablist">
                     role="presentation" class="active"><a href="#vehicle-overview" aria-controls="vehicle-overview" aria-controls="yehicle-overview" aria-controls="yehicle-overv
overview" role="tab" data-toggle="tab">Vehicle Overview </a>
                     role="presentation"><a href="#accessories" aria-controls="accessories" role="tab" data-</p>
toggle="tab">Accessories</a>
                  <div class="tab-content">
                     <div role="tabpanel" class="tab-pane active" id="vehicle-overview">
                        <?php echo htmlentities($result->VehiclesOverview);?>
                     </div>
                     <div role="tabpanel" class="tab-pane" id="accessories">
                        <thead>
                              >
                                 Accessories
                              </thead>
```

```
>
           Air Conditioner
<?php if($result->AirConditioner==1)
?>
           <i class="fa fa-check" aria-hidden="true"></i>
<?php } else { ?>
 <i class="fa fa-close" aria-hidden="true"></i>
 <?php } ?>
AntiLock Braking System
<?php if($result->AntiLockBrakingSystem==1)
?>
<id><i class="fa fa-check" aria-hidden="true"></i>
<?php } else {?>
<i class="fa fa-close" aria-hidden="true"></i>
<?php } ?>
         Power Steering
<?php if($result->PowerSteering==1)
{
?>
<i class="fa fa-check" aria-hidden="true"></i>
<?php } else { ?>
<i class="fa fa-close" aria-hidden="true"></i>
<?php } ?>
>
Power Windows
<?php if($result->PowerWindows==1)
{
?>
<i class="fa fa-check" aria-hidden="true"></i>
<?php } else { ?>
<i class="fa fa-close" aria-hidden="true"></i>
<?php } ?>
```

```
>
CD Player
<?php if($result->CDPlayer==1)
{
?>
<id><i class="fa fa-check" aria-hidden="true"></i>
<?php } else { ?>
<i class="fa fa-close" aria-hidden="true"></i>
<?php } ?>
Leather Seats
<?php if($result->LeatherSeats==1)
?>
<i class="fa fa-check" aria-hidden="true"></i>
<?php } else { ?>
<i class="fa fa-close" aria-hidden="true"></i>
<?php } ?>
Central Locking
<?php if($result->CentralLocking==1)
{
<i class="fa fa-check" aria-hidden="true"></i>
<?php } else { ?>
<i class="fa fa-close" aria-hidden="true"></i>
<?php } ?>
Power Door Locks
<?php if($result->PowerDoorLocks==1)
{
?>
<i class="fa fa-check" aria-hidden="true"></i>
<?php } else { ?>
<i class="fa fa-close" aria-hidden="true"></i>
<?php } ?>
```

```
Brake Assist
<?php if($result->BrakeAssist==1)
?>
<i class="fa fa-check" aria-hidden="true"></i>
<?php } else { ?>
<i class="fa fa-close" aria-hidden="true"></i>
<?php } ?>
Driver Airbag
<?php if($result->DriverAirbag==1)
{
?>
<i class="fa fa-check" aria-hidden="true"></i>
<?php } else { ?>
<i class="fa fa-close" aria-hidden="true"></i>
<?php } ?>
>
Passenger Airbag
<?php if($result->PassengerAirbag==1)
?>
<i class="fa fa-check" aria-hidden="true"></i>
<?php } else {?>
<i class="fa fa-close" aria-hidden="true"></i>
<?php } ?>
>
Crash Sensor
<?php if($result->CrashSensor==1)
{
?>
<i class="fa fa-check" aria-hidden="true"></i>
<?php } else { ?>
<i class="fa fa-close" aria-hidden="true"></i>
<?php } ?>
```

```
</div>
      </div>
     </div>
    </div>
<?php }} ?>
   </div>
   <aside class="col-md-3">
    <div class="sidebar widget">
     <div class="widget heading">
      <h5><i class="fa fa-envelope" aria-hidden="true"></i>Book Now</h5>
     </div>
     <form method="post">
      <div class="form-group">
        <input type="text" class="form-control" name="fromdate" placeholder="From</pre>
Date(dd/mm/yyyy)" required>
      </div>
      <div class="form-group">
        <input type="text" class="form-control" name="todate" placeholder="To Date(dd/mm/yyyy)"
required>
      </div>
      <div class="form-group">
        <textarea rows="4" class="form-control" name="message" placeholder="Message"
required></textarea>
      </div>
     <?php if($_SESSION['login'])</pre>
        {?>
        <div class="form-group">
         <input type="submit" class="btn" name="submit" value="Book Now">
        </div>
        <?php } else { ?>
<a href="#loginform" class="btn btn-xs uppercase" data-toggle="modal" data-dismiss="modal">Login
For Book</a>
        <?php } ?>
     </form>
    </div>
   </aside>
  </div>
```

```
<div class="space-20"></div>
  <div class="divider"></div>
  <div class="similar cars">
   <h3>Similar Cars</h3>
   <div class="row">
<?php
$bid=$ SESSION['brndid'];
$sql="SELECT
tblvehicles. Vehicles Title, tblbrands. BrandName, tblvehicles. Price Per Day, tblvehicles. Fuel Type, tblvehicles.
ModelYear,tblvehicles.id,tblvehicles.SeatingCapacity,tblvehicles.VehiclesOverview,tblvehicles.Vimage1
from tblvehicles join tblbrands on tblbrands.id=tblvehicles.VehiclesBrand where
tblvehicles.VehiclesBrand=:bid";
$query = $dbh -> prepare($sql);
$query->bindParam(':bid',$bid, PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
{ ?>
    <div class="col-md-3 grid listing">
     <div class="product-listing-m gray-bg">
       <div class="product-listing-img"> <a href="vehical-details.php?vhid=<?php echo</pre>
htmlentities($result->id);?>"><img src="admin/img/vehicleimages/<?php echo htmlentities($result-
>Vimage1);?>" class="img-responsive" alt="image" /> </a>
       </div>
       <div class="product-listing-content">
        <h5><a href="vehical-details.php?vhid=<?php echo htmlentities($result->id);?>"><?php echo
htmlentities($result->BrandName);?>, <?php echo htmlentities($result->VehiclesTitle);?></a></h5>
        $<?php echo htmlentities($result->PricePerDay);?>
        ul class="features list">
       <i class="fa fa-user" aria-hidden="true"></i><?php echo htmlentities($result-
>SeatingCapacity);?> seats
         i><i class="fa fa-calendar" aria-hidden="true"></i><?php echo htmlentities($result-
>ModelYear);?> model
         <i class="fa fa-car" aria-hidden="true"></i><?php echo htmlentities($result-
>FuelType);?>
        </div>
```

```
</div>
    </div>
<?php }} ?>
   </div>
  </div>
 </div>
</section>
<?php include('includes/footer.php');?>
<div id="back-top" class="back-top"> <a href="#top"><i class="fa fa-angle-up" aria-hidden="true"></i>
</a> </div>
<?php include('includes/login.php');?>
<?php include('includes/registration.php');?>
<?php include('includes/forgotpassword.php');?>
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/interface.js"></script>
<script src="assets/js/bootstrap-slider.min.js"></script>
<script src="assets/js/slick.min.js"></script>
<script src="assets/js/owl.carousel.min.js"></script>
</body>
</html>
<?php
session start();
error reporting(0);
include('includes/config.php');
if(strlen($ SESSION['login'])==0)
header('location:index.php');
}
else {
if(isset($ POST['update']))
$password=md5($_POST['password']);
$newpassword=md5($ POST['newpassword']);
$email=$ SESSION['login'];
 $sql ="SELECT Password FROM tblusers WHERE EmailId=:email and Password=:password";
$query= $dbh -> prepare($sql);
$query-> bindParam(':email', $email, PDO::PARAM STR);
```

```
$query-> bindParam(':password', $password, PDO::PARAM STR);
$query-> execute();
$results = $query -> fetchAll(PDO::FETCH OBJ);
if(\text{query -> rowCount}() > 0)
$con="update tblusers set Password=:newpassword where EmailId=:email";
$chngpwd1 = $dbh->prepare($con);
$chngpwd1-> bindParam(':email', $email, PDO::PARAM STR);
$chngpwd1-> bindParam(':newpassword', $newpassword, PDO::PARAM STR);
$chngpwd1->execute();
$msg="Your Password succesfully changed";
}
else {
$error="Your current password is wrong";
?>
 <!DOCTYPE HTML>
<html lang="en">
<head>
<title>Car Rental</title>
link rel="stylesheet" href="assets/css/bootstrap.min.css" type="text/css">
link rel="stylesheet" href="assets/css/style.css" type="text/css">
link rel="stylesheet" href="assets/css/owl.carousel.css" type="text/css">
link rel="stylesheet" href="assets/css/owl.transitions.css" type="text/css">
<link href="assets/css/slick.css" rel="stylesheet">
link href="assets/css/bootstrap-slider.min.css" rel="stylesheet">
<link href="assets/css/font-awesome.min.css" rel="stylesheet">
link href="https://fonts.googleapis.com/css?family=Lato:300,400,700,900" rel="stylesheet">
<script type="text/javascript">
function valid()
if(document.chngpwd.newpassword.value!= document.chngpwd.confirmpassword.value)
alert("New Password and Confirm Password Field do not match!!");
document.chngpwd.confirmpassword.focus();
return false;
}
return true;
</script>
 <style>
  .errorWrap {
```

```
padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 \text{ 1px } 1\text{px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
  </style>
</head>
<body>
<?php include('includes/header.php');?>
<section class="page-header profile page">
 <div class="container">
  <div class="page-header wrap">
   <div class="page-heading">
    <h1>Update Password</h1>
   </div>
   ul class="coustom-breadcrumb">
    <a href="#">Home</a>
    Update Password
   </u1>
  </div>
 </div>
 <div class="dark-overlay"></div>
</section>
<?php
$useremail=$ SESSION['login'];
$sql = "SELECT * from tblusers where EmailId=:useremail";
$query = $dbh -> prepare($sql);
$query -> bindParam(':useremail',$useremail, PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
cnt=1;
if(\text{query-}>rowCount() > 0)
```

```
foreach($results as $result)
{ ?>
<section class="user profile inner pages">
 <div class="container">
  <div class="user profile info gray-bg padding 4x4 40">
   <div class="upload user logo"> <img src="assets/images/dealer-logo.jpg" alt="image">
   </div>
   <div class="dealer info">
    <h5><?php echo htmlentities($result->FullName);?></h5>
    <?php echo htmlentities($result->Address);?><br>
      <?php echo htmlentities($result->City);?>&nbsp;<?php echo htmlentities($result-</pre>
>Country);}}?>
   </div>
  </div>
  <div class="row">
   <div class="col-md-3 col-sm-3">
    <?php include('includes/sidebar.php');?>
   <div class="col-md-6 col-sm-8">
    <div class="profile wrap">
<form name="chngpwd" method="post" onSubmit="return valid();">
       <div class="gray-bg field-title">
        <h6>Update password</h6>
       </div>
       <?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo</pre>
htmlentities($error); ?> </div><?php }
    else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
       <div class="form-group">
        <label class="control-label">Current Password</label>
        <input class="form-control white bg" id="password" name="password" type="password"</pre>
required>
       </div>
       <div cl
       <div class="form-group">
        <label class="control-label">Password</label>
        <input class="form-control white bg" id="newpassword" type="password"</pre>
name="newpassword" required>
       </div>
       <div class="form-group">
        <label class="control-label">Confirm Password</label>
        <input class="form-control white bg" id="confirmpassword" type="password"</pre>
name="confirmpassword" required>
```

```
</div>
       <div class="form-group">
         <input type="submit" value="Update" name="update" id="submit" class="btn btn-block">
       </div>
      </form>
    </div>
   </div>
  </div>
 </div>
</section>
<?php include('includes/footer.php');?>
<div id="back-top" class="back-top"> <a href="#top"><i class="fa fa-angle-up" aria-hidden="true"></i>
</a> </div>
<?php include('includes/login.php');?>
<?php include('includes/registration.php');?>
<?php include('includes/forgotpassword.php');?>
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/interface.js"></script>
<script src="assets/js/bootstrap-slider.min.js"></script>
<script src="assets/js/slick.min.js"></script>
<script src="assets/js/owl.carousel.min.js"></script>
</body>
</html>
<?php } ?>
<?php
session start();
include('includes/config.php');
error reporting(0);
?>
<!DOCTYPE HTML>
<html lang="en">
<head>
<title>Car Rental</title>
link rel="stylesheet" href="assets/css/bootstrap.min.css" type="text/css">
link rel="stylesheet" href="assets/css/style.css" type="text/css">
link rel="stylesheet" href="assets/css/owl.carousel.css" type="text/css">
link rel="stylesheet" href="assets/css/owl.transitions.css" type="text/css">
<link href="assets/css/slick.css" rel="stylesheet">
link href="assets/css/bootstrap-slider.min.css" rel="stylesheet">
link href="assets/css/font-awesome.min.css" rel="stylesheet">
```

```
<link href="https://fonts.googleapis.com/css?family=Lato:300,400,700,900" rel="stylesheet">
</head>
<body>
<?php include('includes/header.php');?>
<section class="page-header listing page">
 <div class="container">
  <div class="page-header wrap">
   <div class="page-heading">
    <h1>Car Listing</h1>
   </div>
   <a href="#">Home</a>
    Car Listing
   </div>
 </div>
 <div class="dark-overlay"></div>
</section>
<section class="listing-page">
 <div class="container">
  <div class="row">
   <div class="col-md-9 col-md-push-3">
    <div class="result-sorting-wrapper">
     <div class="sorting-count">
<?php
$brand=$ POST['brand'];
$fueltype=$_POST['fueltype'];
$sql = "SELECT id from tblvehicles where tblvehicles.VehiclesBrand=:brand and
tblvehicles.FuelType=:fueltype";
$query = $dbh -> prepare($sql);
$query -> bindParam(':brand',$brand, PDO::PARAM STR);
$query -> bindParam(':fueltype',$fueltype, PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=$query->rowCount();
?>
<span><?php echo htmlentities($cnt);?> Listings</span>
</div>
</div>
<?php
```

```
$sql = "SELECT tblvehicles.*,tblbrands.BrandName,tblbrands.id as bid from tblvehicles join tblbrands
on tblbrands.id=tblvehicles.VehiclesBrand where tblvehicles.VehiclesBrand=:brand and
tblvehicles.FuelType=:fueltype";
$query = $dbh -> prepare($sql);
$query -> bindParam(':brand',$brand, PDO::PARAM STR);
$query -> bindParam(':fueltype',$fueltype, PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
    <div class="product-listing-m gray-bg">
     <div class="product-listing-img"><img src="admin/img/vehicleimages/<?php echo</pre>
htmlentities($result->Vimage1);?>" class="img-responsive" alt="Image" /> </a>
     </div>
     <div class="product-listing-content">
      <h5><a href="vehical-details.php?vhid=<?php echo htmlentities($result->id);?>"><?php echo
htmlentities($result->BrandName);?>, <?php echo htmlentities($result->VehiclesTitle);?></a></h5>
       $<?php echo htmlentities($result->PricePerDay);?> Per Day
      <ul>
        <i class="fa fa-user" aria-hidden="true"></i><?php echo htmlentities($result-
>SeatingCapacity);?> seats
        i>i class="fa fa-calendar" aria-hidden="true"></i><?php echo htmlentities($result-
>ModelYear);?> model
        <i class="fa fa-car" aria-hidden="true"></i><?php echo htmlentities($result-
>FuelType);?>
      <a href="vehical-details.php?vhid=<?php echo htmlentities($result->id);?>" class="btn">View
Details <span class="angle arrow"><i class="fa fa-angle-right" aria-hidden="true"></i></span></a>
     </div>
    </div>
   <?php }} ?>
     </div>
   <aside class="col-md-3 col-md-pull-9">
    <div class="sidebar widget">
     <div class="widget heading">
      <h5><i class="fa fa-filter" aria-hidden="true"></i> Find Your Car </h5>
     </div>
      <div class="sidebar_filter">
      <form action="#" method="get">
        <div class="form-group select">
         <select class="form-control">
```

```
<option>Select Brand
                            <?php $sql = "SELECT * from tblbrands ";</pre>
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
             ?>
<option value="<?php echo htmlentities($result->id);?>"><?php echo htmlentities($result-</pre>
>BrandName);?></option>
<?php }} ?>
                         </select>
                      </div>
                      <div class="form-group select">
                         <select class="form-control">
                            <option>Select Fuel Type</option>
<option value="Petrol">Petrol</option>
<option value="Diesel">Diesel</option>
<option value="CNG">CNG</option>
                         </select>
                      </div>
                      <div class="form-group">
                         <br/>

Search Car</button>
                      </div>
                   </form>
                </div>
             </div>
             <div class="sidebar widget">
                <div class="widget heading">
                   <h5><i class="fa fa-car" aria-hidden="true"></i> Recently Listed Cars</h5>
                </div>
                <div class="recent addedcars">
<?php $sql = "SELECT tblvehicles.*,tblbrands.BrandName,tblbrands.id as bid from tblvehicles join</pre>
tblbrands on tblbrands.id=tblvehicles.VehiclesBrand order by id desc limit 4";
$query = $dbh -> prepare($sql);
$query->execute();
```

```
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if($query->rowCount() > 0)
foreach($results as $result)
{ ?>
        <div class="recent post img"> <a href="vehical-details.php?vhid=<?php echo</pre>
htmlentities($result->id);?>"><img src="admin/img/vehicleimages/<?php echo htmlentities($result-
>Vimage1);?>" alt="image"></a> </div>
         <div class="recent post title"> <a href="vehical-details.php?vhid=<?php echo"><?php echo</pre>
htmlentities($result->id);?>"><?php echo htmlentities($result->BrandName);?>, <?php echo
htmlentities($result->VehiclesTitle);?></a>
          $<?php echo htmlentities($result->PricePerDay);?> Per Day
         </div>
        <?php }} ?>
       </div>
    </div>
   </aside>
  </div>
 </div>
</section>
<?php include('includes/footer.php');?>
<div id="back-top" class="back-top"> <a href="#top"> <i class="fa fa-angle-up" aria-hidden="true"> </i>
</a>> </div>
<?php include('includes/login.php');?>
<?php include('includes/registration.php');?>
<?php include('includes/forgotpassword.php');?>
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/interface.js"></script>
<script src="assets/js/bootstrap-slider.min.js"></script>
<script src="assets/js/slick.min.js"></script>
<script src="assets/js/owl.carousel.min.js"></script>
</body>
</html>
<?php
```

```
session start();
error reporting(0);
include('includes/config.php');
if(strlen($ SESSION['login'])==0)
header('location:index.php');
}
else {
if(isset($ POST['updateprofile']))
$name=$ POST['fullname'];
$mobileno=$ POST['mobilenumber'];
$dob=$ POST['dob'];
$adress=$ POST['address'];
$city=$ POST['city'];
$country=$ POST['country'];
$email=$ SESSION['login'];
$sql="update tblusers set
FullName=:name,ContactNo=:mobileno,dob=:dob,Address=:adress,City=:city,Country=:country where
EmailId=:email";
$query = $dbh->prepare($sql);
$query->bindParam(':name',$name,PDO::PARAM STR);
$query->bindParam(':mobileno',$mobileno,PDO::PARAM STR);
$query->bindParam(':dob',$dob,PDO::PARAM STR);
$query->bindParam(':adress',$adress,PDO::PARAM STR);
$query->bindParam(':city',$city,PDO::PARAM STR);
$query->bindParam(':country',$country,PDO::PARAM STR);
$query->bindParam(':email',$email,PDO::PARAM STR);
$query->execute();
$msg="Profile Updated Successfully";
}
?>
 <!DOCTYPE HTML>
<html lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width,initial-scale=1">
<title>Car Rental</title>
link rel="stylesheet" href="assets/css/bootstrap.min.css" type="text/css">
link rel="stylesheet" href="assets/css/style.css" type="text/css">
link rel="stylesheet" href="assets/css/owl.carousel.css" type="text/css">
link rel="stylesheet" href="assets/css/owl.transitions.css" type="text/css">
<link href="assets/css/slick.css" rel="stylesheet">
```

```
link href="assets/css/bootstrap-slider.min.css" rel="stylesheet">
link href="assets/css/font-awesome.min.css" rel="stylesheet">
<link href="https://fonts.googleapis.com/css?family=Lato:300,400,700,900" rel="stylesheet">
<style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
}
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 \text{ 1px } 1\text{px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
}
  </style>
</head>
<body>
<?php include('includes/header.php');?>
<section class="page-header profile page">
 <div class="container">
  <div class="page-header wrap">
   <div class="page-heading">
    <h1>Your Profile</h1>
   </div>
   <a href="#">Home</a>
    Profile
   </div>
 </div>
 <div class="dark-overlay"></div>
</section>
<?php
$useremail=$ SESSION['login'];
$sql = "SELECT * from tblusers where EmailId=:useremail";
$query = $dbh -> prepare($sql);
$query -> bindParam(':useremail',$useremail, PDO::PARAM STR);
$query->execute();
```

```
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
{ ?>
<section class="user profile inner pages">
 <div class="container">
  <div class="user profile info gray-bg padding 4x4 40">
   <div class="upload user logo"> <img src="assets/images/dealer-logo.jpg" alt="image">
   </div>
   <div class="dealer info">
    <h5><?php echo htmlentities($result->FullName);?></h5>
    <?php echo htmlentities($result->Address);?><br>
     <?php echo htmlentities($result->City);?>&nbsp;<?php echo htmlentities($result-</pre>
>Country);?>
   </div>
  </div>
  <div class="row">
   <div class="col-md-3 col-sm-3">
    <?php include('includes/sidebar.php');?>
   <div class="col-md-6 col-sm-8">
    <div class="profile wrap">
     <h5 class="uppercase underline">Genral Settings</h5>
     if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo htmlentities($msg);
?> </div><?php }?>
     <form method="post">
      <div class="form-group">
        <label class="control-label">Reg Date -</label>
       <?php echo htmlentities($result->RegDate);?>
       </div>
       <?php if($result->UpdationDate!=""){?>
       <div class="form-group">
        <label class="control-label">Last Update at -</label>
       <?php echo htmlentities($result->UpdationDate);?>
       </div>
       <?php } ?>
       <div class="form-group">
        <label class="control-label">Full Name</label>
        <input class="form-control white bg" name="fullname" value="<?php echo htmlentities($result-
>FullName);?>" id="fullname" type="text" required>
```

```
</div>
       <div class="form-group">
        <label class="control-label">Email Address</label>
        <input class="form-control white bg" value="<?php echo htmlentities($result->EmailId);?>"
name="emailid" id="email" type="email" required readonly>
       </div>
       <div class="form-group">
        <label class="control-label">Phone Number</label>
        <input class="form-control white bg" name="mobilenumber" value="<?php echo</pre>
htmlentities($result->ContactNo);?>" id="phone-number" type="text" required>
       </div>
       <div class="form-group">
        <label class="control-label">Date of Birth&nbsp;(dd/mm/yyyy)</label>
        <input class="form-control white bg" value="<?php echo htmlentities($result->dob);?>"
name="dob" placeholder="dd/mm/yyyy" id="birth-date" type="text" >
       </div>
       <div class="form-group">
        <label class="control-label">Your Address</label>
        <textarea class="form-control white bg" name="address" rows="4" ><?php echo
htmlentities($result->Address);?></textarea>
       </div>
       <div class="form-group">
        <label class="control-label">Country</label>
        <input class="form-control white bg" id="country" name="country" value="<?php echo</pre>
htmlentities($result->City);?>" type="text">
       </div>
       <div class="form-group">
        <label class="control-label">City</label>
        <input class="form-control white bg" id="city" name="city" value="<?php echo</pre>
htmlentities($result->City);?>" type="text">
       </div>
       <?php }} ?>
       <div class="form-group">
        <button type="submit" name="updateprofile" class="btn">Save Changes <span</pre>
class="angle arrow"><i class="fa fa-angle-right" aria-hidden="true"></i></fa>/span></button>
       </div>
      </form>
    </div>
   </div>
  </div>
 </div>
</section>
<?php include('includes/footer.php');?>
```

```
<div id="back-top" class="back-top"> <a href="#top"><i class="fa fa-angle-up" aria-hidden="true"></i>
</a> </div>
<?php include('includes/login.php');?>
<?php include('includes/registration.php');?>
<?php include('includes/forgotpassword.php');?>
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/interface.js"></script>
<script src="assets/js/bootstrap-slider.min.js"></script>
<script src="assets/js/slick.min.js"></script>
<script src="assets/js/owl.carousel.min.js"></script>
</body>
</html>
<?php } ?>
<?php
session start();
error reporting(0);
include('includes/config.php');
if(strlen($ SESSION['login'])==0)
 {
header('location:index.php');
}
else {
?>
<!DOCTYPE HTML>
<html lang="en">
<head>
<title>Car Rental </title>
link rel="stylesheet" href="assets/css/bootstrap.min.css" type="text/css">
link rel="stylesheet" href="assets/css/style.css" type="text/css">
link rel="stylesheet" href="assets/css/owl.carousel.css" type="text/css">
link rel="stylesheet" href="assets/css/owl.transitions.css" type="text/css">
<link href="assets/css/slick.css" rel="stylesheet">
link href="assets/css/bootstrap-slider.min.css" rel="stylesheet">
<link href="assets/css/font-awesome.min.css" rel="stylesheet">
<link href="https://fonts.googleapis.com/css?family=Lato:300,400,700,900" rel="stylesheet">
</head>
<body>
<?php include('includes/header.php');?>
<section class="page-header profile page">
 <div class="container">
  <div class="page-header wrap">
```

```
<div class="page-heading">
    <h1>My Testimonials</h1>
   </div>
   <a href="#">Home</a>
    My Testimonials
   </div>
 </div>
 <div class="dark-overlay"></div>
</section>
<?php
$useremail=$ SESSION['login'];
$sql = "SELECT * from tblusers where EmailId=:useremail";
$query = $dbh -> prepare($sql);
$query -> bindParam(':useremail',$useremail, PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
{ ?>
<section class="user_profile inner_pages">
 <div class="container">
  <div class="user profile info gray-bg padding 4x4 40">
   <div class="upload user logo"> <img src="assets/images/dealer-logo.jpg" alt="image">
   </div>
   <div class="dealer info">
    <h5><?php echo htmlentities($result->FullName);?></h5>
    <?php echo htmlentities($result->Address);?><br>
     <?php echo htmlentities($result->City);?>&nbsp;<?php echo htmlentities($result->Country);
}}?>
   </div>
  </div>
 <div class="row">
   <div class="col-md-3 col-sm-3">
    <?php include('includes/sidebar.php');?>
   <div class="col-md-8 col-sm-8">
```

```
<div class="profile wrap">
     <h5 class="uppercase underline">My Testimonials </h5>
     <div class="my vehicles list">
      ul class="vehicle listing">
<?php
$useremail=$ SESSION['login'];
$sql = "SELECT * from tbltestimonial where UserEmail=:useremail";
$query = $dbh -> prepare($sql);
$query -> bindParam(':useremail',$useremail, PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
if($cnt=$query->rowCount() > 0)
foreach($results as $result)
{ ?>
       <li>
        <div>
         <?php echo htmlentities($result->Testimonial);?> 
          Posting Date:Posting Date:
         </div>
         <?php if($result->status==1){ ?>
         <div class="vehicle status"> <a class="btn outline btn-xs active-btn">Active</a>
         <div class="clearfix"></div>
         </div>
         <?php } else {?>
        <div class="vehicle status"> <a href="#" class="btn outline btn-xs">Waiting for approval</a>
         <div class="clearfix"></div>
         </div>
         <?php } ?>
       <?php } } ?>
      </div>
    </div>
   </div>
  </div>
 </div>
```

```
</section>
<?php include('includes/footer.php');?>
<div id="back-top" class="back-top"> <a href="#top"><i class="fa fa-angle-up" aria-hidden="true"></i>
</a>> </div>
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/interface.js"></script>
<script src="assets/js/bootstrap-slider.min.js"></script>
<script src="assets/js/slick.min.js"></script>
<script src="assets/js/owl.carousel.min.js"></script>
</body>
</html>
<?php } ?>
<?php
session start();
error reporting(0);
include('includes/config.php');
if(strlen($ SESSION['login'])==0)
 {
header('location:index.php');
}
else {
?><!DOCTYPE HTML>
<html lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width,initial-scale=1">
<meta name="keywords" content="">
<meta name="description" content="">
<title>Car Rental</title>
link rel="stylesheet" href="assets/css/bootstrap.min.css" type="text/css">
link rel="stylesheet" href="assets/css/style.css" type="text/css">
link rel="stylesheet" href="assets/css/owl.carousel.css" type="text/css">
link rel="stylesheet" href="assets/css/owl.transitions.css" type="text/css">
<link href="assets/css/slick.css" rel="stylesheet">
link href="assets/css/bootstrap-slider.min.css" rel="stylesheet">
link href="assets/css/font-awesome.min.css" rel="stylesheet">
<link href="https://fonts.googleapis.com/css?family=Lato:300,400,700,900" rel="stylesheet">
</head>
<body>
```

```
<?php include('includes/header.php');?>
<section class="page-header profile page">
 <div class="container">
  <div class="page-header wrap">
   <div class="page-heading">
    <h1>My Booking</h1>
   </div>
   <a href="#">Home</a>
    My Booking
   </div>
 </div>
 <div class="dark-overlay"></div>
</section>
<?php
$useremail=$ SESSION['login'];
$sql = "SELECT * from tblusers where EmailId=:useremail";
$query = $dbh -> prepare($sql);
$query -> bindParam(':useremail',$useremail, PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
{ ?>
<section class="user profile inner pages">
 <div class="container">
  <div class="user profile info gray-bg padding 4x4 40">
   <div class="upload user logo"> <img src="assets/images/dealer-logo.jpg" alt="image">
   </div>
   <div class="dealer info">
    <h5><?php echo htmlentities($result->FullName);?></h5>
    <?php echo htmlentities($result->Address);?><br>
     <?php echo htmlentities($result->City);?>&nbsp;<?php echo htmlentities($result->Country);
}}?>
   </div>
  </div>
  <div class="row">
   <div class="col-md-3 col-sm-3">
   <?php include('includes/sidebar.php');?>
```

```
<div class="col-md-6 col-sm-8">
    <div class="profile wrap">
     <h5 class="uppercase underline">My Booikngs </h5>
     <div class="my vehicles list">
      <?php
$useremail=$ SESSION['login'];
$sql = "SELECT tblvehicles.Vimage1 as Vimage1,tblvehicles.VehiclesTitle,tblvehicles.id as
vid,tblbrands.BrandName,tblbooking.FromDate,tblbooking.ToDate,tblbooking.message,tblbooking.Statu
s from tblbooking join tblvehicles on tblbooking. VehicleId=tblvehicles.id join tblbrands on
tblbrands.id=tblvehicles.VehiclesBrand where tblbooking.userEmail=:useremail";
$query = $dbh -> prepare($sql);
$query-> bindParam(':useremail', $useremail, PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
cnt=1;
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
<div class="vehicle img"> <a href="vehical-details.php?vhid=<?php echo htmlentities($result-</pre>
>vid);?>""><img src="admin/img/vehicleimages/<?php echo htmlentities($result->Vimage1);?>"
alt="image"></a> </div>
         <div class="vehicle title">
          <h6><a href="vehical-details.php?vhid=<?php echo htmlentities($result->vid);?>""> <?php
echo htmlentities($result->BrandName);?>, <?php echo htmlentities($result-
>VehiclesTitle);?></a></h6>
          <b>From Date:</b> <?php echo htmlentities($result->FromDate);?><br/>b>To
Date:</b> <?php echo htmlentities($result->ToDate);?>
         </div>
         <?php if($result->Status==1)
         { ?>
         <div class="vehicle_status"> <a href="#" class="btn outline btn-xs active-btn">Confirmed</a>
               <div class="clearfix"></div>
    </div>
        <?php } else if($result->Status==2) { ?>
<div class="vehicle_status"> <a href="#" class="btn outline btn-xs">Cancelled</a>
      <div class="clearfix"></div>
    </div>
```

```
<?php } else { ?>
<div class="vehicle status"> <a href="#" class="btn outline btn-xs">Not Confirm yet</a>
       <div class="clearfix"></div>
    </div>
         <?php } ?>
    <div style="float: left"><b>Message:</b> <?php echo htmlentities($result->message);?>
</div>
        <?php }} ?>
       </div>
    </div>
   </div>
  </div>
 </div>
</section>
<?php include('includes/footer.php');?>
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/interface.js"></script>
<script src="assets/js/bootstrap-slider.min.js"></script>
<script src="assets/js/slick.min.js"></script>
<script src="assets/js/owl.carousel.min.js"></script>
</body>
</html>
<?php } ?>
<?php
session start();
error reporting(0);
include('includes/config.php');
if(isset($_POST['send']))
$name=$ POST['fullname'];
$email=$_POST['email'];
$contactno=$ POST['contactno'];
$message=$ POST['message'];
$sql="INSERT INTO tblcontactusquery(name,EmailId,ContactNumber,Message)
VALUES(:name,:email,:contactno,:message)";
$query = $dbh->prepare($sql);
```

```
$query->bindParam(':name',$name,PDO::PARAM STR);
$query->bindParam(':email',$email,PDO::PARAM STR);
$query->bindParam(':contactno',$contactno,PDO::PARAM STR);
$query->bindParam(':message',$message,PDO::PARAM STR);
$query->execute();
$lastInsertId = $dbh->lastInsertId();
if($lastInsertId)
$msg="Query Sent. We will contact you shortly";
else
$error="Something went wrong. Please try again";
?>
<!DOCTYPE HTML>
<html lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width,initial-scale=1">
<title>Car Rental</title>
link rel="stylesheet" href="assets/css/bootstrap.min.css" type="text/css">
link rel="stylesheet" href="assets/css/style.css" type="text/css">
link rel="stylesheet" href="assets/css/owl.carousel.css" type="text/css">
link rel="stylesheet" href="assets/css/owl.transitions.css" type="text/css">
<link href="assets/css/slick.css" rel="stylesheet">
link href="assets/css/bootstrap-slider.min.css" rel="stylesheet">
<link href="assets/css/font-awesome.min.css" rel="stylesheet">
link href="https://fonts.googleapis.com/css?family=Lato:300,400,700,900" rel="stylesheet">
<style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
.succWrap{
  padding: 10px;
```

```
margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
  </style>
</head>
<body>
<?php include('includes/header.php');?>
<section class="page-header contactus page">
 <div class="container">
  <div class="page-header wrap">
   <div class="page-heading">
    <h1>Contact Us</h1>
   </div>
   <a href="#">Home</a>
    Contact Us
   </u1>
  </div>
 </div>
 <div class="dark-overlay"></div>
</section>
<section class="contact us section-padding">
 <div class="container">
  <div class="row">
   <div class="col-md-6">
    <h3>Get in touch using the form below</h3>
     <?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo</pre>
htmlentities($error); ?> </div><?php }
    else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
    <div class="contact form gray-bg">
     <form method="post">
      <div class="form-group">
        <label class="control-label">Full Name <span>*</span></label>
        <input type="text" name="fullname" class="form-control white bg" id="fullname" required>
      </div>
      <div class="form-group">
        <label class="control-label">Email Address <span>*</span></label>
        <input type="email" name="email" class="form-control white bg" id="emailaddress" required>
      <div class="form-group">
```

```
<label class="control-label">Phone Number <span>*</span></label>
        <input type="text" name="contactno" class="form-control white bg" id="phonenumber"</pre>
required>
       </div>
       <div class="form-group">
        <label class="control-label">Message <span>*</span></label>
        <textarea class="form-control white bg" name="message" rows="4" required></textarea>
       </div>
       <div class="form-group">
        <button class="btn" type="submit" name="send" type="submit">Send Message <span
class="angle arrow"><i class="fa fa-angle-right" aria-hidden="true"></i></span></button>
       </div>
     </form>
    </div>
   </div>
   <div class="col-md-6">
    <h3>Contact Info</h3>
    <div class="contact detail">
        <?php
$pagetype=$ GET['type'];
$sql = "SELECT Address, EmailId, ContactNo from tblcontactusinfo";
$query = $dbh -> prepare($sql);
$query->bindParam(':pagetype',$pagetype,PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
cnt=1:
if($query->rowCount() > 0)
foreach($results as $result)
{ ?>
     <ul>
       <1i>
        <div class="icon wrap"><i class="fa fa-map-marker" aria-hidden="true"></i></div>
        <div class="contact info m"><?php echo htmlentities($result->Address); ?></div>
       <1i>
        <div class="icon wrap"><i class="fa fa-phone" aria-hidden="true"></i></div>
        <div class="contact info m"><a href="tel:61-1234-567-90"><?php echo htmlentities($result-</pre>
>EmailId); ?></a></div>
       <1i>
        <div class="icon wrap"><i class="fa fa-envelope-o" aria-hidden="true"></i></div>
        <div class="contact info m"><a href="mailto:contact@exampleurl.com"><?php echo</pre>
htmlentities($result->ContactNo); ?></a></div>
```

```
</u1>
    <?php }} ?>
    </div>
   </div>
  </div>
 </div>
</section>
<?php include('includes/footer.php');?>
<div id="back-top" class="back-top"> <a href="#top"><i class="fa fa-angle-up" aria-hidden="true"></i>
</a> </div>
<?php include('includes/login.php');?>
<?php include('includes/registration.php');?>
<?php include('includes/forgotpassword.php');?>
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/interface.js"></script>
<script src="assets/js/bootstrap-slider.min.js"></script>
<script src="assets/js/slick.min.js"></script>
<script src="assets/js/owl.carousel.min.js"></script>
</body>
</html>
<?php
require once("includes/config.php");
if(!empty($ POST["emailid"])) {
 $email= $ POST["emailid"];
 if (filter var($email, FILTER_VALIDATE_EMAIL)===false) {
  echo "error: You did not enter a valid email.";
 }
 else {
  $sql ="SELECT EmailId FROM tblusers WHERE EmailId=:email";
$query= $dbh -> prepare($sql);
$query-> bindParam(':email', $email, PDO::PARAM STR);
$query-> execute();
$results = $query -> fetchAll(PDO::FETCH OBJ);
cnt=1;
if(\text{query -> rowCount() > 0})
echo "<span style='color:red'> Email already exists .</span>";
echo "<script>$('#submit').prop('disabled',true);</script>";
} else{
```

```
echo "<span style='color:green'> Email available for Registration .</span>";
echo "<script>$('#submit').prop('disabled',false);</script>";
}
}
?>
<?php
session start();
include('includes/config.php');
error reporting(0);
?>
<!DOCTYPE HTML>
<html lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width,initial-scale=1">
<title>Car Rental</title>
link rel="stylesheet" href="assets/css/bootstrap.min.css" type="text/css">
link rel="stylesheet" href="assets/css/style.css" type="text/css">
link rel="stylesheet" href="assets/css/owl.carousel.css" type="text/css">
link rel="stylesheet" href="assets/css/owl.transitions.css" type="text/css">
<link href="assets/css/slick.css" rel="stylesheet">
link href="assets/css/bootstrap-slider.min.css" rel="stylesheet">
link href="assets/css/font-awesome.min.css" rel="stylesheet">
<link href="https://fonts.googleapis.com/css?family=Lato:300,400,700,900" rel="stylesheet">
</head>
<body>
<?php include('includes/header.php');?>
<section class="page-header listing page">
 <div class="container">
  <div class="page-header wrap">
   <div class="page-heading">
    <h1>Car Listing</h1>
   </div>
  </div>
 </div>
 <div class="dark-overlay"></div>
```

```
</section>
<section class="listing-page">
 <div class="container">
  <div class="row">
   <div class="col-md-9 col-md-push-3">
    <div class="result-sorting-wrapper">
     <div class="sorting-count">
<?php
$sql = "SELECT id from tblvehicles";
$query = $dbh -> prepare($sql);
$query->bindParam(':vhid',$vhid, PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=$query->rowCount();
?>
<span><?php echo htmlentities($cnt);?> Listings</span>
</div>
</div>
<?php $sql = "SELECT tblvehicles.*,tblbrands.BrandName,tblbrands.id as bid from tblvehicles join</pre>
tblbrands on tblbrands.id=tblvehicles.VehiclesBrand";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
cnt=1;
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
{ ?>
    <div class="product-listing-m gray-bg">
     <div class="product-listing-img"><img src="admin/img/vehicleimages/<?php echo</pre>
htmlentities($result->Vimage1);?>" class="img-responsive" alt="Image" /> </a>
     </div>
     <div class="product-listing-content">
      <h5><a href="vehical-details.php?vhid=<?php echo htmlentities($result->id);?>"><?php echo
htmlentities($result->BrandName);?>, <?php echo htmlentities($result->VehiclesTitle);?></a></h5>
      $<?php echo htmlentities($result->PricePerDay);?> Per Day
      <ul>
        i class="fa fa-user" aria-hidden="true"></i>>?php echo htmlentities($result-
>SeatingCapacity);?> seats
        <i class="fa fa-calendar" aria-hidden="true"></i><?php echo htmlentities($result-
>ModelYear);?> model
        <i class="fa fa-car" aria-hidden="true"></i><?php echo htmlentities($result-
>FuelType);?>
```

```
<a href="vehical-details.php?vhid=<?php echo htmlentities($result->id);?>" class="btn">View
Details <span class="angle arrow"><i class="fa fa-angle-right" aria-hidden="true"></i></i></a>
     </div>
    </div>
   <?php }} ?>
     </div>
   <aside class="col-md-3 col-md-pull-9">
    <div class="sidebar widget">
     <div class="widget heading">
       <h5><i class="fa fa-filter" aria-hidden="true"></i> Find Your Car </h5>
     </div>
     <div class="sidebar filter">
       <form action="search-carresult.php" method="post">
        <div class="form-group select">
         <select class="form-control" name="brand">
          <option>Select Brand
          <?php $sql = "SELECT * from tblbrands ";</pre>
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
cnt=1:
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
<option value="<?php echo htmlentities($result->id);?>"><?php echo htmlentities($result-</pre>
>BrandName);?></option>
<?php }} ?>
         </select>
        </div>
        <div class="form-group select">
         <select class="form-control" name="fueltype">
          <option>Select Fuel Type</option>
<option value="Petrol">Petrol</option>
<option value="Diesel">Diesel</option>
<option value="CNG">CNG</option>
         </select>
        </div>
        <div class="form-group">
```

```
<br/>

Search Car</button>
                     </div>
                 </form>
               </div>
            </div>
            <div class="sidebar widget">
              <div class="widget heading">
                 <h5><i class="fa fa-car" aria-hidden="true"></i> Recently Listed Cars</h5>
               </div>
               <div class="recent addedcars">
                 <?php $sql = "SELECT tblvehicles.*,tblbrands.BrandName,tblbrands.id as bid from tblvehicles join</pre>
tblbrands on tblbrands.id=tblvehicles.VehiclesBrand order by id desc limit 4";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
{ ?>
                     class="gray-bg">
                       <div class="recent post img"> <a href="vehical-details.php?vhid=<?php echo</pre>
htmlentities($result->id);?>"><img src="admin/img/vehicleimages/<?php echo htmlentities($result-
>Vimage1);?>" alt="image"></a> </div>
                        <div class="recent post title"> <a href="vehical-details.php?vhid=<?php echo"><?php echo</pre>
htmlentities($result->id);?>"><?php echo htmlentities($result->BrandName);?>, <?php echo
htmlentities($result->VehiclesTitle);?></a>
                           $<?php echo htmlentities($result->PricePerDay);?> Per Day
                       </div>
                     <?php }} ?>
                 </div>
           </div>
        </aside>
     </div>
   </div>
</section>
<?php include('includes/footer.php');?>
```

```
<?php include('includes/login.php');?>
<?php include('includes/registration.php');?>
<?php include('includes/forgotpassword.php');?>
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/interface.js"></script>
<script src="assets/js/bootstrap-slider.min.js"></script>
<script src="assets/js/slick.min.js"></script>
<script src="assets/js/owl.carousel.min.js"></script>
</body>
</html>
<div class="profile nav">
     <a href="profile.php">Profile Settings</a>
        <a href="update-password.php">Update Password</a>
      <a href="my-booking.php">My Booking</a>
      <a href="post-testimonial.php">Post a Testimonial</a>
        <a href="my-testimonials.php">My Testimonials</a>
      <a href="logout.php">Sign Out</a>
     </div>
   </div>
<?php
if(isset($ POST['login']))
$email=$ POST['email'];
$password=md5($ POST['password']);
$sql ="SELECT EmailId, Password, FullName FROM tblusers WHERE EmailId=:email and
Password=:password";
$query= $dbh -> prepare($sql);
$query-> bindParam(':email', $email, PDO::PARAM STR);
$query-> bindParam(':password', $password, PDO::PARAM STR);
$query-> execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
if(\text{query-}>rowCount() > 0)
{
$ SESSION['login']=$ POST['email'];
$ SESSION['fname']=$results->FullName;
$currentpage=$ SERVER['REQUEST URI'];
echo "<script type='text/javascript'> document.location = '$currentpage'; </script>";
} else
```

```
echo "<script>alert('Invalid Details');</script>";
}}
?>
<div class="modal fade" id="loginform">
 <div class="modal-dialog" role="document">
  <div class="modal-content">
   <div class="modal-header">
    <button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-</pre>
hidden="true">×</span></button>
    <h3 class="modal-title">Login</h3>
   </div>
   <div class="modal-body">
    <div class="row">
     <div class="login wrap">
       <div class="col-md-12 col-sm-6">
        <form method="post">
         <div class="form-group">
          <input type="email" class="form-control" name="email" placeholder="Email address*">
         </div>
         <div class="form-group">
          <input type="password" class="form-control" name="password" placeholder="Password*">
         </div>
         <div class="form-group checkbox">
          <input type="checkbox" id="remember">
         </div>
         <div class="form-group">
          <input type="submit" name="login" value="Login" class="btn btn-block">
         </div>
        </form>
       </div>
     </div>
    </div>
   </div>
  </div>
 </div>
</div>
<?php
if(isset($ POST['update']))
$email=$_POST['email'];
```

```
$mobile=$ POST['mobile'];
$newpassword=md5($_POST['newpassword']);
 $sql ="SELECT EmailId FROM tblusers WHERE EmailId=:email and ContactNo=:mobile";
$query= $dbh -> prepare($sql);
$query-> bindParam(':email', $email, PDO::PARAM STR);
$query-> bindParam(':mobile', $mobile, PDO::PARAM STR);
$query-> execute();
$results = $query -> fetchAll(PDO::FETCH_OBJ);
if(\text{query -> rowCount}() > 0)
$con="update tblusers set Password=:newpassword where EmailId=:email and ContactNo=:mobile";
$chngpwd1 = $dbh->prepare($con);
$chngpwd1-> bindParam(':email', $email, PDO::PARAM STR);
$chngpwd1-> bindParam(':mobile', $mobile, PDO::PARAM STR);
$chngpwd1-> bindParam(':newpassword', $newpassword, PDO::PARAM STR);
$chngpwd1->execute();
echo "<script>alert('Your Password succesfully changed');</script>";
}
else {
echo "<script>alert('Email id or Mobile no is invalid');</script>";
?>
 <script type="text/javascript">
function valid()
if(document.chngpwd.newpassword.value!= document.chngpwd.confirmpassword.value)
alert("New Password and Confirm Password Field do not match!!");
document.chngpwd.confirmpassword.focus();
return false;
return true;
}
</script>
<div class="modal fade" id="forgotpassword">
 <div class="modal-dialog" role="document">
  <div class="modal-content">
   <div class="modal-header">
    <button type="button" class="close" data-dismiss="modal" aria-label="Close"><span aria-
hidden="true">×</span></button>
    <h3 class="modal-title">Password Recovery</h3>
```

```
</div>
   <div class="modal-body">
    <div class="row">
     <div class="forgotpassword wrap">
      <div class="col-md-12">
        <form name="chngpwd" method="post" onSubmit="return valid();">
         <div class="form-group">
          <input type="email" name="email" class="form-control" placeholder="Your Email address*"
required="">
         </div>
 <div class="form-group">
          <input type="text" name="mobile" class="form-control" placeholder="Your Reg. Mobile*"</pre>
required="">
         </div>
 <div class="form-group">
          <input type="password" name="newpassword" class="form-control" placeholder="New</pre>
Password*" required="">
         </div>
 <div class="form-group">
          <input type="password" name="confirmpassword" class="form-control"</pre>
placeholder="Confirm Password*" required="">
         </div>
         <div class="form-group">
          <input type="submit" value="Reset My Password" name="update" class="btn btn-block">
         </div>
        </form>
        <div class="text-center">
         For security reasons we don't store your password. Your password will be
reset and a new one will be send.
         <a href="#loginform" data-toggle="modal" data-dismiss="modal"><i class="fa fa-angle-
double-left" aria-hidden="true"></i> Back to Login</a>
        </div>
      </div>
     </div>
    </div>
   </div>
  </div>
 </div>
</div>
<?php
define('DB HOST','localhost');
define('DB USER','root');
define('DB PASS',");
```

```
define('DB NAME','carrental');
try
$dbh = new PDO("mysql:host=".DB_HOST.";dbname=".DB_NAME,DB_USER,
DB PASS,array(PDO::MYSQL ATTR INIT COMMAND => "SET NAMES 'utf8'"));
catch (PDOException $e)
exit("Error: " . $e->getMessage());
?>
<?php
session start();
error reporting(0);
include('includes/config.php');
if(strlen($ SESSION['alogin'])==0)
header('location:index.php');
else {
if(isset($ POST['submit']))
$vehicletitle=\$ POST['vehicletitle'];
$brand=$ POST['brandname'];
$vehicleoverview=$ POST['vehicalorcview'];
$priceperday=$ POST['priceperday'];
$fueltype=$ POST['fueltype'];
$modelyear=$ POST['modelyear'];
$seatingcapacity=$ POST['seatingcapacity'];
$airconditioner=$ POST['airconditioner'];
$powerdoorlocks=\$ POST['powerdoorlocks'];
$antilockbrakingsys=\$ POST['antilockbrakingsys'];
$brakeassist=$ POST['brakeassist'];
$powersteering=$ POST['powersteering'];
$driverairbag=$ POST['driverairbag'];
$passengerairbag=$ POST['passengerairbag'];
$powerwindow=$ POST['powerwindow'];
$cdplayer=$ POST['cdplayer'];
$centrallocking=$ POST['centrallocking'];
$crashcensor=$ POST['crashcensor'];
$leatherseats=$ POST['leatherseats'];
$id=intval($_GET['id']);
```

```
$sql="update tblvehicles set
VehiclesTitle=:vehicletitle, VehiclesBrand=:brand, VehiclesOverview=:vehicleoverview, PricePerDay=:pri
ceperday, FuelType=: fueltype, ModelYear=: modelyear, SeatingCapacity=: seatingcapacity, AirConditioner=
:airconditioner,PowerDoorLocks=:powerdoorlocks,AntiLockBrakingSystem=:antilockbrakingsys,BrakeA
ssist=:brakeassist,PowerSteering=:powersteering,DriverAirbag=:driverairbag,PassengerAirbag=:passenge
rairbag,PowerWindows=:powerwindow,CDPlayer=:cdplayer,CentralLocking=:centrallocking,CrashSens
or=:crashcensor,LeatherSeats=:leatherseats where id=:id ";
$query = $dbh->prepare($sql);
$query->bindParam(':vehicletitle',$vehicletitle,PDO::PARAM STR);
$query->bindParam(':brand',$brand,PDO::PARAM STR);
$query->bindParam(':vehicleoverview',$vehicleoverview,PDO::PARAM STR);
$query->bindParam(':priceperday',$priceperday,PDO::PARAM STR);
$query->bindParam(':fueltype',$fueltype,PDO::PARAM STR);
$query->bindParam(':modelyear',$modelyear,PDO::PARAM STR);
$query->bindParam(':seatingcapacity',$seatingcapacity,PDO::PARAM STR);
$query->bindParam(':airconditioner',$airconditioner,PDO::PARAM STR);
$query->bindParam(':powerdoorlocks',$powerdoorlocks,PDO::PARAM STR);
$query->bindParam(':antilockbrakingsys',$antilockbrakingsys,PDO::PARAM STR);
$query->bindParam(':brakeassist',$brakeassist,PDO::PARAM STR);
$query->bindParam(':powersteering',$powersteering,PDO::PARAM STR);
$query->bindParam(':driverairbag',$driverairbag,PDO::PARAM STR);
$query->bindParam(':passengerairbag',$passengerairbag,PDO::PARAM STR);
$query->bindParam(':powerwindow',$powerwindow,PDO::PARAM STR);
$query->bindParam(':cdplayer',$cdplayer,PDO::PARAM STR);
$query->bindParam(':centrallocking',$centrallocking,PDO::PARAM STR);
$query->bindParam(':crashcensor',$crashcensor,PDO::PARAM STR);
$query->bindParam(':leatherseats',$leatherseats,PDO::PARAM STR);
$query->bindParam(':id',$id,PDO::PARAM STR);
$query->execute();
$msg="Data updated successfully";
}
 ?>
<!DOCTYPE html>
<html lang="en" class="no-js">
<head>
  <title>Car Rental</title>
```

k rel="stylesheet" href="css/font-awesome.min.css">

```
<link rel="stylesheet" href="css/bootstrap.min.css">
 link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
 <link rel="stylesheet" href="css/bootstrap-select.css">
 <link rel="stylesheet" href="css/fileinput.min.css">
 <link rel="stylesheet" href="css/awesome-bootstrap-checkbox.css">
 <link rel="stylesheet" href="css/style.css">
 <style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
}
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
  </style>
</head>
<body>
 <?php include('includes/header.php');?>
 <div class="ts-main-content">
 <?php include('includes/leftbar.php');?>
  <div class="content-wrapper">
   <div class="container-fluid">
     <div class="row">
      <div class="col-md-12">
       <h2 class="page-title">Edit Vehicle</h2>
       <div class="row">
        <div class="col-md-12">
          <div class="panel panel-default">
           <div class="panel-heading">Basic Info</div>
           <div class="panel-body">
```

```
<?php if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo htmlentities($msg);</pre>
?> </div><?php } ?>
<?php
$id=intval($ GET['id']);
$sql ="SELECT tblvehicles.*,tblbrands.BrandName,tblbrands.id as bid from tblvehicles join tblbrands on
tblbrands.id=tblvehicles.VehiclesBrand where tblvehicles.id=:id";
$query = $dbh -> prepare($sql);
$query-> bindParam(':id', $id, PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
cnt=1;
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
{ ?>
<form method="post" class="form-horizontal" enctype="multipart/form-data">
<div class="form-group">
<label class="col-sm-2 control-label">Vehicle Title<span style="color:red">*</span></label>
<div class="col-sm-4">
<input type="text" name="vehicletitle" class="form-control" value="<?php echo htmlentities($result-</pre>
>VehiclesTitle)?>" required>
</div>
<label class="col-sm-2 control-label">Select Brand<span style="color:red">*</span></label>
<div class="col-sm-4">
<select class="selectpicker" name="brandname" required>
<option value="<?php echo htmlentities($result->bid);?>"><?php echo htmlentities($bdname=$result-</pre>
>BrandName); ?> </option>
<?php $ret="select id,BrandName from tblbrands";</pre>
$query= $dbh -> prepare($ret);
$query-> execute();
$resultss = $query -> fetchAll(PDO::FETCH OBJ);
if(\text{query -> rowCount}() > 0)
foreach($resultss as $results)
if($results->BrandName==$bdname)
continue;
} else{
?>
<option value="<?php echo htmlentities($results->id);?>"><?php echo htmlentities($results-</pre>
>BrandName);?></option>
<?php }}} ?>
```

```
</select>
</div>
</div>
<div class="hr-dashed"></div>
<div class="form-group">
<label class="col-sm-2 control-label">Vehical Overview<span style="color:red">*</span></label>
<div class="col-sm-10">
<textarea class="form-control" name="vehicalorcview" rows="3" required><?php echo
htmlentities($result->VehiclesOverview);?></textarea>
</div>
</div>
<div class="form-group">
<label class="col-sm-2 control-label">Price Per Day(in USD)<span style="color:red">*</span></label>
<div class="col-sm-4">
<input type="text" name="priceperday" class="form-control" value="<?php echo htmlentities($result-</pre>
>PricePerDay);?>" required>
</div>
<label class="col-sm-2 control-label">Select Fuel Type<span style="color:red">*</span></label>
<div class="col-sm-4">
<select class="selectpicker" name="fueltype" required>
<option value="<?php echo htmlentities($result->FuelType);?>"> <?php echo htmlentities($result-</pre>
>FuelType);?></option>
<option value="Petrol">Petrol</option>
<option value="Diesel">Diesel</option>
<option value="CNG">CNG</option>
</select>
</div>
</div>
<div class="form-group">
<label class="col-sm-2 control-label">Model Year<span style="color:red">*</span></label>
<div class="col-sm-4">
<input type="text" name="modelyear" class="form-control" value="<?php echo htmlentities($result-</pre>
>ModelYear);?>" required>
</div>
<label class="col-sm-2 control-label">Seating Capacity<span style="color:red">*</span></label>
<div class="col-sm-4">
<input type="text" name="seatingcapacity" class="form-control" value="<?php echo htmlentities($result-</pre>
>SeatingCapacity);?>" required>
```

```
</div>
</div>
<div class="hr-dashed"></div>
<div class="form-group">
<div class="col-sm-12">
<h4><b>Vehicle Images</b></h4>
</div>
</div>
<div class="form-group">
<div class="col-sm-4">
Image 1 <img src="img/vehicleimages/<?php echo htmlentities($result->Vimage1);?>" width="300"
height="200" style="border:solid 1px #000">
<a href="changeimage1.php?imgid=<?php echo htmlentities($result->id)?>">Change Image 1</a>
</div>
<div class="col-sm-4">
Image 2<img src="img/vehicleimages/<?php echo htmlentities($result->Vimage2);?>" width="300"
height="200" style="border:solid 1px #000">
<a href="changeimage2.php?imgid=<?php echo htmlentities($result->id)?>">Change Image 2</a>
</div>
<div class="col-sm-4">
Image 3<img src="img/vehicleimages/<?php echo htmlentities($result->Vimage3);?>" width="300"
height="200" style="border:solid 1px #000">
<a href="changeimage3.php?imgid=<?php echo htmlentities($result->id)?>">Change Image 3</a>
</div>
</div>
<div class="form-group">
<div class="col-sm-4">
Image 4<img src="img/vehicleimages/<?php echo htmlentities($result->Vimage4);?>" width="300"
height="200" style="border:solid 1px #000">
<a href="changeimage4.php?imgid=<?php echo htmlentities($result->id)?>">Change Image 4</a>
</div>
<div class="col-sm-4">
Image 5
<?php if($result->Vimage5=="")
echo htmlentities("File not available");
} else {?>
<img src="img/vehicleimages/<?php echo htmlentities($result->Vimage5);?>" width="300"
height="200" style="border:solid 1px #000">
<a href="changeimage5.php?imgid=<?php echo htmlentities($result->id)?>">Change Image 5</a>
```

```
<?php } ?>
</div>
</div>
<div class="hr-dashed"></div>
</div>
</div>
</div>
</div>
<div class="row">
<div class="col-md-12">
<div class="panel panel-default">
<div class="panel-heading">Accessories</div>
<div class="panel-body">
<div class="form-group">
<div class="col-sm-3">
<?php if($result->AirConditioner==1)
{?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="airconditioner" checked value="1">
<label for="inlineCheckbox1"> Air Conditioner </label>
</div>
<?php } else { ?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="airconditioner" value="1">
<label for="inlineCheckbox1"> Air Conditioner </label>
</div>
<?php } ?>
</div>
<div class="col-sm-3">
<?php if($result->PowerDoorLocks==1)
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="powerdoorlocks" checked value="1">
<label for="inlineCheckbox2"> Power Door Locks </label>
</div>
<?php } else {?>
<div class="checkbox checkbox-success checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="powerdoorlocks" value="1">
```

```
<label for="inlineCheckbox2"> Power Door Locks </label>
</div>
<?php }?>
</div>
<div class="col-sm-3">
<?php if($result->AntiLockBrakingSystem==1)
{?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="antilockbrakingsys" checked value="1">
<label for="inlineCheckbox3"> AntiLock Braking System </label>
</div>
<?php } else {?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="antilockbrakingsys" value="1">
<label for="inlineCheckbox3"> AntiLock Braking System </label>
</div>
<?php } ?>
</div>
<div class="col-sm-3">
<?php if($result->BrakeAssist==1)
 ?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="brakeassist" checked value="1">
<label for="inlineCheckbox3"> Brake Assist </label>
</div>
<?php } else {?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="brakeassist" value="1">
<label for="inlineCheckbox3"> Brake Assist </label>
</div>
<?php } ?>
</div>
<div class="form-group">
<?php if($result->PowerSteering==1)
?>
<div class="col-sm-3">
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="powersteering" checked value="1">
<label for="inlineCheckbox1"> Power Steering </label>
</div>
<?php } else {?>
```

```
<div class="col-sm-3">
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="powersteering" value="1">
<label for="inlineCheckbox1"> Power Steering </label>
</div>
<?php } ?>
</div>
<div class="col-sm-3">
<?php if($result->DriverAirbag==1)
?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="driverairbag" checked value="1">
<label for="inlineCheckbox2">Driver Airbag</label>
</div>
<?php } else { ?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="driverairbag" value="1">
<label for="inlineCheckbox2">Driver Airbag</label>
<?php } ?>
</div>
<div class="col-sm-3">
<?php if($result->DriverAirbag==1)
?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="passengerairbag" checked value="1">
<label for="inlineCheckbox3"> Passenger Airbag </label>
</div>
<?php } else { ?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="passengerairbag" value="1">
<label for="inlineCheckbox3"> Passenger Airbag </label>
</div>
<?php } ?>
</div>
<div class="col-sm-3">
<?php if($result->PowerWindows==1)
{
?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="powerwindow" checked value="1">
<label for="inlineCheckbox3"> Power Windows </label>
</div>
```

```
<?php } else { ?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="powerwindow" value="1">
<label for="inlineCheckbox3"> Power Windows </label>
</div>
<?php } ?>
</div>
<div class="form-group">
<div class="col-sm-3">
<?php if($result->CDPlayer==1)
{
?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="cdplayer" checked value="1">
<label for="inlineCheckbox1"> CD Player </label>
</div>
<?php } else {?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="cdplayer" value="1">
<label for="inlineCheckbox1"> CD Player </label>
</div>
<?php } ?>
</div>
<div class="col-sm-3">
<?php if($result->CentralLocking==1)
{
?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="centrallocking" checked value="1">
<label for="inlineCheckbox2">Central Locking</label>
</div>
<?php } else { ?>
<div class="checkbox checkbox-success checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="centrallocking" value="1">
<label for="inlineCheckbox2">Central Locking</label>
</div>
<?php } ?>
</div>
<div class="col-sm-3">
<?php if($result->CrashSensor==1)
?>
```

```
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="crashcensor" checked value="1">
<label for="inlineCheckbox3"> Crash Sensor </label>
</div>
<?php } else {?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="crashcensor" value="1">
<label for="inlineCheckbox3"> Crash Sensor </label>
</div>
<?php } ?>
</div>
<div class="col-sm-3">
<?php if($result->CrashSensor==1)
?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="leatherseats" checked value="1">
<label for="inlineCheckbox3"> Leather Seats </label>
</div>
<?php } else { ?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="leatherseats" value="1">
<label for="inlineCheckbox3"> Leather Seats </label>
</div>
<?php } ?>
</div>
</div>
<?php }} ?>
            <div class="form-group">
              <div class="col-sm-8 col-sm-offset-2" >
<button class="btn btn-primary" name="submit" type="submit" style="margin-top:4%">Save
changes</button>
              </div>
            </div>
           </form>
          </div>
         </div>
        </div>
       </div>
```

```
</div>
     </div>
   </div>
  </div>
 </div>
 <script src="js/jquery.min.js"></script>
 <script src="js/bootstrap-select.min.js"></script>
 <script src="js/bootstrap.min.js"></script>
 <script src="js/jquery.dataTables.min.js"></script>
 <script src="js/dataTables.bootstrap.min.js"></script>
 <script src="js/Chart.min.js"></script>
 <script src="js/fileinput.js"></script>
 <script src="js/chartData.js"></script>
 <script src="js/main.js"></script>
</body>
</html>
<?php } ?>
<?php
session_start();
error reporting(0);
include('includes/config.php');
if(strlen($ SESSION['alogin'])==0)
 {
header('location:index.php');
else {
if(isset($_POST['submit']))
$vehicletitle=\$ POST['vehicletitle'];
$brand=$_POST['brandname'];
$vehicleoverview=$ POST['vehicalorcview'];
$priceperday=$ POST['priceperday'];
$fueltype=$ POST['fueltype'];
$modelyear=$ POST['modelyear'];
$seatingcapacity=$_POST['seatingcapacity'];
```

```
$airconditioner=$ POST['airconditioner'];
$powerdoorlocks=$ POST['powerdoorlocks'];
$antilockbrakingsys=\$ POST['antilockbrakingsys'];
$brakeassist=$ POST['brakeassist'];
$powersteering=$ POST['powersteering'];
$driverairbag=$ POST['driverairbag'];
$passengerairbag=$ POST['passengerairbag'];
$powerwindow=$ POST['powerwindow'];
$cdplayer=$ POST['cdplayer'];
$centrallocking=$ POST['centrallocking'];
$crashcensor=$ POST['crashcensor'];
$leatherseats=$ POST['leatherseats'];
$id=intval($ GET['id']);
$sql="update tblvehicles set
VehiclesTitle=:vehicletitle,VehiclesBrand=:brand,VehiclesOverview=:vehicleoverview,PricePerDay=:pri
ceperday, FuelType=: fueltype, ModelYear=: modelyear, SeatingCapacity=: seatingcapacity, AirConditioner=
:airconditioner,PowerDoorLocks=:powerdoorlocks,AntiLockBrakingSystem=:antilockbrakingsys,BrakeA
ssist=:brakeassist,PowerSteering=:powersteering,DriverAirbag=:driverairbag,PassengerAirbag=:passenge
rairbag,PowerWindows=:powerwindow,CDPlayer=:cdplayer,CentralLocking=:centrallocking,CrashSens
or=:crashcensor,LeatherSeats=:leatherseats where id=:id ";
$query = $dbh->prepare($sql);
$query->bindParam(':vehicletitle',$vehicletitle,PDO::PARAM STR);
$query->bindParam(':brand',$brand,PDO::PARAM STR);
$query->bindParam(':vehicleoverview',$vehicleoverview,PDO::PARAM STR);
$query->bindParam(':priceperday',$priceperday,PDO::PARAM STR);
$query->bindParam(':fueltype',$fueltype,PDO::PARAM STR);
$query->bindParam(':modelyear',$modelyear,PDO::PARAM STR);
$query->bindParam(':seatingcapacity',$seatingcapacity,PDO::PARAM STR);
$query->bindParam(':airconditioner',$airconditioner,PDO::PARAM STR);
$query->bindParam(':powerdoorlocks',$powerdoorlocks,PDO::PARAM STR);
$query->bindParam(':antilockbrakingsys',$antilockbrakingsys,PDO::PARAM STR);
$query->bindParam(':brakeassist',$brakeassist,PDO::PARAM STR);
$query->bindParam(':powersteering',$powersteering,PDO::PARAM STR);
$query->bindParam(':driverairbag',$driverairbag,PDO::PARAM STR);
$query->bindParam(':passengerairbag',$passengerairbag,PDO::PARAM_STR);
$query->bindParam(':powerwindow',$powerwindow,PDO::PARAM STR);
$query->bindParam(':cdplayer',$cdplayer,PDO::PARAM STR);
$query->bindParam(':centrallocking',$centrallocking,PDO::PARAM STR);
$query->bindParam(':crashcensor',$crashcensor,PDO::PARAM STR);
$query->bindParam(':leatherseats',$leatherseats,PDO::PARAM STR);
$query->bindParam(':id',$id,PDO::PARAM STR);
$query->execute();
```

```
$msg="Data updated successfully";
}
 ?>
<!DOCTYPE html>
<html lang="en" class="no-js">
<head>
  <title>Car Rental</title>
 k rel="stylesheet" href="css/font-awesome.min.css">
 <link rel="stylesheet" href="css/bootstrap.min.css">
 link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
 <link rel="stylesheet" href="css/bootstrap-select.css">
 <link rel="stylesheet" href="css/fileinput.min.css">
 link rel="stylesheet" href="css/awesome-bootstrap-checkbox.css">
 <link rel="stylesheet" href="css/style.css">
 <style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
}
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 \text{ 1px } 1 \text{px } 0 \text{ rgba}(0,0,0,1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
  </style>
</head>
<body>
 <?php include('includes/header.php');?>
 <div class="ts-main-content">
 <?php include('includes/leftbar.php');?>
  <div class="content-wrapper">
```

```
<div class="container-fluid">
    <div class="row">
      <div class="col-md-12">
       <h2 class="page-title">Edit Vehicle</h2>
       <div class="row">
        <div class="col-md-12">
         <div class="panel panel-default">
          <div class="panel-heading">Basic Info</div>
          <div class="panel-body">
<?php if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo htmlentities($msg);</pre>
?> </div><?php } ?>
<?php
$id=intval($ GET['id']);
$sql ="SELECT tblvehicles.*,tblbrands.BrandName,tblbrands.id as bid from tblvehicles join tblbrands on
tblbrands.id=tblvehicles.VehiclesBrand where tblvehicles.id=:id";
$query = $dbh -> prepare($sql);
$query-> bindParam(':id', $id, PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
cnt=1:
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
{ ?>
<form method="post" class="form-horizontal" enctype="multipart/form-data">
<div class="form-group">
<label class="col-sm-2 control-label">Vehicle Title<span style="color:red">*</span></label>
<div class="col-sm-4">
<input type="text" name="vehicletitle" class="form-control" value="<?php echo htmlentities($result-
>VehiclesTitle)?>" required>
</div>
<label class="col-sm-2 control-label">Select Brand<span style="color:red">*</span></label>
<div class="col-sm-4">
<select class="selectpicker" name="brandname" required>
<option value="<?php echo htmlentities($result->bid);?>"><?php echo htmlentities($bdname=$result-</pre>
>BrandName); ?> </option>
<?php $ret="select id,BrandName from tblbrands";</pre>
$query= $dbh -> prepare($ret);
$query-> execute();
$resultss = $query -> fetchAll(PDO::FETCH OBJ);
```

```
if(\text{query -> rowCount}() > 0)
foreach($resultss as $results)
if($results->BrandName==$bdname)
continue;
} else{
?>
<option value="<?php echo htmlentities($results->id);?>"><?php echo htmlentities($results-</pre>
>BrandName);?></option>
<?php }}} ?>
</select>
</div>
</div>
<div class="hr-dashed"></div>
<div class="form-group">
<label class="col-sm-2 control-label">Vehical Overview<span style="color:red">*</span></label>
<div class="col-sm-10">
<textarea class="form-control" name="vehicalorcview" rows="3" required><?php echo
htmlentities($result->VehiclesOverview);?></textarea>
</div>
</div>
<div class="form-group">
<label class="col-sm-2 control-label">Price Per Day(in USD)<span style="color:red">*</span></label>
<div class="col-sm-4">
<input type="text" name="priceperday" class="form-control" value="<?php echo htmlentities($result-
>PricePerDay);?>" required>
</div>
<label class="col-sm-2 control-label">Select Fuel Type<span style="color:red">*</span></label>
<div class="col-sm-4">
<select class="selectpicker" name="fueltype" required>
<option value="<?php echo htmlentities($result->FuelType);?>"> <?php echo htmlentities($result-</pre>
>FuelType);?></option>
<option value="Petrol">Petrol</option>
<option value="Diesel">Diesel</option>
<option value="CNG">CNG</option>
</select>
</div>
</div>
```

```
<div class="form-group">
<label class="col-sm-2 control-label">Model Year<span style="color:red">*</span></label>
<div class="col-sm-4">
<input type="text" name="modelyear" class="form-control" value="<?php echo htmlentities($result-</pre>
>ModelYear);?>" required>
</div>
<label class="col-sm-2 control-label">Seating Capacity<span style="color:red">*</span></label>
<div class="col-sm-4">
<input type="text" name="seatingcapacity" class="form-control" value="<?php echo htmlentities($result-</pre>
>SeatingCapacity);?>" required>
</div>
</div>
<div class="hr-dashed"></div>
<div class="form-group">
<div class="col-sm-12">
<h4><b>Vehicle Images</b></h4>
</div>
</div>
<div class="form-group">
<div class="col-sm-4">
Image 1 <img src="img/vehicleimages/<?php echo htmlentities($result->Vimage1);?>" width="300"
height="200" style="border:solid 1px #000">
<a href="changeimage1.php?imgid=<?php echo htmlentities($result->id)?>">Change Image 1</a>
</div>
<div class="col-sm-4">
Image 2<img src="img/vehicleimages/<?php echo htmlentities($result->Vimage2);?>" width="300"
height="200" style="border:solid 1px #000">
<a href="changeimage2.php?imgid=<?php echo htmlentities($result->id)?>">Change Image 2</a>
</div>
<div class="col-sm-4">
Image 3<img src="img/vehicleimages/<?php echo htmlentities($result->Vimage3);?>" width="300"
height="200" style="border:solid 1px #000">
<a href="changeimage3.php?imgid=<?php echo htmlentities($result->id)?>">Change Image 3</a>
</div>
</div>
<div class="form-group">
<div class="col-sm-4">
```

```
Image 4<img src="img/vehicleimages/<?php echo htmlentities($result->Vimage4);?>" width="300"
height="200" style="border:solid 1px #000">
<a href="changeimage4.php?imgid=<?php echo htmlentities($result->id)?>">Change Image 4</a>
<div class="col-sm-4">
Image 5
<?php if($result->Vimage5=="")
echo htmlentities("File not available");
} else {?>
<img src="img/vehicleimages/<?php echo htmlentities($result->Vimage5);?>" width="300"
height="200" style="border:solid 1px #000">
<a href="changeimage5.php?imgid=<?php echo htmlentities($result->id)?>">Change Image 5</a>
<?php } ?>
</div>
</div>
<div class="hr-dashed"></div>
</div>
</div>
</div>
</div>
<div class="row">
<div class="col-md-12">
<div class="panel panel-default">
<div class="panel-heading">Accessories</div>
<div class="panel-body">
<div class="form-group">
<div class="col-sm-3">
<?php if($result->AirConditioner==1)
{?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="airconditioner" checked value="1">
<label for="inlineCheckbox1"> Air Conditioner </label>
</div>
<?php } else { ?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="airconditioner" value="1">
<label for="inlineCheckbox1"> Air Conditioner </label>
```

```
</div>
<?php } ?>
</div>
<div class="col-sm-3">
<?php if($result->PowerDoorLocks==1)
{?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="powerdoorlocks" checked value="1">
<label for="inlineCheckbox2"> Power Door Locks </label>
</div>
<?php } else {?>
<div class="checkbox checkbox-success checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="powerdoorlocks" value="1">
<label for="inlineCheckbox2"> Power Door Locks </label>
</div>
<?php }?>
</div>
<div class="col-sm-3">
<?php if($result->AntiLockBrakingSystem==1)
{?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="antilockbrakingsys" checked value="1">
<label for="inlineCheckbox3"> AntiLock Braking System </label>
</div>
<?php } else {?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="antilockbrakingsys" value="1">
<label for="inlineCheckbox3"> AntiLock Braking System </label>
</div>
<?php } ?>
</div>
<div class="col-sm-3">
<?php if($result->BrakeAssist==1)
?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="brakeassist" checked value="1">
<label for="inlineCheckbox3"> Brake Assist </label>
</div>
<?php } else {?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="brakeassist" value="1">
<label for="inlineCheckbox3"> Brake Assist </label>
</div>
```

```
<?php } ?>
</div>
<div class="form-group">
<?php if($result->PowerSteering==1)
{
 ?>
<div class="col-sm-3">
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="powersteering" checked value="1">
<label for="inlineCheckbox1"> Power Steering </label>
</div>
<?php } else {?>
<div class="col-sm-3">
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="powersteering" value="1">
<label for="inlineCheckbox1"> Power Steering </label>
</div>
<?php } ?>
</div>
<div class="col-sm-3">
<?php if($result->DriverAirbag==1)
{
?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="driverairbag" checked value="1">
<label for="inlineCheckbox2">Driver Airbag</label>
</div>
<?php } else { ?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="driverairbag" value="1">
<label for="inlineCheckbox2">Driver Airbag</label>
<?php } ?>
</div>
<div class="col-sm-3">
<?php if($result->DriverAirbag==1)
?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="passengerairbag" checked value="1">
<label for="inlineCheckbox3"> Passenger Airbag </label>
</div>
<?php } else { ?>
<div class="checkbox checkbox-inline">
```

```
<input type="checkbox" id="inlineCheckbox1" name="passengerairbag" value="1">
<label for="inlineCheckbox3"> Passenger Airbag </label>
</div>
<?php } ?>
</div>
<div class="col-sm-3">
<?php if($result->PowerWindows==1)
?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="powerwindow" checked value="1">
<label for="inlineCheckbox3"> Power Windows </label>
</div>
<?php } else { ?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="powerwindow" value="1">
<label for="inlineCheckbox3"> Power Windows </label>
</div>
<?php } ?>
</div>
<div class="form-group">
<div class="col-sm-3">
<?php if($result->CDPlayer==1)
{
?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="cdplayer" checked value="1">
<label for="inlineCheckbox1"> CD Player </label>
</div>
<?php } else {?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="cdplayer" value="1">
<label for="inlineCheckbox1"> CD Player </label>
</div>
<?php } ?>
</div>
<div class="col-sm-3">
<?php if($result->CentralLocking==1)
{
?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="centrallocking" checked value="1">
```

```
<label for="inlineCheckbox2">Central Locking</label>
</div>
<?php } else { ?>
<div class="checkbox checkbox-success checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="centrallocking" value="1">
<label for="inlineCheckbox2">Central Locking</label>
</div>
<?php } ?>
</div>
<div class="col-sm-3">
<?php if($result->CrashSensor==1)
{
?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="crashcensor" checked value="1">
<label for="inlineCheckbox3"> Crash Sensor </label>
</div>
<?php } else {?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="crashcensor" value="1">
<label for="inlineCheckbox3"> Crash Sensor </label>
</div>
<?php } ?>
</div>
<div class="col-sm-3">
<?php if($result->CrashSensor==1)
?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="leatherseats" checked value="1">
<label for="inlineCheckbox3"> Leather Seats </label>
</div>
<?php } else { ?>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="inlineCheckbox1" name="leatherseats" value="1">
<label for="inlineCheckbox3"> Leather Seats </label>
</div>
<?php } ?>
</div>
</div>
<?php }} ?>
```

```
<div class="form-group">
              <div class="col-sm-8 col-sm-offset-2" >
<button class="btn btn-primary" name="submit" type="submit" style="margin-top:4%">Save
changes</button>
              </div>
             </div>
            </form>
          </div>
         </div>
        </div>
       </div>
     </div>
     </div>
   </div>
  </div>
 </div>
 <script src="js/jquery.min.js"></script>
 <script src="js/bootstrap-select.min.js"></script>
 <script src="js/bootstrap.min.js"></script>
 <script src="js/jquery.dataTables.min.js"></script>
 <script src="js/dataTables.bootstrap.min.js"></script>
 <script src="js/Chart.min.js"></script>
 <script src="js/fileinput.js"></script>
 <script src="js/chartData.js"></script>
 <script src="js/main.js"></script>
</body>
</html>
<?php } ?>
<?php
session start();
error reporting(0);
include('includes/config.php');
if(strlen($ SESSION['alogin'])==0)
```

```
header('location:index.php');
}
else {
 ?>
<!DOCTYPE html>
<head>
 <title>Car Rental</title>
 k rel="stylesheet" href="css/bootstrap.min.css">
 <link rel="stylesheet" href="css/bootstrap-social.css">
 <link rel="stylesheet" href="css/bootstrap-select.css">
 <link rel="stylesheet" href="css/fileinput.min.css">
 link rel="stylesheet" href="css/awesome-bootstrap-checkbox.css">
 <link rel="stylesheet" href="css/style.css">
</head>
<body>
<?php include('includes/header.php');?>
 <div class="ts-main-content">
<?php include('includes/leftbar.php');?>
  <div class="content-wrapper">
   <div class="container-fluid">
    <div class="row">
      <div class="col-md-12">
       <h2 class="page-title">Dashboard</h2>
       <div class="row">
        <div class="col-md-12">
         <div class="row">
          <div class="col-md-3">
            <div class="panel panel-default">
             <div class="panel-body bk-primary text-light">
              <div class="stat-panel text-center">
<?php
$sql ="SELECT id from tblusers ";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$regusers=$query->rowCount();
?>
               <div class="stat-panel-number h1 "><?php echo htmlentities($regusers);?></div>
               <div class="stat-panel-title text-uppercase">Reg Users</div>
```

```
</div>
             </div>
             <a href="reg-users.php" class="block-anchor panel-footer">Full Detail <i class="fa fa-
arrow-right"></i></a>
           </div>
          </div>
          <div class="col-md-3">
           <div class="panel panel-default">
             <div class="panel-body bk-success text-light">
              <div class="stat-panel text-center">
              <?php
$sql1 ="SELECT id from tblvehicles ";
query1 = dbh -> prepare(sq11);;
$query1->execute();
$results1=$query1->fetchAll(PDO::FETCH OBJ);
$totalvehicle=$query1->rowCount();
?>
               <div class="stat-panel-number h1 "><?php echo htmlentities($totalvehicle);?></div>
               <div class="stat-panel-title text-uppercase">Listed Vehicles</div>
              </div>
             </div>
             <a href="manage-vehicles.php" class="block-anchor panel-footer text-center">Full Detail
  <i class="fa fa-arrow-right"></i>>/a>
           </div>
          </div>
          <div class="col-md-3">
           <div class="panel panel-default">
             <div class="panel-body bk-info text-light">
              <div class="stat-panel text-center">
<?php
$sql2 ="SELECT id from tblbooking";
$query2= $dbh -> prepare($sql2);
$query2->execute();
$results2=$query2->fetchAll(PDO::FETCH OBJ);
$bookings=$query2->rowCount();
?>
               <div class="stat-panel-number h1 "><?php echo htmlentities($bookings);?></div>
               <div class="stat-panel-title text-uppercase">Total Bookings</div>
              </div>
             </div>
             <a href="manage-bookings.php" class="block-anchor panel-footer text-center">Full Detail
  <i class="fa fa-arrow-right"></i></a>
           </div>
```

```
</div>
          <div class="col-md-3">
           <div class="panel panel-default">
            <div class="panel-body bk-warning text-light">
              <div class="stat-panel text-center">
<?php
$sql3 ="SELECT id from tblbrands";
$query3= $dbh -> prepare($sql3);
$query3->execute();
$results3=$query3->fetchAll(PDO::FETCH OBJ);
$brands=$query3->rowCount();
?>
               <div class="stat-panel-number h1 "><?php echo htmlentities($brands);?></div>
               <div class="stat-panel-title text-uppercase">Listed Brands</div>
              </div>
             </div>
            <a href="manage-brands.php" class="block-anchor panel-footer text-center">Full Detail
  <i class="fa fa-arrow-right"></i></a>
           </div>
          </div>
         </div>
        </div>
       </div>
     </div>
    </div>
    <div class="row">
     <div class="col-md-12">
       <div class="row">
        <div class="col-md-12">
         <div class="row">
          <div class="col-md-3">
           <div class="panel panel-default">
            <div class="panel-body bk-primary text-light">
              <div class="stat-panel text-center">
<?php
$sql4 ="SELECT id from tblsubscribers";
query4 = dh -> prepare(sql4);
$query4->execute();
$results4=$query4->fetchAll(PDO::FETCH OBJ);
```

```
$subscribers=$query4->rowCount();
?>
               <div class="stat-panel-number h1 "><?php echo htmlentities($subscribers);?></div>
               <div class="stat-panel-title text-uppercase">Subscibers</div>
              </div>
             </div>
             <a href="manage-subscribers.php" class="block-anchor panel-footer">Full Detail <i
class="fa fa-arrow-right"></i>
           </div>
          </div>
          <div class="col-md-3">
           <div class="panel panel-default">
             <div class="panel-body bk-success text-light">
              <div class="stat-panel text-center">
              <?php
$sql6 = "SELECT id from tblcontactusquery";
query6 = dh -> prepare(sql6);;
$query6->execute();
$results6=$query6->fetchAll(PDO::FETCH OBJ);
$query=$query6->rowCount();
?>
               <div class="stat-panel-number h1 "><?php echo htmlentities($query);?></div>
               <div class="stat-panel-title text-uppercase">Queries</div>
              </div>
             </div>
             <a href="manage-conactusquery.php" class="block-anchor panel-footer text-center">Full
Detail   <i class="fa fa-arrow-right"></i>
           </div>
          </div>
          <div class="col-md-3">
           <div class="panel panel-default">
             <div class="panel-body bk-info text-light">
              <div class="stat-panel text-center">
<?php
$sql5 ="SELECT id from tbltestimonial";
$query5= $dbh -> prepare($sql5);
$query5->execute();
$results5=$query5->fetchAll(PDO::FETCH OBJ);
$testimonials=$query5->rowCount();
?>
               <div class="stat-panel-number h1 "><?php echo htmlentities($testimonials);?></div>
               <div class="stat-panel-title text-uppercase">Testimonials</div>
              </div>
```

```
</div>
             <a href="testimonials.php" class="block-anchor panel-footer text-center">Full Detail
  <i class="fa fa-arrow-right"></i>>/a>
           </div>
          </div>
         </div>
        </div>
       </div>
     </div>
    </div>
   </div>
  </div>
 </div>
 <script src="js/jquery.min.js"></script>
 <script src="js/bootstrap-select.min.js"></script>
 <script src="js/bootstrap.min.js"></script>
 <script src="js/jquery.dataTables.min.js"></script>
 <script src="js/dataTables.bootstrap.min.js"></script>
 <script src="js/Chart.min.js"></script>
 <script src="js/fileinput.js"></script>
 <script src="js/chartData.js"></script>
 <script src="js/main.js"></script>
 <script>
 window.onload = function(){
  var ctx = document.getElementById("dashReport").getContext("2d");
  window.myLine = new Chart(ctx).Line(swirlData, {
   responsive: true,
   scaleShowVerticalLines: false,
   scaleBeginAtZero: true,
   multiTooltipTemplate: "<%if (label){%><%=label%>: <%}%><%= value %>",
  });
  var doctx = document.getElementById("chart-area3").getContext("2d");
  window.myDoughnut = new Chart(doctx).Pie(doughnutData, {responsive : true});
  var doctx = document.getElementById("chart-area4").getContext("2d");
  window.myDoughnut = new Chart(doctx).Doughnut(doughnutData, {responsive : true});
```

```
</script>
</body>
</html>
<?php } ?>
<?php
session_start();
error reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
header('location:index.php');
else {
if(isset($_POST['submit']))
$brand=$ POST['brand'];
$sql="INSERT INTO tblbrands(BrandName) VALUES(:brand)";
$query = $dbh->prepare($sql);
$query->bindParam(':brand',$brand,PDO::PARAM STR);
$query->execute();
$lastInsertId = $dbh->lastInsertId();
if($lastInsertId)
$msg="Brand Created successfully";
else
$error="Something went wrong. Please try again";
?>
<!doctype html>
<html lang="en" class="no-js">
<head>
 <title>Car Rental</title>
 <link rel="stylesheet" href="css/font-awesome.min.css">
 <link rel="stylesheet" href="css/bootstrap.min.css">
 link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
 k rel="stylesheet" href="css/bootstrap-select.css">
```

```
<link rel="stylesheet" href="css/fileinput.min.css">
 link rel="stylesheet" href="css/awesome-bootstrap-checkbox.css">
 <link rel="stylesheet" href="css/style.css">
 <style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
}
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 \text{ 1px } 1\text{px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
  </style>
</head>
<body>
 <?php include('includes/header.php');?>
 <div class="ts-main-content">
 <?php include('includes/leftbar.php');?>
  <div class="content-wrapper">
   <div class="container-fluid">
     <div class="row">
      <div class="col-md-12">
       <h2 class="page-title">Create Brand</h2>
       <div class="row">
        <div class="col-md-10">
          <div class="panel panel-default">
           <div class="panel-heading">Form fields</div>
           <div class="panel-body">
            <form method="post" name="chngpwd" class="form-horizontal" onSubmit="return
valid();">
```

```
<?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo</pre>
htmlentities($error); ?> </div><?php }
    else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
             <div class="form-group">
              <label class="col-sm-4 control-label">Brand Name</label>
              <div class="col-sm-8">
               <input type="text" class="form-control" name="brand" id="brand" required>
              </div>
             </div>
             <div class="hr-dashed"></div>
             <div class="form-group">
              <div class="col-sm-8 col-sm-offset-4">
               <button class="btn btn-primary" name="submit" type="submit">Submit/button>
              </div>
             </div>
           </form>
          </div>
         </div>
        </div>
       </div>
     </div>
    </div>
   </div>
  </div>
 </div>
 <script src="js/jquery.min.js"></script>
 <script src="js/bootstrap-select.min.js"></script>
 <script src="js/bootstrap.min.js"></script>
```

```
<script src="js/jquery.dataTables.min.js"></script>
 <script src="js/dataTables.bootstrap.min.js"></script>
 <script src="js/Chart.min.js"></script>
 <script src="js/fileinput.js"></script>
 <script src="js/chartData.js"></script>
 <script src="js/main.js"></script>
</body>
</html>
<?php } ?>
<?php
session start();
error reporting(0);
include('includes/config.php');
if(strlen($ SESSION['alogin'])==0)
header('location:index.php');
}
else {
if(isset($ POST['submit']))
$password=md5($ POST['password']);
$newpassword=md5($ POST['newpassword']);
$username=$ SESSION['alogin'];
$sql ="SELECT Password FROM admin WHERE UserName=:username and Password=:password";
$query= $dbh -> prepare($sql);
$query-> bindParam(':username', $username, PDO::PARAM STR);
$query-> bindParam(':password', $password, PDO::PARAM STR);
$query-> execute();
$results = $query -> fetchAll(PDO::FETCH OBJ);
if(\text{query -> rowCount}() > 0)
$con="update admin set Password=:newpassword where UserName=:username";
$chngpwd1 = $dbh->prepare($con);
$chngpwd1-> bindParam(':username', $username, PDO::PARAM STR);
$chngpwd1-> bindParam(':newpassword', $newpassword, PDO::PARAM STR);
$chngpwd1->execute();
$msg="Your Password succesfully changed";
else {
$error="Your current password is not valid.";
```

```
?>
<!doctype html>
<a href="en" class="no-js">
<head>
 <title>Car Rental</title>
 link rel="stylesheet" href="css/font-awesome.min.css">
 <link rel="stylesheet" href="css/bootstrap.min.css">
 link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
 k rel="stylesheet" href="css/bootstrap-select.css">
 <link rel="stylesheet" href="css/fileinput.min.css">
 link rel="stylesheet" href="css/awesome-bootstrap-checkbox.css">
 <link rel="stylesheet" href="css/style.css">
<script type="text/javascript">
function valid()
if(document.chngpwd.newpassword.value!= document.chngpwd.confirmpassword.value)
alert("New Password and Confirm Password Field do not match!!");
document.chngpwd.confirmpassword.focus();
return false;
return true;
</script>
 <style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 \text{ 1px } 1\text{px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
}
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 \text{ 1px } 1\text{px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
```

```
</style>
</head>
<body>
 <?php include('includes/header.php');?>
 <div class="ts-main-content">
 <?php include('includes/leftbar.php');?>
  <div class="content-wrapper">
   <div class="container-fluid">
    <div class="row">
     <div class="col-md-12">
       <h2 class="page-title">Change Password</h2>
       <div class="row">
        <div class="col-md-10">
         <div class="panel panel-default">
          <div class="panel-heading">Form fields</div>
          <div class="panel-body">
           <form method="post" name="chngpwd" class="form-horizontal" onSubmit="return
valid();">
         <?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo</pre>
htmlentities($error); ?> </div><?php }
    else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
             <div class="form-group">
              <label class="col-sm-4 control-label">Current Password</label>
              <div class="col-sm-8">
               <input type="password" class="form-control" name="password" id="password"
required>
             </div>
             </div>
             <div class="hr-dashed"></div>
             <div class="form-group">
              <label class="col-sm-4 control-label">New Password</label>
              <div class="col-sm-8">
               <input type="password" class="form-control" name="newpassword" id="newpassword"</pre>
required>
```

```
</div>
             </div>
             <div class="hr-dashed"></div>
             <div class="form-group">
              <label class="col-sm-4 control-label">Confirm Password</label>
              <div class="col-sm-8">
               <input type="password" class="form-control" name="confirmpassword"</pre>
id="confirmpassword" required>
              </div>
             </div>
             <div class="hr-dashed"></div>
             <div class="form-group">
              <div class="col-sm-8 col-sm-offset-4">
               <button class="btn btn-primary" name="submit" type="submit">Save changes</button>
              </div>
             </div>
           </form>
          </div>
         </div>
        </div>
       </div>
     </div>
    </div>
   </div>
  </div>
 </div>
 <script src="js/jquery.min.js"></script>
 <script src="js/bootstrap-select.min.js"></script>
 <script src="js/bootstrap.min.js"></script>
 <script src="js/jquery.dataTables.min.js"></script>
```

```
<script src="js/dataTables.bootstrap.min.js"></script>
 <script src="js/Chart.min.js"></script>
 <script src="js/fileinput.js"></script>
 <script src="js/chartData.js"></script>
 <script src="js/main.js"></script>
</body>
</html>
<?php } ?>
<?php
session start();
error reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
header('location:index.php');
}
else {
if(isset($ POST['update']))
$vimage=$ FILES["img5"]["name"];
$id=intval($ GET['imgid']);
move uploaded file($ FILES["img5"]["tmp name"],"img/vehicleimages/".$ FILES["img5"]["name"]);
$sql="update tblvehicles set Vimage5=:vimage where id=:id";
$query = $dbh->prepare($sql);
$query->bindParam(':vimage',$vimage,PDO::PARAM STR);
$query->bindParam(':id',$id,PDO::PARAM STR);
$query->execute();
$msg="Image updated successfully";
}
?>
<!doctype html>
<html lang="en" class="no-js">
<head>
 <style>
```

```
.errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 \text{ 1px } 1\text{px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
}
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
  </style>
</head>
<body>
 <?php include('includes/header.php');?>
 <div class="ts-main-content">
 <?php include('includes/leftbar.php');?>
  <div class="content-wrapper">
   <div class="container-fluid">
     <div class="row">
      <div class="col-md-12">
       <h2 class="page-title">Vehicle Image 5 </h2>
       <div class="row">
        <div class="col-md-10">
          <div class="panel panel-default">
           <div class="panel-heading">Vehicle Image 5 Details</div>
           <div class="panel-body">
            <form method="post" class="form-horizontal" enctype="multipart/form-data">
          <?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo</pre>
htmlentities($error); ?> </div><?php }
```

```
else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
<div class="form-group">
             <label class="col-sm-4 control-label">Current Image5</label>
<?php
$id=intval($ GET['imgid']);
$sql ="SELECT Vimage5 from tblvehicles where tblvehicles.id=:id";
$query = $dbh -> prepare($sql);
$query-> bindParam(':id', $id, PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
cnt=1:
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
{ ?>
<div class="col-sm-8">
<img src="img/vehicleimages/<?php echo htmlentities($result->Vimage5);?>" width="300"
height="200" style="border:solid 1px #000">
</div>
<?php }}?>
</div>
             <div class="form-group">
              <a href="col-sm-4"><a href="col-sm-4">Lpload New Image 5<span</a>
style="color:red">*</span></label>
             <div class="col-sm-8">
             <input type="file" name="img5" required>
              </div>
             </div>
             <div class="hr-dashed"></div>
             <div class="form-group">
              <div class="col-sm-8 col-sm-offset-4">
               <button class="btn btn-primary" name="update" type="submit">Update</button>
              </div>
```

```
</div>
            </form>
           </div>
          </div>
        </div>
       </div>
      </div>
     </div>
   </div>
  </div>
 </div>
 <script src="js/jquery.min.js"></script>
 <script src="js/bootstrap-select.min.js"></script>
 <script src="js/bootstrap.min.js"></script>
 <script src="js/jquery.dataTables.min.js"></script>
 <script src="js/dataTables.bootstrap.min.js"></script>
 <script src="js/Chart.min.js"></script>
 <script src="js/fileinput.js"></script>
 <script src="js/chartData.js"></script>
 <script src="js/main.js"></script>
</body>
</html>
<?php } ?>
<?php
session_start();
error reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
header('location:index.php');
}
else {
if(isset($_POST['update']))
```

```
$vimage=$ FILES["img4"]["name"];
$id=intval($ GET['imgid']);
move uploaded file($ FILES["img4"]["tmp name"],"img/vehicleimages/".$ FILES["img4"]["name"]);
$sql="update tblvehicles set Vimage4=:vimage where id=:id";
$query = $dbh->prepare($sql);
$query->bindParam(':vimage',$vimage,PDO::PARAM STR);
$query->bindParam(':id',$id,PDO::PARAM STR);
$query->execute();
$msg="Image updated successfully";
}
?>
<!DOCTYPE html>
<html lang="en" class="no-js">
<head>
 <title>Car Rental</title>
 <link rel="stylesheet" href="css/font-awesome.min.css">
 <link rel="stylesheet" href="css/bootstrap.min.css">
 link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
 k rel="stylesheet" href="css/bootstrap-select.css">
 <link rel="stylesheet" href="css/fileinput.min.css">
 link rel="stylesheet" href="css/awesome-bootstrap-checkbox.css">
 <link rel="stylesheet" href="css/style.css">
 <style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,.1);
```

```
box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
}
  </style>
</head>
<body>
 <?php include('includes/header.php');?>
 <div class="ts-main-content">
 <?php include('includes/leftbar.php');?>
  <div class="content-wrapper">
   <div class="container-fluid">
    <div class="row">
     <div class="col-md-12">
       <h2 class="page-title">Vehicle Image 4 </h2>
       <div class="row">
        <div class="col-md-10">
         <div class="panel panel-default">
          <div class="panel-heading">Vehicle Image 4 Details</div>
          <div class="panel-body">
           <form method="post" class="form-horizontal" enctype="multipart/form-data">
         <?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo</pre>
htmlentities($error); ?> </div><?php }
    else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
<div class="form-group">
              <lass="col-sm-4 control-label">Current Image4</label>
<?php
$id=intval($ GET['imgid']);
$sql ="SELECT Vimage4 from tblvehicles where tblvehicles.id=:id";
$query = $dbh -> prepare($sql);
$query-> bindParam(':id', $id, PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
```

```
if($query->rowCount() > 0)
foreach($results as $result)
{ ?>
<div class="col-sm-8">
<img src="img/vehicleimages/<?php echo htmlentities($result->Vimage4);?>" width="300"
height="200" style="border:solid 1px #000">
</div>
<?php }}?>
</div>
             <div class="form-group">
              <a href="col-sm-4">Label class="col-sm-4">Upload New Image 4<span</a>
style="color:red">*</span></label>
              <div class="col-sm-8">
             <input type="file" name="img4" required>
              </div>
             </div>
             <div class="hr-dashed"></div>
             <div class="form-group">
              <div class="col-sm-8 col-sm-offset-4">
               <button class="btn btn-primary" name="update" type="submit">Update</button>
              </div>
             </div>
            </form>
          </div>
         </div>
        </div>
       </div>
     </div>
     </div>
```

```
</div>
  </div>
 </div>
 <script src="js/jquery.min.js"></script>
 <script src="js/bootstrap-select.min.js"></script>
 <script src="js/bootstrap.min.js"></script>
 <script src="js/jquery.dataTables.min.js"></script>
 <script src="js/dataTables.bootstrap.min.js"></script>
 <script src="js/Chart.min.js"></script>
 <script src="js/fileinput.js"></script>
 <script src="js/chartData.js"></script>
 <script src="js/main.js"></script>
</body>
</html>
<?php } ?>
<?php
session_start();
error reporting(0);
include('includes/config.php');
if(strlen($ SESSION['alogin'])==0)
header('location:index.php');
}
else {
if(isset($ POST['update']))
$vimage=$_FILES["img3"]["name"];
$id=intval($ GET['imgid']);
move uploaded file($ FILES["img3"]["tmp name"],"img/vehicleimages/".$ FILES["img3"]["name"]);
$sql="update tblvehicles set Vimage3=:vimage where id=:id";
$query = $dbh->prepare($sql);
$query->bindParam(':vimage',$vimage,PDO::PARAM STR);
$query->bindParam(':id',$id,PDO::PARAM STR);
$query->execute();
$msg="Image updated successfully";
```

```
}
?>
<!doctype html>
<html lang="en" class="no-js">
<head>
 <title>Car Rental</title>
 <link rel="stylesheet" href="css/font-awesome.min.css">
 <link rel="stylesheet" href="css/bootstrap.min.css">
 link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
 k rel="stylesheet" href="css/bootstrap-select.css">
 <link rel="stylesheet" href="css/fileinput.min.css">
 link rel="stylesheet" href="css/awesome-bootstrap-checkbox.css">
 <link rel="stylesheet" href="css/style.css">
 <style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 \text{ 1px } 1\text{px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 \text{ 1px } 1\text{px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
  </style>
</head>
<body>
 <?php include('includes/header.php');?>
 <div class="ts-main-content">
 <?php include('includes/leftbar.php');?>
  <div class="content-wrapper">
   <div class="container-fluid">
```

```
<div class="row">
     <div class="col-md-12">
       <h2 class="page-title">Vehicle Image 3 </h2>
       <div class="row">
        <div class="col-md-10">
         <div class="panel panel-default">
          <div class="panel-heading">Vehicle Image 3 Details</div>
          <div class="panel-body">
           <form method="post" class="form-horizontal" enctype="multipart/form-data">
         <?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo</pre>
htmlentities($error); ?> </div><?php }</pre>
    else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
<div class="form-group">
              <lase="col-sm-4 control-label">Current Image3</label>
<?php
$id=intval($ GET['imgid']);
$sql ="SELECT Vimage3 from tblvehicles where tblvehicles.id=:id";
$query = $dbh -> prepare($sql);
$query-> bindParam(':id', $id, PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
{ ?>
<div class="col-sm-8">
<img src="img/vehicleimages/<?php echo htmlentities($result->Vimage3);?>" width="300"
height="200" style="border:solid 1px #000">
</div>
<?php }}?>
</div>
             <div class="form-group">
```

```
<label class="col-sm-4 control-label">Upload New Image 3<span</pre>
style="color:red">*</span></label>
              <div class="col-sm-8">
             <input type="file" name="img3" required>
              </div>
             </div>
             <div class="hr-dashed"></div>
             <div class="form-group">
              <div class="col-sm-8 col-sm-offset-4">
               <button class="btn btn-primary" name="update" type="submit">Update</button>
              </div>
             </div>
            </form>
          </div>
         </div>
        </div>
       </div>
      </div>
     </div>
   </div>
  </div>
 </div>
 <script src="js/jquery.min.js"></script>
 <script src="js/bootstrap-select.min.js"></script>
 <script src="js/bootstrap.min.js"></script>
 <script src="js/jquery.dataTables.min.js"></script>
 <script src="js/dataTables.bootstrap.min.js"></script>
 <script src="js/Chart.min.js"></script>
 <script src="js/fileinput.js"></script>
 <script src="js/chartData.js"></script>
```

```
<script src="js/main.js"></script>
</body>
</html>
<?php } ?>
<?php
session start();
error reporting(0);
include('includes/config.php');
if(strlen($ SESSION['alogin'])==0)
header('location:index.php');
else {
if(isset($ POST['update']))
$vimage=$ FILES["img2"]["name"];
$id=intval($ GET['imgid']);
move uploaded file($ FILES["img2"]["tmp name"],"img/vehicleimages/".$ FILES["img2"]["name"]);
$sql="update tblvehicles set Vimage2=:vimage where id=:id";
$query = $dbh->prepare($sql);
$query->bindParam(':vimage',$vimage,PDO::PARAM STR);
$query->bindParam(':id',$id,PDO::PARAM STR);
$query->execute();
$msg="Image updated successfully";
}
?>
<!DOCTYPE html>
<html lang="en" class="no-js">
<head>
 <title>Car Rental</title>
 k rel="stylesheet" href="css/font-awesome.min.css">
 k rel="stylesheet" href="css/bootstrap.min.css">
 link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
 k rel="stylesheet" href="css/bootstrap-select.css">
```

```
<link rel="stylesheet" href="css/fileinput.min.css">
 link rel="stylesheet" href="css/awesome-bootstrap-checkbox.css">
 <link rel="stylesheet" href="css/style.css">
 <style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
}
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 \text{ 1px } 1\text{px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
  </style>
</head>
<body>
 <?php include('includes/header.php');?>
 <div class="ts-main-content">
 <?php include('includes/leftbar.php');?>
  <div class="content-wrapper">
   <div class="container-fluid">
     <div class="row">
      <div class="col-md-12">
       <h2 class="page-title">Vehicle Image 2 </h2>
       <div class="row">
        <div class="col-md-10">
          <div class="panel panel-default">
           <div class="panel-heading">Vehicle Image 2 Details</div>
           <div class="panel-body">
            <form method="post" class="form-horizontal" enctype="multipart/form-data">
```

```
<?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo</pre>
htmlentities($error); ?> </div><?php }
    else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
<div class="form-group">
              <label class="col-sm-4 control-label">Current Image2</label>
<?php
$id=intval($ GET['imgid']);
$sql ="SELECT Vimage2 from tblvehicles where tblvehicles.id=:id";
$query = $dbh -> prepare($sql);
$query-> bindParam(':id', $id, PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if($query->rowCount() > 0)
foreach($results as $result)
{ ?>
<div class="col-sm-8">
<img src="img/vehicleimages/<?php echo htmlentities($result->Vimage2);?>" width="300"
height="200" style="border:solid 1px #000">
</div>
<?php }}?>
</div>
             <div class="form-group">
              <a href="col-sm-4"><a href="col-sm-4">Label</a> Upload New Image 1<a href="col-span">Span</a>
style="color:red">*</span></label>
              <div class="col-sm-8">
             <input type="file" name="img2" required>
              </div>
             </div>
             <div class="hr-dashed"></div>
             <div class="form-group">
              <div class="col-sm-8 col-sm-offset-4">
```

```
<button class="btn btn-primary" name="update" type="submit">Update</button>
               </div>
             </div>
            </form>
           </div>
         </div>
        </div>
       </div>
      </div>
     </div>
   </div>
  </div>
 </div>
 <script src="js/jquery.min.js"></script>
 <script src="js/bootstrap-select.min.js"></script>
 <script src="js/bootstrap.min.js"></script>
 <script src="js/jquery.dataTables.min.js"></script>
 <script src="js/dataTables.bootstrap.min.js"></script>
 <script src="js/Chart.min.js"></script>
 <script src="js/fileinput.js"></script>
 <script src="js/chartData.js"></script>
 <script src="js/main.js"></script>
</body>
</html>
<?php } ?>
<?php
session_start();
error reporting(0);
include('includes/config.php');
if(strlen($ SESSION['alogin'])==0)
header('location:index.php');
```

```
else {
if(isset($ POST['update']))
$vimage1=$ FILES["img1"]["name"];
$id=intval($ GET['imgid']);
move_uploaded_file($_FILES["img1"]["tmp_name"],"img/vehicleimages/".$_FILES["img1"]["name"]);
$sql="update tblvehicles set Vimage1=:vimage1 where id=:id";
$query = $dbh->prepare($sql);
$query->bindParam(':vimage1',$vimage1,PDO::PARAM STR);
$query->bindParam(':id',$id,PDO::PARAM STR);
$query->execute();
$msg="Image updated successfully";
}
?>
<!DOCTYPE html>
<html lang="en" class="no-js">
<head>
 <title>Car Rental</title>
 link rel="stylesheet" href="css/font-awesome.min.css">
 k rel="stylesheet" href="css/bootstrap.min.css">
 link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
 k rel="stylesheet" href="css/bootstrap-social.css">
 k rel="stylesheet" href="css/bootstrap-select.css">
 <link rel="stylesheet" href="css/fileinput.min.css">
 link rel="stylesheet" href="css/awesome-bootstrap-checkbox.css">
 <link rel="stylesheet" href="css/style.css">
 <style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
.succWrap{
```

```
padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
  </style>
</head>
<body>
 <?php include('includes/header.php');?>
 <div class="ts-main-content">
 <?php include('includes/leftbar.php');?>
  <div class="content-wrapper">
   <div class="container-fluid">
    <div class="row">
      <div class="col-md-12">
       <h2 class="page-title">Vehicle Image 1 </h2>
       <div class="row">
        <div class="col-md-10">
         <div class="panel panel-default">
          <div class="panel-heading">Vehicle Image 1 Details</div>
          <div class="panel-body">
            <form method="post" class="form-horizontal" enctype="multipart/form-data">
         <?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo</pre>
htmlentities($error); ?> </div><?php }
    else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
<div class="form-group">
              <label class="col-sm-4 control-label">Current Image1</label>
<?php
$id=intval($ GET['imgid']);
$sql ="SELECT Vimage1 from tblvehicles where tblvehicles.id=:id";
```

```
$query = $dbh -> prepare($sql);
$query-> bindParam(':id', $id, PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
{ ?>
<div class="col-sm-8">
<img src="img/vehicleimages/<?php echo htmlentities($result->Vimage1);?>" width="300"
height="200" style="border:solid 1px #000">
</div>
<?php }}?>
</div>
             <div class="form-group">
              <label class="col-sm-4 control-label">Upload New Image 1<span</pre>
style="color:red">*</span></label>
              <div class="col-sm-8">
             <input type="file" name="img1" required>
              </div>
             </div>
             <div class="hr-dashed"></div>
             <div class="form-group">
              <div class="col-sm-8 col-sm-offset-4">
               <button class="btn btn-primary" name="update" type="submit">Update</button>
              </div>
             </div>
           </form>
          </div>
         </div>
        </div>
       </div>
```

```
</div>
     </div>
   </div>
  </div>
 </div>
 <script src="js/jquery.min.js"></script>
 <script src="js/bootstrap-select.min.js"></script>
 <script src="js/bootstrap.min.js"></script>
 <script src="js/jquery.dataTables.min.js"></script>
 <script src="js/dataTables.bootstrap.min.js"></script>
 <script src="js/Chart.min.js"></script>
 <script src="js/fileinput.js"></script>
 <script src="js/chartData.js"></script>
 <script src="js/main.js"></script>
</body>
</html>
<?php } ?>
<?php
session start();
error reporting(0);
include('includes/config.php');
if(strlen($ SESSION['alogin'])==0)
header('location:index.php');
}
else\{
if(isset($ REQUEST['del']))
$delid=intval($ GET['del']);
$sql = "delete from tblvehicles WHERE id=:delid";
$query = $dbh->prepare($sql);
$query -> bindParam(':delid',$delid, PDO::PARAM STR);
$query -> execute();
$msg="Vehicle record deleted successfully";
```

```
?>
<!doctype html>
<a href="en" class="no-js">
<head>
 <title>Car Rental</title>
 link rel="stylesheet" href="css/font-awesome.min.css">
 <link rel="stylesheet" href="css/bootstrap.min.css">
 link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
 <link rel="stylesheet" href="css/bootstrap-select.css">
 <link rel="stylesheet" href="css/fileinput.min.css">
 link rel="stylesheet" href="css/awesome-bootstrap-checkbox.css">
 <link rel="stylesheet" href="css/style.css">
 <style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 \text{ 1px } 1\text{px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
}
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
  </style>
</head>
<body>
 <?php include('includes/header.php');?>
 <div class="ts-main-content">
  <?php include('includes/leftbar.php');?>
  <div class="content-wrapper">
   <div class="container-fluid">
    <div class="row">
      <div class="col-md-12">
       <h2 class="page-title">Manage Vehicles</h2>
```

```
<div class="panel panel-default">
       <div class="panel-heading">Vehicle Details</div>
       <div class="panel-body">
       <?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo</pre>
htmlentities($error); ?> </div><?php }
    else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
        <table id="zctb" class="display table table-striped table-bordered table-hover" cellspacing="0"
width="100%">
         <thead>
          >
          #
           Vehicle Title
           Brand 
           Price Per day
           Fuel Type
           Model Year
           Action
          </thead>
         <tfoot>
          #
          Vehicle Title
           Brand 
           Price Per day
           Fuel Type
           Model Year
           Action
          </tfoot>
         <?php $sql = "SELECT</pre>
tblvehicles. Vehicles Title, tblbrands. BrandName, tblvehicles. Price Per Day, tblvehicles. Fuel Type, tblvehicles.
ModelYear,tblvehicles.id from tblvehicles join tblbrands on tblbrands.id=tblvehicles.VehiclesBrand";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
```

```
?>
           >
            <?php echo htmlentities($cnt);?>
            <?php echo htmlentities($result->VehiclesTitle);?>
            <?php echo htmlentities($result->BrandName);?>
            <?php echo htmlentities($result->PricePerDay);?>
            <?php echo htmlentities($result->FuelType);?>
             <?php echo htmlentities($result->ModelYear);?>
  <a href="edit-vehicle.php?id=<?php echo $result->id;?>"><i class="fa fa-
edit"></i></a>&nbsp;&nbsp;
<a href="manage-vehicles.php?del=<?php echo $result->id;?>" onclick="return confirm('Do you want to
delete');"><i class="fa fa-close"></i></a>
           <?php $cnt=$cnt+1; }} ?>
          </div>
      </div>
     </div>
    </div>
   </div>
  </div>
 </div>
 <script src="js/jquery.min.js"></script>
 <script src="js/bootstrap-select.min.js"></script>
 <script src="js/bootstrap.min.js"></script>
 <script src="js/jquery.dataTables.min.js"></script>
 <script src="js/dataTables.bootstrap.min.js"></script>
 <script src="js/Chart.min.js"></script>
 <script src="js/fileinput.js"></script>
 <script src="js/chartData.js"></script>
 <script src="js/main.js"></script>
</body>
</html>
<?php } ?>
```

```
<?php
session start();
error reporting(0);
include('includes/config.php');
if(strlen($ SESSION['alogin'])==0)
header('location:index.php');
}
else {
if(isset($ GET['del']))
$id=$ GET['del'];
$sql = "delete from tblsubscribers WHERE id=:id";
$query = $dbh->prepare($sql);
$query -> bindParam(':id',$id, PDO::PARAM STR);
$query -> execute();
$msg="Subscriber info deleted";
?>
<!doctype html>
<html lang="en" class="no-js">
<head>
 <title>Car Rental</title>
 k rel="stylesheet" href="css/font-awesome.min.css">
 <link rel="stylesheet" href="css/bootstrap.min.css">
 link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
 <link rel="stylesheet" href="css/bootstrap-select.css">
 <link rel="stylesheet" href="css/fileinput.min.css">
 link rel="stylesheet" href="css/awesome-bootstrap-checkbox.css">
 <link rel="stylesheet" href="css/style.css">
 <style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 \text{ 1px } 1\text{px } 0 \text{ rgba}(0,0,0,.1);
```

```
box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
}
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
  </style>
</head>
<body>
 <?php include('includes/header.php');?>
 <div class="ts-main-content">
  <?php include('includes/leftbar.php');?>
  <div class="content-wrapper">
   <div class="container-fluid">
    <div class="row">
     <div class="col-md-12">
      <h2 class="page-title">Manage Subscribers</h2>
      <div class="panel panel-default">
        <div class="panel-heading">Subscribers Details</div>
        <div class="panel-body">
        <?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo</pre>
htmlentities($error); ?> </div><?php }
    else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
         <table id="zctb" class="display table table-striped table-bordered table-hover" cellspacing="0"
width="100%">
          <thead>
           >
           #
             Email Id
            Subscription Date
            Action
           </thead>
          <tfoot>
           >
```

```
#
          Email Id
          Subscription Date
           Action
          </tfoot>
        <?php $sql = "SELECT * from tblsubscribers";</pre>
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
    ?>
          >
           <?php echo htmlentities($cnt);?>
           <?php echo htmlentities($result->SubscriberEmail);?>
           <?php echo htmlentities($result->PostingDate);?>
          >
<a href="manage-subscribers.php?del=<?php echo $result->id;?>" onclick="return confirm('Do you want
to delete');"><i class="fa fa-close"></i></a>
<?php $cnt=$cnt+1; }} ?>
        </div>
      </div>
     </div>
```

```
</div>
   </div>
  </div>
 </div>
 <script src="js/jquery.min.js"></script>
 <script src="js/bootstrap-select.min.js"></script>
 <script src="js/bootstrap.min.js"></script>
 <script src="js/jquery.dataTables.min.js"></script>
 <script src="js/dataTables.bootstrap.min.js"></script>
 <script src="js/Chart.min.js"></script>
 <script src="js/fileinput.js"></script>
 <script src="js/chartData.js"></script>
 <script src="js/main.js"></script>
</body>
</html>
<?php } ?>
<?php
session start();
error reporting(0);
include('includes/config.php');
if(strlen($ SESSION['alogin'])==0)
 {
header('location:index.php');
else {
if($ POST['submit']=="Update")
 $pagetype=$_GET['type'];
 $pagedetails=$ POST['pgedetails'];
$sql = "UPDATE tblpages SET detail=:pagedetails WHERE type=:pagetype";
$query = $dbh->prepare($sql);
$query -> bindParam(':pagetype',$pagetype, PDO::PARAM STR);
$query-> bindParam(':pagedetails',$pagedetails, PDO::PARAM STR);
$query -> execute();
$msg="Page data updated successfully";
}
?>
<!doctype html>
```

```
<html lang="en" class="no-js">
<head>
  <title>Car Rental</title>
 <link rel="stylesheet" href="css/font-awesome.min.css">
 k rel="stylesheet" href="css/bootstrap.min.css">
 link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
 k rel="stylesheet" href="css/bootstrap-select.css">
 <link rel="stylesheet" href="css/fileinput.min.css">
 link rel="stylesheet" href="css/awesome-bootstrap-checkbox.css">
 <link rel="stylesheet" href="css/style.css">
 <script type="text/JavaScript">
function MM findObj(n, d) {
 var p,i,x; if(!d) d=document; if((p=n.indexOf("?"))>0&&parent.frames.length) {
  d=parent.frames[n.substring(p+1)].document; n=n.substring(0,p);}
 if(!(x=d[n])\&\&d.all) = d.all[n]; for (i=0;!x\&\&i<d.forms.length;i++) = d.forms[i][n];
 for(i=0;!x&&d.layers&&i<d.layers.length;i++) x=MM findObj(n,d.layers[i].document);
 if(!x && d.getElementById) x=d.getElementById(n); return x;
}
function MM validateForm() {
 var i,p,q,nm,test,num,min,max,errors=",args=MM validateForm.arguments;
 for (i=0; i<(args.length-2); i+=3) { test=args[i+2]; val=MM findObj(args[i]);
  if (val) { nm=val.name; if ((val=val.value)!="") {
   if (test.indexOf('isEmail')!=-1) { p=val.indexOf('@');
    if (p<1 || p==(val.length-1)) errors+='- '+nm+' must contain an e-mail address.\n';
   } else if (test!='R') { num = parseFloat(val);
    if (isNaN(val)) errors+='- '+nm+' must contain a number.\n';
    if (test.indexOf('inRange') != -1) { p=test.indexOf(':');
      min=test.substring(8,p); max=test.substring(p+1);
      if (num<min || max<num) errors+='- '+nm+' must contain a number between '+min+' and
'+max+'.\n';
  \} } else if (test.charAt(0) == 'R') errors += '- '+nm+' is required.\n'; }
 } if (errors) alert('The following error(s) occurred:\n'+errors);
 document.MM returnValue = (errors == ");
function MM_jumpMenu(targ,selObj,restore){
 eval(targ+".location=""+selObj.options[selObj.selectedIndex].value+""");
 if (restore) selObj.selectedIndex=0;
</script>
```

```
<script type="text/javascript" src="nicEdit.js"></script>
<script type="text/javascript">
 bkLib.onDomLoaded(function() { nicEditors.allTextAreas() });
</script>
 <style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
  </style>
</head>
<body>
 <?php include('includes/header.php');?>
 <div class="ts-main-content">
 <?php include('includes/leftbar.php');?>
  <div class="content-wrapper">
   <div class="container-fluid">
     <div class="row">
      <div class="col-md-12">
       <h2 class="page-title">Manage Pages </h2>
       <div class="row">
        <div class="col-md-10">
          <div class="panel panel-default">
           <div class="panel-heading">Form fields</div>
           <div class="panel-body">
```

```
<form method="post" name="chngpwd" class="form-horizontal" onSubmit="return
valid();">
         <?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo</pre>
htmlentities($error); ?> </div><?php }
    else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
            <div class="form-group">
             <label class="col-sm-4 control-label">select Page</label>
             <div class="col-sm-8">
                  <select name="menu1" onChange="MM jumpMenu('parent',this,0)">
          <option value="" selected="selected" class="form-control">***Select One***
          <option value="manage-pages.php?type=terms">terms and condition
          <option value="manage-pages.php?type=privacy">privacy and policy
          <option value="manage-pages.php?type=aboutus">aboutus</option>
          <option value="manage-pages.php?type=fags">FAQs</option>
         </select>
             </div>
            </div>
            <div class="hr-dashed"></div>
            <div class="form-group">
             <lase="col-sm-4 control-label">selected Page</label>
             <div class="col-sm-8">
      <?php
   switch($_GET['type'])
    case "terms":
          echo "Terms and Conditions";
          break;
    case "privacy":
          echo "Privacy And Policy";
          break;
    case "aboutus":
          echo "About US";
          break;
    case "faqs":
          echo "FAQs";
          break;
```

```
default:
         echo "";
         break;
   }
   ?>
              </div>
             </div>
          <div class="form-group">
              <label class="col-sm-4 control-label">Page Details </label>
              <div class="col-sm-8">
   <textarea class="form-control" rows="5" cols="50" name="pgedetails" id="pgedetails"
placeholder="Package Details" required>
           <?php
$pagetype=$ GET['type'];
$sql = "SELECT detail from tblpages where type=:pagetype";
$query = $dbh -> prepare($sql);
$query->bindParam(':pagetype',$pagetype,PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
echo htmlentities($result->detail);
}}
?>
           </textarea>
              </div>
             </div>
             <div class="form-group">
              <div class="col-sm-8 col-sm-offset-4">
              <button type="submit" name="submit" value="Update" id="submit" class="btn-primary</pre>
btn">Update</button>
              </div>
             </div>
```

```
</form>
           </div>
          </div>
        </div>
       </div>
      </div>
     </div>
   </div>
  </div>
 </div>
 <script src="js/jquery.min.js"></script>
 <script src="js/bootstrap-select.min.js"></script>
 <script src="js/bootstrap.min.js"></script>
 <script src="js/jquery.dataTables.min.js"></script>
 <script src="js/dataTables.bootstrap.min.js"></script>
 <script src="js/Chart.min.js"></script>
 <script src="js/fileinput.js"></script>
 <script src="js/chartData.js"></script>
 <script src="js/main.js"></script>
</body>
</html>
<?php } ?>
<?php
session_start();
error reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
header('location:index.php');
}
else {
if(isset($_REQUEST['eid']))
```

```
$eid=intval($ GET['eid']);
$status=1;
$sql = "UPDATE tblcontactusquery SET status=:status WHERE id=:eid";
$query = $dbh->prepare($sql);
$query -> bindParam(':status',$status, PDO::PARAM STR);
$query-> bindParam(':eid',$eid, PDO::PARAM STR);
$query -> execute();
$msg="Testimonial Successfully Inacrive";
?>
<!doctype html>
<html lang="en" class="no-js">
<head>
 <title>Car Rental</title>
 <link rel="stylesheet" href="css/font-awesome.min.css">
 <link rel="stylesheet" href="css/bootstrap.min.css">
 link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
 <link rel="stylesheet" href="css/bootstrap-select.css">
 <link rel="stylesheet" href="css/fileinput.min.css">
 k rel="stylesheet" href="css/awesome-bootstrap-checkbox.css">
 <link rel="stylesheet" href="css/style.css">
 <style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
```

```
</style>
</head>
<body>
 <?php include('includes/header.php');?>
 <div class="ts-main-content">
  <?php include('includes/leftbar.php');?>
  <div class="content-wrapper">
   <div class="container-fluid">
    <div class="row">
     <div class="col-md-12">
      <h2 class="page-title">Manage Contact Us Queries</h2>
      <div class="panel panel-default">
       <div class="panel-heading">User queries</div>
       <div class="panel-body">
       <?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo</pre>
htmlentities($error); ?> </div><?php }</pre>
    else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
        <table id="zctb" class="display table table-striped table-bordered table-hover" cellspacing="0"
width="100%">
         <thead>
          #
           Name
           Email
           Contact No
           Message
           Posting date
           Action
          </thead>
         <tfoot>
          #
           Name
           Email
           Contact No
```

```
Message
           Posting date
           Action
          </tfoot>
        <?php $sql = "SELECT * from tblcontactusquery ";</pre>
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
    ?>
          >
           <?php echo htmlentities($cnt);?>
           <?php echo htmlentities($result->name);?>
           <?php echo htmlentities($result->EmailId);?>
           <?php echo htmlentities($result->ContactNumber);?>
           <?php echo htmlentities($result->Message);?>
           <?php echo htmlentities($result->PostingDate);?>
                <?php if($result->status==1)
?>Read
<?php } else {?>
<a href="manage-conactusquery.php?eid=<?php echo htmlentities($result->id);?>" onclick="return"
confirm('Do you really want to read')" >Pending</a>
<?php } ?>
          <?php $cnt=$cnt+1; }} ?>
        </div>
      </div>
```

```
</div>
    </div>
   </div>
  </div>
 </div>
 <script src="js/jquery.min.js"></script>
 <script src="js/bootstrap-select.min.js"></script>
 <script src="js/bootstrap.min.js"></script>
 <script src="js/jquery.dataTables.min.js"></script>
 <script src="js/dataTables.bootstrap.min.js"></script>
 <script src="js/Chart.min.js"></script>
 <script src="js/fileinput.js"></script>
 <script src="js/chartData.js"></script>
 <script src="js/main.js"></script>
</body>
</html>
<?php } ?>
<?php
session start();
error reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
header('location:index.php');
}
else{
if(isset($_GET['del']))
$id=$ GET['del'];
$sql = "delete from tblbrands WHERE id=:id";
$query = $dbh->prepare($sql);
$query -> bindParam(':id',$id, PDO::PARAM STR);
$query -> execute();
$msg="Page data updated successfully";
```

```
?>
<!doctype html>
<a href="en" class="no-js">
<head>
 <title>Car Rental</title>
 <link rel="stylesheet" href="css/font-awesome.min.css">
 <link rel="stylesheet" href="css/bootstrap.min.css">
 link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
 k rel="stylesheet" href="css/bootstrap-select.css">
 <link rel="stylesheet" href="css/fileinput.min.css">
 link rel="stylesheet" href="css/awesome-bootstrap-checkbox.css">
 <link rel="stylesheet" href="css/style.css">
 <style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 \text{ 1px } 1\text{px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
}
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 \text{ 1px } 1\text{px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
  </style>
</head>
<body>
 <?php include('includes/header.php');?>
 <div class="ts-main-content">
  <?php include('includes/leftbar.php');?>
  <div class="content-wrapper">
   <div class="container-fluid">
```

```
<div class="row">
     <div class="col-md-12">
      <h2 class="page-title">Manage Brands</h2>
      <div class="panel panel-default">
       <div class="panel-heading">Listed Brands</div>
       <div class="panel-body">
       <?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo</pre>
htmlentities($error); ?> </div><?php }
    else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
        <table id="zctb" class="display table table-striped table-bordered table-hover" cellspacing="0"
width="100%">
         <thead>
          >
          #
            Brand Name
           Creation Date
           Updation date
           Action
          </thead>
         <tfoot>
          >
          #
           Brand Name
           Creation Date
           Updation date
           Action
          </tfoot>
         <?php $sql = "SELECT * from tblbrands ";</pre>
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
```

```
?>
           >
            <?php echo htmlentities($cnt);?>
            <?php echo htmlentities($result->BrandName);?>
            <?php echo htmlentities($result->CreationDate);?>
            <?php echo htmlentities($result->UpdationDate);?>
<a href="edit-brand.php?id=<?php echo $result->id;?>"><i class="fa fa-
edit"></i></a>&nbsp;&nbsp;
<a href="manage-brands.php?del=<?php echo $result->id;?>" onclick="return confirm('Do you want to
delete');"><i class="fa fa-close"></i></a>
           <?php $cnt=$cnt+1; }} ?>
          </div>
      </div>
     </div>
    </div>
   </div>
  </div>
 </div>
 <script src="js/jquery.min.js"></script>
 <script src="js/bootstrap-select.min.js"></script>
 <script src="js/bootstrap.min.js"></script>
 <script src="js/jquery.dataTables.min.js"></script>
 <script src="js/dataTables.bootstrap.min.js"></script>
 <script src="js/Chart.min.js"></script>
 <script src="js/fileinput.js"></script>
 <script src="js/chartData.js"></script>
 <script src="js/main.js"></script>
</body>
</html>
<?php } ?>
<?php
```

```
session start();
error reporting(0);
include('includes/config.php');
if(strlen($ SESSION['alogin'])==0)
header('location:index.php');
}
else{
if(isset($ REQUEST['eid']))
$eid=intval($ GET['eid']);
$status="2";
$sql = "UPDATE tblbooking SET Status=:status WHERE id=:eid";
$query = $dbh->prepare($sql);
$query -> bindParam(':status',$status, PDO::PARAM STR);
$query-> bindParam(':eid',$eid, PDO::PARAM STR);
$query -> execute();
$msg="Booking Successfully Cancelled";
if(isset($ REQUEST['aeid']))
$aeid=intval($ GET['aeid']);
$status=1;
$sql = "UPDATE tblbooking SET Status=:status WHERE id=:aeid";
$query = $dbh->prepare($sql);
$query -> bindParam(':status',$status, PDO::PARAM STR);
$query-> bindParam(':aeid',$aeid, PDO::PARAM STR);
$query -> execute();
$msg="Booking Successfully Confirmed";
?>
<!doctype html>
<html lang="en" class="no-js">
<head>
 <title>Car Rental</title>
```

```
<link rel="stylesheet" href="css/font-awesome.min.css">
 k rel="stylesheet" href="css/bootstrap.min.css">
 link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
 <link rel="stylesheet" href="css/bootstrap-select.css">
 <link rel="stylesheet" href="css/fileinput.min.css">
 link rel="stylesheet" href="css/awesome-bootstrap-checkbox.css">
 <link rel="stylesheet" href="css/style.css">
 <style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
}
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
  </style>
</head>
<body>
 <?php include('includes/header.php');?>
 <div class="ts-main-content">
  <?php include('includes/leftbar.php');?>
  <div class="content-wrapper">
   <div class="container-fluid">
     <div class="row">
      <div class="col-md-12">
       <h2 class="page-title">Manage Bookings</h2>
       <div class="panel panel-default">
        <div class="panel-heading">Bookings Info</div>
```

```
<div class="panel-body">
       <?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo</pre>
htmlentities($error); ?> </div><?php }
    else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
        <table id="zctb" class="display table table-striped table-bordered table-hover" cellspacing="0"
width="100%">
         <thead>
          >
          #
           Name
           Vehicle
           From Date
           To Date
           Message
           Status
           Posting date
           Action
          </thead>
         <tfoot>
           # 
          Name
          Vehicle
           From Date
           To Date
           Message
           Status
           Posting date
           Action
          </tfoot>
         <?php $sql = "SELECT</pre>
tblusers.FullName,tblbrands.BrandName,tblvehicles.VehiclesTitle,tblbooking.FromDate,tblbooking.ToD
ate,tblbooking.message,tblbooking.VehicleId as
vid,tblbooking.Status,tblbooking.PostingDate,tblbooking.id from tblbooking join tblvehicles on
tblvehicles.id=tblbooking.VehicleId join tblusers on tblusers.EmailId=tblbooking.userEmail join
tblbrands on tblvehicles. Vehicles Brand=tblbrands.id ";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
```

```
$cnt=1;
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
    ?>
          <?php echo htmlentities($cnt);?>
            <?php echo htmlentities($result->FullName);?>
            <a href="edit-vehicle.php?id=<?php echo htmlentities($result->vid);?>"><?php echo
htmlentities($result->BrandName);?>, <?php echo htmlentities($result->VehiclesTitle);?>
            <?php echo htmlentities($result->FromDate);?>
           <?php echo htmlentities($result->ToDate);?>
            <?php echo htmlentities($result->message);?>
            <?php
if($result->Status==0)
echo htmlentities('Not Confirmed yet');
} else if ($result->Status==1) {
echo htmlentities('Confirmed');
}
else {
 echo htmlentities('Cancelled');
}
          ?>
           <?php echo htmlentities($result->PostingDate);?>
          <a href="manage-bookings.php?aeid=<?php echo htmlentities($result->id);?>"
onclick="return confirm('Do you really want to Confirm this booking')"> Confirm</a>/
<a href="manage-bookings.php?eid=<?php echo htmlentities($result->id);?>" onclick="return"
confirm('Do you really want to Cancel this Booking')"> Cancel</a>
<?php $cnt=$cnt+1; }} ?>
         </div>
      </div>
```

```
</div>
    </div>
   </div>
  </div>
 </div>
 <script src="js/jquery.min.js"></script>
 <script src="js/bootstrap-select.min.js"></script>
 <script src="js/bootstrap.min.js"></script>
 <script src="js/jquery.dataTables.min.js"></script>
 <script src="js/dataTables.bootstrap.min.js"></script>
 <script src="js/Chart.min.js"></script>
 <script src="js/fileinput.js"></script>
 <script src="js/chartData.js"></script>
 <script src="js/main.js"></script>
</body>
</html>
<?php } ?>
<?php
session start();
$ SESSION = array();
if (ini get("session.use cookies")) {
  $params = session get cookie params();
  setcookie(session name(), ", time() - 60*60,
    $params["path"], $params["domain"],
    $params["secure"], $params["httponly"]
  );
}
unset($ SESSION['login']);
session destroy();
header("location:index.php");
?>
<?php
session start();
include('includes/config.php');
if(isset($_POST['login']))
```

```
$email=$ POST['username'];
$password=md5($ POST['password']);
$sql ="SELECT UserName, Password FROM admin WHERE UserName=:email and
Password=:password";
$query= $dbh -> prepare($sql);
$query-> bindParam(':email', $email, PDO::PARAM STR);
$query-> bindParam(':password', $password, PDO::PARAM STR);
$query-> execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
if(\text{query-}>rowCount() > 0)
{
$ SESSION['alogin']=$ POST['username'];
echo "<script type='text/javascript'> document.location = 'change-password.php'; </script>";
} else{
 echo "<script>alert('Invalid Details');</script>";
}
?>
<!doctype html>
<a href="html lang="en" class="no-js">
<head>
 <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1, minimum-scale=1, maximum-</pre>
scale=1">
 <meta name="description" content="">
 <meta name="author" content="">
 <title>Car Rental</title>
 k rel="stylesheet" href="css/font-awesome.min.css">
 k rel="stylesheet" href="css/bootstrap.min.css">
 link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
 k rel="stylesheet" href="css/bootstrap-social.css">
 <link rel="stylesheet" href="css/bootstrap-select.css">
 <link rel="stylesheet" href="css/fileinput.min.css">
 link rel="stylesheet" href="css/awesome-bootstrap-checkbox.css">
 <link rel="stylesheet" href="css/style.css">
 <style>
```

```
#homebtn {
   margin-top: 15px;
   padding: 5 5;
   background-color:rgb(251, 255, 20);
   border-radius: 5%;
   text-align: center;
   font-family: cursive;
 </style>
</head>
<body>
 <div class="login-page bk-img" style="background-image: url(img/login-bg.jpg);">
  <div class="form-content">
   <div class="container">
    <div class="row">
      <div class="col-md-6 col-md-offset-3">
       <h1 class="text-center text-bold text-light mt-4x">Sign in</h1>
       <div class="well row pt-2x pb-3x bk-light">
        <div class="col-md-8 col-md-offset-2">
         <form method="post">
          <label for="" class="text-uppercase text-sm">Your Username </label>
          <input type="text" placeholder="Username" name="username" class="form-control mb">
          <label for="" class="text-uppercase text-sm">Password</label>
          <input type="password" placeholder="Password" name="password" class="form-control</pre>
mb">
          <button class="btn btn-primary btn-block" name="login" type="submit">LOGIN</button>
          <div id="homebtn">
           <a href="http://localhost/carstore" style="color: black;">Home Page</a>
          </div>
         </form>
        </div>
       </div>
      </div>
    </div>
   </div>
  </div>
 </div>
```

```
<script src="js/jquery.min.js"></script>
 <script src="js/bootstrap-select.min.js"></script>
 <script src="js/bootstrap.min.js"></script>
 <script src="js/jquery.dataTables.min.js"></script>
 <script src="js/dataTables.bootstrap.min.js"></script>
 <script src="js/Chart.min.js"></script>
 <script src="js/fileinput.js"></script>
 <script src="js/chartData.js"></script>
 <script src="js/main.js"></script>
</body>
</html>
<?php
session start();
error reporting(0);
include('includes/config.php');
if(strlen($ SESSION['alogin'])==0)
 {
header('location:index.php');
else{
if(isset($ POST['submit']))
$address=$ POST['address'];
$email=$ POST['email'];
$contactno=$ POST['contactno'];
$sql="update tblcontactusinfo set Address=:address,EmailId=:email,ContactNo=:contactno";
$query = $dbh->prepare($sql);
$query->bindParam(':address',$address,PDO::PARAM STR);
$query->bindParam(':email',$email,PDO::PARAM STR);
$query->bindParam(':contactno',$contactno,PDO::PARAM STR);
$query->execute();
$msg="Info Updateed successfully";
?>
<!doctype html>
<html lang="en" class="no-js">
<head>
```

```
<title>Car Rental</title>
 <link rel="stylesheet" href="css/font-awesome.min.css">
 <link rel="stylesheet" href="css/bootstrap.min.css">
 link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
 k rel="stylesheet" href="css/bootstrap-select.css">
 <link rel="stylesheet" href="css/fileinput.min.css">
 link rel="stylesheet" href="css/awesome-bootstrap-checkbox.css">
 <link rel="stylesheet" href="css/style.css">
 <style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 \text{ 1px } 1\text{px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
  </style>
</head>
<body>
 <?php include('includes/header.php');?>
 <div class="ts-main-content">
 <?php include('includes/leftbar.php');?>
  <div class="content-wrapper">
   <div class="container-fluid">
     <div class="row">
      <div class="col-md-12">
       <h2 class="page-title">Update Contact Info</h2>
       <div class="row">
        <div class="col-md-10">
```

```
<div class="panel panel-default">
          <div class="panel-heading">Form fields</div>
          <div class="panel-body">
           <form method="post" name="chngpwd" class="form-horizontal" onSubmit="return
valid();">
         <?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo</pre>
htmlentities($error); ?> </div><?php }
    else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
    <?php $sql = "SELECT * from tblcontactusinfo ";</pre>
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
     ?>
    <div class="form-group">
              <label class="col-sm-4 control-label"> Address</label>
              <div class="col-sm-8">
               <textarea class="form-control" name="address" id="address" required><?php echo
htmlentities($result->Address);?></textarea>
              </div>
             </div>
             <div class="form-group">
              <label class="col-sm-4 control-label"> Email id</label>
              <div class="col-sm-8">
               <input type="email" class="form-control" name="email" id="email" value="<?php echo</pre>
htmlentities($result->EmailId);?>" required>
              </div>
             </div>
<div class="form-group">
              <label class="col-sm-4 control-label"> Contact Number </label>
              <div class="col-sm-8">
               <input type="text" class="form-control" value="<?php echo htmlentities($result-</pre>
>ContactNo);?>" name="contactno" id="contactno" required>
              </div>
             </div>
<?php }} ?>
             <div class="hr-dashed"></div>
```

```
<div class="form-group">
              <div class="col-sm-8 col-sm-offset-4">
               <button class="btn btn-primary" name="submit" type="submit">Update</button>
              </div>
             </div>
            </form>
          </div>
         </div>
        </div>
       </div>
      </div>
    </div>
   </div>
  </div>
 </div>
 <script src="js/jquery.min.js"></script>
 <script src="js/bootstrap-select.min.js"></script>
 <script src="js/bootstrap.min.js"></script>
 <script src="js/jquery.dataTables.min.js"></script>
 <script src="js/dataTables.bootstrap.min.js"></script>
 <script src="js/Chart.min.js"></script>
 <script src="js/fileinput.js"></script>
 <script src="js/chartData.js"></script>
 <script src="js/main.js"></script>
</body>
</html>
<?php } ?>
```

```
<?php
session_start();
error reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
header('location:index.php');
else {
if(isset($ REQUEST['eid']))
$eid=intval($ GET['eid']);
$status="0";
$sql = "UPDATE tbltestimonial SET status=:status WHERE id=:eid";
$query = $dbh->prepare($sql);
$query -> bindParam(':status',$status, PDO::PARAM STR);
$query-> bindParam(':eid',$eid, PDO::PARAM STR);
$query -> execute();
$msg="Testimonial Successfully Inacrive";
if(isset($ REQUEST['aeid']))
$aeid=intval($ GET['aeid']);
$status=1;
$sql = "UPDATE tbltestimonial SET status=:status WHERE id=:aeid";
$query = $dbh->prepare($sql);
$query -> bindParam(':status',$status, PDO::PARAM STR);
$query-> bindParam(':aeid',$aeid, PDO::PARAM STR);
$query -> execute();
$msg="Testimonial Successfully Active";
?>
<!doctype html>
<html lang="en" class="no-js">
<head>
```

```
<title>Car Rental</title>
 <link rel="stylesheet" href="css/font-awesome.min.css">
 <link rel="stylesheet" href="css/bootstrap.min.css">
 link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
 k rel="stylesheet" href="css/bootstrap-select.css">
 <link rel="stylesheet" href="css/fileinput.min.css">
 link rel="stylesheet" href="css/awesome-bootstrap-checkbox.css">
 <link rel="stylesheet" href="css/style.css">
 <style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
  </style>
</head>
<body>
 <?php include('includes/header.php');?>
 <div class="ts-main-content">
  <?php include('includes/leftbar.php');?>
  <div class="content-wrapper">
   <div class="container-fluid">
     <div class="row">
      <div class="col-md-12">
       <h2 class="page-title">Manage Testimonials</h2>
       <!-- Zero Configuration Table -->
       <div class="panel panel-default">
```

```
<div class="panel-heading">User Testimonials</div>
       <div class="panel-body">
       <?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo</pre>
htmlentities($error); ?> </div><?php }
    else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
        <table id="zctb" class="display table table-striped table-bordered table-hover" cellspacing="0"
width="100%">
         <thead>
          #
           Name
           Email
           Testimonials
           Posting date
           Action
          </thead>
         <tfoot>
          #
           Name
           Email
           Testimonials
           Posting date
           Action
          </tfoot>
         <?php $sql = "SELECT</pre>
tblusers.FullName,tbltestimonial.UserEmail,tbltestimonial.Testimonial,tbltestimonial.PostingDate,tbltesti
monial.status,tbltestimonial.id from tbltestimonial join tblusers on
tblusers.Emailid=tbltestimonial.UserEmail";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if(\text{query-}>rowCount() > 0)
foreach($results as $result)
    ?>
           <?php echo htmlentities($cnt);?>
```

```
<?php echo htmlentities($result->FullName);?>
            <?php echo htmlentities($result->UserEmail);?>
            <?php echo htmlentities($result->Testimonial);?>
            <?php echo htmlentities($result->PostingDate);?>
           <?php if($result->status=="" || $result->status==0)
 ?><a href="testimonials.php?aeid=<?php echo htmlentities($result->id);?>" onclick="return
confirm('Do you really want to Active')"> Inactive</a>
<?php } else {?>
<a href="testimonials.php?eid=<?php echo htmlentities($result->id);?>" onclick="return confirm('Do you
really want to Inactive')"> Active</a>
<?php } ?>
           <?php $cnt=$cnt+1; }} ?>
          </div>
      </div>
     </div>
    </div>
   </div>
  </div>
 </div>
 <script src="js/jquery.min.js"></script>
 <script src="js/bootstrap-select.min.js"></script>
 <script src="js/bootstrap.min.js"></script>
 <script src="js/jquery.dataTables.min.js"></script>
 <script src="js/dataTables.bootstrap.min.js"></script>
 <script src="js/Chart.min.js"></script>
 <script src="js/fileinput.js"></script>
 <script src="js/chartData.js"></script>
 <script src="js/main.js"></script>
</body>
```

```
</html>
<?php } ?>
<?php
session_start();
error reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
 {
header('location:index.php');
else {
if(isset($ GET['del']))
$id=$ GET['del'];
$sql = "delete from tblbrands WHERE id=:id";
$query = $dbh->prepare($sql);
$query -> bindParam(':id',$id, PDO::PARAM STR);
$query -> execute();
$msg="Page data updated successfully";
}
?>
<!doctype html>
<html lang="en" class="no-js">
<head>
 <title>Car Rental</title>
 k rel="stylesheet" href="css/font-awesome.min.css">
 <link rel="stylesheet" href="css/bootstrap.min.css">
 link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
 <link rel="stylesheet" href="css/bootstrap-select.css">
 link rel="stylesheet" href="css/fileinput.min.css">
 link rel="stylesheet" href="css/awesome-bootstrap-checkbox.css">
 <link rel="stylesheet" href="css/style.css">
 <style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
```

```
border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 \text{ 1px } 1 \text{px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
  </style>
</head>
<body>
 <?php include('includes/header.php');?>
 <div class="ts-main-content">
  <?php include('includes/leftbar.php');?>
  <div class="content-wrapper">
   <div class="container-fluid">
    <div class="row">
      <div class="col-md-12">
       <h2 class="page-title">Registered Users</h2>
       <div class="panel panel-default">
        <div class="panel-heading">Reg Users</div>
        <div class="panel-body">
        <?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo</pre>
htmlentities($error); ?> </div><?php }
    else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
         <table id="zctb" class="display table table-striped table-bordered table-hover" cellspacing="0"
width="100%">
          <thead>
           #
              Name
             Email 
             Contact no
```

```
<th>DOB</th>
        Address
        City
        Country
        Reg Date
        </thead>
        <tfoot>
        >
        #
         Name
         Email 
         Contact no
        <th>DOB</th>
        Address
        City
        Country
        Reg Date
        </tfoot>
        <?php $sql = "SELECT * from tblusers ";</pre>
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if($query->rowCount() > 0)
foreach($results as $result)
   ?>
        <?php echo htmlentities($cnt);?>
         <?php echo htmlentities($result->FullName);?>
         <?php echo htmlentities($result->EmailId);?>
         <?php echo htmlentities($result->ContactNo);?>
<?php echo htmlentities($result->dob);?>
         <?php echo htmlentities($result->Address);?>
         <?php echo htmlentities($result->City);?>
         <?php echo htmlentities($result->Country);?>
         <?php echo htmlentities($result->RegDate);?>
```

```
<?php $cnt=$cnt+1; }} ?>
          </div>
       </div>
     </div>
    </div>
   </div>
  </div>
 </div>
 <script src="js/jquery.min.js"></script>
 <script src="js/bootstrap-select.min.js"></script>
 <script src="js/bootstrap.min.js"></script>
 <script src="js/jquery.dataTables.min.js"></script>
 <script src="js/dataTables.bootstrap.min.js"></script>
 <script src="js/Chart.min.js"></script>
 <script src="js/fileinput.js"></script>
 <script src="js/chartData.js"></script>
 <script src="js/main.js"></script>
</body>
</html>
<?php } ?>
<?php
session start();
error reporting(0);
include('includes/config.php');
if(strlen($ SESSION['alogin'])==0)
 {
header('location:index.php');
else {
if(isset($ POST['submit']))
$vehicletitle=\$ POST['vehicletitle'];
$brand=$_POST['brandname'];
$vehicleoverview=$ POST['vehicalorcview'];
$priceperday=$ POST['priceperday'];
$fueltype=$ POST['fueltype'];
$modelyear=$ POST['modelyear'];
$seatingcapacity=$_POST['seatingcapacity'];
```

```
$vimage1=$ FILES["img1"]["name"];
$vimage2=$ FILES["img2"]["name"];
$vimage3=$ FILES["img3"]["name"];
$vimage4=$ FILES["img4"]["name"];
$vimage5=$ FILES["img5"]["name"];
$airconditioner=$ POST['airconditioner'];
$powerdoorlocks=\$ POST['powerdoorlocks'];
$antilockbrakingsys=$ POST['antilockbrakingsys'];
$brakeassist=$ POST['brakeassist'];
$powersteering=$ POST['powersteering'];
$driverairbag=$ POST['driverairbag'];
$passengerairbag=$ POST['passengerairbag'];
$powerwindow=$ POST['powerwindow'];
$cdplayer=$ POST['cdplayer'];
$centrallocking=$ POST['centrallocking'];
$crashcensor=$ POST['crashcensor'];
$leatherseats=$ POST['leatherseats'];
move uploaded file($ FILES["img1"]["tmp name"],"img/vehicleimages/".$ FILES["img1"]["name"]);
move uploaded file($ FILES["img2"]["tmp name"],"img/vehicleimages/".$ FILES["img2"]["name"]);
move uploaded file($ FILES["img3"]["tmp name"],"img/vehicleimages/".$ FILES["img3"]["name"]);
move_uploaded_file($_FILES["img4"]["tmp_name"],"img/vehicleimages/".$_FILES["img4"]["name"]);
move uploaded file($ FILES["img5"]["tmp name"],"img/vehicleimages/".$ FILES["img5"]["name"]);
$sql="INSERT INTO
tblvehicles(VehiclesTitle, VehiclesBrand, VehiclesOverview, PricePerDay, FuelType, ModelYear, SeatingCa
pacity, Vimage 1, Vimage 2, Vimage 3, Vimage 4, Vimage 5, Air Conditioner, Power Door Locks, Anti Lock Brakin
gSystem,BrakeAssist,PowerSteering,DriverAirbag,PassengerAirbag,PowerWindows,CDPlayer,CentralLo
cking, Crash Sensor, Leather Seats)
VALUES(:vehicletitle,:brand,:vehicleoverview,:priceperday,:fueltype,:modelyear,:seatingcapacity,:vimag
e1,:vimage2,:vimage3,:vimage4,:vimage5,:airconditioner,:powerdoorlocks,:antilockbrakingsys,:brakeassi
st,:powersteering,:driverairbag,:passengerairbag,:powerwindow,:cdplayer,:centrallocking,:crashcensor,:le
atherseats)";
```

\$query->bindParam(':vehicletitle',\$vehicletitle,PDO::PARAM STR);

\$query->bindParam(':brand',\$brand,PDO::PARAM STR);

\$query->bindParam(':vehicleoverview',\$vehicleoverview,PDO::PARAM STR);

\$query->bindParam(':priceperday',\$priceperday,PDO::PARAM STR);

\$query->bindParam(':fueltype',\$fueltype,PDO::PARAM_STR);

\$query->bindParam(':modelyear',\$modelyear,PDO::PARAM STR);

\$query->bindParam(':seatingcapacity',\$seatingcapacity,PDO::PARAM STR);

\$query->bindParam(':vimage1',\$vimage1,PDO::PARAM STR);

\$query->bindParam(':vimage2',\$vimage2,PDO::PARAM STR);

\$query->bindParam(':vimage3',\$vimage3,PDO::PARAM STR);

\$query->bindParam(':vimage4',\$vimage4,PDO::PARAM_STR);

```
$query->bindParam(':vimage5',$vimage5,PDO::PARAM STR);
$query->bindParam(':airconditioner',$airconditioner,PDO::PARAM STR);
$query->bindParam(':powerdoorlocks',$powerdoorlocks,PDO::PARAM STR);
$query->bindParam(':antilockbrakingsys',$antilockbrakingsys,PDO::PARAM STR);
$query->bindParam(':brakeassist',$brakeassist,PDO::PARAM STR);
$query->bindParam(':powersteering',$powersteering,PDO::PARAM STR);
$query->bindParam(':driverairbag',$driverairbag,PDO::PARAM STR);
$query->bindParam(':passengerairbag',$passengerairbag,PDO::PARAM STR);
$query->bindParam(':powerwindow',$powerwindow,PDO::PARAM STR);
$query->bindParam(':cdplayer',$cdplayer,PDO::PARAM STR);
$query->bindParam(':centrallocking',$centrallocking,PDO::PARAM STR);
$query->bindParam(':crashcensor',$crashcensor,PDO::PARAM STR);
$query->bindParam(':leatherseats',$leatherseats,PDO::PARAM STR);
$query->execute();
$lastInsertId = $dbh->lastInsertId();
if($lastInsertId)
$msg="Vehicle posted successfully";
else
$error="Something went wrong. Please try again";
 ?>
<!doctype html>
<html lang="en" class="no-js">
<head>
 <title>Car Rental</title>
 <link rel="stylesheet" href="css/font-awesome.min.css">
 <link rel="stylesheet" href="css/bootstrap.min.css">
 link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
 <link rel="stylesheet" href="css/bootstrap-select.css">
 <link rel="stylesheet" href="css/fileinput.min.css">
 link rel="stylesheet" href="css/awesome-bootstrap-checkbox.css">
 <link rel="stylesheet" href="css/style.css">
<style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
```

```
background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
}
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 \text{ 1px 1px } 0 \text{ rgba}(0,0,0,1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,1);
  </style>
</head>
<body>
 <?php include('includes/header.php');?>
 <div class="ts-main-content">
 <?php include('includes/leftbar.php');?>
  <div class="content-wrapper">
   <div class="container-fluid">
    <div class="row">
      <div class="col-md-12">
       <h2 class="page-title">Post A Vehicle</h2>
       <div class="row">
        <div class="col-md-12">
         <div class="panel panel-default">
           <div class="panel-heading">Basic Info</div>
<?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo htmlentities($error);</pre>
?> </div><?php }
     else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
          <div class="panel-body">
<form method="post" class="form-horizontal" enctype="multipart/form-data">
<div class="form-group">
<label class="col-sm-2 control-label">Vehicle Title<span style="color:red">*</span></label>
<div class="col-sm-4">
<input type="text" name="vehicletitle" class="form-control" required>
```

```
</div>
<label class="col-sm-2 control-label">Select Brand<span style="color:red">*</span></label>
<div class="col-sm-4">
<select class="selectpicker" name="brandname" required>
<option value=""> Select </option>
<?php $ret="select id,BrandName from tblbrands";</pre>
$query= $dbh -> prepare($ret);
$query-> execute();
$results = $query -> fetchAll(PDO::FETCH OBJ);
if(\text{query -> rowCount}() > 0)
{
foreach($results as $result)
?>
<option value="<?php echo htmlentities($result->id);?>"><?php echo htmlentities($result-</pre>
>BrandName);?></option>
<?php }} ?>
</select>
</div>
</div>
<div class="hr-dashed"></div>
<div class="form-group">
<label class="col-sm-2 control-label">Vehical Overview<span style="color:red">*</span></label>
<div class="col-sm-10">
<textarea class="form-control" name="vehicalorcview" rows="3" required></textarea>
</div>
</div>
<div class="form-group">
<label class="col-sm-2 control-label">Price Per Day(in USD)span style="color:red">*</span></label>
<div class="col-sm-4">
<input type="text" name="priceperday" class="form-control" required>
</div>
<label class="col-sm-2 control-label">Select Fuel Type<span style="color:red">*</span></label>
<div class="col-sm-4">
<select class="selectpicker" name="fueltype" required>
<option value=""> Select </option>
<option value="Petrol">Petrol</option>
<option value="Diesel">Diesel</option>
<option value="CNG">CNG</option>
</select>
</div>
</div>
```

```
<div class="form-group">
<label class="col-sm-2 control-label">Model Year<span style="color:red">*</span></label>
<div class="col-sm-4">
<input type="text" name="modelyear" class="form-control" required>
</div>
<label class="col-sm-2 control-label">Seating Capacity<span style="color:red">*</span></label>
<div class="col-sm-4">
<input type="text" name="seatingcapacity" class="form-control" required>
</div>
</div>
<div class="hr-dashed"></div>
<div class="form-group">
<div class="col-sm-12">
<h4><b>Upload Images</b></h4>
</div>
</div>
<div class="form-group">
<div class="col-sm-4">
Image 1 <span style="color:red">*</span><input type="file" name="img1" required>
</div>
<div class="col-sm-4">
Image 2<span style="color:red">*</span><input type="file" name="img2" required>
</div>
<div class="col-sm-4">
Image 3<span style="color:red">*</span><input type="file" name="img3" required>
</div>
</div>
<div class="form-group">
<div class="col-sm-4">
Image 4<span style="color:red">*</span><input type="file" name="img4" required>
</div>
<div class="col-sm-4">
Image 5<input type="file" name="img5">
</div>
</div>
<div class="hr-dashed"></div>
</div>
</div>
</div>
</div>
<div class="row">
```

```
<div class="col-md-12">
<div class="panel panel-default">
<div class="panel-heading">Accessories</div>
<div class="panel-body">
<div class="form-group">
<div class="col-sm-3">
<div class="checkbox checkbox-inline">
<input type="checkbox" id="airconditioner" name="airconditioner" value="1">
<label for="airconditioner"> Air Conditioner </label>
</div>
</div>
<div class="col-sm-3">
<div class="checkbox checkbox-inline">
<input type="checkbox" id="powerdoorlocks" name="powerdoorlocks" value="1">
<label for="powerdoorlocks"> Power Door Locks </label>
</div></div>
<div class="col-sm-3">
<div class="checkbox checkbox-inline">
<input type="checkbox" id="antilockbrakingsys" name="antilockbrakingsys" value="1">
<label for="antilockbrakingsys"> AntiLock Braking System </label>
</div>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="brakeassist" name="brakeassist" value="1">
<label for="brakeassist"> Brake Assist </label>
</div>
</div>
<div class="form-group">
<div class="col-sm-3">
<div class="checkbox checkbox-inline">
<input type="checkbox" id="powersteering" name="powersteering" value="1">
<input type="checkbox" id="powersteering" name="powersteering" value="1">
<label for="inlineCheckbox5"> Power Steering </label>
</div>
</div>
<div class="col-sm-3">
<div class="checkbox checkbox-inline">
<input type="checkbox" id="driverairbag" name="driverairbag" value="1">
<label for="driverairbag">Driver Airbag</label>
</div>
</div>
<div class="col-sm-3">
<div class="checkbox checkbox-inline">
<input type="checkbox" id="passengerairbag" name="passengerairbag" value="1">
```

```
<label for="passengerairbag"> Passenger Airbag </label>
</div></div>
<div class="checkbox checkbox-inline">
<input type="checkbox" id="powerwindow" name="powerwindow" value="1">
<label for="powerwindow"> Power Windows </label>
</div>
</div>
<div class="form-group">
<div class="col-sm-3">
<div class="checkbox checkbox-inline">
<input type="checkbox" id="cdplayer" name="cdplayer" value="1">
<label for="cdplayer"> CD Player </label>
</div>
</div>
<div class="col-sm-3">
<div class="checkbox h checkbox-inline">
<input type="checkbox" id="centrallocking" name="centrallocking" value="1">
<label for="centrallocking">Central Locking</label>
</div></div>
<div class="col-sm-3">
<div class="checkbox checkbox-inline">
<input type="checkbox" id="crashcensor" name="crashcensor" value="1">
<label for="crashcensor"> Crash Sensor </label>
</div>
<div class="col-sm-3">
<div class="checkbox checkbox-inline">
<input type="checkbox" id="leatherseats" name="leatherseats" value="1">
<label for="leatherseats"> Leather Seats </label>
</div>
</div>
</div>
            <div class="form-group">
              <div class="col-sm-8 col-sm-offset-2">
               <button class="btn btn-default" type="reset">Cancel</button>
               <button class="btn btn-primary" name="submit" type="submit">Save changes</button>
              </div>
            </div>
           </form>
          </div>
         </div>
        </div>
       </div>
```

```
</div>
     </div>
   </div>
  </div>
 </div>
 <script src="js/jquery.min.js"></script>
 <script src="js/bootstrap-select.min.js"></script>
 <script src="js/bootstrap.min.js"></script>
 <script src="js/jquery.dataTables.min.js"></script>
 <script src="js/dataTables.bootstrap.min.js"></script>
 <script src="js/Chart.min.js"></script>
 <script src="js/fileinput.js"></script>
 <script src="js/chartData.js"></script>
 <script src="js/main.js"></script>
</body>
</html>
<?php } ?>
```

TESTING

Introduction of Testing:

Testing is the process of running a system with the intention of finding errors. Testing enhances the integrity of a system by detecting deviations in design and errors in the system. Testing aims at detecting error-prone areas. This helps in the prevention of errors in a system. Testing also adds value to the product by conforming to the user requirements.

The main purpose of testing is to detect errors and error-prone areas in a system. Testing must be thorough and well-planned. A partially tested system is as bad as an untested system. And the price of an untested and under-tested system is high.

The implementation is the final and important phase. It involves user-training, system testing in order to ensure successful running of the proposed system. The user tests the system and changes are made according to their needs. The testing involves the testing of the developed system using various kinds of data. While testing, errors are noted and correctness is the mode.

Objectives of Testing:

Testing is a process of executing a program with the intent of finding errors. A Successful test case is one that uncovers an as- yet-undiscovered error. System testing is a stage of implementation, which is aimed at ensuring that the system works accurately and efficiently as per the user need, before the live operation commences. As stated before, testing is vital to the success of a system. System testing makes a logical assumption that if all parts of the system are correct, the goal will be successfully achieved. A series of tests are performed before the system is ready for the user acceptance test.

Testing Methods:

System testing is the stage of implementation. This is to check whether the system works accurately and efficiently before live operation commences. Testing is vital to the success of the system. The candidate system is subject to a variety of tests: on line response, volume, stress, recovery, security and usability tests. A series of tests are performed for the proposed system is ready for user acceptance testing.

Testing Steps are:

1. Unit Testing:

Unit testing focuses efforts on the smallest unit of software design. This is known as module testing. The modules are tested separately. The test is carried out during programming stage itself. In this step, each module is found to be working satisfactory as regards to the expected output from the module.

2. Integration Testing

Data can be lost across an interface. One module can have an adverse effect on another, sub functions, when combined, may not be linked in desired manner in major functions. Integration testing is a systematic approach for constructing the program structure, while at the same time conducting test to uncover errors associated within the interface. The objective is to take unit tested modules and builds program structure. All the modules are combined and tested as a whole.

3. Validation

At the culmination of the integration testing, Software is completely assembled as a package. Interfacing errors have been uncovered and corrected and a final series of software test begin in validation testing. Validation testing can be defined in many ways, but a simple definition is that the validation succeeds when the software functions in a manner that is expected by the customer. After validation test has been conducted, one of the three possible conditions exists.

- a) The function or performance characteristics confirm to specification and are accepted.
- b) A deviation from specification is uncovered and a deficiency lists is created.
- c) Proposed system under consideration has been tested by using validation test and found to be working satisfactory.

4. Output Testing

After performing the validation testing, the next step is output testing of the proposed system, since no system could be useful if it does not produce the required output in a specific format. The output format on the screen is found to be correct. The format was designed in the system design time according to the user needs. For the hard copy also; the output comes as per the specified requirements by the user. Hence output testing did not result in any correction for the system.

5. User Acceptance Testing

User acceptance of a system is the key factor for the success of any system. The system under consideration is tested for the user acceptance by constantly keeping in touch with the prospective system users at the time of developing and making changes whenever required.

This is done in regard to the following point:

- a) Input Screen Design
- b) Output Screen Design
- c) Format of reports and other outputs.

Security mechanisms:

This system is provided with authentication, without this user can pass. So only the legitimate users are allowed to use the application. If the legitimate users share the authentication information then the system is open to outsiders.


Limitations:


- Since it is an online project, customers need internet connection to buy products.
- People who are not familiar with computers can't use this software.
- Customer must have debit card or credit card to purchase products.


Future scope and further enhancement:


This web application involves almost all the features of the online shopping. The future implementation will be online help for the customers and chatting with website administrator


SNAPSHOTS














CONCLUSION

This software was developed specifically to answer to the needs of [specify]. We need to improve on and some new features to be added. Even then, this does not affect the working of this software. Some of the obvious Changes/Additions.

BIBLOGRAPHY

www.youtube.com