

In[1051]:=

```
(*By Riccardo Marrocchio  
rmarrocchio@stanford.edu  
January 27th 2024*)
```

```
Remove["Global`*"]
```

```
(*Parameters of the model*)
```

```
kA = 146.3; (*anchor stiffness [fN.nm-1]*)  
lA = 6.6 * 10^(-4); (*damping coefficient of the anchors [fN.s.nm-1]*)  
kL = 562; (*link stiffness [fN.nm-1]*)  
lL = 3.6 * 10^(-3); (*damping coefficient of the links [fN.nm-1]*)  
kB T = 4061.9; (*Boltzmann constant times  
temperature [fN.nm]. Temperature 294.2 K (room temperature)*)
```

```
(*function to derive n,m component of susceptibility matrix as a function of a=  
kA+I*lA and b=kL+I*lL Eq.14*)
```

$$cc1[n_ , a_ , b_] = 2^{-1-n} \left(\left(a + 2b - \sqrt{a} \sqrt{a+4b} \right)^n + \left(a + 2b + \sqrt{a} \sqrt{a+4b} \right)^n + \frac{\sqrt{a} \left(- \left(a + 2b - \sqrt{a} \sqrt{a+4b} \right)^n + \left(a + 2b + \sqrt{a} \sqrt{a+4b} \right)^n \right)}{\sqrt{a+4b}} \right);$$

```
chic2[nst_, n1_, n2_, a_, b_] :=  
FullSimplify[cc1[nst - Max[n2, n1] - 1 - IntegerPart[(nst - 1) / 2], a, b] *  
cc1[Min[n1, n2] + IntegerPart[(nst - 1) / 2], a, b] *  
b^Abs[(n2 - n1)] / (cc1[nst, a, b] - b * cc1[nst - 1, a, b])];
```

```
(*function to derive n,m component of power spectrum Eq.17*)
```

```
PSDc2[nst_, n_, m_] :=  
Module[{chinm, psdnm, a3, b3},  
chinm = Apart[chic2[nst, n, m, a3, b3]];  
a3 = kA1 + I * w * lA1;  
b3 = kL1 + I * w * lL1;  
psdnm = -4 * kB T * Im[chinm] / w;  
psdnm];
```

```
(*function to derive coherency between stereocilia n,m Eq.18*)
```

```
coherc2[nst_, n_, m_] :=  
Module[{cohernm, psdnm, psdnn, psdmm, a3, b3},  
psdnm = PSDc2[nst, n, m];  
psdnn = PSDc2[nst, n, n];
```

```

psdmm = PSDc2[nst, m, m];
cohernm = psdnm / Sqrt[psdnn * psdmm];
cohernm];

(*PLOT SETTINGS*)

TickLength = 0.02;
Xmin = 0;
Xmax = 10 - 1;
Ymin = 0;
Ymax = 20;
deltaY = 2;
plotrange-psd = {{10^(2), 10^6}, {0.5 * 10^(-7), 10^(-2)}};
plotrange-coher = {{10^(2), 10^6}, {-1.05, 1.05}};
framelabels =
  {"power spectrum (\! \(\*SuperscriptBox[\(nm\), \((2)\)]\) / Hz)", None},
  {"noise frequency (Hz)", None}};
TickLength1 = 0.03;
Yticks1 = Table[{10^k, Superscript[10, k], {0, TickLength1}}, {k, -10, 1, 1}];
TickLength2 = 0.02;
aa = Table[0, {20}, {4}];
For[k = 1, k ≤ 20, k++,
aa[[k]] = Table[{l * 10^(-k + 11), , {0, TickLength2}}, {l, 2, 8, 2}];
]
YTicks = Union[Yticks1, aa[[1]], aa[[2]], aa[[3]], aa[[4]],
  aa[[5]], aa[[6]], aa[[7]], aa[[8]], aa[[9]], aa[[10]], aa[[11]], aa[[12]],
  aa[[13]], aa[[14]], aa[[15]], aa[[16]], aa[[17]], aa[[18]], aa[[19]], aa[[20]]];

Xticks1 = Table[{10^k, Superscript[10, k], {0, TickLength1}}, {k, 0, 6, 1}];
(*Table[{i, i, {0, TickLength}}, {i, Xmin, Xmax, 1}];*)
XTicks = Union[Xticks1, aa[[1]], aa[[2]], aa[[3]], aa[[4]],
  aa[[5]], aa[[6]], aa[[7]], aa[[8]], aa[[9]], aa[[10]], aa[[11]], aa[[12]],
  aa[[13]], aa[[14]], aa[[15]], aa[[16]], aa[[17]], aa[[18]], aa[[19]], aa[[20]]];

pady = 80;
padx = 70;
pad2 = 30;
fntsize = 18;

frameticksy = {{{1 / 100 000, Superscript[10, -5], {0, 0.03}},
  {1 / 10 000, Superscript[10, -4], {0, 0.03}}, {1 / 1000, Superscript[10, -3],
  {0, 0.03}}, {1 / 100, Superscript[10, -2], {0, 0.03}}}, None};
frameticksyENLAR =
  {{{1 / 100 000, Superscript[10, -5], {0, 0.03}}, {1 / 10 000, Superscript[10, -4],

```

```

    {0, 0.03}}, {1 / 1000, Superscript[10, -3], {0, 0.03}},
    {2 * 10^-5, , {0, 0.02}}, {4 * 10^-5, , {0, 0.02}}, {6 * 10^-5, , {0, 0.02}},
    {8 * 10^-5, , {0, 0.02}}, {2 * 10^-4, , {0, 0.02}}, {4 * 10^-4, , {0, 0.02}},
    {6 * 10^-4, , {0, 0.02}}, {8 * 10^-4, , {0, 0.02}}}, None};
frameticksx =
  {{{1000, Superscript[10, 3], {0, 0.03}}, {10 000, Superscript[10, 4], {0, 0.03}},
    {100 000, Superscript[10, 5], {0, 0.03}}, {2 * 10^3, , {0, 0.02}},
    {4 * 10^3, , {0, 0.02}}, {6 * 10^3, , {0, 0.02}}, {8 * 10^3, , {0, 0.02}},
    {2 * 10^4, , {0, 0.02}}, {4 * 10^4, , {0, 0.02}},
    {6 * 10^4, , {0, 0.02}}, {8 * 10^4, , {0, 0.02}}}, None};
frameticksycoher = {{{{0, 0, {0, 0.03}}, {0.2, 0.2, {0, 0.03}}, {0.4, 0.4, {0, 0.03}},
    {0.6, 0.6, {0, 0.03}}, {0.8, 0.8, {0, 0.03}}, {1.0, "1.0", {0, 0.03}}}, None};
frameticksycoherneg =
  {{{{0, 0, {0, 0.03}}, {0.5, 0.5, {0, 0.03}}, {1.0, "1.0", {0, 0.03}}, {-0.5, -0.5,
    {0, 0.03}}, {-1.0, "-1.0", {0, 0.03}}, {-1.5, "-1.5", {0, 0.03}}}, None};

```

```
fntsize = 18;
```

```

xmin = 2.5 * 10^2; (*physiological frequency range*)
xmax = 7 * 10^3; (*physiological frequency range*)
ymin = 10^(-10);
ymax = 10^(10);
ymincoher = -2;
ymaxcoher = 2;
dl1 = {{xmin, ymin}, {xmax, ymin}};
dl2 = {{xmin, ymax}, {xmax, ymax}};
dl1coher = {{xmin, ymincoher}, {xmax, ymincoher}};
dl2coher = {{xmin, ymaxcoher}, {xmax, ymaxcoher}};

```

```
In[376]:=
```

```
(*Fig 1 plots of probability density of stereocilium 0,1 and 8*)
```

```
(*parameters of simulation*)
```

```

totallength = 1; (*total length of simulation[s]*)
deltatsima = 0.000001 / (10); (*time step stimulation [s]*)

```

```
(*intensity of noise forces*)
```

```

g0 = 2 * kbT (lA + lL);
g1 = 2 * kbT (lA + 2 lL);
g2 = 2 * kbT (lA + lL);

```

```
(*derivation of matrix of correlations between noise forces*)
```

```

Ch[nst_] := DiagonalMatrix[Table[1, nst]] +
  DiagonalMatrix[Table[rho2, nst - 1], 1] + DiagonalMatrix[Table[rho2, nst - 1], -1];

```

```

Mc = Ch[16];
Mc[[1, 2]] = rho1;
Mc[[2, 1]] = rho1;
Mc[[16 - 1, 16]] = rho1;
Mc[[16, 16 - 1]] = rho1;
rho1 = -lL / Sqrt[(lL + lA) (lA + 2 lL)];
rho2 = -lL / (lA + 2 lL);

Chd = CholeskyDecomposition[Mc]^†;

(*derivation of langevin equations*)

xc[n_] := Symbol["x" <> ToString[n]]
wc[n_] := Symbol["w" <> ToString[n]]

laneq0[nst_] := (lA + lL) * dx0[t] == (-kA * x0[t] - kL * (x0[t] - x1[t])) * dt +
  lL * dx1[t] + Sqrt[g0] * (Total[Table[Chd[[1, j]] * dwc[j][t], {j, 1, nst}]]);
laneq[n_, nst_] := (lA + 2 * lL) * dxc[n][t] == (-kA * xc[n][t] - kL * (xc[n][t]
- xc[n - 1][t]) - kL * (xc[n][t] - xc[n + 1][t])) * dt + lL * dxc[n - 1][t] +
  lL * dxc[n + 1][t] + Sqrt[g1] * (Total[Table[Chd[[n + 1, j]] * dwc[j][t], {j, 1, nst}]]);
laneqlast[nst_] := (lA + lL) * dxc[nst - 1][t] ==
  (-kA * xc[nst - 1][t] - kL * (xc[nst - 1][t] - xc[nst - 2][t])) * dt + lL * dxc[nst - 2][t] +
  Sqrt[g2] * (Total[Table[Chd[[nst, j]] * dwc[j][t], {j, 1, nst}]]);

laninteqsa = Table[laneq[n, 16], {n, 1, 16 - 2}];
laninteqsb = Prepend[laninteqsa, laneq0[16]];
laninteqs = Append[laninteqsb, laneqlast[16]];
variabl = Table[xc[n][t], {n, 0, 16 - 1}];
initialvar = Table[xc[n], {n, 0, 16 - 1}];
initialcond = Table[0, {n, 0, 16 - 1}];
wieners = Table[wc[n] ≈ WienerProcess[], {n, 1, 16}];

(*derivation of time series*)
proc = ItoProcess[laninteqs, variabl, {initialvar, initialcond}, t, wieners];
ap = RandomFunction[proc, {0., totallength, deltatsima}];

(*plot settings*)
Ytickshist2 = Table[{k, k, {0, TickLength1}}, {k, 0.00, 0.20, 0.02}];
Xticks11 = Table[{k, k, {0, TickLength1}}, {k, -40, 40, 5}];

(*plots*)
Histogram[{ap["PathComponent", 8]["Values"], ap["PathComponent", 9]["Values"]},
  {0.5}, "Probability", PlotRange → {{-10, 10}, {0, 0.08}},
  LabelStyle → {FontSize → 18}, ImagePadding → {{pady, pad2}, {padx, pad2}},


```

```


ImageSize → 400, Background → White, Frame → {True, True, True, True},
FrameStyle → Directive[Black, Thick],
FrameTicks → {{Ytickshist2, None}, {Xticks11, None}},
FrameLabel → {"displacement (nm)", "probability density"},
ChartStyle → {RGBColor[251 / 255, 40 / 255, 67 / 255],
  Opacity[1, RGBColor[95 / 255, 59 / 255, 146 / 255]]}]
Histogram[{ap["PathComponent", 8] ["Values"], ap["PathComponent", 16] ["Values"]},
  {0.5}, "Probability", PlotRange → {{-10, 10}, {0, 0.08}},
LabelStyle → {FontSize → 18}, ImagePadding → {{pady, pad2}, {padx, pad2}},
ImageSize → 400, Background → White, Frame → {True, True, True, True},
FrameStyle → Directive[Black, Thick],
FrameTicks → {{Ytickshist2, None}, {Xticks11, None}},
FrameLabel → {"displacement (nm)", "probability density"},
ChartStyle → {Opacity[1, RGBColor[251 / 255, 40 / 255, 67 / 255]],
  Opacity[.70, RGBColor[225 / 255, 156 / 255, 36 / 255]]}]

```

Out[406]=



Out[407]=



In[408]:=

```
(*Fig 2A & 3A plots of power spectrum and coherency vs noise
frequency in the case of stereocilia coupled by both links*)
```

```
(*Fig 2A & 3A plots of power spectrum and coherency vs noise
frequency in the case of stereocilia coupled by both links*)
```

```
(*plot settings*)
```

```
plotstylecoh = {{Thickness -> 0.01, RGBColor[0 * 251 / 255, 0 * 41 / 255, 0 * 67 / 255]},
  {Thickness -> 0.01, RGBColor[106 / 255, 90 / 255, 205 / 255]},
  {Thickness -> 0.01, RGBColor[225 / 255, 156 / 255, 36 / 255]}};
plotstylepsd = {{Thickness -> 0.01, RGBColor[0 * 145 / 255, 0 * 145 / 255, 0 * 145 / 255]},
  {Thickness -> 0.01, RGBColor[251 / 255, 41 / 255, 67 / 255]},
  {Thickness -> 0.01, RGBColor[106 / 255, 90 / 255, 205 / 255], Dashed},
  {Thickness -> 0.01, RGBColor[225 / 255, 156 / 255, 36 / 255]}};
```

```
(*derivation of power spectra and coherency*)
```

```
psd00 = PSDc2[16, 0, 0];
```

```
psd11 = PSDc2[16, 1, 1];
```

```
psd88 = PSDc2[16, 8, 8];
```

```
coher01 = coherc2[16, 0, 1];
```

```
coher08 = coherc2[16, 0, 8];
```

```
(*plots*)
```

```
LogLogPlot[{psd00 /. {w -> (2 * Pi * f), kA1 -> kA, lA1 -> lA, kL1 -> 0 * kL, lL1 -> 0 * lL},
  psd00 /. {w -> (2 * Pi * f), kA1 -> kA, lA1 -> lA, kL1 -> kL, lL1 -> lL},
  psd11 /. {w -> (2 * Pi * f), kA1 -> kA, lA1 -> lA, kL1 -> kL, lL1 -> lL},
  psd88 /. {w -> (2 * Pi * f), kA1 -> kA, lA1 -> lA, kL1 -> kL, lL1 -> lL}}, {f, 0.01, 10^6},
```

```

PlotRange → plotrangepsd, ImagePadding → {{pady, pad2}, {padx, pad2}},
  ImageSize → 400, LabelStyle → {FontSize → fntsize},
  PlotStyle → plotstylepsd, Background → White,
  Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
  FrameTicks → {{YTicks, None}, {XTicks, None}},
  FrameLabel → framelabels, GridLines → {{5000}, {}}, GridLinesStyle →
    Directive[RGBColor[0, 125 / 255, 128 / 255], Dashed, Thickness → 0.01]];
Show[%, ListLogLogPlot[{dl1, dl2}, Joined → True,
  PlotRange → {Automatic, Automatic}, GridLines → None,
  PlotStyle → {White, White}, Filling → {1 → {2}},
  FillingStyle → Directive[Opacity[0.15], Gray], ImageSize → 540]];
Show[%,
  LogLogPlot[{psd00 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → 0 * lL},
    psd00 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL},
    psd11 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL},
    psd88 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL}}, {f, 0.01, 10^6},
  PlotRange → plotrangepsd, ImagePadding → {{pady, pad2}, {padx, pad2}},
  ImageSize → 400, LabelStyle → {FontSize → fntsize}, PlotStyle → plotstylepsd,
  Background → White, Frame → {True, True, True, True},
  FrameStyle → Directive[Black, Thick],
  FrameTicks → {{YTicks, None}, {XTicks, None}}, FrameLabel → framelabels]
]

LogLinearPlot[{coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → 0 * lL},
  coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL},
  coher08 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL}}, {f, 1, 10^7},
  PlotRange → plotrangecoher, ImagePadding → {{pady, pad2}, {padx, pad2}},
  ImageSize → 400, LabelStyle → {FontSize → fntsize},
  PlotStyle → plotstylecoh, Background → White,
  Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
  FrameTicks → {frameticksycoherneg, {XTicks, None}},
  FrameLabel → {"noise frequency (Hz)", "coherency"},
  GridLines → {{5000}, {}}, GridLinesStyle →
    Directive[RGBColor[0, 125 / 255, 128 / 255], Dashed, Thickness → 0.01]];
Show[%, ListLogLogPlot[{dl1, dl2}, Joined → True,
  PlotRange → {Automatic, Automatic}, GridLines → None,
  PlotStyle → {White, White}, Filling → {1 → {2}},
  FillingStyle → Directive[Opacity[0.15], Gray], ImageSize → 540]];
Show[%, LogLinearPlot[
  {coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → 0 * lL},
    coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL},
    coher08 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL}}, {f, 1, 10^7},
  PlotRange → plotrangecoher, ImagePadding → {{pady, pad2}, {padx, pad2}},
  ImageSize → 400, LabelStyle → {FontSize → fntsize},

```

```

PlotStyle → plotstylecoh, Background → White,
Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
FrameTicks → {frameticksycoherneg, {XTicks, None}},
FrameLabel → {"noise frequency (Hz)", "coherency"}]
]

(*Fig2B & 3B PLOT plots of power spectrum and coherency vs noise
frequency in the case of stereocilia coupled only by stiff links*)

(*plot settings*)
(*plot settings*)
plotstylecoh = {{Thickness → 0.01, RGBColor[0 * 145 / 255, 0 * 145 / 255, 0 * 145 / 255]},
  {Thickness → 0.01, RGBColor[77 / 255, 65 / 255, 149 / 255]},
  {Thickness → 0.01, RGBColor[173 / 255, 113 / 255, 25 / 255]}};
plotstylepsd = {{Thickness → 0.01, RGBColor[0 * 145 / 255, 0 * 145 / 255, 0 * 145 / 255]},
  {Thickness → 0.01, Darker[RGBColor[251 / 255, 41 / 255, 67 / 255]]},
  {Thickness → 0.01, RGBColor[77 / 255, 65 / 255, 149 / 255], Dashed},
  {Thickness → 0.01, RGBColor[173 / 255, 113 / 255, 25 / 255]}};

(*plots*)
LogLogPlot[{psd00 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → 0 * lL},
  psd00 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 0 * lL},
  psd11 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 0 * lL},
  psd88 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 0 * lL}}, {f, 0.01, 10^6},
PlotRange → plotrangepsd, ImagePadding → {{pady, pad2}, {padx, pad2}},
ImageSize → 400, LabelStyle → {FontSize → fntsize},
PlotStyle → plotstylepsd, Background → White,
Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
FrameTicks → {{YTicks, None}, {XTicks, None}},
FrameLabel → framelabels, GridLines → {{5000}, {}}, GridLinesStyle →
  Directive[RGBColor[0, 125 / 255, 128 / 255], Dashed, Thickness → 0.01]];
Show[%, ListLogLogPlot[{dl1, dl2}, Joined → True,
PlotRange → {Automatic, Automatic}, GridLines → None,
PlotStyle → {White, White}, Filling → {1 → {2}},
FillingStyle → Directive[Opacity[0.15], Gray], ImageSize → 540]];
Show[%,
LogLogPlot[{psd00 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → 0 * lL},
  psd00 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 0 * lL},
  psd11 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 0 * lL},
  psd88 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 0 * lL}}, {f, 0.01, 10^6},
PlotRange → plotrangepsd, ImagePadding → {{pady, pad2}, {padx, pad2}},
ImageSize → 400, LabelStyle → {FontSize → fntsize},
PlotStyle → plotstylepsd, Background → White,
Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],

```



```

FrameTicks → {{YTicks, None}, {XTicks, None}}, FrameLabel → framelabels]]

LogLinearPlot[{coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → 0 * lL},
  coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 0 * lL},
  coher08 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 0 * lL}}, {f, 1, 10^7},
  PlotRange → plotrangecoher, ImagePadding → {{pady, pad2}, {padx, pad2}},
  ImageSize → 400, LabelStyle → {FontSize → fntsize},
  PlotStyle → plotstylecoh, Background → White,
  Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
  FrameTicks → {frameticksycoherneg, {XTicks, None}},
  FrameLabel → {"noise frequency (Hz)", "coherency"},
  GridLines → {{5000}, {}}, GridLinesStyle →
    Directive[RGBColor[0, 125 / 255, 128 / 255], Dashed, Thickness → 0.01]];
Show[%, ListLogLogPlot[{dl1, dl2}, Joined → True,
  PlotRange → {Automatic, Automatic}, GridLines → None,
  PlotStyle → {White, White}, Filling → {1 → {2}},
  FillingStyle → Directive[Opacity[0.15], Gray], ImageSize → 540]];
Show[%, LogLinearPlot[
  {coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → 0 * lL},
  coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 0 * lL},
  coher08 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 0 * lL}}, {f, 1, 10^7},
  PlotRange → plotrangecoher, ImagePadding → {{pady, pad2}, {padx, pad2}},
  ImageSize → 400, LabelStyle → {FontSize → fntsize},
  PlotStyle → plotstylecoh, Background → White,
  Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
  FrameTicks → {frameticksycoherneg, {XTicks, None}},
  FrameLabel → {"noise frequency (Hz)", "coherency"}]]

(*Fig2C & 3 C plots of power spectra and coherency vs noise
frequency in the case of stereocilia coupled only by damped links*)

(*plot settings*)
plotstylecoh = {{Thickness → 0.01, RGBColor[0 * 145 / 255, 0 * 145 / 255, 0 * 145 / 255]},
  {Thickness → 0.01, RGBColor[147 / 255, 135 / 255, 219 / 255]},
  {Thickness → 0.01, RGBColor[223 / 255, 183 / 255, 97 / 255]}};
plotstylepsd = {{Thickness → 0.01, RGBColor[0 * 145 / 255, 0 * 145 / 255, 0 * 145 / 255]},
  {Thickness → 0.01, Lighter[RGBColor[251 / 255, 41 / 255, 67 / 255]]},
  {Thickness → 0.01, RGBColor[147 / 255, 135 / 255, 219 / 255], Dashed},
  {Thickness → 0.01, RGBColor[223 / 255, 183 / 255, 97 / 255]}};

(*plots*)
LogLogPlot[{psd00 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → 0 * lL},
  psd00 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL},
  psd11 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL},

```

```

    psd88 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL}}, {f, 0.01, 10^6},
    PlotRange → plotrangepsd, ImagePadding → {{pady, pad2}, {padx, pad2}},
    ImageSize → 400, LabelStyle → {FontSize → fntsize},
    PlotStyle → plotstylepsd, Background → White,
    Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
    FrameTicks → {{YTicks, None}, {XTicks, None}},
    FrameLabel → framelabels, GridLines → {{5000}, {}}, GridLinesStyle →
    Directive[RGBColor[0, 125 / 255, 128 / 255], Dashed, Thickness → 0.01]]; (*,
GridLines → {{5000}, {}}, GridLinesStyle → Directive[Black, Dashed, Thickness → 0.01] *)
Show[%, ListLogLogPlot[{dl1, dl2}, Joined → True,
    PlotRange → {Automatic, Automatic}, GridLines → None,
    PlotStyle → {White, White}, Filling → {1 → {2}},
    FillingStyle → Directive[Opacity[0.15], Gray], ImageSize → 540]];
Show[%,
    LogLogPlot[{psd00 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → 0 * lL},
    psd00 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL},
    psd11 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL},
    psd88 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL}}, {f, 0.01, 10^6},
    PlotRange → plotrangepsd, ImagePadding → {{pady, pad2}, {padx, pad2}},
    ImageSize → 400, LabelStyle → {FontSize → fntsize},
    PlotStyle → plotstylepsd, Background → White,
    Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
    FrameTicks → {{YTicks, None}, {XTicks, None}}, FrameLabel → framelabels]]
LogLinearPlot[{coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → 0 * lL},
    coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL},
    coher08 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL}}, {f, 1, 10^7},
    PlotRange → plotrangecoher, ImagePadding → {{pady, pad2}, {padx, pad2}},
    ImageSize → 400, LabelStyle → {FontSize → fntsize},
    PlotStyle → plotstylecoh, Background → White,
    Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
    FrameTicks → {frameticksycoherneg, {XTicks, None}},
    FrameLabel → {"noise frequency (Hz)", "coherency"},
    GridLines → {{5000}, {}}, GridLinesStyle →
    Directive[RGBColor[0, 125 / 255, 128 / 255], Dashed, Thickness → 0.01]];
Show[%, ListLogLogPlot[{dl1, dl2}, Joined → True,
    PlotRange → {Automatic, Automatic}, GridLines → None,
    PlotStyle → {White, White}, Filling → {1 → {2}},
    FillingStyle → Directive[Opacity[0.15], Gray], ImageSize → 540]];
Show[%, LogLinearPlot[
    {coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → 0 * lL},
    coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL},
    coher08 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL}}, {f, 1, 10^7},
    PlotRange → plotrangecoher, ImagePadding → {{pady, pad2}, {padx, pad2}},
    ImageSize → 400, LabelStyle → {FontSize → fntsize},

```

```

PlotStyle → plotstylecoh, Background → White,
Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
FrameTicks → {frameticksycoherneg, {XTicks, None}},
FrameLabel → {"noise frequency (Hz)", "coherency"}]
]

(*Fig2D & 3 D plots of power spectrum ratio and coherency differences*)

(*plot settings*)
plotrangeratios = {{10^(2), 10^6}, {0, 50}};

YTicksratios1 = Table[{k, k, {0, TickLength1}}, {k, 0, 50, 10}];
bb = Table[0, {20}, {4}];
For[k = 1, k ≤ 20, k++,
bb[[k]] = Table[{l, , {0, TickLength2}}, {l, 5, 55, 10}];
]
YTicksratios = Union[YTicksratios1, bb[[1]], bb[[2]], bb[[3]],
bb[[4]], bb[[5]], bb[[6]], bb[[7]], bb[[8]], bb[[9]], bb[[10]], bb[[11]], bb[[12]],
bb[[13]], bb[[14]], bb[[15]], bb[[16]], bb[[17]], bb[[18]], bb[[19]], bb[[20]]];

plotstyleratios = plotstyleratios =
{{Thickness → 0.01, Darker[RGBColor[251 / 255, 41 / 255, 67 / 255]]},
{Thickness → 0.01, RGBColor[Rational[77, 255], Rational[13, 51],
Rational[149, 255]], Dashed}, {Thickness → 0.01,
RGBColor[Rational[173, 255], Rational[113, 255], Rational[5, 51]]},
{Thickness → 0.01, Lighter[RGBColor[251 / 255, 41 / 255, 67 / 255]]},
{Thickness → 0.01, RGBColor[Rational[49, 85],
Rational[9, 17], Rational[73, 85]], Dashed}, {Thickness → 0.01,
RGBColor[Rational[223, 255], Rational[61, 85], Rational[97, 255]]}};
framelabelsratios =
{"power spectrum ratio", None}, {"noise frequency (Hz)", None}};

(*plots*)
LogLogPlot[{(psd00 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 0 * lL}) /
(psd00 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL}),
(psd11 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 0 * lL}) /
(psd11 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL}),
(psd88 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 0 * lL}) /
(psd88 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL}),
(psd00 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL}) / psd00 /.
{w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL},
(psd11 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL}) /
(psd11 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL}),
(psd88 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL}) / (psd88 /.

```

```

    {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL}}, {f, 0.01, 10^6},
PlotRange → plotrangeratios, ImagePadding → {{pady, pad2}, {padx, pad2}},
    ImageSize → 400, LabelStyle → {FontSize → fntsize},
PlotStyle → plotstyleratios, Background → White,
    Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
    FrameTicks → {{XTicks, None}, {XTicks, None}},
    FrameLabel → framelabelsratios, GridLines → {{5000}, {}}, GridLinesStyle →
    Directive[RGBColor[0, 125 / 255, 128 / 255], Dashed, Thickness → 0.01]];
Show[%, ListLogLogPlot[{dl1, dl2}, Joined → True,
    PlotRange → {Automatic, Automatic}, GridLines → None,
    PlotStyle → {White, White}, Filling → {1 → {2}},
    FillingStyle → Directive[Opacity[0.15], Gray], ImageSize → 540]];
Show[%,
    LogLogPlot[{(psd00 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 0 * lL}) /
        (psd00 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL}),
        (psd11 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 0 * lL}) /
        (psd11 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL}),
        (psd88 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 0 * lL}) /
        (psd88 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL}),
        (psd00 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL}) / psd00 /.
        {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL},
        (psd11 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL}) /
        (psd11 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL}),
        (psd88 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL}) / (psd88 /.
        {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL})}], {f, 0.01, 10^6},
PlotRange → plotrangeratios, ImagePadding → {{pady, pad2}, {padx, pad2}},
    ImageSize → 400, LabelStyle → {FontSize → fntsize},
PlotStyle → plotstyleratios, Background → White,
    Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
    FrameTicks → {{XTicks, None}, {XTicks, None}}, FrameLabel → framelabelsratios]]

(*plot settings*)
plotstyleratioscoh = {{Thickness → 0.01, RGBColor[77 / 255, 65 / 255, 149 / 255]},
    {Thickness → 0.01, RGBColor[173 / 255, 113 / 255, 25 / 255]},
    {Thickness → 0.01, RGBColor[147 / 255, 135 / 255, 219 / 255]},
    {Thickness → 0.01, RGBColor[223 / 255, 183 / 255, 97 / 255]}};
plotrangecoheratios = {{10^(2), 10^6}, {-1.15, 1.15}};

(*plots*)
LogLinearPlot[{(coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 0 * lL}) -
    (coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL}),
    (coher08 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 0 * lL}) -
    (coher08 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL}),
    (coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL}) -


```

```


(coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL}),
(coher08 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL}) - (coher08 /.
{w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL})), {f, 1, 10^7},
PlotRange → plotrangecoherratios, ImagePadding → {{pady, pad2}, {padx, pad2}},
ImageSize → 400, LabelStyle → {FontSize → fntsize},
PlotStyle → plotstyleratioscoh, Background → White,
Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
FrameTicks → {frameticksycoherneg, {XTicks, None}},
FrameLabel → {"noise frequency (Hz)", "coherency difference"},
GridLines → {{5000}, {}}, GridLinesStyle →
Directive[RGBColor[0, 125 / 255, 128 / 255], Dashed, Thickness → 0.01]];
Show[%, ListLogLogPlot[{dl1, dl2}, Joined → True,
PlotRange → {Automatic, Automatic}, GridLines → None,
PlotStyle → {White, White}, Filling → {1 → {2}},
FillingStyle → Directive[Opacity[0.15], Gray], ImageSize → 540]];
Show[%,
LogLinearPlot[{(coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 0 * lL}) -
(coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL}),
(coher08 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 0 * lL}) -
(coher08 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL}),
(coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL}) -
(coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL}),
(coher08 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL}) - (coher08 /.
{w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL})), {f, 1, 10^7},
Axes → False, PlotRange → plotrangecoher,
ImagePadding → {{pady, pad2}, {padx, pad2}},
ImageSize → 400, LabelStyle → {FontSize → fntsize},
PlotStyle → plotstyleratioscoh, Background → White,
Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
FrameTicks → {frameticksycoherneg, {XTicks, None}},
FrameLabel → {"noise frequency (Hz)", "coherency difference"}]]

```


Out[417]=




Out[420]=




Out[425]=




Out[428]=




Out[433]=




Out[436]=



Out[446]=



Out[451]=



In[452]:=

```
(*Fig 4 plots of coherency between stereocilia 0 and 1 and between
0 and 8 versus link stiffness and link damping coefficient*)
```

```
(*derivation of coherency*)
```

```
coher01 = coherc2[16, 0, 1];
```

```
coher08 = coherc2[16, 0, 8];
```

```
(*plot settings*)
```

```
col01 = RGBColor[106 / 255, 91 / 255, 205 / 255];
```

```
col08 = RGBColor[225 / 255, 156 / 255, 36 / 255];
```

```
plotstylecoh01 = {{Thickness -> 0.01,
col01}}
```

```

};

plotstylecoh08 = {{Thickness → 0.01,
col08}
};

Xticks1a = Table[{10^k, Superscript[10, k], {0, TickLength1}}, {k, -10, 10, 1}];
XTicksa = Union[Xticks1a, aa[[1]], aa[[2]], aa[[3]],
aa[[4]], aa[[5]], aa[[6]], aa[[7]], aa[[8]], aa[[9]], aa[[10]], aa[[11]], aa[[12]],
aa[[13]], aa[[14]], aa[[15]], aa[[16]], aa[[17]], aa[[18]], aa[[19]], aa[[20]]];
plotrangecoher1 = {{562 / 70, 562 * 200}, {-1.05, 1.05}};


(*plot*)
LogLinearPlot[coher01 /.
{w → 5000 * 2 * Pi, kA1 → 146.3, lA1 → 6.563 * 10^(-4), lL1 → 3.646 * 10^(-3)},
{kL1, 562 / 70, 562 * 200}, PlotRange → plotrangecoher1, Axes → False,
ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
LabelStyle → {FontSize → fntsize}, PlotStyle → plotstylecoh01, Background → White,
Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
FrameTicks → {frameticksycoherneg, {XTicksa, None}}, FrameLabel →
{"link stiffness ( $\mu\text{N}\cdot\text{!}\backslash(\backslash*\text{SuperscriptBox}[\backslash(m\backslash), \backslash(-1\backslash)]\backslash\backslash)$ )", "coherency"}
, GridLines → {{562}, {}}, GridLinesStyle →
Directive[RGBColor[165 / 255, 97 / 255, 157 / 255], Dashed, Thickness → 0.01]];
Show[%, LogLinearPlot[coher08 /.
{w → 5000 * 2 * Pi, kA1 → 146.3, lA1 → 6.563 * 10^(-4), lL1 → 3.646 * 10^(-3)},
{kL1, 562 / 70, 562 * 200}, PlotRange → plotrangecoher1, Axes → False,
ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
LabelStyle → {FontSize → fntsize}, PlotStyle → plotstylecoh08, Background → White,
Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
FrameTicks → {frameticksycoherneg, {XTicksa, None}}, FrameLabel →
{"link stiffness ( $\mu\text{N}\cdot\text{!}\backslash(\backslash*\text{SuperscriptBox}[\backslash(m\backslash), \backslash(-1\backslash)]\backslash\backslash)$ )", "coherency"}
, GridLines → {{562}, {}}, GridLinesStyle →
Directive[RGBColor[165 / 255, 97 / 255, 157 / 255], Dashed, Thickness → 0.01]]]

(*plot settings*)
Xticks1b = Table[{10^k, Superscript[10, k], {0, TickLength1}}, {k, -9, 16, 2}];
(*Table[{i, i, {0, TickLength}}, {i, Xmin, Xmax, 1}];*)
Xticks2b = Table[{10^k, , {0, TickLength1}}, {k, -8, 16, 2}];
(*Table[{i, i, {0, TickLength}}, {i, Xmin, Xmax, 1}];*)
XTicksb = Union[Xticks1b, Xticks2b, aa[[1]], aa[[2]], aa[[3]],
aa[[4]], aa[[5]], aa[[6]], aa[[7]], aa[[8]], aa[[9]], aa[[10]], aa[[11]], aa[[12]],
aa[[13]], aa[[14]], aa[[15]], aa[[16]], aa[[17]], aa[[18]], aa[[19]], aa[[20]]];
plotrangecoher2 = {{3.646 * 10^(-3) / 400, 3.646 * 10^(-3) * 30 000}, {-1.05, 1.05}};


```

```
(*plot*)
LogLinearPlot[
  coher01 /. {w → 5000 * 2 * Pi, kA1 → 146.3, kL1 → 562, lA1 → 6.563 * 10−4},
  {lL1, 3.646 * 10−3 / 400, 3.646 * 10−3 * 30 000}, PlotRange → plotrangecoher2,
  Axes → False, ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
  LabelStyle → {FontSize → fntsize}, PlotStyle → plotstylecoh01, Background → White,
  Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
  FrameTicks → {frameticksycoherneg, {XTicksb, None}}, FrameLabel →
    {"link damping coefficient (nN.s.\!\\(*SuperscriptBox[\(m\), \(-1\)])\)",
     "coherency"}
  , GridLines → {{3.646 * 10−3}, {}}, GridLinesStyle →
    Directive[RGBColor[144 / 255, 176 / 255, 50 / 255], Dashed, Thickness → 0.01]];
Show[%, LogLinearPlot[
  coher08 /. {w → 5000 * 2 * Pi, kA1 → 146.3, kL1 → 562, lA1 → 6.563 * 10−4},
  {lL1, 3.646 * 10−3 / 400, 3.646 * 10−3 * 30 000}, PlotRange → plotrangecoher2,
  Axes → False, ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
  LabelStyle → {FontSize → fntsize}, PlotStyle → plotstylecoh08, Background → White,
  Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
  FrameTicks → {frameticksycoherneg, {XTicksb, None}}, FrameLabel →
    {"link damping coefficient (nN.s.\!\\(*SuperscriptBox[\(m\), \(-1\)])\)",
     "coherency"}
  , GridLines → {{3.646 * 10−3}, {}}, GridLinesStyle →
    Directive[RGBColor[144 / 255, 176 / 255, 50 / 255], Dashed, Thickness → 0.01]]]
```

Out[462]=



Out[468]=



```
In[ ]:= (*Fig 5 of coherency between 0 and 1 and
         0 and 8 for different strengths of the links*)
```

```
(*derivation of coherency*)
```

```
coher01 = coherc2[16, 0, 1];
```

```
coher08 = coherc2[16, 0, 8];
```

```
(*plot settings*)
```

```
col01 = RGBColor[106 / 255, 91 / 255, 205 / 255];
```

```
col08 = RGBColor[225 / 255, 156 / 255, 36 / 255];
```

```
plotstylecoh01 = {{Thickness -> 0.01,
  col01},
  {Thickness -> 0.01, Darker[col01]}
, {Thickness -> 0.01,
  col08},
  {Thickness -> 0.01, Darker[col08]}
};
```

```
(*plot*)
```

```
pl1 = LogLinearPlot[{coher01 /. {w -> (2 * Pi * f), kA1 -> kA, lA1 -> lA, kL1 -> kL, lL1 -> lL},
  coher01 /. {w -> (2 * Pi * f), kA1 -> kA, lA1 -> lA, kL1 -> 5 * kL, lL1 -> lL},
  coher08 /. {w -> (2 * Pi * f), kA1 -> kA, lA1 -> lA, kL1 -> kL, lL1 -> lL},
  coher08 /. {w -> (2 * Pi * f), kA1 -> kA, lA1 -> lA, kL1 -> 20 * kL, lL1 -> lL}}
, {f, 1, 10^7}, PlotRange -> plotrangecoher, Axes -> False,
  ImagePadding -> {{pady, pad2}, {padx, pad2}}, ImageSize -> 400,
  LabelStyle -> {FontSize -> fntsize}, PlotStyle -> plotstylecoh01, Background -> White,
  Frame -> {True, True, True, True}, FrameStyle -> Directive[Black, Thick],
  FrameTicks -> {frameticksycoherneg, {XTicks, None}},
```

```

    FrameLabel → {"noise frequency (Hz)", "coherency"},
    GridLines → {{5000}, {}}, GridLinesStyle →
      Directive[RGBColor[0, 125 / 255, 128 / 255], Dashed, Thickness → 0.01]];
Show[%, ListLogLogPlot[{dl1, dl2}, Joined → True,
  PlotRange → {Automatic, Automatic}, GridLines → None,
  PlotStyle → {White, White}, Filling → {1 → {2}},
  FillingStyle → Directive[Opacity[0.15], Gray], ImageSize → 540]];
Show[%, pl1]

(*plot*)
pl1 = LogLinearPlot[{coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL},
  coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 10 * lL},
  coher08 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL},
  coher08 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 80 * lL}}
, {f, 1, 10^7}, PlotRange → plotrangecoher, Axes → False,
  ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
  LabelStyle → {FontSize → fntsize}, PlotStyle → plotstylecoh01, Background → White,
  Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
  FrameTicks → {frameticksycoherneg, {XTicks, None}},
  FrameLabel → {"noise frequency (Hz)", "coherency"}
, GridLines → {{5000}, {}}, GridLinesStyle →
  Directive[RGBColor[0, 125 / 255, 128 / 255], Dashed, Thickness → 0.01]];

Show[%, ListLogLogPlot[{dl1, dl2}, Joined → True,
  PlotRange → {Automatic, Automatic}, GridLines → None,
  PlotStyle → {White, White}, Filling → {1 → {2}},
  FillingStyle → Directive[Opacity[0.15], Gray], ImageSize → 540]];
Show[%, pl1]

(*plot*)
pl1 = LogLinearPlot[{coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL},
  coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 5 * kL, lL1 → 10 * lL},
  coher08 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL},
  coher08 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 20 * kL, lL1 → 80 * lL}}
, {f, 1, 10^7}, PlotRange → plotrangecoher, Axes → False,
  ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
  LabelStyle → {FontSize → fntsize}, PlotStyle → plotstylecoh01, Background → White,
  Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
  FrameTicks → {frameticksycoherneg, {XTicks, None}},
  FrameLabel → {"noise frequency (Hz)", "coherency"}
, GridLines → {{5000}, {}}, GridLinesStyle →
  Directive[RGBColor[0, 125 / 255, 128 / 255], Dashed, Thickness → 0.01]];
Show[%, ListLogLogPlot[{dl1, dl2}, Joined → True,

```


```

PlotRange → {Automatic, Automatic}, GridLines → None,
PlotStyle → {White, White}, Filling → {1 → {2}},
FillingStyle → Directive[Opacity[0.15], Gray], ImageSize → 540]];
Show[%, pl1]


(*plot*)
pl1 = LogLinearPlot[{coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL},
  coher01 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 15 * kL, lL1 → 10 * lL},
  coher08 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL},
  coher08 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 120 * kL, lL1 → 80 * lL}}
, {f, 1, 10^7}, PlotRange → plotrangecoher, Axes → False,
  ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
  LabelStyle → {FontSize → fntsize}, PlotStyle → plotstylecoh01, Background → White,
  Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
  FrameTicks → {frameticksycoherneg, {XTicks, None}},
  FrameLabel → {"noise frequency (Hz)", "coherency"}
, GridLines → {{5000}, {}}, GridLinesStyle →
  Directive[RGBColor[0, 125 / 255, 128 / 255], Dashed, Thickness → 0.01]];
Show[%, ListLogLogPlot[{dl1, dl2}, Joined → True,
  PlotRange → {Automatic, Automatic}, GridLines → None,
  PlotStyle → {White, White}, Filling → {1 → {2}},
  FillingStyle → Directive[Opacity[0.15], Gray], ImageSize → 540]];
Show[%, pl1]

```


Out[8] =




Out[*]=



Out[*]=



Out[932] =



In[932] :=

```
(*Fig.6B-D plots of positive and negative
component of power spectrum vs noise frequency*)

(*Calculate power spectral density matrix*)

(*pmat=Table[PSDc[16,x,y]/.{w→(2*Pi*f),kA1→kA,lA1→lA,kL1→kL,lL1→lL},
{x,0,16-1},{y,0,16-1}]; (*default case with both links*)
pmat=Table[PSDc[16,x,y]/.{w→(2*Pi*f),kA1→kA,lA1→lA,kL1→kL,lL1→0*lL},
{x,0,16-1},{y,0,16-1}]; (*case only stiff links*)*)
pmat =
Table[PSDc2[16, x, y] /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL},
{x, -7, 8}, {y, -7, 8}]; (*case only damped links*)

(*Define vector of frequencies over which to calculate eigenvalues*)
f1 = {10^2, 2 * 10^2, 4 * 10^2, 6 * 10^2, 8 * 10^2, 10^3,
2 * 10^3, 4 * 10^3, 6 * 10^3, 8 * 10^3, 10^4, 2 * 10^4, 4 * 10^4, 6 * 10^4,
8 * 10^4, 10^5, 2 * 10^5, 4 * 10^5, 6 * 10^5, 8 * 10^5, 1 * 10^6};

(*Define vectors for eigenvectors and eigenvalues*)
eigenvandmor = Table[0, {Length[f1]}, {1}];
eigenvandm = Table[0, {Length[f1]}, {1}];

For[kk = 1, kk ≤ Length[f1], kk++,

(*derive eigensepectrum*)
{vals, vecs} = Eigensystem[{pmat /. {f → f1[[kk]]}, IdentityMatrix[16]}];
{vals, vecs} = Eigensystem[{pmat /. {f → f1[[kk]]}, IdentityMatrix[16]}];
```



```

(*order eigenvectors based on the number
  of neighboring components that are opposite in sign*)
For[jj = 1, jj ≤ Length[vecs], jj++,
  If[vecs[[jj]][[1]] < 0, vecs[[jj]] = -vecs[[jj]];
  (*change sign of all vectors components so that leftmost stereocilium is >0*)
];
eigenvandm = {vals, N[Round[vecs, 10-3]]};
list = eigenvandm[[All]][[2]];
order = Total[Abs[Differences[Sign[Transpose[list]]]]] / 2 +
  Boole[Sign[First[Transpose[list]]] ≠ Sign[Last[Transpose[list]]]];
list = list[[Transpose[order]]];
temp1 = Join[eigenvandm[[All]], {Transpose[order]}];
temp2 = ReverseSortBy[temp1T, Last]T;
eigenvandmor[[kk]] = {f1[[kk]], Drop[temp2, -1, 0]};
]

(*define general expression of power spectral
  matrix matrix in terms of eigenvectors and eigenvalues*)
eigenvalues[n_Integer, m_Integer] :=
  Table[Subscript[l, j], {i, n}, {j, m}] /. {x_List} → x

eigenvectors[n_Integer, m_Integer] :=
  Table[Subscript[u, i, j], {i, n}, {j, m}] /. {x_List} → x

eigenvmatrix[n_Integer, m_Integer] :=
  Table[Subscript[v, i, j], {i, n}, {j, m}] /. {x_List} → x

mateigenva = DiagonalMatrix[eigenvalues[1, 16]];
mateigenve = Transpose[eigenvmatrix[16, 16]];
matcov = mateigenve . mateigenva . Transpose[mateigenve];

(*separate positive and negative contribution of coherency*)

cpsdpos = Table[0, Length[f1]];
cpsdneg = Table[0, Length[f1]];

For[ll = 1, ll ≤ Length[f1], ll++,

cpsdtot = Table[0, 16];

For[kk = 1, kk ≤ 16, kk++,

(*extract expression of coherency in terms of eigenvecotrs and eigenvalues*)
cpsdtot[[kk]] = matcov[[8, 9]][[kk]];

```

```

];

For[kk = 1, kk ≤ 16, kk++,

(*separate positive and negative component of cross-power spectrum*)
If[(cpsdtot[[kk]] /. Union[Thread[Flatten[Transpose[mateigenve]] →
    Flatten[eigenvandmor[[All, 2]][[ll]][2, All]]],
    Thread[eigenvalues[1, 16] → Transpose[eigenvandmor[[All, 2]][[ll]][1, All]]]]) >
    0, cpsdpos[[ll]] = cpsdpos[[ll]] + cpsdtot[[kk]] /. Union[Thread[
        Flatten[Transpose[mateigenve]] → Flatten[eigenvandmor[[All, 2]][[ll]][2, All]]],
        Thread[eigenvalues[1, 16] → Transpose[eigenvandmor[[All, 2]][[ll]][1, All]]]]
    , cpsdneg[[ll]] = cpsdneg[[ll]] + cpsdtot[[kk]] /. Union[Thread[
        Flatten[Transpose[mateigenve]] → Flatten[eigenvandmor[[All, 2]][[ll]][2, All]]],
        Thread[eigenvalues[1, 16] → Transpose[eigenvandmor[[All, 2]][[ll]][1, All]]]]
]
];
]

cpsdposxy = Table[0, Length[f1]];
cpsdnegxy = Table[0, Length[f1]];

For[kk = 1, kk ≤ Length[f1], kk++,
cpsdposxy[[kk]] = {f1[[kk]], cpsdpos[[kk]]};
cpsdnegxy[[kk]] = {f1[[kk]], -cpsdneg[[kk]]};

]

(*plot settings*)
pady = 100;
padx = 60;
pad2 = 30;

plotmarkers = Graphics@{Disk[{0, 0}, Scaled@0.020]};
plotmarkers1 =
    Graphics[Rectangle[Scaled[{0.485, 0.485}], Scaled[{0.515, 0.515}]]];
plotrangeeigenv = {{0.7 * 10^2, 1.3 * 10^6}, {10^(-9), 1.2 * 10^(-2)}};
bar = Blend[{{0, RGBColor[0.25, 0, 0.25]},
    {1/2, RGBColor[255/255, 0, 255/255]}, {1, RGBColor[1, 0.625, 1]}}, #1] &;
bar1 = bar /@ (Range[16] / 8.)

(*plot*)
pl1 = ListLogLogPlot[{cpsdposxy, cpsdnegxy},
    ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,

```

```

LabelStyle → {FontSize → fntsize}, PlotRange → plotrangeeigenv,
Joined → True, PlotMarkers → plotmarkers1,
PlotStyle → {bar1[[4]], RGBColor[255 / 255, 186 / 255, 117 / 255]}, Background → White,
Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
FrameTicks → {{YTicks, None}, {XTicks, None}},
FrameLabel → {"noise frequency (Hz)",
  "cross-power spectrum \n (\!\(\*SuperscriptBox[\(nm\), \((2\)\)]\)/Hz)"}
, GridLines → {{5000}, {}},
GridLinesStyle →
  Directive[RGBColor[0, 125 / 255, 128 / 255], Dashed, Thickness → 0.01]];
Show[%, ListLogLogPlot[{dl1, dl2}, Joined → True,
  PlotRange → {Automatic, Automatic}, GridLines → None,
  PlotStyle → {White, White}, Filling → {1 → {2}},
  FillingStyle → Directive[Opacity[0.15], Gray], ImageSize → 540]];
Show[%, pl1]

(*Fig6A plots of eigenmodes*)

(*plot settings*)
plotmarkers = Graphics@{Disk[{0, 0}, Scaled@0.020]};
plotstylepsd = bar1;
frameticksx =
  {{{1000, Superscript[10, 3], {0, 0.03}}, {10 000, Superscript[10, 4], {0, 0.03}},
    {100 000, Superscript[10, 5], {0, 0.03}}, {2 * 10^3, , {0, 0.02}},
    {4 * 10^3, , {0, 0.02}}, {6 * 10^3, , {0, 0.02}}, {8 * 10^3, , {0, 0.02}},
    {2 * 10^4, , {0, 0.02}}, {4 * 10^4, , {0, 0.02}},
    {6 * 10^4, , {0, 0.02}}, {8 * 10^4, , {0, 0.02}}}, None};
plotrangeeigenv = {{0.8 * 10^3, 1.2 * 10^6}, {10^(-8), 1.2 * 10^(-2)}};

jj = 0;
ll = 0;
ss = 0;

(*separate eigenvectors that contribute
positively or negatively or zero to coherency*)
For[kk = 1, kk ≤ 16, kk++,
Which[eigenvandmor[[All, 2]][All, 2][1, kk][8] /
  eigenvandmor[[All, 2]][All, 2][1, kk][9] < 0,
jj = jj + 1,
eigenvandmor[[All, 2]][All, 2][1, kk][8] /
  eigenvandmor[[All, 2]][All, 2][1, kk][9] > 0,
ll = ll + 1,
eigenvandmor[[All, 2]][All, 2][1, kk][8] /
  eigenvandmor[[All, 2]][All, 2][1, kk][9] == 0,

```

```

ss = ss + 1
]
]

(*count number of eigenvectors*)
jj
ll
ss

(*order eigenvalues*)
pp = 1;
qq = 1;
rr = 1;
data1 = Table[0, {jj}];
data2 = Table[0, {ll}];
data3 = Table[0, {ss}];
bar6b = Table[0, {16}];
For[kk = 1, kk ≤ 16, kk++,
Which[eigenvandmor[[All, 2]][[All, 2]][[1, kk]][[8]] /
      eigenvandmor[[All, 2]][[All, 2]][[1, kk]][[9]] < 0,
data1[[pp]] =
  Transpose@{eigenvandmor[[All, 1]], eigenvandmor[[All, 2]][[All, 1]][[All, kk]]};
bar6b[[kk]] = RGBColor[255 / 255, 186 / 255, 117 / 255];
pp = pp + 1,
eigenvandmor[[All, 2]][[All, 2]][[1, kk]][[8]] /
  eigenvandmor[[All, 2]][[All, 2]][[1, kk]][[9]] > 0,
data2[[qq]] =
  Transpose@{eigenvandmor[[All, 1]], eigenvandmor[[All, 2]][[All, 1]][[All, kk]]};
bar6b[[kk]] = bar1[[4]];
qq = qq + 1,
eigenvandmor[[All, 2]][[All, 2]][[1, kk]][[8]] /
  eigenvandmor[[All, 2]][[All, 2]][[1, kk]][[9]] == 0,
data3[[rr]] =
  Transpose@{eigenvandmor[[All, 1]], eigenvandmor[[All, 2]][[All, 1]][[All, kk]]};
bar6b[[kk]] = RGBColor[145 / 255, 145 / 255, 145 / 255];
rr = rr + 1
]
]

(*renormalize and order eigenvectors*)

eigenvandrenorm = Table[0, {Length[vecs]}, {1}];
max = Table[0, Length[vecs]];
For[kk = 1, kk ≤ Length[vecs], kk++,

```

```

max[[kk]] = Max[Abs[eigenvandmor[All, 2][All, 2][1][kk]]];
eigenvandrenorm[[kk]] = eigenvandmor[All, 2][All, 2][1][kk] / max[[kk]];
]

eigenvandrenorm // MatrixForm;
eigenvandrenorm = eigenvandrenorm / 11 // MatrixForm;


(*plot vibration modes*)
Graphics[{Arrowheads[0.03],
  Table[{bar6b[[i]], Disk[{j / 3, -i / 1.3}, 1 / 11]}, {i, 16}, {j, 16}],
  Table[{bar6b[[i]], Arrow[{j / 3, -i / 1.3}, {j / 3, -i / 1.3 +
    1 / (3.5) * Sign[eigenvandrenorm[1][i][j]] + eigenvandrenorm[1][i][j]}]},
    {i, 16}, {j, 16}]], ImagePadding -> {{pady, pad2}, {padx, pad2}}]

```

Out[956]=

```
{■, ■, ■, ■, ■, ■, ■, ■, ■, ■, ■, ■, ■, ■, ■}
```

Out[959]=



Out[968]=

8


Out[969]=

8

Out[970]=

0

Out[984]=



In[985]:=

```
(*Fig.7 plots of eigenvalues vs frequency
and symmetric/antysimmetric eigenvectors*)
```

```
(*plot settings*)
```

```
bar = Blend[{{0, RGBColor[0.25, 0, 0.25]}},
{1 / 2, RGBColor[255 / 255, 0, 255 / 255]}, {1, RGBColor[1, 0.625, 1]}], #1] &;
```

```

bar1 = bar /@ (Range[16] / 8.)
bar3 = Blend[{{0, RGBColor[0, 0.25, 0.25]},
             {1 / 2, RGBColor[0, 255 / 255, 255 / 255]}, {1, RGBColor[0.625, 1, 1]}}, #1] &;
bar4 = bar3 /@ (Range[16] / 8.)

bar5 = Blend[
  {{0, RGBColor[0.60, 0.18, 0.34]}, {1 / 2, RGBColor[246 / 255, 74 / 255, 138 / 255]},
  {1, RGBColor[0.99, 0.76, 0.75]}}, #1] &;
bar6 = bar5 /@ (Range[10] / 10.)

plotmarkers = Graphics@{Disk[{0, 0}, Scaled@0.010]};
plotmarkers2 =
  Graphics[Rectangle[Scaled[{0.487, 0.487}], Scaled[{0.513, 0.513}]]];
plotstylepsd = bar1;
frameticksx =
  {{{1000, Superscript[10, 3], {0, 0.03}}, {10 000, Superscript[10, 4], {0, 0.03}},
   {100 000, Superscript[10, 5], {0, 0.03}}, {2 * 10^3, , {0, 0.02}},
   {4 * 10^3, , {0, 0.02}}, {6 * 10^3, , {0, 0.02}}, {8 * 10^3, , {0, 0.02}},
   {2 * 10^4, , {0, 0.02}}, {4 * 10^4, , {0, 0.02}},
   {6 * 10^4, , {0, 0.02}}, {8 * 10^4, , {0, 0.02}}}, None};
plotrangeeigen = {{0.8 * 10^2, 1.3 * 10^6}, {10^(-8), 1.8 * 10^(-2)}};
jj = 0;
ll = 0;

(*separate eigenvectors that are symmetric and antisymmetric*)
For[kk = 1, kk ≤ 16, kk++,
  If[eigenvandmor[[All, 2]][[All, 2]][[1, kk]][[8]] /
    eigenvandmor[[All, 2]][[All, 2]][[1, kk]][[9]] < 0,
    jj = jj + 1,
    ll = ll + 1

]
]

(*count eigenvectors*)
jj
ll

(*renormalize and order eigenvectors*)
pp = 1;
qq = 1;
data1 = Table[0, {jj}];
data2 = Table[0, {ll}];
bar6b = Table[0, {16}];

```

```

For[kk = 1, kk ≤ 16, kk++,
If[eigenvandmor[[All, 2]][[All, 2]][1, kk][[8]] /
  eigenvandmor[[All, 2]][[All, 2]][1, kk][[9]] < 0,
data1[[pp]] =
  Transpose@{eigenvandmor[[All, 1]], eigenvandmor[[All, 2]][[All, 1]][[All, kk]]};
bar6b[[kk]] = bar6[[pp]];
pp = pp + 1,
data2[[qq]] =
  Transpose@{eigenvandmor[[All, 1]], eigenvandmor[[All, 2]][[All, 1]][[All, kk]]};
bar6b[[kk]] = bar4[[qq]];
qq = qq + 1

]
]

(*plot settings*)
pady = 80;
padx = 60;
pad2 = 30;

(*plot eigenvalues*)
ListLogLogPlot[data1, ImagePadding → {{pady, pad2}, {padx, pad2}},
  ImageSize → 400, LabelStyle → {FontSize → fntsize}, PlotRange → plotrangeeigenv,
  Joined → True, PlotMarkers → plotmarkers2, PlotStyle → bar6, Background → White,
  Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
  FrameTicks → {{YTicks, None}, {XTicks, None}},
  FrameLabel → {"noise frequency (Hz)",
    "eigenvalue (\!\\(\*SuperscriptBox[(nm), (2)])/Hz)"},
  , GridLines → {{5000}, {}}, GridLinesStyle →
    Directive[RGBColor[0, 125 / 255, 128 / 255], Dashed, Thickness → 0.01]];


pl1 = Show[%, ListLogLogPlot[data2, ImagePadding → {{pady, pad2}, {padx, pad2}},
  ImageSize → 400, LabelStyle → {FontSize → fntsize}, PlotRange → plotrangeeigenv,
  Joined → True, PlotMarkers → plotmarkers, PlotStyle → bar4, Background → White,
  Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
  FrameTicks → {{YTicks, None}, {XTicks, None}},
  FrameLabel → {"noise frequency (Hz)",
    "eigenvalue (\!\\(\*SuperscriptBox[(nm), (2)])/Hz)"}]];
Show[%, ListLogLogPlot[{dl1, dl2}, Joined → True,
  PlotRange → {Automatic, Automatic}, GridLines → None,
  PlotStyle → {White, White}, Filling → {1 → {2}},
  FillingStyle → Directive[Opacity[0.15], Gray], ImageSize → 540]];
Show[%, pl1]

```



(*plot vibration modes*)

```
eigenvandrenorm = Table[0, {Length[vecs]}, {1}];
max = Table[0, Length[vecs]];
For[kk = 1, kk ≤ Length[vecs], kk++,
max[[kk]] = Max[Abs[eigenvandmor[[All, 2]][[All, 2]][1][[kk]]]];
eigenvandrenorm[[kk]] = eigenvandmor[[All, 2]][[All, 2]][1][[kk]] / max[[kk]];
]
eigenvandrenorm // MatrixForm;
eigenvandrenorm = eigenvandrenorm / 11 // MatrixForm;
Graphics[{Arrowheads[0.03],
Table[{bar6b[[i]], Disk[{j / 3, -i / 1.3}, 1 / 11]}, {i, 16}, {j, 16}],
Table[{bar6b[[i]], Arrow[{j / 3, -i / 1.3}, {j / 3, -i / 1.3 +
1 / (3.5) * Sign[eigenvandrenorm[[1]][[i]][[j]]] + eigenvandrenorm[[1]][[i]][[j]]}],
{i, 16}, {j, 16}]], ImagePadding → {{pady, pad2}, {padx, pad2}}]
```

Out[986]=

{

Out[988]=

{

Out[990]=

{


Out[999]=

8


Out[1000]=

8

Out[1013]=



Out[1019]=



```
In[ ]:= (*Fig8A coherency vs stereocilium ID default case*)
```

```
nst = 16;
```

```
(*define coherency between stereocilia 0 and n at low and high  
frequency as a function of stereocilium ID with both links*)
```

```

coherlowfreq[kk_] :=
  coherc2[nst, 0, kk] /. {w → (2 * Pi * 10^2), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL};
coherhighfreq[kk_] :=
  coherc2[nst, 0, kk] /. {w → (2 * Pi * 10^6), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL};

(*calculate coherency as a function of stereocilium ID*)
coherlowfreqxy1 = Table[{i, coherlowfreq[i]}, {i, -7, -1}];
coherhighfreqxy1 = Table[{i, coherhighfreq[i]}, {i, -7, -1}];
coherlowfreqxy2 = Table[{i, coherlowfreq[i]}, {i, 1, 8}];
coherhighfreqxy2 = Table[{i, coherhighfreq[i]}, {i, 1, 8}];

(*define coherency between stereocilia 0 and n at low and
high frequency as a function of stereocilium ID with no links*)

coherlowfreqall0[kk_] := coherc2[nst, 0, kk] /.
  {w → (2 * Pi * 10^2), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → 0 * lL};
coherhighfreqall0[kk_] := coherc2[nst, 0, kk] /.
  {w → (2 * Pi * 10^6), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → 0 * lL};

(*calculate coherency as a function of stereocilium ID*)
coherlowfreqxyall01 = Table[{i, coherlowfreqall0[i]}, {i, -7, -1}];
coherhighfreqxyall01 = Table[{i, coherhighfreqall0[i]}, {i, -7, -1}];
coherlowfreqxyall02 = Table[{i, coherlowfreqall0[i]}, {i, 1, 8}];
coherhighfreqxyall02 = Table[{i, coherhighfreqall0[i]}, {i, 1, 8}];

(*plot fig 8A with corresponding fits*)

(*plot settings*)

plotstylecoh2b = {{Thickness → 0.01, RGBColor[0.922526, 0.385626, 0.209179]},
  {Thickness → 0.01, RGBColor[0.363898, 0.618501, 0.782349]},
  {Thickness → 0.01, RGBColor[0.922526, 0.385626, 0.209179]},
  {Thickness → 0.01, RGBColor[0.363898, 0.618501, 0.782349]}};
plotmarkers = Graphics@{Disk[{0, 0}, Scaled@0.020]};
Remove[XTicks, YTicks]
pady = 80;
padx = 60;
pad2 = 30;
XTicks = {{-7, -7, {0, TickLength1}},
  {-6, Null, {0, 0.02`}}, {-5, Null, {0, 0.02`}}, {-4, Null, {0, 0.02`}},
  {-3, Null, {0, 0.02`}}, {-2, Null, {0, 0.02`}}, {-1, Null, {0, 0.02`}},
  {0, 0, {0, TickLength1}}, {1, Null, {0, 0.02`}}, {2, Null, {0, 0.02`}},
  {3, Null, {0, 0.02`}}, {4, Null, {0, 0.02`}}, {5, Null, {0, 0.02`}},

```

```

{6, Null, {0, 0.02`}}, {7, Null, {0, 0.02`}}, {8, 8, {0, TickLength1}}};
YTicks = {{0.0, "0.0", {0, 0.03`}}, {0.5, 0.5, {0, 0.03`}}, {-0.5, -0.5, {0, 0.03`}},
{1.0, "1.0", {0, 0.03`}}, {-1.0, "-1.0", {0, 0.03`}}, {0.1, Null, {0, 0.02`}},
{0.2, Null, {0, 0.02`}}, {0.3, Null, {0, 0.02`}}, {0.4, Null, {0, 0.02`}},
{0.6, Null, {0, 0.02`}}, {0.7, Null, {0, 0.02`}}, {0.8, Null, {0, 0.02`}},
{0.9, Null, {0, 0.02`}}, {-0.1, Null, {0, 0.02`}}, {-0.2, Null, {0, 0.02`}},
{-0.3, Null, {0, 0.02`}}, {-0.4, Null, {0, 0.02`}}, {-0.6, Null, {0, 0.02`}},
{-0.7, Null, {0, 0.02`}}, {-0.8, Null, {0, 0.02`}}, {-0.9, Null, {0, 0.02`}}};
framelabelslowfreq = {"coherency", None}, {"stereocilium ID", None}};
plotrangecoherlowfreq = {{-8, 9}, {-1.05, 1.05}};

(*fits of exponential decays*)
Print["0<->-n, low freq, default case"]
fitll = NonlinearModelFit[coherlowfreqxy1, a Exp[x / z], {a, z}, x];
fitll["ParameterTable"]
fitll["RSquared"]

Print["0<->-n, low freq, default case"]
fitlr = NonlinearModelFit[coherlowfreqxy2, a Exp[-x / z], {a, z}, x];
fitlr["ParameterTable"]
fitlr["RSquared"]

Print["0<->-n, high freq, default case"]
fithl = NonlinearModelFit[coherhighfreqxy1, a Exp[x / z], {a, z}, x];
fithl["ParameterTable"]
fithl["RSquared"]

Print["0<->-n, high freq, default case"]
fithr = NonlinearModelFit[coherhighfreqxy2, a Exp[-x / z], {a, z}, x];
fithr["ParameterTable"]
fithr["RSquared"]

(*plots*)
ListPlot[{coherlowfreqxyall01, coherhighfreqxyall01,
coherlowfreqxyall02, coherhighfreqxyall02}, PlotMarkers -> plotmarkers,
Joined -> True, PlotRange -> plotrangecoherlowfreq, Axes -> False,
ImagePadding -> {{pady, pad2}, {padx, pad2}},
ImageSize -> 400, LabelStyle -> {FontSize -> fntsize},
PlotStyle -> {{Thickness -> 0.01, Black, Dashed}, {Thickness -> 0.01, Black, Dashed},
{Thickness -> 0.01, Black, Dashed}, {Thickness -> 0.01, Black, Dashed}},
Background -> White, Frame -> {True, True, True, True},
FrameStyle -> Directive[Black, Thick], FrameLabel -> framelabelslowfreq,
FrameTicks -> {{YTicks, None}, {XTicks, None}}];
Show[%,

```

```
ListPlot[{coherlowfreqxy1, coherhighfreqxy1, coherlowfreqxy2, coherhighfreqxy2},
  PlotMarkers → plotmarkers, PlotStyle → plotstylecoh2b]]];
```

```
Show[%, Plot[{fitll[x]}, {x, -7, -1},
  PlotStyle → {Thickness → 0.01, RGBColor[0.922526, 0.385626, 0.209179]}]]];
Show[%, Plot[{fitlr[x]}, {x, 1, 8},
  PlotStyle → {Thickness → 0.01, RGBColor[0.922526, 0.385626, 0.209179]}]]];
Show[%, Plot[{fithl[x]}, {x, -7, -1},
  PlotStyle → {Thickness → 0.01, RGBColor[0.363898, 0.618501, 0.782349]}]]];
Show[%, Plot[{fithr[x]}, {x, 1, 8},
  PlotStyle → {Thickness → 0.01, RGBColor[0.363898, 0.618501, 0.782349]}]]]
```

```
0<->-n, low freq, default case
```

```
Out[8]=
```

	Estimate	Standard Error	t-Statistic	P-Value
a	1.02391	0.0071343	143.519	3.11551 × 10 ⁻¹⁰
z	1.60726	0.011315	142.047	3.28034 × 10 ⁻¹⁰

```
Out[8]=
```

```
0.999946
```

```
0<->-n, low freq, default case
```

```
Out[8]=
```

	Estimate	Standard Error	t-Statistic	P-Value
a	1.02548	0.00832769	123.141	1.93393 × 10 ⁻¹¹
z	1.60441	0.0131369	122.13	2.03193 × 10 ⁻¹¹

```
Out[8]=
```

```
0.999912
```

```
0<->-n, high freq, default case
```

```
Out[8]=
```

	Estimate	Standard Error	t-Statistic	P-Value
a	0.981717	0.0124819	78.6513	6.2954 × 10 ⁻⁹
z	2.46017	0.0366412	67.1421	1.38771 × 10 ⁻⁸

```
Out[8]=
```

```
0.999768
```

```
0<->-n, high freq, default case
```


```
Out[8]=
```

	Estimate	Standard Error	t-Statistic	P-Value
a	0.989153	0.00865659	114.266	3.02886 × 10 ⁻¹¹
z	2.42331	0.0244199	99.235	7.05701 × 10 ⁻¹¹

```
Out[8]=
```

```
0.999865
```

Out[]:=



```
In[ ]:= (*Fig8B coherency vs stereocilium ID only stiff links*)

(*define coherency between 0 and n at low
and high frequency as a function of stereocilium ID*)
coherlowfreqvisc0[kk_] :=
  coherc2[nst, 0, kk] /. {w -> (2 * Pi * 10^2), kA1 -> kA, lA1 -> lA, kL1 -> kL, lL1 -> 0 * lL};
coherhighfreqvisc0[kk_] :=
  coherc2[nst, 0, kk] /. {w -> (2 * Pi * 10^6), kA1 -> kA, lA1 -> lA, kL1 -> kL, lL1 -> 0 * lL};

(*calculate coherency as a function of stereocilium ID*)
coherlowfreqxyvisc01 = Table[{i, coherlowfreqvisc0[i]}, {i, -7, -1}];
coherhighfreqxyvisc01 = Table[{i, coherhighfreqvisc0[i]}, {i, -7, -1}];
coherlowfreqxyvisc02 = Table[{i, coherlowfreqvisc0[i]}, {i, 1, 8}];
coherhighfreqxyvisc02 = Table[{i, coherhighfreqvisc0[i]}, {i, 1, 8}];

(*plot fig 8B with corresponding fits*)

(*plot settings*)
Remove[XTicks, YTicks]
pady = 80;
padx = 60;
pad2 = 30;
XTicks = {{-7, -7, {0, TickLength1}},
  {-6, Null, {0, 0.02`}}, {-5, Null, {0, 0.02`}}, {-4, Null, {0, 0.02`}},
  {-3, Null, {0, 0.02`}}, {-2, Null, {0, 0.02`}}, {-1, Null, {0, 0.02`}},
  {0, 0, {0, TickLength1}}, {1, Null, {0, 0.02`}}, {2, Null, {0, 0.02`}},
  {3, Null, {0, 0.02`}}, {4, Null, {0, 0.02`}}, {5, Null, {0, 0.02`}},
  {6, Null, {0, 0.02`}}, {7, Null, {0, 0.02`}}, {8, 8, {0, TickLength1}}};
YTicks = {{0.0, "0.0", {0, 0.03`}}, {0.5, 0.5, {0, 0.03`}}, {-0.5, -0.5, {0, 0.03`}}},
```

```

{1.0, "1.0", {0, 0.03`}}, {-1.0, "-1.0", {0, 0.03`}}, {0.1, Null, {0, 0.02`}},
{0.2, Null, {0, 0.02`}}, {0.3, Null, {0, 0.02`}}, {0.4, Null, {0, 0.02`}},
{0.6, Null, {0, 0.02`}}, {0.7, Null, {0, 0.02`}}, {0.8, Null, {0, 0.02`}},
{0.9, Null, {0, 0.02`}}, {-0.1, Null, {0, 0.02`}}, {-0.2, Null, {0, 0.02`}},
{-0.3, Null, {0, 0.02`}}, {-0.4, Null, {0, 0.02`}}, {-0.6, Null, {0, 0.02`}},
{-0.7, Null, {0, 0.02`}}, {-0.8, Null, {0, 0.02`}}, {-0.9, Null, {0, 0.02`}}};
framelabelslowfreq = {"coherency", None}, {"stereocilium ID", None};
plotrangecoherlowfreq = {{-8, 9}, {-1.05, 1.05}};
plotstylecoh2b = {{Thickness → 0.01, RGBColor[185 / 255, 62 / 255, 23 / 255]},
  {Thickness → 0.01, RGBColor[60 / 255, 93 / 255, 132 / 255]},
  {Thickness → 0.01, RGBColor[185 / 255, 62 / 255, 23 / 255]},
  {Thickness → 0.01, RGBColor[60 / 255, 93 / 255, 132 / 255]}};

(*fits of exponential decay*)
Print["0<->n, low freq, stiff links only"]
fitll = NonlinearModelFit[coherlowfreqxyvisc01, a Exp[x / z], {a, z}, x];
fitll["ParameterTable"]
fitll["RSquared"]

Print["0<->n, low freq, stiff links only"]
fitlr = NonlinearModelFit[coherlowfreqxyvisc02, a Exp[-x / z], {a, z}, x];
fitlr["ParameterTable"]
fitlr["RSquared"]

Print["0<->n, high freq, stiff links only"]
fithl = NonlinearModelFit[coherhighfreqxyvisc01,
  {a * Exp[x / z], a < 1}, {a, z}, x, MaxIterations → 100 000];
fithl["ParameterTable"]
fithl["RSquared"]

Print["0<->n, high freq, stiff links only"]
fithr = NonlinearModelFit[coherhighfreqxyvisc02,
  {a * Exp[-x / z], a < 1}, {a, z}, x, MaxIterations → 100 000];
fithr["ParameterTable"]
fithr["RSquared"]

(*plots*)
ListPlot[{coherlowfreqxyall01, coherhighfreqxyall01,
  coherlowfreqxyall02, coherhighfreqxyall02}, PlotMarkers → plotmarkers,
  Joined → True, PlotRange → plotrangecoherlowfreq, Axes → False,
  ImagePadding → {{pady, pad2}, {padx, pad2}},
  ImageSize → 400, LabelStyle → {FontSize → fntsize},
  PlotStyle → {{Thickness → 0.01, Gray, Dashed}, {Thickness → 0.01, Black, Dashed},
    {Thickness → 0.01, Black, Dashed}, {Thickness → 0.01, Black, Dashed}},

```

```

Background → White, Frame → {True, True, True, True},
FrameStyle → Directive[Black, Thick], FrameLabel → framelabelslowfreq,
FrameTicks → {{YTicks, None}, {XTicks, None}}];
Show[%, ListPlot[{coherlowfreqxyvisc01,
  coherhighfreqxyvisc01, coherlowfreqxyvisc02, coherhighfreqxyvisc02},
  PlotMarkers → plotmarkers, PlotStyle → plotstylecoh2b]];

Show[%, Plot[{fitll[x]}, {x, -7, -1},
  PlotStyle → {Thickness → 0.01, RGBColor[185 / 255, 62 / 255, 23 / 255]}]];
Show[%, Plot[{fitlr[x]}, {x, 1, 8},
  PlotStyle → {Thickness → 0.01, RGBColor[185 / 255, 62 / 255, 23 / 255]}]];
Show[%, Plot[{fithl[x]}, {x, -7, -0.3},
  PlotStyle → {Thickness → 0.01, RGBColor[60 / 255, 93 / 255, 132 / 255]}]];
Show[%, Plot[{fithr[x]}, {x, 0.2, 8},
  PlotStyle → {Thickness → 0.01, RGBColor[60 / 255, 93 / 255, 132 / 255]}]]

```

0<->-n, low freq, stiff links only

Out[]=

	Estimate	Standard Error	t-Statistic	P-Value
a	1.21482	0.0341337	35.59	3.29606 ×10 ⁻⁷
z	3.42746	0.128569	26.6585	1.38866 ×10 ⁻⁶

Out[]=

0.998803

0<->-n, low freq, stiff links only

Out[]=

	Estimate	Standard Error	t-Statistic	P-Value
a	1.23246	0.0379775	32.4523	5.69314 ×10 ⁻⁸
z	3.32747	0.131146	25.3722	2.4693 ×10 ⁻⁷

Out[]=

0.998189

0<->-n, high freq, stiff links only

FittedModel : The property values {ParameterTable } assume an unconstrained model. The results for these properties may not be valid, particularly if the fitted parameters are near a constraint boundary.

Out[]=

	Estimate	Standard Error	t-Statistic	P-Value
a	0.998869	1.49996	0.665932	0.534941
z	0.376009	0.210752	1.78413	0.134479

Out[]=

0.94948

0<->-n, high freq, stiff links only

FittedModel : The property values {ParameterTable } assume an unconstrained model. The results for these properties may not be valid, particularly if the fitted parameters are near a constraint boundary.


Out[]:=

	Estimate	Standard Error	t-Statistic	P-Value
a	0.999231	1.37011	0.729305	0.49329
z	0.375957	0.192388	1.95417	0.0984884

Out[]:=

0.949491

Out[]:=



In[]:= (*Fig8C coherency vs stereocilium ID damped links only*)

(*define coherency between stereocilia 0 and n at low and high frequency as a function of stereocilium ID with damped links only*)

coherlowfreqelas0[kk_] :=

coherc2[nst, 0, kk] /. {w → (2 * Pi * 10^2), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL};

coherhighfreqelas0[kk_] :=

coherc2[nst, 0, kk] /. {w → (2 * Pi * 10^6), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL};

(*calculate coherency*)

coherlowfreqxyelas01 = Table[{i, coherlowfreqelas0[i]}, {i, -7, -1}];

coherhighfreqxyelas01 = Table[{i, coherhighfreqelas0[i]}, {i, -7, -1}];

coherlowfreqxyelas02 = Table[{i, coherlowfreqelas0[i]}, {i, 1, 8}];

coherhighfreqxyelas02 = Table[{i, coherhighfreqelas0[i]}, {i, 1, 8}];

plotstylecoh2 = {{Thickness → 0.01, RGBColor[0.922526, 0.385626, 0.209179]},
 {Thickness → 0.01, RGBColor[0.363898, 0.618501, 0.782349]},
 {Thickness → 0.01, RGBColor[0.922526, 0.385626, 0.209179]},
 {Thickness → 0.01, RGBColor[0.363898, 0.618501, 0.782349]},
 {Thickness → 0.01, DotDashed, RGBColor[0.922526, 0.385626, 0.209179]},
 {Thickness → 0.01, DotDashed, RGBColor[0.363898, 0.618501, 0.782349]},
 {Thickness → 0.01, DotDashed, RGBColor[0.922526, 0.385626, 0.209179]},
 {Thickness → 0.01, DotDashed, RGBColor[0.363898, 0.618501, 0.782349]}};

(*plot settings*)

```

Remove[XTicks, YTicks]
pady = 80;
padx = 60;
pad2 = 30;
XTicks = {{-7, -7, {0, TickLength1}},
  {-6, Null, {0, 0.02`}}, {-5, Null, {0, 0.02`}}, {-4, Null, {0, 0.02`}},
  {-3, Null, {0, 0.02`}}, {-2, Null, {0, 0.02`}}, {-1, Null, {0, 0.02`}},
  {0, 0, {0, TickLength1}}, {1, Null, {0, 0.02`}}, {2, Null, {0, 0.02`}},
  {3, Null, {0, 0.02`}}, {4, Null, {0, 0.02`}}, {5, Null, {0, 0.02`}},
  {6, Null, {0, 0.02`}}, {7, Null, {0, 0.02`}}, {8, 8, {0, TickLength1}}};
YTicks = {{0.0, "0.0", {0, 0.03`}}, {0.5, 0.5, {0, 0.03`}}, {-0.5, -0.5, {0, 0.03`}},
  {1.0, "1.0", {0, 0.03`}}, {-1.0, "-1.0", {0, 0.03`}}, {0.1, Null, {0, 0.02`}},
  {0.2, Null, {0, 0.02`}}, {0.3, Null, {0, 0.02`}}, {0.4, Null, {0, 0.02`}},
  {0.6, Null, {0, 0.02`}}, {0.7, Null, {0, 0.02`}}, {0.8, Null, {0, 0.02`}},
  {0.9, Null, {0, 0.02`}}, {-0.1, Null, {0, 0.02`}}, {-0.2, Null, {0, 0.02`}},
  {-0.3, Null, {0, 0.02`}}, {-0.4, Null, {0, 0.02`}}, {-0.6, Null, {0, 0.02`}},
  {-0.7, Null, {0, 0.02`}}, {-0.8, Null, {0, 0.02`}}, {-0.9, Null, {0, 0.02`}}};
framelabelslowfreq = {"coherency", None}, {"stereocilium ID", None}};

plotrangecoherlowfreq = {{-8, 9}, {-1.05, 1.05}};
plotstylecoh2b = {{Thickness → 0.01, RGBColor[145 / 255, 145 / 255, 145 / 255]},
  {Thickness → 0.01, RGBColor[145 / 255, 145 / 255, 145 / 255]},
  {Thickness → 0.01, RGBColor[145 / 255, 145 / 255, 145 / 255]},
  {Thickness → 0.01, RGBColor[145 / 255, 145 / 255, 145 / 255]},
  {Thickness → 0.01, RGBColor[255 / 255, 135 / 255, 100 / 255]},
  {Thickness → 0.01, RGBColor[130 / 255, 162 / 255, 201 / 255]},
  {Thickness → 0.01, RGBColor[255 / 255, 135 / 255, 100 / 255]},
  {Thickness → 0.01, RGBColor[130 / 255, 162 / 255, 201 / 255]}};

(*plot 8c with corresponding fits*)

Print["0<->-n, low freq, damped links only"]
fitll = NonlinearModelFit[coherlowfreqxyelas01,
  {-a * Exp[x / z]}, {a, z}, x, MaxIterations → 10 000];
fitll["ParameterTable"]
fitll["RSquared"]

Print["0<->-n, low freq, damped links only"]
fitlr = NonlinearModelFit[coherlowfreqxyelas02,
  {-a * Exp[-x / z]}, {a, z}, x, MaxIterations → 10 000];
fitlr["ParameterTable"]
fitlr["RSquared"]

```

```

Print["0<->-n, high freq, damped links only"]
fithl = NonlinearModelFit[coherhighfreqxyelas01,
  a Exp[x / z], {a, z}, x, MaxIterations → 10 000];
fithl["ParameterTable"]
fithl["RSquared"]

Print["0<->-n, high freq, damped links only"]
Print["high freq right wing"]
fithr = NonlinearModelFit[coherhighfreqxyelas02, a Exp[-x / z], {a, z}, x];
fithr["ParameterTable"]
fithr["RSquared"]

plotstylecoh2b = {{Thickness → 0.01, RGBColor[255 / 255, 135 / 255, 100 / 255]},
  {Thickness → 0.01, RGBColor[130 / 255, 162 / 255, 201 / 255]},
  {Thickness → 0.01, RGBColor[255 / 255, 135 / 255, 100 / 255]},
  {Thickness → 0.01, RGBColor[130 / 255, 162 / 255, 201 / 255]}};

(*plots*)
ListPlot[{coherlowfreqxyall01, coherhighfreqxyall01,
  coherlowfreqxyall02, coherhighfreqxyall02}, PlotMarkers → plotmarkers,
  Joined → True, PlotRange → plotrangecoherlowfreq, Axes → False,
  ImagePadding → {{pady, pad2}, {padx, pad2}},
  ImageSize → 400, LabelStyle → {FontSize → fntsize},
  PlotStyle → {{Thickness → 0.01, Black, Dashed}, {Thickness → 0.01, Black, Dashed},
    {Thickness → 0.01, Black, Dashed}, {Thickness → 0.01, Black, Dashed}},
  Background → White, Frame → {True, True, True, True},
  FrameStyle → Directive[Black, Thick], FrameLabel → framelabelslowfreq,
  FrameTicks → {{YTicks, None}, {XTicks, None}}];
Show[%, ListPlot[{coherlowfreqxyelas01,
  coherhighfreqxyelas01, coherlowfreqxyelas02, coherhighfreqxyelas02},
  PlotMarkers → plotmarkers, PlotStyle → plotstylecoh2b]];

Show[%, Plot[{fitll[x]}, {x, -7, 0.1(*-0.2*)},
  PlotStyle → {Thickness → 0.01, RGBColor[255 / 255, 135 / 255, 100 / 255]}]];
Show[%, Plot[{fitlr[x]}, {x, -0.3, 8},
  PlotStyle → {Thickness → 0.01, RGBColor[255 / 255, 135 / 255, 100 / 255]}]];
Show[%, Plot[{fithl[x]}, {x, -7, -1},
  PlotStyle → {Thickness → 0.01, RGBColor[0.363898, 0.618501, 0.782349]}]];
Show[%, Plot[{fithr[x]}, {x, 1, 8},
  PlotStyle → {Thickness → 0.01, RGBColor[0.363898, 0.618501, 0.782349]}]]

0<->-n, low freq, damped links only

```

Out[]:=

	Estimate	Standard Error	t-Statistic	P-Value
a	286.114	19.6356	14.5712	0.000027489
z	0.155344	0.00165613	93.7996	2.61077 $\times 10^{-9}$

Out[]:=

1.

0<->n, low freq, damped links only

Out[]:=

	Estimate	Standard Error	t-Statistic	P-Value
a	286.114	17.9247	15.9619	3.83924 $\times 10^{-6}$
z	0.155344	0.00151183	102.752	5.72671 $\times 10^{-11}$

Out[]:=

1.

0<->-n, high freq, damped links only

Out[]:=

	Estimate	Standard Error	t-Statistic	P-Value
a	0.981898	0.0124336	78.9715	6.16887 $\times 10^{-9}$
z	2.45862	0.0364616	67.4304	1.35832 $\times 10^{-8}$

Out[]:=

0.99977

0<->n, high freq, damped links only

high freq right wing


Out[]:=

	Estimate	Standard Error	t-Statistic	P-Value
a	0.989334	0.00860626	114.955	2.92156 $\times 10^{-11}$
z	2.42183	0.0242542	99.8522	6.79942 $\times 10^{-11}$

Out[]:=

0.999867

Out[]:=



In[]:= (*Fig8D coherency diffences vs stereocilium ID*)

(*derive coherency differences from previous values*)

```
coherlowfreq1diffvisc1 = Table[{0, 0}, {Length[coherlowfreqxy1]}];
coherhighfreq1diffvisc1 = Table[{0, 0}, {Length[coherlowfreqxy1]}];
coherlowfreq1diffvisc2 = Table[{0, 0}, {Length[coherlowfreqxy1] + 1}];
coherhighfreq1diffvisc2 = Table[{0, 0}, {Length[coherlowfreqxy1] + 1}];
```

```
For[kk = 1, kk ≤ Length[coherlowfreqxy1], kk++,
coherlowfreq1diffvisc1[[kk]][1] = coherlowfreqxy1[[kk]][1];
coherlowfreq1diffvisc1[[kk]][2] =
  coherlowfreqxyvisc01[[kk]][2] - coherlowfreqxy1[[kk]][2];
coherhighfreq1diffvisc1[[kk]][1] = coherhighfreqxy1[[kk]][1];
coherhighfreq1diffvisc1[[kk]][2] =
  coherhighfreqxyvisc01[[kk]][2] - coherhighfreqxy1[[kk]][2];
]
```

```
For[kk = 1, kk ≤ Length[coherlowfreqxy1] + 1, kk++,
coherlowfreq1diffvisc2[[kk]][1] = coherlowfreqxy2[[kk]][1];
coherlowfreq1diffvisc2[[kk]][2] =
  coherlowfreqxyvisc02[[kk]][2] - coherlowfreqxy2[[kk]][2];
coherhighfreq1diffvisc2[[kk]][1] = coherhighfreqxy2[[kk]][1];
coherhighfreq1diffvisc2[[kk]][2] =
  coherhighfreqxyvisc02[[kk]][2] - coherhighfreqxy2[[kk]][2];
]
```

```
coherlowfreq1diffelas1 = Table[{0, 0}, {Length[coherlowfreqxy1]}];
coherhighfreq1diffelas1 = Table[{0, 0}, {Length[coherlowfreqxy1]}];
coherlowfreq1diffelas2 = Table[{0, 0}, {Length[coherlowfreqxy1] + 1}];
coherhighfreq1diffelas2 = Table[{0, 0}, {Length[coherlowfreqxy1] + 1}];
```

```
For[kk = 1, kk ≤ Length[coherlowfreqxy1], kk++,
coherlowfreq1diffelas1[[kk]][1] = coherlowfreqxy1[[kk]][1];
coherlowfreq1diffelas1[[kk]][2] =
  coherlowfreqxyelas01[[kk]][2] - coherlowfreqxy1[[kk]][2];
coherhighfreq1diffelas1[[kk]][1] = coherhighfreqxy1[[kk]][1];
coherhighfreq1diffelas1[[kk]][2] =
  coherhighfreqxyelas01[[kk]][2] - coherhighfreqxy1[[kk]][2];
]
```

```
For[kk = 1, kk ≤ Length[coherlowfreqxy1] + 1, kk++,
coherlowfreq1diffelas2[[kk]][1] = coherlowfreqxy2[[kk]][1];
coherlowfreq1diffelas2[[kk]][2] =
  coherlowfreqxyelas02[[kk]][2] - coherlowfreqxy2[[kk]][2];
```

```

coherhighfreq1diffelas2[[kk]][1] = coherhighfreqxy2[[kk]][1];
coherhighfreq1diffelas2[[kk]][2] =
  coherhighfreqxyelas02[[kk]][2] - coherhighfreqxy2[[kk]][2];

```

```
]
```

```
(*plot settings*)
```

```

XTicks = {{-7, -7, {0, TickLength1}},
  {-6, Null, {0, 0.02`}}, {-5, Null, {0, 0.02`}}, {-4, Null, {0, 0.02`}},
  {-3, Null, {0, 0.02`}}, {-2, Null, {0, 0.02`}}, {-1, Null, {0, 0.02`}},
  {0, 0, {0, TickLength1}}, {1, Null, {0, 0.02`}}, {2, Null, {0, 0.02`}},
  {3, Null, {0, 0.02`}}, {4, Null, {0, 0.02`}}, {5, Null, {0, 0.02`}},
  {6, Null, {0, 0.02`}}, {7, Null, {0, 0.02`}}, {8, 8, {0, TickLength1}}};
YTicks = {{0.0, "0.0", {0, 0.03`}}, {0.5, 0.5, {0, 0.03`}}, {-0.5, -0.5, {0, 0.03`}},
  {1.0, "1.0", {0, 0.03`}}, {-1.0, "-1.0", {0, 0.03`}}, {0.1, Null, {0, 0.02`}},
  {0.2, Null, {0, 0.02`}}, {0.3, Null, {0, 0.02`}}, {0.4, Null, {0, 0.02`}},
  {0.6, Null, {0, 0.02`}}, {0.7, Null, {0, 0.02`}}, {0.8, Null, {0, 0.02`}},
  {0.9, Null, {0, 0.02`}}, {-0.1, Null, {0, 0.02`}}, {-0.2, Null, {0, 0.02`}},
  {-0.3, Null, {0, 0.02`}}, {-0.4, Null, {0, 0.02`}}, {-0.6, Null, {0, 0.02`}},
  {-0.7, Null, {0, 0.02`}}, {-0.8, Null, {0, 0.02`}}, {-0.9, Null, {0, 0.02`}}};

```

```

plotstylecohdiff = {{Thickness → 0.01, RGBColor[185 / 255, 62 / 255, 23 / 255], Dashed},
  {Thickness → 0.01, RGBColor[60 / 255, 93 / 255, 132 / 255], Dashed},
  {Thickness → 0.01, RGBColor[185 / 255, 62 / 255, 23 / 255], Dashed},
  {Thickness → 0.01, RGBColor[60 / 255, 93 / 255, 132 / 255], Dashed},
  {Thickness → 0.01, RGBColor[255 / 255, 135 / 255, 100 / 255], Dashed},
  {Thickness → 0.01, RGBColor[130 / 255, 162 / 255, 201 / 255], Dashed},
  {Thickness → 0.01, RGBColor[255 / 255, 135 / 255, 100 / 255], Dashed},
  {Thickness → 0.01, RGBColor[130 / 255, 162 / 255, 201 / 255], Dashed}};

```

```
plotrangecoherlowfreq = {{-8, 9}, {-1.15, 1.05}};
```

```
framelabelscoherdiff =
```

```
  {"coherency difference", None}, {"stereocilium ID", None}};
```


```
(*plots*)
```

```

ListPlot[{coherlowfreq1diffvisc1, coherhighfreq1diffvisc1, coherlowfreq1diffvisc2,
  coherhighfreq1diffvisc2, coherlowfreq1diffelas1, coherhighfreq1diffelas1,
  coherlowfreq1diffelas2, coherhighfreq1diffelas2}, Axes → False,
  Joined → True, PlotMarkers → plotmarkers, PlotRange → plotrangecoherlowfreq,
  ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
  LabelStyle → {FontSize → fntsize}, PlotStyle → plotstylecohdiff, Background → White,
  Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
  FrameLabel → framelabelscoherdiff, FrameTicks → {{YTicks, None}, {XTicks, None}}]

```

Out[]:=



In[]:= (*Fig 9 plots of coherency vs st number*)

Remove[n]

nmax = 33; (*max number of stereocilia*)

(*derive coherency between 0 and 1 and between
0 and 8 as a function of number of stereocilia N*)

coherc01no = coherc2[n, 0, 1];

coherc08no = coherc2[n, 0, IntegerPart[n / 2]];

(*calculate values of coherency*)

coher01both =

Table[{n, coherc01no /. {w → 5000 * 2 * Pi, kA1 → 146.3, lA1 → 6.563 * 10⁻⁴,
kL1 → 562, lL1 → 3.646 * 10⁻³}}, {n, 2, nmax}];

coher01stiff =

Table[{n, coherc01no /. {w → 5000 * 2 * Pi, kA1 → 146.3, lA1 → 6.563 * 10⁻⁴,
kL1 → 562, lL1 → 0 * 3.646 * 10⁻³}}, {n, 2, nmax}];

coher01damp =

Table[{n, coherc01no /. {w → 5000 * 2 * Pi, kA1 → 146.3, lA1 → 6.563 * 10⁻⁴,
kL1 → 0 * 562, lL1 → 3.646 * 10⁻³}}, {n, 2, nmax}];

coher08both =

Table[{n, coherc08no /. {w → 5000 * 2 * Pi, kA1 → 146.3, lA1 → 6.563 * 10⁻⁴,
kL1 → 562, lL1 → 3.646 * 10⁻³}}, {n, 2, nmax}];

coher08stiff =

Table[{n, coherc08no /. {w → 5000 * 2 * Pi, kA1 → 146.3, lA1 → 6.563 * 10⁻⁴,
kL1 → 562, lL1 → 0 * 3.646 * 10⁻³}}, {n, 2, nmax}];

coher08damp =

Table[{n, coherc08no /. {w → 5000 * 2 * Pi, kA1 → 146.3, lA1 → 6.563 * 10⁻⁴,

```

kL1 → 0 * 562, lL1 → 3.646 * 10^(-3)}}, {n, 2, nmax}];

(*plot settings*)
plotstylecoh = {Thickness → 0.01};

col01 = RGBColor[106 / 255, 91 / 255, 205 / 255];
col08 = RGBColor[225 / 255, 156 / 255, 36 / 255];

plotstylecoh01 = {{Thickness → 0.01,
  col01}, {Thickness → 0.01,
  Darker@col01}, {Thickness → 0.01,
  Lighter@col01}
};

aa = Table[0, {nmax}, {4}];
For[k = 1, k ≤ nmax, k++,
aa[[k]] = Table[{l, , {0, TickLength2}}, {l, 1, nmax, 1}];
]
Xticks1coh = Table[{k, k, {0, TickLength1}}, {k, 5, 40, 5}];

XTickscoh = Union[Xticks1coh, aa[[1]], aa[[2]], aa[[3]],
  aa[[4]], aa[[5]], aa[[6]], aa[[7]], aa[[8]], aa[[9]], aa[[10]], aa[[11]], aa[[12]],
  aa[[13]], aa[[14]], aa[[15]], aa[[16]], aa[[17]], aa[[18]], aa[[19]], aa[[20]]];

plotrangecoher = {{2, nmax}, {-1.05, 1.05}};

plotstylecoh08 = {{Thickness → 0.01,
  col08}, {Thickness → 0.01,
  Darker@col08}, {Thickness → 0.01,
  Lighter@col08}
};


(*plots*)
ListPlot[{coher01both, coher01stiff, coher01damp},
  Joined → True, PlotRange → plotrangecoher, Axes → False,
  ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
  LabelStyle → {FontSize → fntsize}, PlotStyle → plotstylecoh01, Background → White,
  Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
  FrameTicks → {frameticksycoherneg, {XTickscoh, None}},
  FrameLabel → {"number of stereocilia", "coherency"}
, GridLines → {{16}, {}},
  GridLinesStyle → Directive[Gray, Dashed, Thickness → 0.01]]

```




```
(*plots*)
ListPlot[{coher08both, coher08stiff, coher08damp},
  Joined → True, PlotRange → plotrangecoher, Axes → False,
  ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
  LabelStyle → {FontSize → fntsize}, PlotStyle → plotstylecoh08, Background → White,
  Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
  FrameTicks → {frameticksycoherneg, {XTickscoh, None}},
  FrameLabel → {"number of stereocilia", "coherency"}
, GridLines → {{16}, {}}, GridLines → {{5000}, {}},
  GridLinesStyle → Directive[Gray, Dashed, Thickness → 0.01]]
```

Out[8] =



Out[9] =



In[1188] :=

```
(*Fig 10A-B power of stereocilium 0 and 8 deflection
  fluctuations vs link stiffness and damping coefficient*)
```

```

(*derivation of power spectra*)
psd00 = PSDc2[16, 0, 0];
psd88 = PSDc2[16, 8, 8];

(*range of stiffness values over which to calculate the power*)
kLval = {10^-4, 5*10^-4, 10^-3, 5*10^-3, 10^-2, 5*10^-2, 10^-1, 5*10^-1,
  1, 10, 2.5*10, 5*10, 7.5*10, 10^2, 2.5*10^2, 5*10^2, 7.5*10^2, 10^3,
  2.5*10^3, 5*10^3, 7.5*10^3, 10^4, 2.5*10^4, 5*10^4, 7.5*10^4, 10^5};

(*integration of power spectrum of stereocilium 0*)
pow0 = Table[0, {Length[kLval]}];
For[jj = 1, jj ≤ Length[kLval], jj++,
psd00temp =
  Table[{f, psd00 /. {w → (2*Pi*f), kA1 → kA, lA1 → lA, kL1 → kLval[[jj]], lL1 → lL}},
    {f, 10, 10^7, 100}];
pow0[[jj]] =
  {kLval[[jj]], Integrate[Interpolation[psd00temp][x], {x, 10, 15.91*10^3}]}];

(*integration of power spectrum of stereocilium 8*)
pow8 = Table[0, {Length[kLval]}];
For[jj = 1, jj ≤ Length[kLval], jj++,
psd88temp =
  Table[{f, psd88 /. {w → (2*Pi*f), kA1 → kA, lA1 → lA, kL1 → kLval[[jj]], lL1 → lL}},
    {f, 10, 10^7, 100}];
pow8[[jj]] =
  {kLval[[jj]], Integrate[Interpolation[psd88temp][x], {x, 10, 15.91*10^3}]}];

(*plot settings*)
Yticks1 = Table[{10^k, Superscript[10, k], {0, TickLength1}}, {k, -10, 4, 1}];
TickLength2 = 0.02;
aa = Table[0, {20}, {4}];
For[k = 1, k ≤ 20, k++,
aa[[k]] = Table[{l*10^-(-k+11)}, {0, TickLength2}}, {l, 2, 8, 2}];
]
YTicks = Union[Yticks1, aa[[1]], aa[[2]], aa[[3]], aa[[4]],
  aa[[5]], aa[[6]], aa[[7]], aa[[8]], aa[[9]], aa[[10]], aa[[11]], aa[[12]],
  aa[[13]], aa[[14]], aa[[15]], aa[[16]], aa[[17]], aa[[18]], aa[[19]], aa[[20]]];

Xticks1 = Table[{10^k, Superscript[10, k], {0, TickLength1}}, {k, -7, 6, 2}];
Xticks2 = Table[{10^k, Null, {0, TickLength1}}, {k, -8, 8, 2}];

```

```

XTicks = Union[Xticks1, Xticks2, aa[[1]], aa[[2]], aa[[3]],
  aa[[4]], aa[[5]], aa[[6]], aa[[7]], aa[[8]], aa[[9]], aa[[10]], aa[[11]], aa[[12]],
  aa[[13]], aa[[14]], aa[[15]], aa[[16]], aa[[17]], aa[[18]], aa[[19]], aa[[20]]];


plotrangepsd = {{10^(-4), 10^5}, {10^(-1), 10^(2)}};
plotstylepow = {{Thickness → 0.01, Lighter[RGBColor[251 / 255, 41 / 255, 67 / 255]]},
  {Thickness → 0.01, RGBColor[223 / 255, 183 / 255, 97 / 255]}};

(*plot*)

ListLogLogPlot[{pow0, pow8}, Joined → True, PlotRange → plotrangepsd,
  ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
  LabelStyle → {FontSize → fntsize}, PlotStyle → plotstylepow, Background → White,
  Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
  FrameTicks → {{YTicks, None}, {XTicks, None}},
  FrameLabel → {"link stiffness ( $\mu\text{N} \cdot \text{m}^{-1}$ )", "power ( $\text{nm}^2$ )"},
  GridLines → {{562}, {}}, GridLinesStyle →
    Directive[RGBColor[165 / 255, 97 / 255, 157 / 255], Dashed, Thickness → 0.01]]

```

Out[1205]=



In[1206]:=

```

(*Fig 10B power of stereocilium 0 and 1 deflection
fluctuations vs link stiffness and damping coefficient*)

(*derivation of power spectra*)
psd00 = PSDc2[16, 0, 0];
psd88 = PSDc2[16, 8, 8];

```

```

(*range of stiffness values over which to calculate the power*)
lLval = {10^-5, 5*10^-5, 10^-4, 5*10^-4, 10^-3,
  2.5*10^-3, 5*10^-3, 10^-2, 2.5*10^-2, 5*10^-2, 10^-1,
  5*10^-1, 7.5*10^-1, 1, 2.5, 10^1, 2*10^1, 3*10^1, 5*10^1, 10^2,
  2.5*10^2, 5*10^2, 10^3, 2.5*10^3, 5*10^3, 10^4, 5*10^4, 10^5};

(*derivation of power of stereocilium 0 deflection fluctuations*)
pow0LL = Table[0, {Length[lLval]}];
For [jj = 1, jj ≤ Length[lLval], jj++,
psd00temp =
  Table[{f, psd00 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lLval[[jj]]}},
    {f, 10, 10^7, 100}];
pow0LL[[jj]] =
  {lLval[[jj]], Integrate[Interpolation[psd00temp][x], {x, 10, 15.91*10^3}]}];

(*derivation of power of stereocilium 8 deflection fluctuations*)
pow8LL = Table[0, {Length[lLval]}];
For [jj = 1, jj ≤ Length[lLval], jj++,
psd88temp =
  Table[{f, psd88 /. {w → (2 * Pi * f), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lLval[[jj]]}},
    {f, 10, 10^7, 100}];
pow8LL[[jj]] =
  {lLval[[jj]], Integrate[Interpolation[psd88temp][x], {x, 10, 15.91*10^3}]}];

(*plot settings*)
Yticks1 = Table[{10^k, Superscript[10, k], {0, TickLength1}}, {k, -10, 4, 1}];
TickLength2 = 0.02;
aa = Table[0, {20}, {4}];
For[k = 1, k ≤ 20, k++,
aa[[k]] = Table[{l*10^-(-k+11), , {0, TickLength2}}, {l, 2, 8, 2}];
]
YTicks = Union[Yticks1, aa[[1]], aa[[2]], aa[[3]], aa[[4]],
  aa[[5]], aa[[6]], aa[[7]], aa[[8]], aa[[9]], aa[[10]], aa[[11]], aa[[12]],
  aa[[13]], aa[[14]], aa[[15]], aa[[16]], aa[[17]], aa[[18]], aa[[19]], aa[[20]]];

Xticks1 = Table[{10^k, Superscript[10, k], {0, TickLength1}}, {k, -7, 6, 2}];
Xticks2 = Table[{10^k, Null, {0, TickLength1}}, {k, -8, 8, 2}];

XTicks = Union[Xticks1, Xticks2, aa[[1]], aa[[2]], aa[[3]],
  aa[[4]], aa[[5]], aa[[6]], aa[[7]], aa[[8]], aa[[9]], aa[[10]], aa[[11]], aa[[12]],
  aa[[13]], aa[[14]], aa[[15]], aa[[16]], aa[[17]], aa[[18]], aa[[19]], aa[[20]]];


```

```

plotrangepsd = {{10-5, 105}, {10-1, 1.2 * 10}};
ListLogLogPlot[{pow0ll, pow8ll}, Joined → True, PlotRange → plotrangepsd,
  ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
  LabelStyle → {FontSize → fntsize}, PlotStyle → plotstylepow, Background → White,
  Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
  FrameTicks → {{YTicks, None}, {XTicks, None}}, FrameLabel →
    {"link damping coefficient (nN.s.\!\!\(\*SuperscriptBox[\(m\), \(-1\)]\)\)",
    "power (\!\!\(\*SuperscriptBox[\(nm\), \((2)\)]\)\)"},
  GridLines → {{3.646 * 10-3}, {}}, GridLinesStyle →
    Directive[RGBColor[144 / 255, 176 / 255, 50 / 255], Dashed, Thickness → 0.01]]

```

Out[1222]=



In[594]:=

```

(*Fig C1 power spectra of stereocilia 0, 1,
and 8 vs link stiffness and damping coefficient*)

(*plot settings*)
Yticks1 = Table[{10k, Superscript[10, k], {0, TickLength1}}, {k, -10, 1, 1}];
TickLength2 = 0.02;
aa = Table[0, {20}, {4}];
For[k = 1, k ≤ 20, k++,
  aa[[k]] = Table[{l * 10-(-k+11), , {0, TickLength2}}, {l, 2, 8, 2}];
]
fff = Union[Yticks1, aa[[1]], aa[[2]], aa[[3]], aa[[4]],
  aa[[5]], aa[[6]], aa[[7]], aa[[8]], aa[[9]], aa[[10]], aa[[11]], aa[[12]],

```

```

aa[[13]], aa[[14]], aa[[15]], aa[[16]], aa[[17]], aa[[18]], aa[[19]], aa[[20]]];
YTicks = fff;

col00 = RGBColor[251 / 255, 41 / 255, 67 / 255];
col01 = RGBColor[106 / 255, 91 / 255, 205 / 255];
col08 = RGBColor[225 / 255, 156 / 255, 36 / 255];

plotstylepsd = {{Thickness → 0.01,
  col00}, {Thickness → 0.01,
  col01, Dashed}, {Thickness → 0.01,
  col08}
};

Xticks1a = Table[{10^k, Superscript[10, k], {0, TickLength1}}, {k, -10, 10, 1}];
XTicksa = Union[Xticks1a, aa[[1]], aa[[2]], aa[[3]],
  aa[[4]], aa[[5]], aa[[6]], aa[[7]], aa[[8]], aa[[9]], aa[[10]], aa[[11]], aa[[12]],
  aa[[13]], aa[[14]], aa[[15]], aa[[16]], aa[[17]], aa[[18]], aa[[19]], aa[[20]]];

Xticks1b = Table[{10^k, Superscript[10, k], {0, TickLength1}}, {k, -9, 16, 2}];
(*Table[{i, i, {0, TickLength}}, {i, Xmin, Xmax, 1}];*)
Xticks2b = Table[{10^k, , {0, TickLength1}}, {k, -8, 16, 2}];
(*Table[{i, i, {0, TickLength}}, {i, Xmin, Xmax, 1}];*)
XTicksb = Union[Xticks1b, Xticks2b, aa[[1]], aa[[2]], aa[[3]],
  aa[[4]], aa[[5]], aa[[6]], aa[[7]], aa[[8]], aa[[9]], aa[[10]], aa[[11]], aa[[12]],
  aa[[13]], aa[[14]], aa[[15]], aa[[16]], aa[[17]], aa[[18]], aa[[19]], aa[[20]]];

pady = 80;
padx = 70;
pad2 = 30;

(*derivation of power spectra of stereocilia 0,1 and 8*)
psd0 = PSDc2[16, 0, 0];
psd1 = PSDc2[16, 1, 1];
psd8 = PSDc2[16, 8, 8];

(*plots*)
plotrangepsd = {{562 / 70, 562 * 200}, {0.5 * 10^(-7), 10^(-2)}};
LogLogPlot[
  {psd0 /. {w → 5000 * 2 * Pi, kA1 → 146.3, lA1 → 6.563 * 10^(-4), lL1 → 3.646 * 10^(-3)},
  psd1 /. {w → 5000 * 2 * Pi, kA1 → 146.3, lA1 → 6.563 * 10^(-4), lL1 → 3.646 * 10^(-3)},
  psd8 /. {w → 5000 * 2 * Pi, kA1 → 146.3, lA1 → 6.563 * 10^(-4), lL1 → 3.646 * 10^(-3)}},
  {kL1, 562 / 70, 562 * 200}, PlotRange → plotrangepsd, Axes → False,
  ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
  LabelStyle → {FontSize → fntsize}, PlotStyle → plotstylepsd, Background → White,

```


```

Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
FrameTicks → {{YTicks, None}, {XTicksa, None}},
FrameLabel → {"link stiffness ( $\mu\text{N} \cdot \text{m}^{-1}$ )", "power spectrum ( $\text{nm}^2/\text{Hz}$ )"},
GridLines → {{562}, {}}, GridLinesStyle →
  Directive[RGBColor[165 / 255, 97 / 255, 157 / 255], Dashed, Thickness → 0.01]]


plotrange =
  {{3.646 * 10-3 / 400, 3.646 * 10-3 * 30 000}, {0.5 * 10-7, 10-2}};
LogLogPlot[{psd0 /. {w → 5000 * 2 * Pi, kA1 → 146.3, lA1 → 6.563 * 10-4, kL1 → 562},
  psd1 /. {w → 5000 * 2 * Pi, kA1 → 146.3, lA1 → 6.563 * 10-4, kL1 → 562},
  psd8 /. {w → 5000 * 2 * Pi, kA1 → 146.3, lA1 → 6.563 * 10-4, kL1 → 562}},
{ll1, 3.646 * 10-3 / 400, 3.646 * 10-3 * 30 000}, PlotRange → plotrange,
Axes → False, ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
LabelStyle → {FontSize → fntsize}, PlotStyle → plotstylepsd, Background → White,
Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
FrameTicks → {{YTicks, None}, {XTicksb, None}}, FrameLabel →
  {"link damping coefficient (nN.s. $\cdot \text{m}^{-1}$ )", "power spectrum ( $\text{nm}^2/\text{Hz}$ )"},
GridLines → {{3.646 * 10-3}, {}}, GridLinesStyle →
  Directive[RGBColor[144 / 255, 176 / 255, 50 / 255], Dashed, Thickness → 0.01]]

```

Out[616]=



Out[618]=



(*Fig C2 of power spectrum between -
7 and 8 vs link stiffness and damping coefficient*)

(*calculate coherency*)

```
coherm7p8 = coherc2[16, -7, 8];
```

(*plot settings*)

```
plotstylecoh = {Thickness → 0.01};
```

```
col01 = RGBColor[254 / 255, 127 / 255, 81 / 255];
```

```
plotstylecoh01 = {{Thickness → 0.01,  
col01}  
};
```

```
pady = 80;
```

```
padx = 70;
```

```
pad2 = 30;
```

```
aa = Table[0, {20}, {4}];
```

```
For[k = 1, k ≤ 20, k++,
```

```
aa[[k]] = Table[{l * 10^(-k + 11)}, {0, TickLength2}}, {l, 2, 8, 2}];  
]
```

```
Remove[XTicksa, Xticks1a]
```

```
Xticks1a = Table[{10^k, Superscript[10, k], {0, TickLength1}}, {k, -10, 10, 1}];
```

```
XTicksa = Union[Xticks1a, aa[[1]], aa[[2]], aa[[3]],  
aa[[4]], aa[[5]], aa[[6]], aa[[7]], aa[[8]], aa[[9]], aa[[10]], aa[[11]], aa[[12]],  
aa[[13]], aa[[14]], aa[[15]], aa[[16]], aa[[17]], aa[[18]], aa[[19]], aa[[20]]];
```



```
plotrangecoher1 = {{562 / 70, 562 * 200}, {-1.05, 1.05}};
```

```
(*plots*)
```

```
LogLinearPlot[coherm7p8 /.
```

```
  {w → 5000 * 2 * Pi, kA1 → 146.3, lA1 → 6.563 * 10−4, lL1 → 3.646 * 10−3},
  {kL1, 562 / 70, 562 * 200}, PlotRange → plotrangecoher1, Axes → False,
  ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
  LabelStyle → {FontSize → fntsize}, PlotStyle → plotstylecoh01, Background → White,
  Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
  FrameTicks → {frameticksycoherneg, {XTicksa, None}}, FrameLabel →
  {"link stiffness ( $\mu$ N.\!\!\(\(*SuperscriptBox[\(m\), \(-1\)]\)\)", "coherency"}
, GridLines → {{562}, {}}, GridLinesStyle →
  Directive[RGBColor[165 / 255, 97 / 255, 157 / 255], Dashed, Thickness → 0.01]]
```

```
Remove[XTicksb, Xticks1b, Xticks2b]
```

```
Xticks1b = Table[{10k, Superscript[10, k], {0, TickLength1}}, {k, -9, 16, 2}];
```

```
(*Table[{i, i, {0, TickLength}}, {i, Xmin, Xmax, 1}];*)
```

```
Xticks2b = Table[{10k, , {0, TickLength1}}, {k, -8, 16, 2}];
```

```
(*Table[{i, i, {0, TickLength}}, {i, Xmin, Xmax, 1}];*)
```

```
XTicksb = Union[Xticks1b, Xticks2b, aa[[1], aa[[2], aa[[3],
```

```
  aa[[4], aa[[5], aa[[6], aa[[7], aa[[8], aa[[9], aa[[10], aa[[11], aa[[12],
```


```
  aa[[13], aa[[14], aa[[15], aa[[16], aa[[17], aa[[18], aa[[19], aa[[20]]];
```

```
plotrangecoher2 = {{3.646 * 10−3 / 400, 3.646 * 10−3 * 30 000}, {-1.05, 1.05}};
```


```
LogLinearPlot[
```

```
  coherm7p8 /. {w → 5000 * 2 * Pi, kA1 → 146.3, kL1 → 562, lA1 → 6.563 * 10−4},
  {lL1, 3.646 * 10−3 / 400, 3.646 * 10−3 * 30 000}, PlotRange → plotrangecoher2,
  Axes → False, ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
  LabelStyle → {FontSize → fntsize}, PlotStyle → plotstylecoh01, Background → White,
  Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
  FrameTicks → {frameticksycoherneg, {XTicksb, None}}, FrameLabel →
  {"link damping coefficient ( $n$ N.s.\!\!\(\(*SuperscriptBox[\(m\), \(-1\)]\)\)",
  "coherency"}
, GridLines → {{3.646 * 10−3}, {}}, GridLinesStyle →
  Directive[RGBColor[144 / 255, 176 / 255, 50 / 255], Dashed, Thickness → 0.01]]
```

Out[]=



Out[]=



```
(*Fig C3 coherency between -
  Nl and Nr as a function of the number of stereocilia*)
Remove[n]
cohercnlnr = coherc2[n, IntegerPart[-(n - 1) / 2], IntegerPart[(n) / 2]];

nmax = 33; (*maximum number of stereocilia*)
(*plot settings*)
plotstylecoh = {Thickness -> 0.01};

colnlnr = RGBColor[225 / 255, 127 / 255, 80 / 255];

(*plot settings*)
aa = Table[0, {nmax}, {4}];
For[k = 1, k <= nmax, k++,
```

```

aa[[k]] = Table[{l, , {0, TickLength2}}, {l, 1, nmax, 1}];
]
Xticks1coh = Table[{k, k, {0, TickLength1}}, {k, 5, 40, 5}];
(*Table[{i, i, {0, TickLength}}, {i, Xmin, Xmax, 1}];*)

XTickscoh = Union[Xticks1coh, aa[[1]], aa[[2]], aa[[3]],
  aa[[4]], aa[[5]], aa[[6]], aa[[7]], aa[[8]], aa[[9]], aa[[10]], aa[[11]], aa[[12]],
  aa[[13]], aa[[14]], aa[[15]], aa[[16]], aa[[17]], aa[[18]], aa[[19]], aa[[20]]];


plotrangecoher = {{2, nmax}, {-1.05, 1.05}};

plotstylecoh08 = {{Thickness → 0.01,
  colnlr}, {Thickness → 0.01,
  Darker@colnlr}, {Thickness → 0.01,
  Lighter@colnlr}
  };

(*plot*)
Plot[{cohercnlr /. {w → 5000 * 2 * Pi, kA1 → 146.3,
  lA1 → 6.563 * 10-4, kL1 → 562, lL1 → 3.646 * 10-3}},
  cohercnlr /. {N → n, w → 5000 * 2 * Pi, kA1 → 146.3, lA1 → 6.563 * 10-4,
  kL1 → 562, lL1 → 0 * 3.646 * 10-3}}, cohercnlr /. {N → n, w → 5000 * 2 * Pi,
  kA1 → 146.3, lA1 → 6.563 * 10-4, kL1 → 0 * 562, lL1 → 3.646 * 10-3}},
{n, 2, nmax}, PlotRange → plotrangecoher, Axes → False,
  ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
  LabelStyle → {FontSize → fntsize}, PlotStyle → plotstylecoh08, Background → White,
  Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
  FrameTicks → {frameticksycoherneg, {XTickscoh, None}},
  FrameLabel → {"number of stereocilia", "coherency"}
, GridLines → {{16}, {}}, GridLines → {{5000}, {}},
  GridLinesStyle → Directive[Gray, Dashed, Thickness → 0.01]]

```

Out[6]=



In[677]:=

```
(*Fig C4 coherency at low and high
frequency as a function of stereocilium pair*)
nst = 16;
(*derivation of power spectra at low and
high frequency vs stereocilium ID with both links*)
psdlowfreq[kk_] :=
  PSDc2[nst, kk, kk] /. {w -> (2 * Pi * 10^2), kA1 -> kA, lA1 -> lA, kL1 -> kL, lL1 -> lL};
psdhighfreq[kk_] :=
  PSDc2[nst, kk, kk] /. {w -> (2 * Pi * 10^6), kA1 -> kA, lA1 -> lA, kL1 -> kL, lL1 -> lL};
psdlowfreqall0[kk_] := PSDc2[nst, kk, kk] /.
  {w -> (2 * Pi * 10^2), kA1 -> kA, lA1 -> lA, kL1 -> 0 * kL, lL1 -> 0 * lL};
psdhighfreqall0[kk_] := PSDc2[nst, kk, kk] /.
  {w -> (2 * Pi * 10^6), kA1 -> kA, lA1 -> lA, kL1 -> 0 * kL, lL1 -> 0 * lL};
psdlowfreqxyall0 = Table[{i, psdlowfreqall0[i]}, {i, -7, 8}];
psdhighfreqxyall0 = Table[{i, psdhighfreqall0[i]}, {i, -7, 8}];
psdlowfreqvisc0[kk_] :=
  PSDc2[nst, kk, kk] /. {w -> (2 * Pi * 10^2), kA1 -> kA, lA1 -> lA, kL1 -> kL, lL1 -> 0 * lL};
psdhighfreqvisc0[kk_] :=
  PSDc2[nst, kk, kk] /. {w -> (2 * Pi * 10^6), kA1 -> kA, lA1 -> lA, kL1 -> kL, lL1 -> 0 * lL};
psdlowfreqxyvisc0 = Table[{i, psdlowfreqvisc0[i]}, {i, -7, 8}];
psdhighfreqxyvisc0 = Table[{i, psdhighfreqvisc0[i]}, {i, -7, 8}];

psdlowfreqxy = Table[{i, psdlowfreq[i]}, {i, -7, 8}];
psdhighfreqxy = Table[{i, psdhighfreq[i]}, {i, -7, 8}];
plotstylecoh1b = {{Thickness -> 0.01, RGBColor[0.368417, 0.506779, 0.709798]}};

psdlowfreqxyvisc0ratio = Table[0, {Length[psdlowfreqxy]}, {2}];
For[kk = 1, kk <= Length[psdlowfreqxy], kk++,
```

```

(*derivation of the power spectra ratio*)
psdlowfreqxyvisc0ratio[[kk]][1] = psdlowfreqxyvisc0[[kk]][1];
psdlowfreqxyvisc0ratio[[kk]][2] = psdlowfreqxyvisc0[[kk]][2] / psdlowfreqxy[[kk]][2];
]

psdhighfreqxyvisc0ratio = Table[0, {Length[psdhighfreqxy]}, {2}];
For[kk = 1, kk ≤ Length[psdhighfreqxy], kk++,
  (*derivation of the power spectra ratio*)
  psdhighfreqxyvisc0ratio[[kk]][1] = psdhighfreqxyvisc0[[kk]][1];
  psdhighfreqxyvisc0ratio[[kk]][2] =
    psdhighfreqxyvisc0[[kk]][2] / psdhighfreqxy[[kk]][2];
]

(*psdlowfreqelas0=Table[0,{15}];
psdhighfreqelas0=Table[0,{15}];*)
psdlowfreqelas0[kk_] :=
  PSDc2[nst, kk, kk] /. {w → (2 * Pi * 10^2), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL};
psdhighfreqelas0[kk_] :=
  PSDc2[nst, kk, kk] /. {w → (2 * Pi * 10^6), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL};
psdlowfreqxyelas0 = Table[{i, psdlowfreqelas0[i]}, {i, -7, 8}];
psdhighfreqxyelas0 = Table[{i, psdhighfreqelas0[i]}, {i, -7, 8}];

(*plot settings*)
TickLength2 = 0.02;
aa = Table[0, {20}, {4}];
For[k = 1, k ≤ 20, k++,
  aa[[k]] = Table[
    {l * 10^(-(-k + 11)), l "*" Superscript[10, -7], {0, TickLength2}}, {l, 2, 9, 2}];
]

fff = Union[Yticks1, aa[[1]], aa[[2]], aa[[3]], aa[[4]],
  aa[[5]], aa[[6]], aa[[7]], aa[[8]], aa[[9]], aa[[10]], aa[[11]], aa[[12]],
  aa[[13]], aa[[14]], aa[[15]], aa[[16]], aa[[17]], aa[[18]], aa[[19]], aa[[20]]];
YTicks = fff;
plotrangepsdlowfreq = {{-8, 9}, {1 * 10^(-7), 1 * 10^(-6)}};

Yticks1 = Table[{10^k, Superscript[10, k], {0, TickLength1}}, {k, -8, 1, 1}];
TickLength2 = 0.02;
aa = Table[0, {20}, {4}];
For[k = 1, k ≤ 20, k++,
  aa[[k]] = Table[{l * 10^(-(-k + 18)), , {0, TickLength2}}, {l, 2, 8, 2}];
]
fff = Union[Yticks1, aa[[1]], aa[[2]], aa[[3]], aa[[4]],
  aa[[5]], aa[[6]], aa[[7]], aa[[8]], aa[[9]], aa[[10]], aa[[11]], aa[[12]],
  aa[[13]], aa[[14]], aa[[15]], aa[[16]], aa[[17]], aa[[18]], aa[[19]], aa[[20]]];

```

```

YTicks = {{1 / 50 000 000 000 000 000, Null, {0, 0.02`}},
  {1 / 25 000 000 000 000 000, Null, {0, 0.02`}}, {3 / 50 000 000 000 000 000,
  Null, {0, 0.02`}}, {1 / 12 500 000 000 000 000, Null, {0, 0.02`}},
  {1 / 5 000 000 000 000 000, Null, {0, 0.02`}}, {1 / 2 500 000 000 000 000,
  Null, {0, 0.02`}}, {3 / 5 000 000 000 000 000, Null, {0, 0.02`}},
  {1 / 1 250 000 000 000 000, Null, {0, 0.02`}}, {1 / 500 000 000 000 000, Null, {0, 0.02`}},
  {1 / 250 000 000 000 000, Null, {0, 0.02`}}, {3 / 500 000 000 000 000, Null, {0, 0.02`}},
  {1 / 125 000 000 000 000, Null, {0, 0.02`}}, {1 / 50 000 000 000 000, Null, {0, 0.02`}},
  {1 / 25 000 000 000 000, Null, {0, 0.02`}}, {3 / 50 000 000 000 000, Null, {0, 0.02`}},
  {1 / 12 500 000 000 000, Null, {0, 0.02`}}, {1 / 5 000 000 000 000, Null, {0, 0.02`}},
  {1 / 2 500 000 000 000, Null, {0, 0.02`}}, {3 / 5 000 000 000 000, Null, {0, 0.02`}},
  {1 / 1 250 000 000 000, Null, {0, 0.02`}}, {1 / 500 000 000 000, Null, {0, 0.02`}},
  {1 / 250 000 000 000, Null, {0, 0.02`}}, {3 / 500 000 000 000, Null, {0, 0.02`}},
  {1 / 125 000 000 000, Null, {0, 0.02`}}, {1 / 50 000 000 000, Null, {0, 0.02`}},
  {1 / 25 000 000 000, Null, {0, 0.02`}}, {3 / 50 000 000 000, Null, {0, 0.02`}},
  {1 / 12 500 000 000, Null, {0, 0.02`}}, {1 / 5 000 000 000, Null, {0, 0.02`}},
  {1 / 2 500 000 000, Null, {0, 0.02`}}, {3 / 5 000 000 000, Null, {0, 0.02`}},
  {1 / 1 250 000 000, Null, {0, 0.02`}}, {1 / 500 000 000, Null, {0, 0.02`}},
  {1 / 250 000 000, Null, {0, 0.02`}}, {3 / 500 000 000, Null, {0, 0.02`}},
  {1 / 125 000 000, Null, {0, 0.02`}}, {1 / 100 000 000, Superscript[10, -8], {0, 0.03`}},
  {1 / 50 000 000, Null, {0, 0.02`}}, {1 / 25 000 000, Null, {0, 0.02`}},
  {3 / 50 000 000, Null, {0, 0.02`}}, {1 / 12 500 000, Null, {0, 0.02`}},
  {1 / 10 000 000, Superscript[10, -7], {0, 0.03`}}, {1 / 5 000 000, Null, {0, 0.02`}},
  {1 / 2 500 000, Null, {0, 0.02`}}, {3 / 5 000 000, Null, {0, 0.02`}},
  {1 / 1 250 000, Null, {0, 0.02`}}, {1 / 1 000 000, Superscript[10, -6], {0, 0.03`}},
  {1 / 500 000, Null, {0, 0.02`}}, {1 / 250 000, Null, {0, 0.02`}},
  {3 / 500 000, Null, {0, 0.02`}}, {1 / 125 000, Null, {0, 0.02`}},
  {1 / 100 000, Superscript[10, -5], {0, 0.03`}}, {1 / 50 000, Null, {0, 0.02`}},
  {1 / 25 000, Null, {0, 0.02`}}, {3 / 50 000, Null, {0, 0.02`}},
  {1 / 12 500, Null, {0, 0.02`}}, {1 / 10 000, Superscript[10, -4], {0, 0.03`}},
  {1 / 5 000, Null, {0, 0.02`}}, {1 / 2 500, Null, {0, 0.02`}},
  {3 / 5 000, Null, {0, 0.02`}}, {1 / 1 250, Null, {0, 0.02`}},
  {1 / 1 000, Superscript[10, -3], {0, 0.03`}}, {1 / 500, Null, {0, 0.02`}},
  {1 / 250, Null, {0, 0.02`}}, {3 / 500, Null, {0, 0.02`}}, {1 / 125, Null, {0, 0.02`}},
  {1 / 100, Superscript[10, -2], {0, 0.03`}}, {1 / 50, Null, {0, 0.02`}},
  {1 / 25, Null, {0, 0.02`}}, {3 / 50, Null, {0, 0.02`}}, {2 / 25, Null, {0, 0.02`}},
  {1 / 10, Superscript[10, -1], {0, 0.03`}}, {1 / 5, Null, {0, 0.02`}},
  {2 / 5, Null, {0, 0.02`}}, {3 / 5, Null, {0, 0.02`}}, {4 / 5, Null, {0, 0.02`}},
  {1, Superscript[10, 0], {0, 0.03`}}, {2, Null, {0, 0.02`}}, {4, Null, {0, 0.02`}},
  {6, Null, {0, 0.02`}}, {8, Null, {0, 0.02`}}, {10, Superscript[10, 1], {0, 0.03`}},
  {20, Null, {0, 0.02`}}, {40, Null, {0, 0.02`}}, {60, Null, {0, 0.02`}},
  {80, Null, {0, 0.02`}}, {200, Null, {0, 0.02`}}, {400, Null, {0, 0.02`}},
  {600, Null, {0, 0.02`}}, {800, Null, {0, 0.02`}}};
plotrange = {{-8, 9}, {10^(-6), 10^(-2)}};

```

```

plotstylepsd2 =
  {{Thickness → 0.01, RGBColor[235 / 255, 97 / 255, 52 / 255]}, {Thickness → 0.01,
    Black}, {Thickness → 0.01, RGBColor[239 / 255, 141 / 255, 108 / 255]},
    {Thickness → 0.01, RGBColor[170 / 255, 70 / 255, 39 / 255]}};
framelabelslowfreq =
  {"power spectrum (\! \(\*SuperscriptBox[\(nm\), \((2)\)]\) / Hz)", None},
  {"stereocilium ID", None}};
plotmarkers = Graphics@{Disk[{0, 0}, Scaled@0.020]};
XTicks = {{-7, -7, {0, TickLength1}},
  {-6, Null, {0, 0.02`}}, {-5, Null, {0, 0.02`}}, {-4, Null, {0, 0.02`}},
  {-3, Null, {0, 0.02`}}, {-2, Null, {0, 0.02`}}, {-1, Null, {0, 0.02`}},
  {0, 0, {0, TickLength1}}, {1, Null, {0, 0.02`}}, {2, Null, {0, 0.02`}},
  {3, Null, {0, 0.02`}}, {4, Null, {0, 0.02`}}, {5, Null, {0, 0.02`}},
  {6, Null, {0, 0.02`}}, {7, Null, {0, 0.02`}}, {8, 8, {0, TickLength1}}};

(*plots*)
ListLogPlot[{psdlowfreqxy, psdlowfreqxyall0, psdlowfreqxyelas0, psdlowfreqxyvisc0},
  Axes → False, PlotRange → plotrangepsdlowfreq,
  ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
  LabelStyle → {FontSize → fntsize}, Joined → True, PlotMarkers → plotmarkers,
  PlotStyle → plotstylepsd2, Background → White, Frame → {True, True, True, True},
  FrameStyle → Directive[Black, Thick], FrameLabel → framelabelslowfreq,
  FrameTicks → {{YTicks, None}, {XTicks, None}}] (*, FrameLabel → framelabels*)
plotrangepsdlowfreq = {{-8, 9}, {1 * 10-8, 1 * 10-6}};
plotstylepsd2 =
  {{Thickness → 0.01, RGBColor[94 / 255, 129 / 255, 181 / 255]}, {Thickness → 0.01,
    Black}, {Thickness → 0.01, RGBColor[136 / 255, 161 / 255, 198 / 255]},
    {Thickness → 0.01, RGBColor[67 / 255, 92 / 255, 129 / 255]}};
ListLogPlot[{psdhighfreqxy, psdhighfreqxyall0, psdhighfreqxyelas0,
  psdhighfreqxyvisc0}, Axes → False, PlotRange → plotrangepsdlowfreq,
  ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
  LabelStyle → {FontSize → fntsize}, Joined → True, PlotMarkers → plotmarkers,
  PlotStyle → plotstylepsd2, Background → White, Frame → {True, True, True, True},
  FrameStyle → Directive[Black, Thick], FrameLabel → framelabelslowfreq,
  FrameTicks → {{YTicks, None}, {XTicks, None}}] (*, FrameLabel → framelabels*)

(*Fig S3B & D power spectra ratio at low and high frequencies*)

(*derivation of power spectra ratio from previous results*)
psdlowfreqxyelas0ratio = Table[0, {Length[psdlowfreqxy]}, {2}];
For[kk = 1, kk ≤ Length[psdlowfreqxy], kk++,

psdlowfreqxyelas0ratio[[kk]][1] = psdlowfreqxyelas0[[kk]][1];
psdlowfreqxyelas0ratio[[kk]][2] = psdlowfreqxyelas0[[kk]][2] / psdlowfreqxy[[kk]][2];

```

```

]

psdhighfreqxyelas0ratio = Table[0, {Length[psdhighfreqxy]}, {2}];
plotrangehighfreqratio = {{-8, 9}, {0.8, 5.2}};
framelabelpsdratios =
  {"power spectrum ratio", None}, {"stereocilium ID", None}};

For[kk = 1, kk ≤ Length[psdhighfreqxy], kk++,

psdhighfreqxyelas0ratio[[kk]][1] = psdhighfreqxyelas0[[kk]][1];
psdhighfreqxyelas0ratio[[kk]][2] =
  psdhighfreqxyelas0[[kk]][2] / psdhighfreqxy[[kk]][2];
]

(*plot settings*)
YTicks = {{1, 1, {0, 0.03`}}, {2, 2, {0, 0.03`}}, {3, 3, {0, 0.03`}},
  {4, 4, {0, 0.03`}}, {5, 5, {0, 0.03`}}, {1.2, Null, {0, 0.02`}},
  {1.4, Null, {0, 0.02`}}, {1.6, Null, {0, 0.02`}}, {1.8, Null, {0, 0.02`}},
  {2.2, Null, {0, 0.02`}}, {2.4, Null, {0, 0.02`}}, {2.6, Null, {0, 0.02`}},
  {2.8, Null, {0, 0.02`}}, {3.2, Null, {0, 0.02`}}, {3.4, Null, {0, 0.02`}},
  {3.6, Null, {0, 0.02`}}, {3.8, Null, {0, 0.02`}}, {4.2, Null, {0, 0.02`}},
  {4.4, Null, {0, 0.02`}}, {4.6, Null, {0, 0.02`}}, {4.8, Null, {0, 0.02`}}};
XTicks = {{-7, -7, {0, TickLength1}},
  {-6, Null, {0, 0.02`}}, {-5, Null, {0, 0.02`}}, {-4, Null, {0, 0.02`}},
  {-3, Null, {0, 0.02`}}, {-2, Null, {0, 0.02`}}, {-1, Null, {0, 0.02`}},
  {0, 0, {0, TickLength1}}, {1, Null, {0, 0.02`}}, {2, Null, {0, 0.02`}},
  {3, Null, {0, 0.02`}}, {4, Null, {0, 0.02`}}, {5, Null, {0, 0.02`}},
  {6, Null, {0, 0.02`}}, {7, Null, {0, 0.02`}}, {8, 8, {0, TickLength1}}};
plotstylepsd2 = {{Thickness → 0.01, RGBColor[136 / 255, 161 / 255, 198 / 255]},
  {Thickness → 0.01, RGBColor[67 / 255, 92 / 255, 129 / 255]}};
ListPlot[{psdhighfreqxyelas0ratio, psdhighfreqxyvisc0ratio},
  Axes → False, PlotRange → plotrangehighfreqratio,
  ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
  LabelStyle → {FontSize → fntsize}, Joined → True, PlotMarkers → plotmarkers,
  PlotStyle → plotstylepsd2, Background → White, Frame → {True, True, True, True},
  FrameStyle → Directive[Black, Thick], FrameLabel → framelabelpsdratios,
  FrameTicks → {{YTicks, None}, {XTicks, None}}] (*, FrameLabel → framelabels*)

plotrangehighfreqratio = {{-8, 9}, {-2.5, 43}};
YTicks = {{0, 0, {0, 0.03`}}, {5, 5, {0, 0.03`}}, {10, 10, {0, 0.03`}},
  {15, 15, {0, 0.03`}}, {20, 20, {0, 0.03`}}, {25, 25, {0, 0.03`}},
  {30, 30, {0, 0.03`}}, {35, 35, {0, 0.03`}}, {40, 40, {0, 0.03`}},
  {2.5, Null, {0, 0.02`}}, {7.5, Null, {0, 0.02`}}, {12.5, Null, {0, 0.02`}},
  {17.5, Null, {0, 0.02`}}, {22.5, Null, {0, 0.02`}}, {27.5, Null, {0, 0.02`}}},

```



```


{32.5, Null, {0, 0.02`}}, {37.5, Null, {0, 0.02`}}, {42.5, Null, {0, 0.02`}}};

XTicks = {{-7, -7, {0, TickLength1}},
  {-6, Null, {0, 0.02`}}, {-5, Null, {0, 0.02`}}, {-4, Null, {0, 0.02`}},
  {-3, Null, {0, 0.02`}}, {-2, Null, {0, 0.02`}}, {-1, Null, {0, 0.02`}},
  {0, 0, {0, TickLength1}}, {1, Null, {0, 0.02`}}, {2, Null, {0, 0.02`}},
  {3, Null, {0, 0.02`}}, {4, Null, {0, 0.02`}}, {5, Null, {0, 0.02`}},
  {6, Null, {0, 0.02`}}, {7, Null, {0, 0.02`}}, {8, 8, {0, TickLength1}}};
plotstylepsd2 = {{Thickness → 0.01, RGBColor[170 / 255, 70 / 255, 39 / 255]},
  {Thickness → 0.01, RGBColor[239 / 255, 141 / 255, 108 / 255]}};


(*plots*)
ListPlot[{psdlowfreqxyvisc0ratio, psdlowfreqxyelas0ratio},
  Axes → False, PlotRange → plotrangehighfreqratio,
  ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
  LabelStyle → {FontSize → fntsize}, Joined → True, PlotMarkers → plotmarkers,
  PlotStyle → plotstylepsd2, Background → White, Frame → {True, True, True, True},
  FrameStyle → Directive[Black, Thick], FrameLabel → framelabelpsdratios,
  FrameTicks → {{YTicks, None}, {XTicks, None}}] (*, FrameLabel → framelabels*)

```


Out[716]=




Out[719]=



Out[729]=



Out[734]=



In[735]:=

```
(*Figure C5A coherency between stereocilium pairs with stiff links*)

(*derivation of coherency vs stereocilium pairs*)

coherlowfreqall0pairs[kk_] := coherc2[16, kk, kk + 1] /.
  {w → (2 * Pi * 10^2), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → 0 * lL};
coherhighfreqall0pairs[kk_] := coherc2[16, kk, kk + 1] /.
  {w → (2 * Pi * 10^6), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → 0 * lL};

coherlowfreqxyall0pairs = Table[{i, coherlowfreqall0pairs[i]}, {i, -7, 7}];
coherhighfreqxyall0pairs = Table[{i, coherhighfreqall0pairs[i]}, {i, -7, 7}];

coherlowfreqpairs[kk_] :=
  coherc2[16, kk, kk + 1] /. {w → (2 * Pi * 10^2), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL};
coherhighfreqpairs[kk_] :=
  coherc2[16, kk, kk + 1] /. {w → (2 * Pi * 10^6), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL};

coherlowfreqxypairs = Table[{i, coherlowfreqpairs[i]}, {i, -7, 7}];
coherhighfreqxypairs = Table[{i, coherhighfreqpairs[i]}, {i, -7, 7}];

(*plot settings*)
plotstylecoh =
  {{Thickness → 0.01, RGBColor[0.922526, 0.385626, 0.209179]}, {Thickness → 0.01,
    RGBColor[0.363898, 0.618501, 0.782349]}, {Thickness → 0.01, Black}};

Remove[XTicks, YTicks]
plotmarkers = Graphics@{Disk[{0, 0}, Scaled@0.020]};
pady = 80;
```

```

padx = 60;
pad2 = 30;

XTicks = {{-7, -7, {0, TickLength1}}, {-6, Null, {0, 0.02`}}, {-5, Null, {0, 0.02`}},
  {-4, Null, {0, 0.02`}}, {-3, Null, {0, 0.02`}}, {-2, Null, {0, 0.02`}},
  {-1, -1, {0, TickLength1}}, {0, 1, {0, 0.02}}, {1, Null, {0, TickLength2}},
  {2, Null, {0, 0.02`}}, {3, Null, {0, 0.02`}}, {4, Null, {0, 0.02`}},
  {5, Null, {0, 0.02`}}, {6, Null, {0, 0.02}}, {7, 8, {0, 0.03}}};


YTicks = {{0.0, "0.0", {0, 0.03`}}, {0.5, 0.5, {0, 0.03`}}, {-0.5, -0.5, {0, 0.03`}},
  {1.0, "1.0", {0, 0.03`}}, {-1.0, "-1.0", {0, 0.03`}}, {0.1, Null, {0, 0.02`}},
  {0.2, Null, {0, 0.02`}}, {0.3, Null, {0, 0.02`}}, {0.4, Null, {0, 0.02`}},
  {0.6, Null, {0, 0.02`}}, {0.7, Null, {0, 0.02`}}, {0.8, Null, {0, 0.02`}},
  {0.9, Null, {0, 0.02`}}, {-0.1, Null, {0, 0.02`}}, {-0.2, Null, {0, 0.02`}},
  {-0.3, Null, {0, 0.02`}}, {-0.4, Null, {0, 0.02`}}, {-0.6, Null, {0, 0.02`}},
  {-0.7, Null, {0, 0.02`}}, {-0.8, Null, {0, 0.02`}}, {-0.9, Null, {0, 0.02`}}};
framelabelslowfreq = {"coherency", None}, {"stereocilium pair ID", None};

plotrangecoherlowfreq = {{-8, 8}, {-1.05, 1.05}};

(*plot*)
ListPlot[{coherlowfreqxypairs, coherhighfreqxypairs, coherlowfreqxyall0pairs},
  PlotRange → plotrangecoherlowfreq, Axes → {False, False},
  ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
  LabelStyle → {FontSize → fntsize}, PlotMarkers → plotmarkers,
  Joined → True, PlotStyle → plotstylecoh, Background → White,
  Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
  FrameLabel → framelabelslowfreq, FrameTicks → {{YTicks, None}, {XTicks, None}}]

```

Out[753]=



In[754]:=

```
(*Figure C5B coherency between stereocilium pairs with both links*)

(*derivation of coherency vs stereocilium pairs*)

coherlowfreqpairs[kk] :=
  coherc[16, kk, kk + 1] /. {w → (2 * Pi * 10^2), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL};
coherhighfreqpairs[kk] :=
  coherc[16, kk, kk + 1] /. {w → (2 * Pi * 10^6), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → lL};

coherlowfreqxypairs = Table[{i, coherlowfreqpairs[i]}, {i, -7, 7}];
coherhighfreqxypairs = Table[{i, coherhighfreqpairs[i]}, {i, -7, 7}];

(*plot settings*)
plotstylecoh =
  {{Thickness → 0.01, RGBColor[0.922526, 0.385626, 0.209179]}, {Thickness → 0.01,
    RGBColor[0.363898, 0.618501, 0.782349]}, {Thickness → 0.01, Black}};

Remove[XTicks, YTicks]
plotmarkers = Graphics@{Disk[{0, 0}, Scaled@0.020]};
pady = 80;
padx = 60;
pad2 = 30;

XTicks = {{-7, -7, {0, TickLength1}}, {-6, Null, {0, 0.02`}}, {-5, Null, {0, 0.02`}},
  {-4, Null, {0, 0.02`}}, {-3, Null, {0, 0.02`}}, {-2, Null, {0, 0.02`}},
  {-1, -1, {0, TickLength1}}, {0, 1, {0, 0.02}}, {1, Null, {0, TickLength2}},
  {2, Null, {0, 0.02`}}, {3, Null, {0, 0.02`}}, {4, Null, {0, 0.02`}},
  {5, Null, {0, 0.02`}}, {6, Null, {0, 0.02}}, {7, 8, {0, 0.03}}};
```

```

YTicks = {{0.0, "0.0", {0, 0.03`}}, {0.5, 0.5, {0, 0.03`}}, {-0.5, -0.5, {0, 0.03`}},
  {1.0, "1.0", {0, 0.03`}}, {-1.0, "-1.0", {0, 0.03`}}, {0.1, Null, {0, 0.02`}},
  {0.2, Null, {0, 0.02`}}, {0.3, Null, {0, 0.02`}}, {0.4, Null, {0, 0.02`}},
  {0.6, Null, {0, 0.02`}}, {0.7, Null, {0, 0.02`}}, {0.8, Null, {0, 0.02`}},
  {0.9, Null, {0, 0.02`}}, {-0.1, Null, {0, 0.02`}}, {-0.2, Null, {0, 0.02`}},
  {-0.3, Null, {0, 0.02`}}, {-0.4, Null, {0, 0.02`}}, {-0.6, Null, {0, 0.02`}},
  {-0.7, Null, {0, 0.02`}}, {-0.8, Null, {0, 0.02`}}, {-0.9, Null, {0, 0.02`}}};
framelabelslowfreq = {"coherency", None}, {"stereocilium pair ID", None};

plotrangecoherlowfreq = {{-8, 8}, {-1.05, 1.05}};


```

```

(*plot*)
ListPlot[{coherlowfreqxypairs, coherhighfreqxypairs, coherlowfreqxyall0pairs},
  PlotRange → plotrangecoherlowfreq, Axes → {False, False},
  ImagePadding → {{pady, pad2}, {padx, pad2}}, ImageSize → 400,
  LabelStyle → {FontSize → fntsize}, PlotMarkers → plotmarkers,
  Joined → True, PlotStyle → plotstylecoh, Background → White,
  Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
  FrameLabel → framelabelslowfreq, FrameTicks → {{YTicks, None}, {XTicks, None}}]

```

Out[768]=



In[806]:=

```
(*Figure C5C coherency between stereocilium pairs with damped links only*)
```

```
(*derivation of coherency vs stereocilium pairs*)
```

```
coherlowfreqvisc0pairs[kk_] := coherc2[16, kk, kk + 1] /.

```

```
{w → (2 * Pi * 10^2), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 0 * lL};
```

```
coherhighfreqvisc0pairs[kk_] := coherc2[16, kk, kk + 1] /.

```

```
{w → (2 * Pi * 10^6), kA1 → kA, lA1 → lA, kL1 → kL, lL1 → 0 * lL};
```

```
coherlowfreqxyvisc0pairs = Table[{i, coherlowfreqvisc0pairs[i]}, {i, -7, 7}];
```

```

coherhighfreqxyvisc0pairs = Table[{i, coherhighfreqvisc0pairs[i]}, {i, -7, 7}];

(*plot settings*)
plotstylecoh2 =
  {{Thickness → 0.01, RGBColor[185 / 255, 62 / 255, 23 / 255]}, {Thickness → 0.01,
    RGBColor[60 / 255, 93 / 255, 132 / 255]}, {Thickness → 0.01, Black}};

Remove[XTicks, YTicks]
pady = 80;
padx = 60;
pad2 = 30;


XTicks = {{-7, -7, {0, TickLength1}}, {-6, Null, {0, 0.02`}}, {-5, Null, {0, 0.02`}},
  {-4, Null, {0, 0.02`}}, {-3, Null, {0, 0.02`}}, {-2, Null, {0, 0.02`}},
  {-1, -1, {0, TickLength1}}, {0, 1, {0, 0.02}}, {1, Null, {0, TickLength2}},
  {2, Null, {0, 0.02`}}, {3, Null, {0, 0.02`}}, {4, Null, {0, 0.02`}},
  {5, Null, {0, 0.02`}}, {6, Null, {0, 0.02}}, {7, 8, {0, 0.03}}};
YTicks = {{0.0, "0.0", {0, 0.03`}}, {0.5, 0.5, {0, 0.03`}}, {-0.5, -0.5, {0, 0.03`}},
  {1.0, "1.0", {0, 0.03`}}, {-1.0, "-1.0", {0, 0.03`}}, {0.1, Null, {0, 0.02`}},
  {0.2, Null, {0, 0.02`}}, {0.3, Null, {0, 0.02`}}, {0.4, Null, {0, 0.02`}},
  {0.6, Null, {0, 0.02`}}, {0.7, Null, {0, 0.02`}}, {0.8, Null, {0, 0.02`}},
  {0.9, Null, {0, 0.02`}}, {-0.1, Null, {0, 0.02`}}, {-0.2, Null, {0, 0.02`}},
  {-0.3, Null, {0, 0.02`}}, {-0.4, Null, {0, 0.02`}}, {-0.6, Null, {0, 0.02`}},
  {-0.7, Null, {0, 0.02`}}, {-0.8, Null, {0, 0.02`}}, {-0.9, Null, {0, 0.02`}}};
framelabelslowfreq = {"coherency", None}, {"stereocilia pair ID", None}};

plotrangecoherlowfreq = {{-8, 8}, {-1.05, 1.05}};

(*plots*)
ListPlot[{coherlowfreqxyvisc0pairs, coherhighfreqxyvisc0pairs,
  coherlowfreqxyall0pairs}, Axes → False, Joined → True, PlotMarkers → plotmarkers,
  PlotRange → plotrangecoherlowfreq, ImagePadding → {{pady, pad2}, {padx, pad2}},
  ImageSize → 400, LabelStyle → {FontSize → fntsize},
  PlotStyle → plotstylecoh2, Background → White,
  Frame → {True, True, True, True}, FrameStyle → Directive[Black, Thick],
  FrameLabel → framelabelslowfreq, FrameTicks → {{YTicks, None}, {XTicks, None}}]

```

Out[819]=



In[820]:=

```
(*Figure C5C-C5D coherency differences vs stereocilium pairs *)

(*derivation of coherency vs stereocilium pairs*)
coherlowfreqelas0pairs[kk_] := coherc2[16, kk, kk + 1] /.
  {w → (2 * Pi * 10^2), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL};
coherhighfreqelas0pairs[kk_] := coherc2[16, kk, kk + 1] /.
  {w → (2 * Pi * 10^6), kA1 → kA, lA1 → lA, kL1 → 0 * kL, lL1 → lL};

coherlowfreqxyelas0pairs = Table[{i, coherlowfreqelas0pairs[i]}, {i, -7, 7}];
coherhighfreqxyelas0pairs = Table[{i, coherhighfreqelas0pairs[i]}, {i, -7, 7}];

(*plot settings*)
plotstylecoh3 =
  {{Thickness → 0.01, RGBColor[255 / 255, 135 / 255, 100 / 255]}, {Thickness → 0.01,
    RGBColor[130 / 255, 162 / 255, 201 / 255]}, {Thickness → 0.01, Black}};
plotstylecoh4 = {{Thickness → 0.01, RGBColor[255 / 255, 135 / 255, 100 / 255]},
  {Thickness → 0.01, RGBColor[130 / 255, 162 / 255, 201 / 255]},
  {Thickness → 0.01, RGBColor[185 / 255, 62 / 255, 23 / 255]}, {Thickness → 0.01,
    RGBColor[60 / 255, 93 / 255, 132 / 255]}, {Thickness → 0.01, Black}};

Remove[XTicks, YTicks]
pady = 80;
padx = 60;
pad2 = 30;

XTicks = {{-7, -7, {0, TickLength1}}, {-6, Null, {0, 0.02`}}, {-5, Null, {0, 0.02`}},
  {-4, Null, {0, 0.02`}}, {-3, Null, {0, 0.02`}}, {-2, Null, {0, 0.02`}},
  {-1, -1, {0, TickLength1}}, {0, 1, {0, 0.02`}}, {1, Null, {0, TickLength2}}},
```



```

{2, Null, {0, 0.02`}}, {3, Null, {0, 0.02`}}, {4, Null, {0, 0.02`}},
{5, Null, {0, 0.02`}}, {6, Null, {0, 0.02`}}, {7, 8, {0, 0.03`}}};
YTicks = {{0.0, "0.0", {0, 0.03`}}, {0.5, 0.5, {0, 0.03`}}, {-0.5, -0.5, {0, 0.03`}},
{1.0, "1.0", {0, 0.03`}}, {-1.0, "-1.0", {0, 0.03`}}, {0.1, Null, {0, 0.02`}},
{0.2, Null, {0, 0.02`}}, {0.3, Null, {0, 0.02`}}, {0.4, Null, {0, 0.02`}},
{0.6, Null, {0, 0.02`}}, {0.7, Null, {0, 0.02`}}, {0.8, Null, {0, 0.02`}},
{0.9, Null, {0, 0.02`}}, {-0.1, Null, {0, 0.02`}}, {-0.2, Null, {0, 0.02`}},
{-0.3, Null, {0, 0.02`}}, {-0.4, Null, {0, 0.02`}}, {-0.6, Null, {0, 0.02`}},
{-0.7, Null, {0, 0.02`}}, {-0.8, Null, {0, 0.02`}}, {-0.9, Null, {0, 0.02`}}};

```

```

framelabelscoherdiff1 =

```

```

{"coherency difference", None}, {"stereocilium pair ID", None}];

```

```

plotrangecoherlowfreq = {{-8, 8}, {-1.55, 1.05}};

```

```

(*plot*)

```

```

ListPlot[{coherlowfreqxyelas0pairs, coherhighfreqxyelas0pairs,
coherlowfreqxyall0pairs}, Joined → True, PlotMarkers → plotmarkers,
PlotRange → plotrangecoherlowfreq, ImagePadding → {{pady, pad2}, {padx, pad2}},
ImageSize → 400, LabelStyle → {FontSize → fntsize},
PlotStyle → plotstylecoh3, Background → White,
Axes → {False, False}, Frame → {True, True, True, True},
FrameStyle → Directive[Black, Thick], FrameLabel → framelabelslowfreq,
FrameTicks → {{YTicks, None}, {XTicks, None}}] (*,FrameLabel→framelabels*)

```

```

(*derivation of coherency difference using previosly calculated values*)

```

```

coherlowfreqxyvisc0pairsdiff = Table[0, {coherlowfreqxyall0pairs}, {2}];
coherhighfreqxyvisc0pairsdiff = Table[0, {coherlowfreqxyall0pairs}, {2}];
For[kk = 1, kk ≤ Length[coherlowfreqxyall0pairs], kk++,

```

```

coherlowfreqxyvisc0pairsdiff[[kk]][1] = coherlowfreqxyvisc0pairs[[kk]][1];

```

```

coherlowfreqxyvisc0pairsdiff[[kk]][2] =
coherlowfreqxyvisc0pairs[[kk]][2] - coherlowfreqxypairs[[kk]][2];

```

```

coherhighfreqxyvisc0pairsdiff[[kk]][1] = coherhighfreqxyvisc0pairs[[kk]][1];

```

```

coherhighfreqxyvisc0pairsdiff[[kk]][2] =
coherhighfreqxyvisc0pairs[[kk]][2] - coherhighfreqxypairs[[kk]][2];

```

```

]

```

```

coherlowfreqxyelas0pairsdiff = Table[0, {coherlowfreqxyall0pairs}, {2}];

```

```

coherhighfreqxyelas0pairsdiff = Table[0, {coherlowfreqxyall0pairs}, {2}];

```

```

For[kk = 1, kk ≤ Length[coherlowfreqxyall0pairs], kk++,

```

```

coherlowfreqxyelas0pairsdiff[[kk]][1] = coherlowfreqxyelas0pairs[[kk]][1];
coherlowfreqxyelas0pairsdiff[[kk]][2] =
  coherlowfreqxyelas0pairs[[kk]][2] - coherlowfreqxypairs[[kk]][2];

coherhighfreqxyelas0pairsdiff[[kk]][1] = coherhighfreqxyelas0pairs[[kk]][1];
coherhighfreqxyelas0pairsdiff[[kk]][2] =
  coherhighfreqxyelas0pairs[[kk]][2] - coherhighfreqxypairs[[kk]][2];


]

(*plot settings*)
plotrangecoherlowfreq = {{-8, 8}, {-1.65, 0.55}};
YTicks = {{0.0, "0.0", {0, 0.03`}}, {0.5, 0.5, {0, 0.03`}},
  {-0.5, -0.5, {0, 0.03`}}, {1.0, "1.0", {0, 0.03`}}, {-1.0, "-1.0", {0, 0.03`}},
  {0.1, Null, {0, 0.02`}}, {0.2, Null, {0, 0.02`}}, {0.3, Null, {0, 0.02`}},
  {0.4, Null, {0, 0.02`}}, {0.6, Null, {0, 0.02`}}, {0.7, Null, {0, 0.02`}},
  {0.8, Null, {0, 0.02`}}, {0.9, Null, {0, 0.02`}}, {-0.1, Null, {0, 0.02`}},
  {-0.2, Null, {0, 0.02`}}, {-0.3, Null, {0, 0.02`}}, {-0.4, Null, {0, 0.02`}},
  {-0.6, Null, {0, 0.02`}}, {-0.7, Null, {0, 0.02`}}, {-0.8, Null, {0, 0.02`}},
  {-0.9, Null, {0, 0.02`}}, {-1.1, Null, {0, 0.02`}}, {-1.2, Null, {0, 0.02`}},
  {-1.3, Null, {0, 0.02`}}, {-1.4, Null, {0, 0.02`}}, {-1.5, "-1.5", {0, 0.03`}}};

(*plot*)
ListPlot[{coherlowfreqxyelas0pairsdiff, coherhighfreqxyelas0pairsdiff,
  coherlowfreqxyvisc0pairsdiff, coherhighfreqxyvisc0pairsdiff},
  Joined → True, PlotMarkers → plotmarkers, PlotRange → plotrangecoherlowfreq,
  ImagePadding → {{pady, pad2}, {padx, pad2}},
  ImageSize → 400, LabelStyle → {FontSize → fntsize},
  PlotStyle → plotstylecoh4, Background → White, Frame → {True, True, True, True},
  FrameStyle → Directive[Black, Thick], FrameLabel → framelabelscoherdiff1,
  FrameTicks → {{YTicks, None}, {XTicks, None}}, Axes → {False, False}]

```

Out[834]=



Out[843]=

