
P1 Project

- Mobile robot for localization of landmines -

Project Report
ROB1 B332

Aalborg University
The Technological Faculty for IT and Design
Department of electronic systems



The Technological Faculty for IT and Design
Department of electronic systems
Niels Jernes Vej 10, 9220 Aalborg Øst
<http://www.aau.dk>

AALBORG UNIVERSITY

STUDENT REPORT

Title:

Mobile robots used in Humanitarian demining

Theme:

Reality and models

Project Period:

ROB1 P1 1st Semester

Project Group:

B332

Participant(s):

Jesper Poscholann Hammer
Maiken Cecilie Lanng
Kjartan Nolsøe Jespersen
Kristoffer Bang Andersen
Mark Kallestrup Keller
Simon Vilslev
Kasper Maarschalk Hytting

Supervisor(s):

Matthias Rehm

Copies: 1**Page Numbers:** 37**Date of Completion:**

November 12, 2020

Abstract:

Landmines are a major risk to civilian populations in affected areas. It is estimated that 59 countries still are influenced by landmines and other explosives. This provides a financial burden for governments and a health risk for the population in the proximity of these mine areas. The process of finding and removing landmines is called demining. This report mainly focuses on humanitarian demining, because of the needed assistance in making this easier, safer, and faster. Current humanitarian demining is a dangerous endeavour and therefore development in robotics to assist in demining is being made.

These robots vary a lot in their specifications and are still not properly implemented in the demining process. This could be because of the cost, the robots' specialization in singular types of mines, or the advanced systems and mechanics. Some of the current robots will be presented in this report.

Preface

Jesper Poscholann Hammer
jhamme19@student.aau.dk

Maiken Cecilie Lanng
mlanng19@student.aau.dk

Kjartan Nolsøe Jespersen
knje20@student.aau.dk

Kasper Maarschalk Hytting
khytti19@student.aau.dk

Contents

Title page	I
Preface	II
1 Introduction	1
2 Casualties	3
2.1 Casualties in Numbers	3
2.2 Casualty Demographics	5
2.3 Casualties by Mine Type	5
3 The Focus on the Problem	6
3.1 The History	6
3.2 UN's Involvement	7
3.3 The Financial Aid for the Cause	8
4 Mines and Specifications	10
4.1 What is a landmine	10
4.2 Explosions and pressure waves	10
4.3 Landmines, their Placement and Trigger Mechanisms	10
4.4 Landmines in Warfare	11
4.5 Landmines in Conflict Zones	12
5 Current market	13
5.1 Manual demining methods	14
5.2 Current Demining Robots	15
5.3 Sensors	16
5.4 Current Humanitarian Demining Robots	16
5.5 Issues with Current Solutions	19
6 Statements	20
6.1 Final Problem Statement	20
6.2 Delimitation	20
6.3 A Delimited Problem Statement	20
7 Requirements	21
7.1 Must Have	22

7.2	Should Have	24
7.3	Could Have	24
7.4	Will Not Have	24
7.5	Safety of Machinery	25
8	Practical requirements	26
9	code	31
9.1	make_box	31
	Bibliografi	33
	Glossary	36
A	Appendice A	37

1 Introduction

Landmine are encased explosive charges either buried just below the surface of the ground, buried deep under ground, or placed above ground hidden in bushes, grass, etc.

Landmines generally have more or less simple trigger mechanisms, such as [1]:

- Pressure sensors; reacting when weight of persons, vehicles, cattle, etc. exceeds a preset limit
- Tripwires; reacting when the wire is pulled or stepped on
- Remote control; manually detonating the mine from a remote position
- Timers; detonating the mine after a preset amount of time

The versatility and simplicity of landmines in combination with the strategic advantage of being able to effect the enemy, without tying own troops in the operation has made landmines a popular weapon to use in times of conflict and war throughout history.

Landmines are cheap to manufacture, and therefore they have been produced and deployed in great numbers since their invention. As a result, many active mines remain buried/hidden throughout the world. Presently, it is estimated that 59 countries are still affected by landmines.

However, statistics also show that the work done throughout the past 20 years has resulted in 2880 square kilometres of land being cleared of landmines, and more than 4,6 million anti-personnel mines being destroyed. It is estimated that there are more than 2000 square kilometres of landmine contaminated land remaining thru out the world [2].

The purpose of landmines range from preventing an opponent access to critical installations or areas of strategic value, to leading the enemy a specific way on the battlefield, to simply instilling fear and demoralizing the enemy. Furthermore the minefield, also functions as an alarm system, because of the loud noise created by the explosions [2].

A heavy downside to mines is that they do not distinguish between military opponents, civilians or even animals.

This means that the usefulness of mines in times of war turns into a problem for the country and especially its population in the aftermath of the war. Landmines restrict access to parts of the country and limit the the population in utilizing agricultural land, roads, etc.

Landmines further effect the population, as many civilians fall victim to them each day - ether suffering death or serious injuries such as dismemberment or organ damages caused by fragments [2]

.

Over 20 years ago countries started a joint effort to rid the world of landmines. This involved putting more focus on the issue and laying in the financial resources needed to start the work of locating and destroying the landmines, which is also known as demining [2].

This joint effort is known as the Ottawa Convention, or formally: the Anti-Personnel Mine Ban Treaty. The treaty was drafted under the UN in 1997 and put into motion in 1999 [3].

The International Mine Action Standards, also known as IMAS, defines demining as such:

“Activities which lead to the removal of Explosive Ordnance hazards, including technical survey, mapping, clearance, marking, post-clearance documentation, community mine action liaison and the handover of cleared land. Demining may be carried out by different types of organizations, such as NGOs, commercial companies, national mine action teams or military units. Demining may be emergency-based or developmental.” [4]

IMAS also states that humanitarian demining and demining are interchangeable terms [4].

Demining still relies heavily on manual labour, which is very time demanding and involves a big risk of injury to the workers.

However, over the years a lot of advances have been made to speed up this process and reduce the risk to the workers. Some of these include heavy reinforced vehicles capable of withstanding explosions, intended to simply trigger the landmines by various mechanisms.

More recently these advances has had an increasing focus on semi-automated and fully automated systems, presently leading to the development of demining robots. Demining robots such as the MineWolf have been developed in order to remove mines in a way, that limits or excludes the human involvement in the direct detection and removal of the mines [5].

2 Casualties

Currently, a large part of the world is contaminated by mines and ERW as seen in figure A.1, this affects a large number of people in their day to day life. Landmines do not discriminate. Thus victims can be men, women, children, people from all nationalities, and ages. Hence as mentioned in the introduction, the Anti-Personnel Mine Ban Treaty was introduced in 1999, which has lead to yearly rising contributions from the state parties ever since. [6]

“A landmine is the perfect soldier: Ever courageous, never sleeps, never misses”

– Paul Jefferson, one of the earliest humanitarian deminers

2.1 Casualties in Numbers

The landmine monitor 2019 is a report formed by the International Campaign to Ban Landmines (ICBL) and the cluster munition coalition (CMC), the data in the report is processed by the Monitoring and Research Committee, a standing committee of the ICBL-CMC Governance Board. Which is comprised of five non-governmental organization (NGO)s, as well as Monitor research team leaders and ICBL-CMC staff and contributions from 11 countries. All of them contributing to writing the annual landmine monitoring report. Furthermore, the landmine monitor is approved and provided by the United Nations (UN) [6].




Figure 2.1: Casualties annually due to landmines/explosive remnants of war (ERW) (1999-2018) [6]

An increase in conflicts and wars in 2014-16, entails a big spike in the global number of casualties by landmines, as seen in Figure 2.1. These casualties come from two main categories of explosive war remains: The standard landmines and the ERW, which covers the unexploded ordnance (UXO). UXOs include weapons that failed to detonate and abandoned explosive ordnance (AXO). AXOs are weapons that have never been used in conflicts and were abandoned by the party that owned it [7].

As a result of the Mine Ban Treaty, the people who still use these banned explosives turned to make homemade and improvised mines, which is why most mines are of this kind today. This causes a lot of problems, because of the variety in design and internal contents of the mines, which makes it difficult to remove and destroy them. This is due to a lack of knowledge of the construction of the mines. The lack of reporting to the authorities, when an improvised mine is planted, entails many unrecorded casualties. In 2009-2014 where the global landmine casualties were at its lowest, it was estimated that there was annually between 700 and 1300 extra casualties, which is not included in these statistics.

Since the mine ban treaty was initially introduced, back in 1999, there have been recorded 130.745 casualties. The total sum of casualties in different countries is still rising every day, the 2019 report states that; the estimated number of casualties per day worldwide is 18 during the 19-year period from 1999-2018 [6].

Figure 2.2 states the countries with the highest total casualties from 1999-2018 caused by mines/ERW, were countries such as Afghanistan, Colombia, and Cambodia had a death count of 47.341 people - this corresponds to 36,2% of the total casualties during this period. These countries are or were experiencing conflicts and are members of the mine ban treaty, which implies that these countries have a higher number of improvised mines. This results in increased difficulty in removing the landmines. Furthermore, the listed countries have very different environments that raise yet another problem, and a need for a problem limitation, or a universal solution which can locate mines in all kinds of terrain [6].

State	Casualties
Afghanistan	27,670
Colombia	10,869
Cambodia	8,802
Syria	6,093
Iraq	5,533
Iran	5,221
Pakistan	4,755
Myanmar	4,623
Yemen	4,433
India	3,832

Note: States Parties to the Mine Ban Treaty are indicated in bold.

Figure 2.2: Countries with the highest total casualties (1999 – 2018) [6]

2.2 Casualty Demographics

Statistics show that there were at least 1.714 child¹ casualties in 2018 caused by mines/ERW. The child casualties made up 40% of all the casualties where the age was known. The statistics distinguish the sex of the children, showing that the vast majority corresponding to 84% are boys.

A broad look at the statistics from 2018 men and boys made up 88% of the casualties, whereas women and girls made up the remaining 12% of all casualties where the sex was known. Civilians represented 71% of casualties where the status² was known - these casualties were recorded in 38 states in different areas [6].

2.3 Casualties by Mine Type

In 2018, mines caused at least 4.885 casualties in total. These can be split up into four groups:

- Antipersonnel mines
- Anti-vehicle mines
- Improvised mines
- Other unspecified mines

The deadliest type of mine is the improvised mine, causing 3.789 casualties, which is the largest part of the total casualties registered, as seen in Figure 2.3. Out of the 3.789 casualties, it was recorded that 1.752 (46%) of these casualties were identified to be specifically improvised, antipersonnel mines. ERW does also have a large place in the statistics, causing 1.410 casualties [6].




Figure 2.3: Casualties by type of mine/ERW in 2018 [6]

¹Child casualties are defined as all casualties where the victim is less than 18 years of age at the time of the incident.

²The status ranges between military, civilian, deminer

3 The Focus on the Problem

3.1 The History

As one can see from the following list:

- Journals of the Continental Congress - Articles of War, 20 September, 1776 . [8]
An example: Section XIII, Article 12: Whatsoever officer or soldier shall misbehave himself before the enemy, or shamefully abandon any post committed to his charge, or shall speak words inducing others to do the like, shall suffer death.
- General Orders No. 100 : The Lieber Code, Instructions for the government of armies of the US in the field, 24 April 1863. [9]
An example: Article 16: Military necessity does not admit of cruelty - that is, the infliction of suffering for the sake of suffering or for revenge, nor of maiming or wounding except in fight, nor of torture to extort confessions. It does not admit of the use of poison in any way, nor of the wanton devastation of a district. It admits of deception, but disclaims acts of perfidy; and, in general, military necessity does not include any act of hostility which makes the return to peace unnecessarily difficult.
- Amelioration of the Condition of the Wounded on the Field of Battle (Red Cross Convention), First Geneva Convention; 22 August, 1864. [10]
*An example: Article 1: Ambulances and military hospitals shall be acknowledged to be neutral, and, as such, shall be protected and respected by belligerents so long as any sick or wounded may be therein.
Such neutrality shall cease if the ambulances or hospitals should be held by a military force.*
- Final Act of the Diplomatic Conference of Geneva, 12 August 1949. [11]
*An example: ARTICLE 34: During the last two world wars, hostages were imprisoned, often put in solitary confinement, deported and in many cases executed without previous warning or trial.
The International Committee of the Red Cross considered that the prohibition of such practices, which are based on contempt for the principle of individual responsibility for breaches of the law, must be one of the essential elements in the new Convention.*

Changes to the conduct of warfare by nations, and on a global scale, has been put in place. These conducts have also been updated to also contain articles enforcing practices , as Prof. Yves Sandoz writes, "for the protection of persons at the mercy of or in the hands of their enemy" and practices to prevent "Use of certain conventional weapons which may be deemed to be excessively injurious or to have indiscriminate effects" [12]




Figure 3.1: Timeline of the international campaign to ban landmines [13]

Looking through the figure 3.1 above, the NGOs started in 1991 to address the issues with landmines with a report, Coward's War - Land Mines in Cambodia, where in the report it was stated that the landmines resulted in devastating medical, social and psychological effects for Cambodia. [14]. As one part in warfare, landmines have been used, but they state problems for the local civilians in the contaminated areas, see chapter 2. And up until 1999 there was not any international law, enforced by the union of countries, to prevent countries at war to use landmines, but in 1999 the Mine Ban Treaty, also known as the Ottawa Treaty, became an international binding law that from 2000 was enforced by 100 countries, also referred to, on figure 3.1, as state parties. While this report was written, the Mine Ban Treaty is still being monitored by the ICBL. Publishing yearly the Landmine Monitor report. [6]

3.2 UN's Involvement

In 1997 the United Nations formed an initiative know as United Nations Mine Action Service (UNMAS) (Abbreviated UNMAS), UNMAS leads, coordinates and implements UN's demining efforts and to eliminate explosive hazards, according to UN the initiative has already saved lives and protected the livelihood of many civilians in areas of Libya, Colombia, Somalia, and many more Further more UNMAS provides some guidelines on how to give support to the survivors of landmines, although the support is mainly the responsibility of each state, but UNMAS does say that all survivors should be treated fairly, which means the survivors should be treated neutrally and without discrimination

3.3 The Financial Aid for the Cause

According to the ICBL Landmine Monitor (LM) 2018. The total support for Mine Action in 2018 was US\$699.5. The funding for Min Action, mentioned in chapter 1, goes into different sections within the umbrella term Mine Action. The ICBL has set the sections as in the following figure 3.2:

Sector	Total contribution (US\$ million)	% of total contribution	No. of donors	% of total dedicated contribution
Clearance and risk education	396.9	62%	26	93%
Various	182.6	28%	23	N/A
Victim assistance	44.7	7%	16	4%
Capacity-building	14.0	2%	15	2%
Advocacy	4.4	1%	13	1%
Stockpile destruction	0	0%	0	0%
Total	642.6	100%	N/A	

Note: N/A = not applicable. "Dedicated contribution" (non-various funding) totaled \$460million in 2018 and included funding set for a specific sector (advocacy, capacity-building, clearance, risk education, stockpile destruction, or victim assistance). The "0" in stockpile destruction in 2018 does not mean states expended no funds for that activity, but rather that none of the contributions reported in 2018 detailed dedicated stockpile destruction funding.

Figure 3.2: Contributions by thematic sector 2018 [6]

The descriptiveness follows, mostly taken from LM:

- Clearance and risk education
***Clearance** – Tasks or actions to ensure the removal and/or the destruction of all mine and ERW hazards from a specified area to a specified depth*
***Mine/ERW risk education** – Activities which seek to reduce the risk of injury from mines and ERW by awareness-raising and promoting behavioral change, including public information dissemination, education and training, and community mine action liaison*
- Various
Expenses that are not, or have not been, categorised into the other areas.
- Victim assistance
Victim assistance includes, but is not limited to, data collection and needs assessment, emergency and continuing medical care, physical rehabilitation, psychological support and social inclusion, economic inclusion, and laws and public policies to ensure the full and equal integration and participation of survivors, their families, and communities in society.
- Capacity-building
At the individual and organizational level, the focus is on increasing the availability of information and participation of underprivileged, underserved, or impoverished members of society. The purpose of these activities is to give voice and status to previously underrepresented populations. The mechanisms for building individual capacity are often leadership training, political activism, and community development. Programs that build awareness are also often highlighted. For nonprofit organizations and communities, capacity is built through technical assistance, organizational development, and interorganizational collaboration [15].

- Advocacy
The most important assets at the disposal of advocacy networks are information and communication. Information is deployed to change actors' perceptions and preferences and ultimately their behaviours. Information is invariably a critical component of conventional and unconventional campaign tactics, including education and capacity building, public relations, petitions, lobbying, and product or producer boycotts[16].
- Stockpile destruction
Destruction of stockpiled anti-personnel mines

4 Mines and Specifications

4.1 What is a landmine

Landmines are explosive devices with an unmanned trigger mechanism. Landmines are constructed with the specific needs to either disable vehicles or personnel. The content of mines varies based on target area, but all mines have a trigger mechanism and a main explosive charge. Mines usually consist of an explosive chain reaction being initiated by the trigger mechanism. As in the case with figure xx2 the chronological order of initiation is the fuse then the detonator or igniter followed by the booster charge and finally the main charge. Landmines have different shapes and sizes based on their intended target. anti-personnel mines are usually small




Figure 4.1: Composition of Vehicle Landmine [17]

4.2 Explosions and pressure waves

Explosive material is overall but into two types; low and high explosive. A low explosive material creates a pressure wave with enough force to push/move objects possibly at great velocity. High explosive material creates shockwaves that potentially crush objects at relatively close proximity (to the detonation) while pushing away anything in its radius. Low or high explosive refers to the burn rate of material. A pressure wave from an exploding landmine is usually created by expanding gasses released from the combustion of the main charge. This wave of pressurized gasses travels outwards from the explosion in all directions with its highest velocity in the beginning and then fast decelerates over the distance. At some point the wave moves backwards to fill out the vacuum created by the explosion at the origin point of the wave [18].

4.3 Landmines, their Placement and Trigger Mechanisms

For an anti-personnel landmine to be effective against its subject For landmines to be effective against “enemy” forces they have to be hidden out of sight while close enough for its detonation to release a critical force upon the target/subject. Often range from 60-140 mm in diameter. **Anti-personnel** mines have two main ways of injuring the subjects;

1. The force of the shock-wave crushing and “throwing” away the subject.
2. The casing of the mine and its surrounding is accelerated in all directions by the explosion, penetrating objects in a large area

Mines meant to crush the victim with the pure force of the shock-wave has to be placed in close proximity to the target. One way to compensate for the distance is sizing up the explosive charge for a greater blast radius. The trigger mechanism for this type of mine is usually part of the casing of the mine, meaning the victim/target is required to disturb the mine directly. The most common trigger mechanism here is in integrated presurplate built into the mine requiring the victim/target to step on or possibly just close to it depending on the trigger's sensitivity. The other type of anti-personnel landmines are **pre fragmented landmines** placed on or possibly over the ground with the main effect on victims being fragments of the outer casing and (as well as) the surrounding. The advantage here is a larger area of effect while the downside is the mine and the tripwire being visible as seen on figure 4.2. **Anti-vehicle** mines usually range from 1 - 20 kg and either target the wheels, control device and engine or the “belly” of the vehicle.



Figure 4.2: An AP Stake Mine with tripwire, Kosovo [19]

4.4 Landmines in Warfare

Deploying landmines in conventional warfare has been done in a wide variety of ways over the time. The most common is minefields laid by hand and usually mapped by combat engineers to make the removal of it more convenient. These landmines usually get hidden in the ground and they can be a combination of anti-personnel and anti-vehicle mines. It depends entirely on whether or not the armed forces have the capacity and the will to do so. In war it is not always possible to make an accurate map over the deployed mines location. Sometimes it comes down to the time required while other times it depends on the method of deployment e.g. with usage of cluster munition from artillery and aircrafts to deliver multiple mines at a time and even as an offensive do to the long range. With this method it is nearly impossible to make an accurate map of the newly deployed minefield as well as marking the minefield. Although they will be visible at first, they will end up blending in with nature over time and as years pass they may sink into the ground. In **conventional warfare** these fast but nearly impossible to map methods are often avoided because of their harmful effect on the land during and even after the war/conflict. A common use of landmines are minefields made with the purpose of leading the enemy forces into an disadvantageous position in the terrain, allowing friendly troops to take a favorable position turning it into a battlefield. This is all part of a defensive maneuver where the enemy has to choose between moving through the minefield or possible into an ambush. When preparing an ambush the defending army will choose an advantageous position, usually some sort of high ground. Then place or prepare an obstacle with the purpose of bringing the enemy to a

full stop. When that happens the intruding force would be taken under fire and forced to either push through the obstacle or fall back. Such obstacles could be large objects on the road blocking passage or barbed wire. It would likely be reinforced by numerous landmines to make the removal even more difficult and time consuming. At this point the attacking force would be desperate to breach through to the obstacle, possibly using explosives to speed up the process. Doing this mine from around the obstacle would be displaced and the entire maneuver would make it extremely difficult to find the landmines afterwards.

4.5 Landmines in Conflict Zones

For unconventional warfare there are no rules and thereby almost nothing to protect civilians as well as the land from being “affected” more than necessary by the conflict. In this case it is unlikely that the unconventional force has access to mass production of landmines and therefore makes use of improvised solutions. This could involve re-purposing other types of munition into creative but unorthodox landmines and explosive devices also known as improvised explosive devices (IED).

5 Current market

The process of humanitarian demining consists mainly of three aspects, firstly to prepare the terrain or mine-affected area. This includes removing objects and clearing of vegetation, which is mostly done by heavily armoured vehicles. That process usually triggers some of the mines but not all. Secondly is to precisely locate the mine and thirdly to remove or destroy it [20].

New technology should try to help in one of these areas. Multiple methods for demining have been developed since the introduction of landmines in warfare. These methods vary from, training and using animals for mine localisation, to using advanced technology for localisation and demining. Regarding this, advanced technologies are in use, these are however mostly reserved for the military [20]. The process of military demining is in some ways like humanitarian demining. However, it is different in the way, that the goal is not to clear the minefields and make them safe for civilian use, but to make a safe passage through the minefields [20]. A comparison between these, military and humanitarian demining, can be seen in Figure 5.1.

	Military Demining	Humanitarian Demining
Purpose	Rapid military passage (e.g., breaching mine fields)	Long-term restoration of land for civilian use
Timing	During war/conflict	After war/conflict, during reconstruction
Clearance goal	70–90%	Virtually 100%
Devices (current usage)	Heavy vehicles (e.g., with flails, rollers, and excavators), advanced technology (including multi-sensor detectors, vehicle-borne and handheld)	Primarily metal detectors, handheld prodders, simple tools

Source: Adapted from Furihata and Hirose (2005: 338).

Figure 5.1: Comparison of Military and Humanitarian Demining [20]

In military demining-operations, armoured machines or vehicles are often used since they activate the mines and hereby destroy them. Nevertheless, these vehicles have shown to be ineffective in difficult terrain and are mostly reserved for the military [21]. Even though advancements in technology are being made, they still need more development, testing, and a cost reduction, before they can be properly implemented by humanitarian workers [20].

5.1 Manual demining methods

5.1.1 metal detectors

a metal detector is used to measure disturbances in magnetic fields caused by metal objects in the ground. the problem with this is that it is a very slow process.

5.1.2 mine prodding

Mine prodding Which is accomplished by using some form of prodding tool a trowel, bayonet or something of similar length and sharpness. When mine prodding the goal is to ascertain the location of a mine that has previously been located by a metal detector. The prod is inserted in the dirt at around a 30 degree angle and it is then pushed into the ground with the goal of hitting the mine at an angle so as to avoid the triggering mechanism. Mine prodding is only used in the excavating of mines that have been found using a metal detector or similar method in humanitarian demining as it is considered to be too dangerous to use for locating mines.

5.1.3 animals in demining

Attempts to use animals to locate mines have proven somewhat useful; An example of this dogs and rats have been used for locating mines. Dogs have proven somewhat useful in this regard as they can be trained to sniff out the explosives. The problem with using dogs for locating mines is that the dogs get often get confused if there is more than one source of the smell they are trying to locate [22]. Rats can be trained for this as well but have not had this problem[23]. Another problem in the use of animals is that you can not be as methodical in your search as you might like.

5.1.4 visual inspection

Locating a mine using visual detection. Is as the name implies to attempt to locate mines using vision. While the accuracy of a visual inspection can be improved with knowledge of mines and methods of hiding them it is still not a very trustworthy method for locating[24].



(a) Finding landmines with metal detector [25]



(b) Rats sniffing out bombs



(c) Dogs sniffing out landmines

It becomes very clear that advancements and innovations in humanitarian demining should be made. Robots could be a huge help in demining an area since they potentially eliminate the human risk

associated with detecting landmines. Multiple demining robots have already been made with the intent of finding and/or disposing landmines and unexploded ordinance. These robots each work very differently and use different technology to detect landmines all to make the demining process easier, faster, and safer [26].

5.2 Current Demining Robots

In general, modern humanitarian ground-based demining robots can be divided into three categories, based on movement types.

- Continuous track robots
- Wheeled robots
- Legged robots

Each of these types has its strengths and weaknesses. Where continuous tracked and wheeled robots provide easy accessibility, since most of the parts required for construction can be found in local existing technologies, their contact to the ground is high, which increases the risk of accidentally triggering a mine. Opposite to this, the legged robots have a smaller contact area with the ground and therefore run with a smaller risk of triggering. On top of this, legged robots provide omnidirectional movement, i.e. it can change directions while not needing to make a turn, ex. going in one direction, stopping, continue in 27 degrees left from the previous direction. This derivatively decreases the risk of accidental triggers even more [21]. However, we assume these robots require more advanced mechanical systems, which increases cost, and the need for specialised parts that are less likely to be found in the local area where the demining takes place. Wheels can be made omnidirectional as well, but that solution is not suitable for rough terrain, due to various places that dirt can get stuck.

It is our opinion that the tracked and wheeled solutions outweigh the legged robots in the current market, mainly for their simplicity in both construction, system, and operator requirements. Furthermore, we assume that wheels are cheaper than tracks, due to fewer parts, needed to construct a wheel, than a track. Therefore, we want to work with a wheeled robot.

Humanitarian demining robots can likewise be divided into 3 categories based on autonomy, as such:

- Fully operator-controlled robots
- Semi-autonomous robots
- Fully autonomous robots

A fully operator-controlled robot can have a simple design. But these robots require a highly qualified/trained operator, to make full use of the robot. We assume that these operators are hard to come by in the local area, this can be thought of as an issue for these types of robots.

Moving up the categories to more autonomous solutions, would, of course, be a more ideal solution because this would decrease human error and the human risk factor, i.e. operator will not be close to a possible explosion. However, this, as with anything else, comes with higher expenses and without further improvements on the robots, to lower the expenses it could be difficult to make them it more

affordable [21]. Although we assess that a fully autonomous solution will be cheaper in the long run, based on operating expenses. Therefore, we prefer a fully autonomous solution.

5.3 Sensors

We already provided information on less advanced methods for mine detection, see ‘Primitive demining methods’, however more advanced technology such as the use of detection sensors could provide a safer alternative. These sensors can be divided into the following groups [27]:

- Explosive detectors
- Electromagnetic sensors
- Electro-optic sensors

Explosive detectors are used to detect the explosive material of a mine. Electromagnetic sensors, such as metal detectors (MD), which are used to measure magnetized metals, or ground penetrating radar (GPR), which can identify plastic. An electro-optic sensor such as an infrared sensor (IR), uses light waves to measure the distance to some objects in the soil. All these could potentially be used to locate mines [27].

Limitations on these sensors do exist, which is why a combination of multiple sensors might be the best option for a mine detection robot. For instance, an electro-optic sensor such as an infrared sensor cannot be used to centre specific mines. This means they are only capable of scanning an area. Ground-penetrating radar is relying on the ground condition to determine the depth of its ground penetration but can however detect other materials than metal beneath the ground. Metal detectors might be cheap and reliable but can, as the name implies, only detect metal [27]. So in general, making a robot effective, means using a few different sensors and detectors to cover the limitations of the single one [21].

5.4 Current Humanitarian Demining Robots

Since humanitarian demining still heavily relies on dangerous primitive techniques, a lot of re-search is being done with the intent of creating a viable robot to be used in humanitarian demining. Figure 5.3 shows a table, which is taken from [28]. It presents six modern-day field robots with different specifications, all of which have been presented as a possible solution to the demining problem [28]. As seen in Figure 5.3 these demining robots vary a lot in terms of design, cost, size, sensor technology, and operation time. Some are made with the intent of removing mines and some only to locate them [28]. We will only specify robots used for detecting mines. The robots have different qualities which makes them relevant in the specific context they were built to handle. For example, the ARES robot in Figure 5.3 might be relatively lightweight (80 kg) and cheap ($\geq 7.500\text{€}$) but are only capable of detecting the explosive TNT.

Following this is a presentation of some current demining robots. These are chosen to give insight into the various pros and cons, that the current day robots have to offer. The presentation will include some of the major aspects of the robots, and the usefulness that they each provide. In addition, the mentioned robots will illustrate the diversity in demining robots and how some of their specifications give an advantage or disadvantage when detecting mines.

	Type	Autonomy	Cost	Dimensions (L×W×H)	Speed (m/s)	Mine Handling	Additional Capabilities	Operation Time	Payload
 Gryphon-IV [14]	Four-wheeler all-terrain vehicle (Yamaha GRIZZLY 660)	Remotely Controlled or Manually driven	≥ 30,000€	2.08×1.15×1.20 (m) without the long-reach 3 m manipulator	Typical: 1.5 Max: 5.0	Non-metallic pantograph arm with 3DOF with GPR and MD	Terrain modeling, Stereo vision, RTK GPS, Long Range WiFi	10 h Gasoline (25 L tank)	170 kg
 SILO-6 [16]	Six-legged walking robot (hexapod)	Semi-Autonomous	≥ 15,000€	1.38×0.95×0.76 (m) without the ≈1 m manipulator, 71.34 kg	Typical: 0.1 Max: 0.5	5 DOF manipulator with IR range sensors placed around the MD	EKF fusing DGPS and odometry, Radio Ethernet, Electronic compass	1 h DC Batteries	5.7 kg
 RMA tEODor [17]	Heavy Tracked Outdoor Platform	Semi-Autonomous	≥ 50,000€	1.3×0.7×1.24 (m) without the MD system, 350 kg	Max: 0.8	Multi-Channel system with 5 independent MDs	Adjustable soil compensation, Bumpers, 4 cameras, Traversability analysis, Long Range WiFi	2-3 h Lead-gel rechargeable battery; 4 x 12 V, 85 Ah	27 kg max: 200 kg
 ARES [18]	Four independently steered wheels vehicle	Semi-Autonomous	≥ 7,500€	1.36×1.51×0.66 (m), 80 kg	Typical: 0.5 Max: 1.0	TNT detection using odor sensor	Different locomotion modes, DGPS, magnetometer, Long Range WiFi, Sonars, Stereo Vision	4 h Lead-Acid Batteries	N/D
 FSR Husky [19]	Four-wheeler all-terrain vehicle (Clearpath Husky A200)	Semi-Autonomous	≈ 23,000€	0.99×0.67×1.35 (m) without the mine-clearance arm, 70 kg	Max: 1.0	2 DOF mine-clearance arm with MD and artificial nose	2 stereo cameras, Pan/Tilt LRF, RTK GPS with IMU, Long Range WiFi	3 h Sealed lead acid 24V, 20Ah	20 kg max: 75 kg
 LOCOSTRA [20]	4 wheeled agricultural mini tractor with articulated skid steering	Remotely Controlled	≈ 50,000€	3.5×1.6×2.15 (m) without the excavation system, 1850 kg	Typical: 3.0 Max: 8.3	Landmine removal by excavation	AP blast resistant wheels, Vegetation cutters, 2 IP cameras, Long Range WiFi	Diesel (50 L tank)	max: 1800 kg

Figure 5.3: Deploying field robots for humanitarian demining: Challenges, requirements, and research trends, 2014 [28]

5.4.1 CSIRO, Data61, and Molten Labs

This is a newly developed mine detection and clearing robot, which uses metal detector sensors to detect mines and could be fitted with a powerful torch that can incinerate mines. We selected this robot because of its ability to collaborate between multiple robots of the same type and the ability to visualize cleared areas. The robot, which is said to approximately be the size of a golf cart, is developed by CSIRO, Data61, and Molten Labs. The robot is fully autonomous and is intended to work together with multiple robots of the same kind. These robots can attach to each other, which also makes them able to drag a malfunctioned robot out of the contaminated area. Furthermore, it allows for quicker mine-clearing when multiple robots are working together. This robot uses a spray-painting system to physically mark the ground that visually shows the areas which have been cleared of mines



Figure 5.4: Autonomous Ground Vehicle for Landmine Clearance [29]

[29]. It however is a big machine and it could be a troublesome endeavour to deploy multiple robots in a remote area.

5.4.2 HUMI

This is a six-wheeled semi-autonomous robot used for detecting landmines. We have chosen this robot because of its weight and size. Even though this robot is only a prototype, a demining robot which is based on the prototype HUMI, has been set into full-scale production. HUMI is a light-weight (24,4 kg) demining robot made to be cost-effective. This means that the robot uses cheap available technology such as a landmine detector and its controller. The robot relies heavily on being small, cheap, and easy to use. Its shortcomings are that it is not fully autonomous, only relies on a single metal detector, and that the perception sensors were not available at a reasonable price when it was made [30].



Figure 5.5: HUMI; A Mobile robot for landmine detection [30]

5.4.3 ClearPath Husky

This robot is a four-wheeled all-terrain robot. We included this one because of the modularity it provides. This is the main advantage of it. While not specifically designed for demining, ClearPath offers a broad variety of packages to the robot, which can allow the robot to do a multiple of different tasks. The manipulator package is the most ideal package for a demining purpose, this pack-age includes a robotic arm. Of course, this should be in a combination with a metal detector and/or other types of detectors [31]. This was done in the HRATC 2015 competition, which is a community demining competition, in which the goal is to create the best search and mapping algorithm [32]. The Husky provides a great traverse ability and can carry a high payload, even in rough terrains. The Husky is priced somewhere in the middle of the price range, as seen in Figure 8. However, it lacks a purposefully designed software for a humanitarian demining operation [31].



Figure 5.6: Husky: Unmanned Ground Vehicle-Robot [31]

An example of the types of sensor which could be used can be seen in Figure 5.3.

5.4.4 SILO-6

This robot is also mentioned in Figure 5.3. It provides a very interesting design, which is very different from the rest of the spectrum. We have selected this because of the six-legged platform which is different from the other examples. This makes it very mobile even in rough terrain and gives a lot of freedom when moving because of the independently moving legs. Six legs have proven to increase stability compared to four legs and are stable in natural terrain which is important when using some sensing technologies. It is fitted with a metal detector but could be getting additional sensors if needed. It is a relatively lightweight (71,34 kg) semi-autonomous robot [21]. This robot could however be hard to replace or do repair work on. Its legs most likely require specially made parts.



Figure 5.7: SILO-6 In action [21]

5.5 Issues with Current Solutions

The current solutions have a lot of potential in helping humanitarian demining. Although there is a reason why they are not already hugely implemented in humanitarian work. Every robot has its compromises. It is our intent, to identify and summarise these compromises.

Some of the major issues of the current use of robots, involve oversized robots. Most of them weigh over 70 kg. This increases the chance of accidentally activating a mine. HUMI is the only light robot, but this also limits the available space for sensors. But with optimization, and newer technologies available, it should be possible to fit other sensors as well. Robots that weigh hundreds of kilograms and are based on all-terrain vehicles (ATV) or golf carts provide issues regarding transportation. Other robots are limited in the lack of software, and some are limited because of the potential price to repair parts. Most solutions are quite expensive as shown in Figure 5.3 and this cost would properly be an issue for many humanitarian organizations' budgets. Overall, most of the robots are good solutions, but we propose a solution which also takes these aspects into consideration.

6 Statements

6.1 Final Problem Statement

With the regard to current state-of-the-art (SOTA) demining robots, how to, with a new demining robot product, make improvements on the SOTA areas regarding the speed and proficiency in locating, and mapping, mines in heavily contaminated areas in Afghanistan.

6.2 Delimitation

Due to time constrain, designing a new demining robot product that could satisfy the needed requirements in the final statement, i.e. increased speed in localisation and mapping, maneuverability on any surface other than on an indoor flat surface, we made a delimited problem statement.

6.3 A Delimited Problem Statement

How we get the Turtlebot 2e to act as proof of concept for the part of our final problem statement which addresses the need for an algorithm to make a robot map an area while in the process of locating objects which have the same attributes as various landmines

7 Requirements

Testing 123 Prøver igen hehe

Detection robots should be developed to assist in demining in the best possible way, and it is advisable to specify the system and the mechanics of the robot to produce a testable prototype. With this in mind, the project group has derived requirements for the mobile-robot. The requirement specifications are based on the knowledge gained in the problem analysis. These sections imply what detection robots should be able to do, as well as the legislation which must be followed during the design of the robot. These requirements must be met for the robot to effectively work as a detection robot. Likewise, our must- and should-have requirements have been founded on our knowledge of existing robots and literature

The following requirements are set by the MoSCoW method for requirements specification followed by a suitable test method for the given requirement.

- | |
|----------|
| M |
|----------|

 Must Have: Non-negotiable requirements that is mandatory for the project group
- | |
|----------|
| S |
|----------|

 Should Have: Important requirements that are not vital, but add significant value
- | |
|----------|
| C |
|----------|

 Could Have: Nice to have requirements that will have a small impact if left out
- | |
|----------|
| W |
|----------|

 Will Not Have: Requirements that are not a priority for this specific time frame

7.1 Must Have

7.1.1 Move from A-B

The robot should be able to move from A to B.

Testing Strategy

This will be tested by having the robot move from one point to another.

7.1.2 Moving in Terrain

More than just moving, it should be able to do so in difficult terrain; move up and down hills, over soft ground, through tall grass and smaller branches.

Testing Strategy

This will be tested by having the robot move around in various terrain. the terrain it will be tested in will be as follows. loose sand, mountain areas. lightly vegetated terrain and tall grass.

7.1.3 SLAM (Simultaneous Localization And Mapping)

Find its own location, map its movement, make a route that covers the entire area while avoiding obstacles by adapting the route.

Testing Strategy

Place the robot within an area and let it “search”, then see if it gets stuck or leaves out areas. if it does then it is a fail.

7.1.4 Avoid triggering landmines, driving off a cliff or hitting objects

Use sensor data to locate obstacles such as trees, stones, cliffs and other non-passable areas along the route as well as tripwire.

Testing Strategy

Set up different obstacles with the search area and let it search the area, if it collides with any of them then it is a fail.

7.1.5 Search for metal

Search the area in and above for metal.

Testing Strategy

Place metal below and above the ground and see if it can find it. if it does not find all then it is a fail.

7.1.6 Enough power for hardware (battery/power source)

Have a power source.

Testing Strategy

See if it can turn on and use all functions if not then it is a fail.

7.1.7 Reusable (battery/fuel)

Can be refueled and or recharged.

Testing Strategy

Refill/recharge the machine with the chosen source of power.

7.1.8 Can be refueled and or recharged

Have a power source.

Testing Strategy

Refill/recharge the machine with the chosen source of power.

7.1.9 Mark landmines location in a physical world

Be able to mark locations of the objects it is searching for in a physical world.

Testing Strategy

Have the machine locate and object in its intended terrain and use the chosen marking method on the object's location.

7.1.10 Mark landmines in a virtual map

Be able to mark locations of the objects it is searching for in a virtual map.

Testing Strategy

Have the machine locate and object in its intended terrain and use the chosen marking method in the virtual map.

7.1.11 Resistant to environment

It must be able to function in the Afghan climate. This is to say, be able to handle the local temperatures and other natural hazards such as sand and rain.

Testing Strategy

Can be tested by having it run in temperatures that range from the chosen location's minimum temperature to its maximum temperature. preferably at both lower and higher temperatures than necessary. have it run while sand is being poured on it and have it run while water is being poured on it.

7.2 Should Have

7.2.1 Battery time

The robot should have a power source that enables it to operate it's intended tasks for XX hours.

Testing Strategy

Calculation of the robots battery time followed by a series of runtime tests to conclude the calculations

7.3 Could Have

7.3.1 Moveable sensors

The robot can move the sensors to more precisely pinpoint landmine locations in the ground

Testing Strategy

7.4 Will Not Have

This section will be taken into use in the practical requirements (chapter 8)

7.5 Safety of Machinery

When designing a robot, standardization/legislation can not be disregarded as a focus point, thus the robot should be designed in correlation to the following standards for security measures and international (ISO) standardisation of robotics.

To accommodate the Machine Directive 2006/42/EC, which is required for the robot to be CE marked, the robots should be designed with the following standards in mind

- **Emergency stop**
The robot should have an emergency stop as a security measure, if unintended behaviour appears in correlation to DS/EN ISO 13850:2015
- **Safety-related parts of control systems**
 - Principles of design DS/EN ISO 13849-1:2015
 - Validation DS/EN ISO 13849-2:2014
- **Requirements for wireless control systems of machinery**
The robot are to be designed in correlation with DS/EN 62745:2017, which describes communication between portable operator control stations and the robot
- **Degrees of protection provided by enclosures**
The robot should be designed with a rating of IP-64 In correlation to DS/EN 60529+A1:2002
- **Coordinate and motion nomenclatures**
Movement in an coordinate system based map should be standardized in correlation to DS/ISO 9787
- **Collaborative robots (Collision detection)**
The robot should be tested in regard to the limiting values of collision detection described in DS/ISO/TS 15066
- **Risk assessment**
A risk assessment should be performed to ensure a decrease of potential security risks in regards to DS/EN ISO 12100:2011

8 Practical requirements

Within the time frame of this project the project group plan to have the Turtlebot 2e act as proof of concept as stated in the delimited problem statement (Section 6.3), thus all of the requirements are not able to be met and must be delimited in regard for the problem statement. Therefore a list of practical requirements is listed in the following section, which takes this into account. Test methods will be as stated in the requirements chapter.

Must Have

- Moving (section 7.1.1)
- SLAM (Simultaneous Localization And Mapping) (section 7.1.3)
- Avoid triggering landmines, driving off a cliff or hitting objects (section 7.1.4)
- Search for metal (section 7.1.5)
- Enough power for hardware (battery/power source) (section 7.1.6)
- Reusable (battery/fuel) (section 7.1.7)
- Can be refueled and or recharged (section 7.1.8)
- Mark landmines location in a physical world (section 7.1.9)
- Mark landmines location in a virtual map (section 7.1.10)

Should Have

- Battery time (section 7.2.1)

Could Have

Not significant for this requirement section

Will Not Have

- Moving in terrain (section 7.1.2)
- Resistant to environment (section 7.1.11)
- Moveable sensors (section 7.3.1)

Table 8.1: Requirements

#	Name	Description	Testing section
1	Mapping	The robot should be able to map the surrounding environment to a .pgm image file with corresponding .yaml definition file	Section(x.x)
3	Map Structure	The robot should be able to divide a given environment map into a grid with a width of 350mm, for the purpose of plotting a search route	section(x.x)
2	Navigation	The robot should be able to navigate autonomously through a variety of terrains in Afghanistan, using the .yaml environment map	Section(x.x)
4	Obstacle avoidance	123.456778	8888
5	abcdef ghijklmn	123.456778	8888
6	abcdef ghijklmn	123.456778	8888
7	abcdef ghijklmn	123.456778	8888
8	abcdef ghijklmn	123.456778	8888
9	abcdef ghijklmn	123.456778	8888
10	abcdef ghijklmn	123.456778	8888
11	abcdef ghijklmn	123.456778	8888
12	abcdef ghijklmn	123.456778	8888
13	abcdef ghijklmn	123.456778	8888
14	abcdef ghijklmn	123.456778	8888
15	abcdef ghijklmn	123.456778	8888
16	abcdef ghijklmn	123.456778	8888
17	abcdef ghijklmn	123.456778	8888
			Continued on next page

Table 8.1 – continued from previous page

[illegible]

Table 8.1 – continued from previous page

#	Second column	Third column	Fourth column
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
			Continued on next page

Table 8.1 – continued from previous page

#	Second column	Third column	Fourth column
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888
One	abcdef ghijklmn	123.456778	8888

9 code

9.1 make_box

```
1
2 #include <cstdlib>
3 #include <ros/ros.h>
4 #include <geometry_msgs/Twist.h>
5 #include <turtlesim/TeleportAbsolute.h>
6 #include <turtlesim/SetPen.h>
7
8 int main(int argc, char *argv[]) {
9     ros::init(argc, argv, "make_box");
10
11     float box_size = ros::param::param("~box_size", 9.0);
12
13     ros::NodeHandle nh;
14
15     ros::service::waitForService("/turtle1/teleport_absolute", -1);
16
17     ros::ServiceClient teleport_client =
18         nh.serviceClient<turtlesim::TeleportAbsolute>("/turtle1/teleport_absolute");
19     ros::ServiceClient pen_client =
20         nh.serviceClient<turtlesim::SetPen>("/turtle1/set_pen");
21
22     turtlesim::SetPen pen_srv;
23     pen_srv.request.off = true;
24     pen_client.call(pen_srv);
25
26     turtlesim::TeleportAbsolute srv;
27
28     srv.request.x = 5.5-box_size/2;
29     srv.request.y = 5.5-box_size/2;
30     teleport_client.call(srv);
31
32     pen_srv.request.off = false;
```

```
32  pen_srv.request.width = 10;
33  pen_srv.request.r = 130;
34  pen_srv.request.g = 130;
35  pen_client.call(pen_srv);
36
37  srv.request.x = 5.5-box_size/2;
38  srv.request.y = 5.5+box_size/2;
39  teleport_client.call(srv);
40
41  srv.request.x = 5.5+box_size/2;
42  srv.request.y = 5.5+box_size/2;
43  teleport_client.call(srv);
44
45  srv.request.x = 5.5+box_size/2;
46  srv.request.y = 5.5-box_size/2;
47  teleport_client.call(srv);
48
49  srv.request.x = 5.5-box_size/2;
50  srv.request.y = 5.5-box_size/2;
51  teleport_client.call(srv);
52
53  pen_srv.request.off = true;
54  pen_client.call(pen_srv);
55
56  srv.request.x = 5.5;
57  srv.request.y = 5.5;
58  teleport_client.call(srv);
59
60  pen_srv.request.off = false;
61  pen_srv.request.width = 4;
62  pen_srv.request.r = 10;
63  pen_srv.request.g = 130;
64  pen_srv.request.b = 200;
65  pen_client.call(pen_srv);
66
67  return 0;
68 }
69
70 Testing
```

Bibliografi

- [1] The Editors of Encyclopaedia Britannica. Mine. URL: <https://www.britannica.com/technology/mine-weapon> (visited on 10/26/2020).
- [2] Nick Cumming-Bruce et al. Clearing the Mines. Norwegian People's Aid, 2019. URL: https://www.npaid.org/files/NPA_Clearing_the_Mines_2019.pdf (visited on 10/26/2020).
- [3] International Campaign to Ban Landmines. Convention on the prohibition of the use stockpiling production and transfer of anti-personnel mines and their destruction. International Campaign to Ban Landmines, 1999. URL: <http://www.icbl.org/media/604037/treatyenglish.pdf> (visited on 10/26/2020).
- [4] United Nations Mine Action Service (UNMAS). Glossary of mine action terms, definitions and abbreviations. United Nations Mine Action Service (UNMAS), 2019. URL: https://www.mineactionstandards.org/fileadmin/MAS/documents/standards/Glossary_of_mine_action_terms_and_abbreviations_Ed.2_Am.10.pdf (visited on 10/26/2020).
- [5] Army-technology.com. MineWolf Mine-Clearance Machine, URL: <https://www.army-technology.com/projects/minewolf/> (visited on 10/26/2020).
- [6] ICBL-CMC. Landmine Monitor 2019. Someone feel, 2019. ISBN: 978-2-9701146-6-6. URL: <http://the-monitor.org/media/3074086/Landmine-Monitor-2019-Report-Final.pdf> (visited on 10/27/2020).
- [7] The Monitor. ERW. URL: <http://www.the-monitor.org/en-gb/the-issues/erw.aspx> (visited on 10/27/2020).
- [8] Journals of the Continental Congress - Articles of War, 20 September, 1776. URL: https://avalon.law.yale.edu/18th_century/contcong_09-20-76.asp (visited on 10/29/2020).
- [9] Francis Lieber LL.D. General Orders No. 100 : The Lieber Code, Instructions for the government of armies of the US in the field URL: https://avalon.law.yale.edu/19th_century/lieber.asp (visited on 10/25/2020).
- [10] Amelioration of the Condition of the Wounded on the Field of Battle (Red Cross Convention); August 22, URL: https://avalon.law.yale.edu/19th_century/geneva04.asp (visited on 10/25/2020).

- [11] Final Act of the Diplomatic Conference of Geneva, 12 August 1949. URL: <https://ihl-databases.icrc.org/applic/ihl/ihl.nsf/Article.xsp?action=openDocument&documentId=5405BE0A482AE864C12563CD00519DEC> (visited on 10/25/2020).
- [12] (CONVENTION ON CERTAIN CONVENTIONAL WEAPONS), 10 October 1980. URL: https://legal.un.org/avl/pdf/ha/cprccc/cprccc_e.pdf (visited on 10/25/2020).
- [13] ICBL. Timeline of the international campaign to ban landmines. ICBL. URL: http://www.icbl.org/media/342067/icb009_chronology_a5_v4-pages.pdf (visited on 10/28/2020).
- [14] Eric Stover. Coward's War - Land Mines in Cambodia 1 March, 1991. URL: <https://phr.org/wp-content/uploads/1991/03/landmines-in-cambodia-1991-1.pdf> (visited on 10/25/2020).
- [15] The Editors of Encyclopaedia Britannica. Capacity Building. URL: <https://www.britannica.com/topic/capacity-building> (visited on 10/29/2020).
- [16] The Editors of Encyclopaedia Britannica. Advocacy Networking. URL: <https://www.britannica.com/topic/advocacy-network> (visited on 10/29/2020).
- [17] National Research Council. Alternative Technologies to Replace Antipersonnel Landmines. Washington, DC: The National Academies Press, 2001. ISBN: 978-0-309-07349-3. DOI: 10.17226/10071. URL: <https://www.nap.edu/catalog/10071/alternative-technologies-to-replace-antipersonnel-landmines>.
- [18] Jay A. Siegel. Forensic Chemistry : Fundamentals and Applications. New York: John Wiley and Sons, Incorporated, 2015. ISBN: 978-1-118-89774-4. URL: <https://ebookcentral.proquest.com/lib/aalborguniv-ebooks/detail.action?docID=4182981>.
- [19] Neil Lintern. Evolution from Landmines to IEDs: How do Humanitarian Mine Action organisations change? 2017. URL: <https://neillintern.com/2017/12/15/evolution-landmines-to-ieds/> (visited on 09/29/2020).
- [20] A. W. Dorn. Eliminating Hidden Killers: How Can Technology Help Humanitarian Demining? Ed. by Stability: International Journal of Security and Development.
- [21] P. Gonzalez de Santos et al. A six-legged robot-based system for humanitarian demining missions. Industrial Automation Institute, 2007.
- [22] Paola A. Prada and Mario Chavez Rodriguez. Demining Dogs in Colombia – A Review of Operational Challenges, Chemical Perspectives, and Practical Ed. by ScienceDirect.
- [23] Alan Poling. Using Pouched Rats to Help People: Notes From the Field. Ed. by American Psychological Association. 2016.
- [24] E. M. A. Hussein and E. J. Waller. Landmine detection: the problem and the challenge. Ed. by ScienceDirect.

BIBLIOGRAFI

- [25] David Daniels Anthony Peyton. The HALO Trust. [Online; accessed 28 September, 2020]. 2018. URL: <https://www.ingenia.org.uk/Ingenia/Articles/2f67b8a4-4fee-4fc2-88d7-f0c535b0dc89>.
- [26] Kou-Lan Su et al. Motion planning for a landmine-detection robot. Ed. by SpringerLink.
- [27] Manjula Udayanga Hemapala. Robots for humanitarian demining. Ed. by Intechopen.
- [28] David Portugal, Lino Marques, and Manuel Armada. Deploying Field Robots for Humanitarian Demining: Challenges, Requirements, and Research Trends. Ed. by Researchgate.
- [29] Alison Donnellan. CSIRO, DATA61, Algorithm. 2020. URL: <https://algorithm.data61.csiro.au/designing-robots-to-detect-and-deactivate-landmines/> (visited on 09/28/2020).
- [30] Peter Kopacek, T. Magyar, and Lukas Silberbauer. HUMI - A mobile robot for landmine detection. Ed. by IFAC Proceedings Volumes.
- [31] ClearPath. 2020. URL: <https://clearpathrobotics.com/husky-unmanned-ground-vehicle-robot/> (visited on 09/29/2020).
- [32] Raj Madhaven et al. HRATC 2015. 2015. URL: <https://embedded.isr.uc.pt/events/HRATC2015/Welcome.html> (visited on 09/29/2020).
- [33] The Monitor. Maps. URL: <http://the-monitor.org/en-gb/reports/2019/landmine-monitor-2019/maps.aspx> (visited on 10/27/2020).

Glossary

AXO abandoned explosive ordnance.

CMC cluster munition coalition.

ERW explosive remnants of war.

ICBL International Campaign to Ban Landmines.

LM Landmine Monitor.

NGO non-governmental organization.

SOTA state-of-the-art.

UN United Nations.

UNMAS United Nations Mine Action Service.

UXO unexploded ordnance.

A Appendice A




Figure A.1: Worldwide contamination of landmines/ERW (2019) [33]