- 1. ALL STARS SHALL RECEIVE SPECIAL SIGNAGE WITHIN THE ENCLOSURE AT EACH FLOOR LANDING COMPLYING WITH REPA-IDI SECTION 7.2.5.4.5 TARINANY IDENTIFICATION, 2. ALL STARS SHALL RECEIVE SIGNAGE COMPLYING WITH 2015 IED 2019 AND IDC AT 17.3 ALL STARS SHALL RECEIVE SIGNAGE COMPLYING WITH 2015 IED 2019 AND IDC AT 17.3 DIRECTION IN FORMATION, FLUNCTION AND FRANCING FACILITIES CORPORATION TO THE RECIDIENCEMENTS OF SECTION 4.1.27) AND SECTION 4.3 ADAGE RELATIVE TO IDENTIFICATION WITH THE INTERPRETATIONAL SYMBOL OF ACCESSIBILITY PROVIDE OF RECIDIAL SIGNAGE INDICATING THE ROUTE TO THE NEAREST ACCESSIBLE ELEMENT AT INACCESSIBLE BUILDING INTERVIEWS.

  4. CENERAL CONTRACTOR TO PROVIDE SIGNAGE BRANINGS TO ARCHITECT FOR APPROVAL PRIGN TO ASROPLATION.

  5. ALL FRE EXTRIGUISHER CARBINETS (FEC) TO HAVE CONTINUOUS RATING (EITHER RATED CARBINET OR CONTINUOUS RATING (EITHER RATED CARBINET) CROUNTS OF SIGNAGE LOCATIONS, TYPICAL

# LIFE SAFETY CALCULATIONS

OCCUPANT LOAD AND EXIT WIDTH

TYPE OF PATH

MMM.M.M.NUMBER OF EXITS

TRAVEL (ISTANCE

REQUIRED SHOWN ALLOWED SHOWN REQUIRED ACTUAL

۲	E	SAF	ĿΙ	Υ	LEGEND	
						7

POINT OF OCCUPATION - START OF EXIT TRAVEL DISTANCE

EXIT CAPACIT

ROOM TAG

## WALL CLASSIFICATION LEGEND

	3 FW 3	FIRE WALL - 3 HOUR FIRE RATED
	2 FW 2	FIRE WALL - 2 HOUR FIRE RATED
	2FB2	FIRE BARRIER - 2 HOUR FIRE RATED
	1FB1	FIRE BARRIER - 1 HOUR FIRE RATED
	1FP1	FIRE PARTITION - 1 HOUR FIRE RATED

EXIT REQUIREMENTS

DESCRIPTION:

2-A RATED FIRE EXTINGUISHER IN SEMI-RECESSED CABINET -OPERABLE PARTS AT 48" MAX. AFF. CABINET SHALL NOT BE LOCKABLE AND SHALL NOT PROJECT GREATER THAN 4 INCHES.

3 FW 3	FIRE WALL - 3 HOUR FIRE RATED
2 FW 2	FIRE WALL - 2 HOUR FIRE RATED
2FB2	FIRE BARRIER - 2 HOUR FIRE RATED
1FB1	FIRE BARRIER - 1 HOUR FIRE RATED
1 FP 1	FIRE PARTITION - 1 HOUR FIRE RATED

PARK 37
PATRICK HENRY DRIVE
BLACKSBURG, VIRGINIA

ISSUE DATE: 1/16/2019

THOSE PLANS AND STRUCTURE AND PROTECTION LACKS.
PEDERAL SOPH TIPM LAKE, O RESPECTATION FRANCE
OWNERS A POPULATION OF THE LEGS.


REVISIONS



1610 Carnden Road, Suite 250 Charlotta, North Carolina 28203 704-795-2328

JOB NO: 180216 DRAWN: NCF CHECKED: ML LEVEL 1 LIFE SAFETY PLAN

A0.09



- 1. ALL STARS SHALL RECEIVE SPECIAL SIGNAGE WITHIN THE ENCLOSURE AT EACH FLOOR LANDING COMP. YINGS WITH REPA-HOI SECTION 7.2.5.4.5 TARRIWAY (DESTRICATION, 2. ALL STARS SHALL RECEIVE SIGNAGE COMP. HING WITH 2015 BC 1026 AND IC 24 17.1 ALL STARS SHALL RECEIVE SIGNAGE COMP. HING WITH 2015 BC 1026 AND IC 24 17.1 DISECTION, HIS SHORT AND THE RECEIVE HERE AND THE REPART OF SHORT ALL 27.1 AND SECTION 4.3 ADARG RELATIVE TO IDENTIFICATION HING HAS AND A CONTINUED SHORT AND A CONTINUE SIGNAGE MIDICATING THE ROUTE TO THE INFARCES THE CORESIBLE FLEMENT AT INACCESSIBLE PROMISE SHORT AND SHORT AND A CONTINUED SHORT AND A CO

LIFE SAFETY CALCULATIONS

OCCUPANT LOAD AND EXIT WIDTH

EXIT REQUIREMENTS

TYPE OF PATH MINUMER OF EXITS TRAVEL LISTANCE ARRANGEMENT OF MEANS OF ERRESS RECURRED SHOWN ALLOWED SHOWN REQUIRED ACTUAL

LIFE SAFETY LEGEND

POINT OF OCCUPATION - START OF EXIT TRAVEL DISTANCE 2-A RATED FIRE EXTINGUISHER IN SEMI-RECESSED CABINET -OPERABLE PARTS AT 48" MAX. AFF. CABINET SHALL NOT BE LOCKABLE AND SHALL NOT PROJECT GREATER THAN 4 INCHES.

EXIT CAPACIT

ROOM TAG

WALL CLASSIFICATION LEGEND

3 FW 3	FIRE WALL - 3 HOUR FIRE RATED
2 FW 2	FIRE WALL - 2 HOUR FIRE RATED
2FB2	FIRE BARRIER - 2 HOUR FIRE RATED
1FB1	FIRE BARRIER - 1 HOUR FIRE RATED

1 FP 1 FIRE PARTITION - 1 HOUR FIRE RATED

PARK 37
PATRICK HENRY DRIVE
BLACKSBURG, VIRGINIA

ISSUE DATE: 1/16/2019

THOSE PLANS AND STRUCTURE AND PROTECTION LACKS.
PEDERAL SOPH TIPM LAKE, O RESPECTATION FRANCE
OWNERS A POPULATION OF THE LEGS.

REVISIONS

1610 Carnden Road, Suite 250 Charlotta, North Carolina 28203 704-795-2328

DRAWN: NCF CHECKED: ML

LEVEL 2 LIFE SAFETY PLAN

1) LIFE SAFETY PLAN - LEVEL 2



- 1. ALL STARS SHALL RECEIVE SPECIAL SIGNAGE WITHIN THE ENCLOSURE AT EACH FLOOR LANDING COMP. YINGS WITH REPA-HOI SECTION 7.2.5.4.5 TARRIWAY (DESTRICATION, 2. ALL STARS SHALL RECEIVE SIGNAGE COMP. HING WITH 2015 BC 1026 AND IC 24 17.1 ALL STARS SHALL RECEIVE SIGNAGE COMP. HING WITH 2015 BC 1026 AND IC 24 17.1 DISECTION, HIS SHORT AND THE RECEIVE HERE AND THE REPART OF SHORT ALL 27.1 AND SECTION 4.3 ADARG RELATIVE TO IDENTIFICATION HING HAS AND A CONTINUED SHORT AND A CONTINUE SIGNAGE MIDICATING THE ROUTE TO THE INFARCES THE CORESIBLE FLEMENT AT INACCESSIBLE PROMISE SHORT AND SHORT AND A CONTINUED SHORT AND A CO

# LIFE SAFETY CALCULATIONS

OCCUPANT LOAD AND EXIT WIDTH

TYPE OF PATH MINIMAM NUMBER OF EXITS TRAVEL LISTANCE ARRANGEMENT OF MEANS OF EXPESS REQUIRED SHOWN ALLOWED SHOWN REQUIRED ACTUAL

FE	SAF	ETY	LEGEND	

YMBOL:	DESCRIPTION:
•	POINT OF OCCUPATION - START OF EXIT TRAVEL DISTANCE
_	EXIT - EXTERIOR
	EXIT - PATH OF TRAVEL
F.E. IN SEMI-RECESSED CABINET	2-A RATED FIRE EXTINGUISHER IN SEMI-RECESSED CABINET OPERABLE PARTS AT 48" MAX. AFF. CABINET SHALL NOT BE LOCKABLE AND SHALL NOT PROJECT GREATER THAN 4 INCHES.

## WALL CLASSIFICATION LEGEND

3 FW 3		FIRE WALL - 3 HOUR FIRE RATED
	2 FW 2	FIRE WALL - 2 HOUR FIRE RATED
	2FB2	FIRE BARRIER - 2 HOUR FIRE RATED
	1FB1	FIRE BARRIER - 1 HOUR FIRE RATED
	1 EP 1	FIRE PARTITION - 1 HOUR FIRE RATED

EXIT REQUIREMENTS

EXIT CAPACIT



3 FW 3	FIRE WALL - 3 HOUR FIRE RATED
2 FW 2	FIRE WALL - 2 HOUR FIRE RATED
2FB2	FIRE BARRIER - 2 HOUR FIRE RATED
1FB1	FIRE BARRIER - 1 HOUR FIRE RATED
1FP1	FIRE PARTITION - 1 HOUR FIRE RATED

PARK 37
PATRICK HENRY DRIVE
BLACKSBURG, VIRGINIA

ISSUE DATE: 1/16/2019

PRODE PLANS AND SPICIFICATIONS ARE PROTECTED USED
PERSONS OF THE PLANS AND SPICIFICATION OF THE PROTECTED USED
OWNERS AND CONTROL AND AND A PARTY AND PROTECTED
OWNERS AND CONTROL AND AND A PARTY AND PROTECTED
OWNERS AND AND AND A PARTY AND AND A PARTY.

REVISIONS

1610 Carnden Road, Suite 250 Charlotta, North Carolina 28203 704-795-2328

JOB NO: 180216 DRAWN: NCF CHECKED: ML LEVEL 3 LIFE SAFETY PLAN