



CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

0620/43

May/June 2024

1 hour 15 minutes

No additional materials are needed.

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has **16** pages. Any blank pages are indicated.

1 Name the process used to:

(a) produce ammonia from nitrogen

..... [1]

(b) produce lead from molten lead(II) bromide

..... [1]

(c) separate an insoluble solid from a mixture of an insoluble solid and a solution

..... [1]

(d) produce ethanol from ethene

..... [1]

(e) identify the components of a mixture of soluble coloured substances

..... [1]

(f) separate a mixture of several liquids with different boiling points

..... [1]

(g) determine the volume of an acid required to neutralise a given volume of an alkali.

..... [1]

[Total: 7]

2 Complete Table 2.1.

Table 2.1

atom or ion	number of protons	number of electrons	number of neutrons
$^{63}_{29}\text{Cu}$	29		
$^{37}_{17}\text{Cl}^{-}$			20
	30	28	34

[5]

3 This question is about elements and compounds.

(a) Some properties of graphite, oxygen and carbon monoxide are shown in Table 3.1.

Table 3.1

	melting point /°C	boiling point /°C	conduction of electricity when solid
graphite	3652	4827	good
oxygen	−218	−183	poor
carbon monoxide	−199	−191	poor

(i) Explain why graphite conducts electricity when solid.

.....
 [1]

(ii) Complete the dot-and-cross diagram in Fig. 3.1 of a molecule of oxygen.

Show outer shell electrons only.




Fig. 3.1

[2]

(iii) Deduce the physical state of carbon monoxide at −195°C. Use the data in Table 3.1 to explain your answer.

physical state

explanation

.....
 [2]

- (iv) Explain in terms of structure and bonding why graphite has a much higher melting point than carbon monoxide.

.....

.....

.....

..... [3]

- (b) Potassium reacts with chlorine to form potassium chloride.

Write a symbol equation for this reaction.

..... [2]

- (c) A dilute aqueous solution of potassium chloride undergoes electrolysis.

Oxygen is produced at the anode.

- (i) State what is meant by the term electrolysis.

.....

.....

..... [2]

- (ii) Write an ionic half-equation for the production of oxygen at the anode.

..... [2]

[Total: 14]

- 4 Dinitrogen tetroxide, N_2O_4 , decomposes into nitrogen dioxide, NO_2 . The reaction is reversible.




Fig. 4.1 shows a gas syringe containing a mixture of dinitrogen tetroxide and nitrogen dioxide. The gas syringe is sealed. The mixture reaches equilibrium and the colour of the mixture of gases is a pale brown.




Fig. 4.1

- (a) Describe a reversible reaction at equilibrium in terms of:

- the rate of the forward reaction and the rate of the reverse reaction

.....

- the concentration of reactants and products.

.....

[2]

- (b) The pressure of the mixture is increased. All other conditions stay the same.

The mixture immediately turns darker brown before the position of equilibrium changes.

Explain in terms of particles why the mixture immediately turns darker brown.

..... [1]

- (c) The temperature of the mixture is increased. All other conditions stay the same.


The mixture turns darker brown.

State what can be deduced about the forward reaction from this information.

..... [1]

- (d) Sulfur is converted into sulfuric acid, H_2SO_4 , by a series of reactions.

Sulfur dioxide, SO_2 , and oxygen, O_2 , react to form sulfur trioxide, SO_3 . The reversible reaction reaches equilibrium.



- (i) Complete Table 4.1 using only the words, **increases**, **decreases** or **no change**.

Table 4.1

	effect on the rate of the forward reaction	effect on the equilibrium yield of $\text{SO}_3(\text{g})$
add a catalyst		
increase the pressure		

[4]

- (ii) Deduce the oxidation number of sulfur in:

S

SO_3

[2]

[Total: 10]

5 (a) Barium sulfate, BaSO_4 , is an insoluble salt and is made by precipitation.

(i) Name **two** aqueous solutions that produce a precipitate of barium sulfate when they are mixed.

1

2 [2]

(ii) Describe how to produce a pure sample of barium sulfate from the mixture of aqueous solutions in (a)(i).

.....

..... [2]

(iii) Write an ionic equation for the precipitation reaction which produces barium sulfate. Include state symbols.

..... [3]

(b) Soluble salts are made from dilute acids.

Name the dilute acid and one other substance that react together to make copper(II) sulfate.

dilute acid

other substance [2]

(c) Nitrates decompose when they are heated.


When hydrated copper(II) nitrate is heated, oxygen gas is produced.

(i) Describe a test for oxygen.


test

observations [1]

(ii) Complete the equation for the decomposition of hydrated copper(II) nitrate.



(d) Hydrated zinc sulfate gives off water when it is heated.



A student does an experiment to determine the value of x in $\text{ZnSO}_4 \cdot x\text{H}_2\text{O}$.

step 1 The student weighs a sample of hydrated zinc sulfate.

step 2 The student heats the sample of hydrated zinc sulfate.

step 3 The student weighs the solid after heating.

step 4 The student repeats **step 2** and **step 3** until the mass of solid after heating is constant.

(i) State why the student does **step 4**.

..... [1]

(ii) In an experiment, 0.574 g of $\text{ZnSO}_4 \cdot x\text{H}_2\text{O}$ is heated until the mass is constant.

The mass of ZnSO_4 that remains is 0.322 g.

[M_r : ZnSO_4 , 161; H_2O , 18]

Determine the value of x using the following steps.

- Calculate the number of moles of ZnSO_4 remaining.

..... mol

- Calculate the mass of H_2O given off.

..... g

- Calculate the number of moles of H_2O given off.

..... mol

- Determine the value of x .

$x =$
[4]

[Total: 17]

6 This question is about iron.

(a) Fig. 6.1 shows a blast furnace used to extract iron from its ore.




Fig. 6.1

(i) Name the main ore of iron used in the blast furnace.

..... [1]

(ii) Name the substance that enters the blast furnace at **A**.

..... [1]

(iii) Name the reducing agent in the extraction of iron in the blast furnace.

..... [1]

(iv) Explain why limestone is added to the blast furnace. Give details of the chemical reactions that are involved.

.....

.....

.....

..... [3]

(b) The list shows the properties of some elements.

- act as catalysts
- have low densities
- have low melting points
- form acidic or basic oxides
- form coloured compounds
- form positive or negative ions

Iron is a transition metal. Sodium is a Group I metal.

State which property from the list:

(i) is true for sodium but **not** iron

..... [1]

(ii) is true for iron but **not** sodium

..... [1]

(iii) is true for both sodium and iron

..... [1]

(iv) is **not** true for sodium and **not** true for iron.

..... [1]

- (c) Steel consists mainly of iron.

Iron rusts when it reacts with water and oxygen.

Fig. 6.2 shows magnesium blocks attached to the bottom of a steel boat. The magnesium does **not** completely cover the steel.

The magnesium blocks provide sacrificial protection for the steel.




Fig. 6.2

- (i) Explain, in terms of electrons, why magnesium is used for sacrificial protection.

.....
..... [2]

- (ii) Name a metal that cannot provide sacrificial protection for steel.

..... [1]

[Total: 13]

7 Many organic compounds contain carbon and hydrogen only.

(a) (i) An organic compound **A** has the following composition by mass.

C, 83.33%; H, 16.67%

Calculate the empirical formula of compound **A**.

empirical formula = [3]

(ii) Compound **B** has the empirical formula C_2H_5 and a relative molecular mass of 58.

Determine the molecular formula of compound **B**.

molecular formula = [2]

(b) Fig. 7.1 shows a section of a polymer formed from an alkene.

(i) Identify the functional group in alkenes that reacts when alkenes form polymers.

..... [1]

(ii) A section of a polymer is shown in Fig. 7.1.




Fig. 7.1

- Draw the displayed formula of the monomer that forms this polymer.

- Name the monomer used to form this polymer.

..... [3]

(c) Alkenes are produced by cracking alkanes.

When $C_{12}H_{26}$ is cracked, the products are ethene and an alkane which form in a 2 : 1 mole ratio.

Write a symbol equation for this reaction.



(d) (i) State the general formula for alcohols.

..... [1]

(ii) Draw the displayed formula of **one** alcohol with the molecular formula C_3H_8O . Name the alcohol you have drawn.

name of alcohol [2]

[Total: 14]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

Group																				
I	II											III	IV	V	VI	VII	VIII			
		1Hhydrogen1																		
		Key atomic number atomic symbol name relative atomic mass																		
3Li lithium 7	4Be beryllium 9													5B boron 11	6C carbon 12	7N nitrogen 14	8O oxygen 16	9F fluorine 19	10Ne neon 20	2He helium 4
11Na sodium 23	12Mg magnesium 24													13Al aluminium 27	14Si silicon 28	15P phosphorus 31	16S sulfur 32	17Cl chlorine 35.5	18Ar argon 40	
19K potassium 39	20Ca calcium 40	21Sc scandium 45	22Ti titanium 48	23V vanadium 51	24Cr chromium 52	25Mn manganese 55	26Fe iron 56	27Co cobalt 59	28Ni nickel 59	29Cu copper 64	30Zn zinc 65	31Ga gallium 70	32Ge germanium 73	33As arsenic 75	34Se selenium 79	35Br bromine 80	36Kr krypton 84	54Xe xenon 131		
37Rb rubidium 85	38Sr strontium 88	39Y yttrium 89	40Zr zirconium 91	41Nb niobium 93	42Mo molybdenum 96	43Tc technetium —	44Ru ruthenium 101	45Rh rhodium 103	46Pd palladium 106	47Ag silver 108	48Cd cadmium 112	49In indium 115	50Sn tin 119	51Sb antimony 122	52Te tellurium 128	53I iodine 127	54Xe xenon 131			
55Cs caesium 133	56Ba barium 137	57–71 lanthanoids		72Hf hafnium 178	73Ta tantalum 181	74W tungsten 184	75Re rhenium 186	76Os osmium 190	77Ir iridium 192	78Pt platinum 195	79Au gold 197	80Hg mercury 201	81Tl thallium 204	82Pb lead 207	83Bi bismuth 209	84Po polonium —	85At astatine —	86Rn radon —	118Og oganeson —	
87Fr francium —	88Ra radium —	89–103 actinoids	104Rf rutherfordium —	105Db dubnium —	106Sg seaborgium —	107Bh bohrium —	108Hs hassium —	109Mt meitnerium —	110Ds darmstadtium —	111Rg roentgenium —	112Cn copernicium —	113Nh nihonium —	114Fl flerovium —	115Mc moscovium —	116Lv livermorium —	117Ts tennessine —	118Og oganeson —			

lanthanoids	57 La lanthanum 139	58 Ce cerium 140	59 Pr praseodymium 141	60 Nd neodymium 144	61 Pm promethium —	62 Sm samarium 150	63 Eu europium 152	64 Gd gadolinium 157	65 Tb terbium 159	66 Dy dysprosium 163	67 Ho holmium 165	68 Er erbium 167	69 Tm thulium 169	70 Yb ytterbium 173	71 Lu lutetium 175
actinoids	89 Ac actinium —	90 Th thorium 232	91 Pa protactinium 231	92 U uranium 238	93 Np neptunium —	94 Pu plutonium —	95 Am americium —	96 Cm curium —	97 Bk berkelium —	98 Cf californium —	99 Es einsteinium —	100 Fm fermium —	101 Md mendelevium —	102 No nobelium —	103 Lr lawrencium —

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).