
Equal-area width series: area 0.5×; all finite times and lower bounds
Goryachev
Wave-pinning
Holmes
deBelly
Spring
Replacement time (native units)
10^3
10^4
10^2
10^1
10^0
19
29
39
Length L
w = 0.95
w = 1.9
w = 3.8
w = 7.6
w = 15.2


Equal-area width series: area 1×; all finite times and lower bounds
Goryachev
Wave-pinning
Holmes
deBelly
Spring
Replacement time (native units)
Length L
19
29
39
w = 0.95
w = 1.9
w = 3.8
w = 7.6
w = 15.2


Equal-area width series: area 2×; all finite times and lower bounds
Goryachev
Wave-pinning
Holmes
deBelly
Spring
Replacement time (native units)
10^3
10^4
10^2
10^1
10^0
19
29
39
Length L
w = 0.95
w = 1.9
w = 3.8
w = 7.6
w = 15.2

deBelly L19, gap16: exact native endpoint audit

The first gap does not fully retain visible activity.

Pulse-1 end share: 0.921382.

Gap-1 raw share: 0.102965; raw ratio: 0.111751.

Gap contrast: 0.032750, below the existing 0.05 gate.

Eligible gap share is unavailable because activity is below that visibility gate.

The main D places this known below-gate observation at x = 0 with an open circle.

This is a visibility code, not an assertion of mathematically zero raw activity.

Pulse-2 end share: 0.988950.

Pulse-2 headroom gain: 0.859447.

Independent checks recompute all three endpoints from phase-native active fields.

The native archives and audited endpoint table agree; no endpoint is forward-filled.

D uses the first gap only. Later gaps must not substitute for it.

All 180 D coordinates, raw shares, visibility and field-tail flags are in the CSV.

Holmes L31–39 uses the existing L27-referenced train, with no target-length calibration.

deBelly timing and endpoint-field qualifications remain in the retained supplement.