Holmes large-L retention: frozen design and execution status

No continuous commitment by 100,000 is an observed finite-horizon finding.

L27 upper committing duration = 18,125; four pulses each 6,796.875.
Target lengths: 31, 35, 39; gaps: 0, 0.1, 0.5, 1, 4, 16 × pulse.
Primary: D and challenger share at each pulse and gap endpoint. Fate is secondary.

L39 bounded-noise check: gap16, mean 2% native peak, maximum 4%;
12 independent seeds plus matched-mean and zero controls.
S3-matched nonperiodic spatial OU input: ell 1.9, tau 10, knot 2.5.

32 SLURM tasks prepared, 1 CPU each, QoS small, 8 GB, 1 hour; no throttle.
Submission blocked by sandbox socket permissions. No native trajectories
were produced and no simulated retention measurements are assigned.

Class membership is unchanged. The main plate is a pending-data review draft.

Class-membership evidence: Goryachev

initiation slows with L
Value: 2.898986378675809; bounds: [2.871794871794872, 2.9220779220779223]
L39/L19, central area, fixed 10% L19 reporter

narrow-cue penalty and growth
Value: 1.124834416847597; bounds: [1.124484748557296, 1.1262376237623761]
L19 {'status': 'bounded', 'lower': 1.1700680272108843, 'upper': 1.1849315068493151, 'lower_strict': False, 'upper_strict': False, 'estimate_from_interpolation': 1.1798811734705885, 'narrow_censored': False, 'broad_censored': False, 'informative': True, 'interpretation': 'Sampled-event/censoring bounds; no finite event time assigned to censoring.'}; L39 {'status': 'bounded', 'lower': 1.124484748557296, 'upper': 1.1262376237623761, 'lower_strict': False, 'upper_strict': False, 'estimate_from_interpolation': 1.124834416847597, 'narrow_censored': False, 'broad_censored': False, 'informative': True, 'interpretation': 'Sampled-event/censoring bounds; no finite event time assigned to censoring.'}

share held through gaps
Value: None; bounds: [None, None]
L39 gap4 first-gap D -0.58178128 to -1

commits after in-gap collapse
Value: -1.0; bounds: [None, None]
L39 gap4 gap-end D [-1.0, -1.0, -1.0]

Class-membership evidence: Wave-pinning

initiation slows with L
Value: 1.001354777811466; bounds: [1.0, 1.0070175438596491]
L39/L19, central area, fixed 10% L19 reporter

narrow-cue penalty and growth
Value: None; bounds: [11.059907834101383, None]
L19 {'status': 'bounded', 'lower': 3.9870689655172415, 'upper': 4.049676025917927, 'lower_strict': False, 'upper_strict': False, 'estimate_from_interpolation': 4.023952792808644, 'narrow_censored': False, 'broad_censored': False, 'informative': True, 'interpretation': 'Sampled-event/censoring bounds; no finite event time assigned to censoring.'}; L39 {'status': 'lower_bound_only', 'lower': 11.059907834101383, 'upper': None, 'lower_strict': True, 'upper_strict': False, 'estimate_from_interpolation': None, 'narrow_censored': True, 'broad_censored': False, 'informative': True, 'interpretation': 'Sampled-event/censoring bounds; no finite event time assigned to censoring.'}

share held through gaps
Value: 0.9656458108363115; bounds: [None, None]
L39 gap4 first-gap D 0.38625115 to 0.33862762

commits after in-gap collapse
Value: 0.9999999753672253; bounds: [None, None]
L39 gap4 gap-end D [0.3386276200076397, 0.444706256945651, 0.9999999753670956]

Class-membership evidence: Holmes

initiation slows with L
Value: 1.001466041861598; bounds: [0.9848484848484849, 1.0153846153846153]
L39/L19, central area, fixed 10% L19 reporter

narrow-cue penalty and growth
Value: None; bounds: [0.0, None]
L19 {'status': 'bounded', 'lower': 28.99002493765586, 'upper': 29.125, 'lower_strict': False, 'upper_strict': False, 'estimate_from_interpolation': 29.034710721675975, 'narrow_censored': False, 'broad_censored': False, 'informative': True, 'interpretation': 'Sampled-event/censoring bounds; no finite event time assigned to censoring.'}; L39 {'status': 'lower_bound_only', 'lower': 0.0, 'upper': None, 'lower_strict': False, 'upper_strict': False, 'estimate_from_interpolation': None, 'narrow_censored': True, 'broad_censored': True, 'informative': False, 'interpretation': 'Sampled-event/censoring bounds; no finite event time assigned to censoring.'}

share held through gaps
Value: 0.8803784996244053; bounds: [None, None]
L27 gap4 first-gap D 0.54840884 to 0.36318585; final D 0.99935316; Holmes L39 pending

commits after in-gap collapse
Value: 0.9993531614353477; bounds: [None, None]
L27 gap4 gap-end D [0.3631858470492735, 0.445144587716352, 0.9993531614353484]

Class-membership evidence: deBelly

initiation slows with L
Value: 1.1913539914463123; bounds: [0.0, None]
deBelly first-update intervals do not resolve a normalized size effect

narrow-cue penalty and growth
Value: 0.963187372120211; bounds: [0.9548872180451128, 0.9696969696969697]
L19 {'status': 'bounded', 'lower': 0.9615384615384616, 'upper': 1.04, 'lower_strict': False, 'upper_strict': False, 'estimate_from_interpolation': 1.011603783514335, 'narrow_censored': False, 'broad_censored': False, 'informative': True, 'interpretation': 'Sampled-event/censoring bounds; no finite event time assigned to censoring.'}; L39 {'status': 'bounded', 'lower': 0.9548872180451128, 'upper': 0.9696969696969697, 'lower_strict': False, 'upper_strict': False, 'estimate_from_interpolation': 0.963187372120211, 'narrow_censored': False, 'broad_censored': False, 'informative': True, 'interpretation': 'Sampled-event/censoring bounds; no finite event time assigned to censoring.'}

share held through gaps
Value: 0.03626279229899842; bounds: [None, None]
L39 gap4 first-gap D 0.64353609 to -0.94040079

commits after in-gap collapse
Value: 0.9164591847342345; bounds: [None, None]
L39 gap4 gap-end D [-0.9404007923089395, -0.9347088176848134, -0.5855576180817079]; deBelly later-gap timing sensitive; first two collapse and final fate agree

Class-membership evidence: Spring

initiation slows with L
Value: 0.9991692546590409; bounds: [0.8333333333333334, 1.2]
L39/L19, central area, fixed 10% L19 reporter

narrow-cue penalty and growth
Value: 1.1610062875918385; bounds: [1.1511627906976745, 1.1764705882352942]
L19 {'status': 'bounded', 'lower': 1.2, 'upper': 1.3571428571428572, 'lower_strict': False, 'upper_strict': False, 'estimate_from_interpolation': 1.2728575892292848, 'narrow_censored': False, 'broad_censored': False, 'informative': True, 'interpretation': 'Sampled-event/censoring bounds; no finite event time assigned to censoring.'}; L39 {'status': 'bounded', 'lower': 1.1511627906976745, 'upper': 1.1764705882352942, 'lower_strict': False, 'upper_strict': False, 'estimate_from_interpolation': 1.1610062875918385, 'narrow_censored': False, 'broad_censored': False, 'informative': True, 'interpretation': 'Sampled-event/censoring bounds; no finite event time assigned to censoring.'}

share held through gaps
Value: None; bounds: [None, None]
L39 gap4 first-gap D -0.26175354 to -0.99755261

commits after in-gap collapse
Value: 0.9996954239534162; bounds: [None, None]
L39 gap4 gap-end D [-0.9975526057568276, -0.976390262546511, 0.9966415640033679]