


A


Drifting peak
Same-rate jumps
Perimeter-rate jumps
Time (×10³)
C20
C60
α = 2
α = 0
α = −1
C(ℓ)
C = 20
C = 60
Lag (×10³)


B


20 30 40 50 60
1 1.5 2 2.5 3
Wave-pinning
Holmes
Spring
Goryachev
Local exponent α
Input fraction f
Wave-pinning
Holmes
Spring
Goryachev
f1/2/f1/2(Cmin)
C (Spring ×20)


C


Wave-pinning, f = 0.03
Holmes, f = 0.02
Spring, f = 0.005
Goryachev, f = 0.01
0–9.2
0–83
Time (×10³)
C20
C60
C1
C3
C(ℓ)
C = 20
C = 60
Lag (×10³)

D


Wave-pinning
Holmes
Spring
Goryachev
Ds/Ds(Cmin)
kpred/kobs
Input fraction f

E


Wave-pinning
Holmes
Spring
Goryachev
i Birth rate (certified lower bound)
Input fraction f
Pooled f > 0.01; τ = 50 (Spring 5); d = arc − Ainc/(2h), h = global contrast
ii Takeover within 20τ (certified subset)
d ≤ 0
0 < d ≤ C/6
d > C/6
Circumference C
M motion A amount B membership R residual; gray unavailable; • |fraction| > 10
iii Signed heading-loss fraction
C
Input fraction f