
Wave-pinning: complete tested width, strength and pulse series

20 exact qualified basals; 720 protocol rows including 20 valid no-cue controls; 10000 native units after withdrawal.

Observed times are saved-entry bracket midpoints; exact brackets and finite no-entry horizons remain in the compact tables.




Horizon triangles may coincide: curve legends give no-entry counts. Open circles / map dots mark initial cue/core overlap.

Baseline 1× / middle width is displayed in both contexts, but is one protocol identity. Scalar gates do not alone establish spatial replacement.

Goryachev: complete tested width, strength and pulse series

21 exact qualified basals; 756 protocol rows including 21 valid no-cue controls; 10000 native units after withdrawal.

Observed times are saved-entry bracket midpoints; exact brackets and finite no-entry horizons remain in the compact tables.




Horizon triangles may coincide: curve legends give no-entry counts. Open circles / map dots mark initial cue/core overlap.

Baseline 1× / middle width is displayed in both contexts, but is one protocol identity. Scalar gates do not alone establish spatial replacement.

Holmes 3: complete tested width, strength and pulse series

23 exact qualified basals; 828 protocol rows including 23 valid no-cue controls; 10000 native units after withdrawal.

Observed times are saved-entry bracket midpoints; exact brackets and finite no-entry horizons remain in the compact tables.




Horizon triangles may coincide: curve legends give no-entry counts. Open circles / map dots mark initial cue/core overlap.


Baseline 1× / middle width is displayed in both contexts, but is one protocol identity. Scalar gates do not alone establish spatial replacement.


Spring: complete tested width, strength and pulse series


21 exact qualified basals; 756 protocol rows including 21 valid no-cue controls; 10000 native units after withdrawal.

Observed times are saved-entry bracket midpoints; exact brackets and finite no-entry horizons remain in the compact tables.









Scalar full strength: fail; field tail: pass
Scalar full strength + field tail: pass
Field tail: fail (scalar flag separately retained)


Horizon triangles may coincide: curve legends give no-entry counts. Open circles / map dots mark initial cue/core overlap.

Baseline 1× / middle width is displayed in both contexts, but is one protocol identity. Scalar gates do not alone establish spatial replacement.

Corrected linear deBelly: complete tested width, strength and pulse series

12 exact qualified basals; 432 protocol rows including 12 valid no-cue controls; 10000 native units after withdrawal.

Observed times are saved-entry bracket midpoints; exact brackets and finite no-entry horizons remain in the compact tables.



Horizon triangles may coincide: curve legends give no-entry counts. Open circles / map dots mark initial cue/core overlap.

Baseline 1× / middle width is displayed in both contexts, but is one protocol identity. Scalar gates do not alone establish spatial replacement.