
Spring · Every final profile · C₀=2.5 · cue T=0.1

Dotted grey: initial native basal. Black: measured final active field. Blue: basal rotated by final first-moment phase; this is a shape comparison, not lineage.

Coloured support bands show the prescribed initial footprint (I/S/O at the 10% edge). Full-ring coordinate is physical arc on the initial basal, also for Spring.



All requested placements and durations retained · 645/645 conditions available · data 2026-10-19T20:51:57 UTC


I / S / O = entire initial cue footprint inside / straddling / outside the 10%-contrast region. Centre membership is recorded separately.

Endpoint is 13,000 units after withdrawal; final orientation alone does not establish stationarity. All profiles use common native-amplitude limits within this model.

Spring · Every final profile · C₀=2.5 · cue T=1

Dotted grey: initial native basal. Black: measured final active field. Blue: basal rotated by final first-moment phase; this is a shape comparison, not lineage.

Coloured support bands show the prescribed initial footprint (I/S/O at the 10% edge). Full-ring coordinate is physical arc on the initial basal, also for Spring.



All requested placements and durations retained · 645/645 conditions available · data 2026-10-19T20:51:57 UTC


I / S / O = entire initial cue footprint inside / straddling / outside the 10%-contrast region. Centre membership is recorded separately.

Endpoint is 13,000 units after withdrawal; final orientation alone does not establish stationarity. All profiles use common native-amplitude limits within this model.

Spring · Every final profile · C₀=2.5 · cue T=10

Dotted grey: initial native basal. Black: measured final active field. Blue: basal rotated by final first-moment phase; this is a shape comparison, not lineage.

Coloured support bands show the prescribed initial footprint (I/S/O at the 10% edge). Full-ring coordinate is physical arc on the initial basal, also for Spring.



All requested placements and durations retained · 645/645 conditions available · data 2026-10-19T20:51:57 UTC


I / S / O = entire initial cue footprint inside / straddling / outside the 10%-contrast region. Centre membership is recorded separately.

Endpoint is 13,000 units after withdrawal; final orientation alone does not establish stationarity. All profiles use common native-amplitude limits within this model.

Spring · Every final profile · C₀=2.5 · cue T=100

Dotted grey: initial native basal. Black: measured final active field. Blue: basal rotated by final first-moment phase; this is a shape comparison, not lineage.

Coloured support bands show the prescribed initial footprint (I/S/O at the 10% edge). Full-ring coordinate is physical arc on the initial basal, also for Spring.



All requested placements and durations retained · 645/645 conditions available · data 2026-10-19T20:51:57 UTC


I / S / O = entire initial cue footprint inside / straddling / outside the 10%-contrast region. Centre membership is recorded separately.

Endpoint is 13,000 units after withdrawal; final orientation alone does not establish stationarity. All profiles use common native-amplitude limits within this model.

Spring · Every final profile · C₀=2.5 · cue T=1000

Dotted grey: initial native basal. Black: measured final active field. Blue: basal rotated by final first-moment phase; this is a shape comparison, not lineage.

Coloured support bands show the prescribed initial footprint (I/S/O at the 10% edge). Full-ring coordinate is physical arc on the initial basal, also for Spring.



All requested placements and durations retained · 645/645 conditions available · data 2026-10-19T20:51:57 UTC


I / S / O = entire initial cue footprint inside / straddling / outside the 10%-contrast region. Centre membership is recorded separately.

Endpoint is 13,000 units after withdrawal; final orientation alone does not establish stationarity. All profiles use common native-amplitude limits within this model.

Spring · Every final profile · C₀=2.75 · cue T=0.1

Dotted grey: initial native basal. Black: measured final active field. Blue: basal rotated by final first-moment phase; this is a shape comparison, not lineage.

Coloured support bands show the prescribed initial footprint (I/S/O at the 10% edge). Full-ring coordinate is physical arc on the initial basal, also for Spring.



All requested placements and durations retained · 645/645 conditions available · data 2026-10-19T20:51:57 UTC


I / S / O = entire initial cue footprint inside / straddling / outside the 10%-contrast region. Centre membership is recorded separately.

Endpoint is 13,000 units after withdrawal; final orientation alone does not establish stationarity. All profiles use common native-amplitude limits within this model.

Spring · Every final profile · C₀=2.75 · cue T=1

Dotted grey: initial native basal. Black: measured final active field. Blue: basal rotated by final first-moment phase; this is a shape comparison, not lineage.

Coloured support bands show the prescribed initial footprint (I/S/O at the 10% edge). Full-ring coordinate is physical arc on the initial basal, also for Spring.



All requested placements and durations retained · 645/645 conditions available · data 2026-10-19T20:51:57 UTC


I / S / O = entire initial cue footprint inside / straddling / outside the 10%-contrast region. Centre membership is recorded separately.

Endpoint is 13,000 units after withdrawal; final orientation alone does not establish stationarity. All profiles use common native-amplitude limits within this model.

Spring · Every final profile · C₀=2.75 · cue T=10

Dotted grey: initial native basal. Black: measured final active field. Blue: basal rotated by final first-moment phase; this is a shape comparison, not lineage.

Coloured support bands show the prescribed initial footprint (I/S/O at the 10% edge). Full-ring coordinate is physical arc on the initial basal, also for Spring.



All requested placements and durations retained · 645/645 conditions available · data 2026-10-19T20:51:57 UTC


I / S / O = entire initial cue footprint inside / straddling / outside the 10%-contrast region. Centre membership is recorded separately.

Endpoint is 13,000 units after withdrawal; final orientation alone does not establish stationarity. All profiles use common native-amplitude limits within this model.

Spring · Every final profile · C₀=2.75 · cue T=100

Dotted grey: initial native basal. Black: measured final active field. Blue: basal rotated by final first-moment phase; this is a shape comparison, not lineage.

Coloured support bands show the prescribed initial footprint (I/S/O at the 10% edge). Full-ring coordinate is physical arc on the initial basal, also for Spring.



All requested placements and durations retained · 645/645 conditions available · data 2026-10-19T20:51:57 UTC


I / S / O = entire initial cue footprint inside / straddling / outside the 10%-contrast region. Centre membership is recorded separately.

Endpoint is 13,000 units after withdrawal; final orientation alone does not establish stationarity. All profiles use common native-amplitude limits within this model.

Spring · Every final profile · C₀=2.75 · cue T=1000

Dotted grey: initial native basal. Black: measured final active field. Blue: basal rotated by final first-moment phase; this is a shape comparison, not lineage.

Coloured support bands show the prescribed initial footprint (I/S/O at the 10% edge). Full-ring coordinate is physical arc on the initial basal, also for Spring.



All requested placements and durations retained · 645/645 conditions available · data 2026-10-19T20:51:57 UTC


I / S / O = entire initial cue footprint inside / straddling / outside the 10%-contrast region. Centre membership is recorded separately.

Endpoint is 13,000 units after withdrawal; final orientation alone does not establish stationarity. All profiles use common native-amplitude limits within this model.

Spring · Every final profile · C₀=3 · cue T=0.1

Dotted grey: initial native basal. Black: measured final active field. Blue: basal rotated by final first-moment phase; this is a shape comparison, not lineage.

Coloured support bands show the prescribed initial footprint (I/S/O at the 10% edge). Full-ring coordinate is physical arc on the initial basal, also for Spring.



All requested placements and durations retained · 645/645 conditions available · data 2026-10-19T20:51:57 UTC


I / S / O = entire initial cue footprint inside / straddling / outside the 10%-contrast region. Centre membership is recorded separately.

Endpoint is 13,000 units after withdrawal; final orientation alone does not establish stationarity. All profiles use common native-amplitude limits within this model.

Spring · Every final profile · C₀=3 · cue T=1

Dotted grey: initial native basal. Black: measured final active field. Blue: basal rotated by final first-moment phase; this is a shape comparison, not lineage.

Coloured support bands show the prescribed initial footprint (I/S/O at the 10% edge). Full-ring coordinate is physical arc on the initial basal, also for Spring.



All requested placements and durations retained · 645/645 conditions available · data 2026-10-19T20:51:57 UTC

I / S / O = entire initial cue footprint inside / straddling / outside the 10%-contrast region. Centre membership is recorded separately.

Endpoint is 13,000 units after withdrawal; final orientation alone does not establish stationarity. All profiles use common native-amplitude limits within this model.

Spring · Every final profile · C₀=3 · cue T=10

Dotted grey: initial native basal. Black: measured final active field. Blue: basal rotated by final first-moment phase; this is a shape comparison, not lineage.

Coloured support bands show the prescribed initial footprint (I/S/O at the 10% edge). Full-ring coordinate is physical arc on the initial basal, also for Spring.

All requested placements and durations retained · 645/645 conditions available · data 2026-10-19T20:51:57 UTC


I / S / O = entire initial cue footprint inside / straddling / outside the 10%-contrast region. Centre membership is recorded separately.

Endpoint is 13,000 units after withdrawal; final orientation alone does not establish stationarity. All profiles use common native-amplitude limits within this model.

Spring · Every final profile · C₀=3 · cue T=100

Dotted grey: initial native basal. Black: measured final active field. Blue: basal rotated by final first-moment phase; this is a shape comparison, not lineage.

Coloured support bands show the prescribed initial footprint (I/S/O at the 10% edge). Full-ring coordinate is physical arc on the initial basal, also for Spring.



All requested placements and durations retained · 645/645 conditions available · data 2026-10-19T20:51:57 UTC


I / S / O = entire initial cue footprint inside / straddling / outside the 10%-contrast region. Centre membership is recorded separately.

Endpoint is 13,000 units after withdrawal; final orientation alone does not establish stationarity. All profiles use common native-amplitude limits within this model.

Spring · Every final profile · C₀=3 · cue T=1000

Dotted grey: initial native basal. Black: measured final active field. Blue: basal rotated by final first-moment phase; this is a shape comparison, not lineage.

Coloured support bands show the prescribed initial footprint (I/S/O at the 10% edge). Full-ring coordinate is physical arc on the initial basal, also for Spring.



All requested placements and durations retained · 645/645 conditions available · data 2026-10-19T20:51:57 UTC

I / S / O = entire initial cue footprint inside / straddling / outside the 10%-contrast region. Centre membership is recorded separately.

Endpoint is 13,000 units after withdrawal; final orientation alone does not establish stationarity. All profiles use common native-amplitude limits within this model.