

Organization, contrast and global magnitude: all sizes and strengths


Whole observed run · chemicals0–32000; Spring0–3200. Half-window midpoint shared.


Size colors: blue smallest, teal middle, orange largest. Squares n=12; circles n=2. Whiskers: observed seed range, not confidence intervals.


solid: raw multi / noisy low contrast / noisy R dashed: contrast-qualified multi / matched mean-control low contrast / mean-control R
































All scalar times remain in occupancy denominators; cadence5 chemicals/0.5 Spring. Threshold regions may coexist with weak or strong resultants; these are not exclusive phases.

R=AQ exactly per frame; mean R is mean of the paired product, not product of means. $q_1=|M_1|/M_0$ and $q_2=|M_2|/M_0$ retain basal coherence differences.


Mean controls match declared ensemble input means, without per-path normalization. Native clocks/laws/units differ; full/half differences do not certify stationarity.


Active amount, coherence and spatial harmonics: all sizes and strengths


Whole observed run · chemicals0–32000; Spring0–3200. Half-window midpoint shared.


Size colors: blue smallest, teal middle, orange largest. Squares n=12; circles n=2. Whiskers: observed seed range, not confidence intervals.


solid: active amount A / raw q_1 / noisy contrast dashed: coherence Q / q_2 / matched mean-control contrast
































All scalar times remain in occupancy denominators; cadence5 chemicals/0.5 Spring. Threshold regions may coexist with weak or strong resultants; these are not exclusive phases.

R=AQ exactly per frame; mean R is mean of the paired product, not product of means. $q_1=|M_1|/M_0$ and $q_2=|M_2|/M_0$ retain basal coherence differences.


Mean controls match declared ensemble input means, without per-path normalization. Native clocks/laws/units differ; full/half differences do not certify stationarity.


Instantaneous region widths with qualification coverage: all sizes and strengths


Whole observed run · chemicals0–32000; Spring0–3200. Half-window midpoint shared.


Size colors: blue smallest, teal middle, orange largest. Squares n=12; circles n=2. Whiskers: observed seed range, not confidence intervals.


solid: qualified multi occupancy / largest width dashed: qualified-frame coverage / second-largest width
































Widths join periodic seam-crossing regions: cell count/N × actual C(t). Threshold: current min+half contrast; qualification: contrast≥10% basal. Profile cadence40/4.

Largest: one per qualified frame; second: one per qualified multiregion frame. Equal available-seed means; △ fewer contributing seeds than condition n (exact counts exported).


Missing conditional widths stay unavailable. Widths are descriptive geometry, outside the ten-metric numerical gate; no region births, establishment, lifetimes or travel inferred.


Organization, contrast and global magnitude: all sizes and strengths


First half · chemicals0–16000; Spring0–1600. Half-window midpoint shared.


Size colors: blue smallest, teal middle, orange largest. Squares n=12; circles n=2. Whiskers: observed seed range, not confidence intervals.


solid: raw multi / noisy low contrast / noisy R dashed: contrast-qualified multi / matched mean-control low contrast / mean-control R
































All scalar times remain in occupancy denominators; cadence5 chemicals/0.5 Spring. Threshold regions may coexist with weak or strong resultants; these are not exclusive phases.

R=AQ exactly per frame; mean R is mean of the paired product, not product of means. $q_1=|M_1|/M_0$ and $q_2=|M_2|/M_0$ retain basal coherence differences.


Mean controls match declared ensemble input means, without per-path normalization. Native clocks/laws/units differ; full/half differences do not certify stationarity.


Active amount, coherence and spatial harmonics: all sizes and strengths


First half · chemicals0–16000; Spring0–1600. Half-window midpoint shared.


Size colors: blue smallest, teal middle, orange largest. Squares n=12; circles n=2. Whiskers: observed seed range, not confidence intervals.


solid: active amount A / raw q_1 / noisy contrast dashed: coherence Q / q_2 / matched mean-control contrast
































All scalar times remain in occupancy denominators; cadence5 chemicals/0.5 Spring. Threshold regions may coexist with weak or strong resultants; these are not exclusive phases.

R=AQ exactly per frame; mean R is mean of the paired product, not product of means. $q_1=|M_1|/M_0$ and $q_2=|M_2|/M_0$ retain basal coherence differences.


Mean controls match declared ensemble input means, without per-path normalization. Native clocks/laws/units differ; full/half differences do not certify stationarity.


Instantaneous region widths with qualification coverage: all sizes and strengths


First half · chemicals0–16000; Spring0–1600. Half-window midpoint shared.


Size colors: blue smallest, teal middle, orange largest. Squares n=12; circles n=2. Whiskers: observed seed range, not confidence intervals.


solid: qualified multi occupancy / largest width dashed: qualified-frame coverage / second-largest width
































Widths join periodic seam-crossing regions: cell count/N × actual C(t). Threshold: current min+half contrast; qualification: contrast≥10% basal. Profile cadence40/4.

Largest: one per qualified frame; second: one per qualified multiregion frame. Equal available-seed means; △ fewer contributing seeds than condition n (exact counts exported).


Missing conditional widths stay unavailable. Widths are descriptive geometry, outside the ten-metric numerical gate; no region births, establishment, lifetimes or travel inferred.


Organization, contrast and global magnitude: all sizes and strengths


Second half · chemicals16000–32000; Spring1600–3200. Half-window midpoint shared.


Size colors: blue smallest, teal middle, orange largest. Squares n=12; circles n=2. Whiskers: observed seed range, not confidence intervals.


solid: raw multi / noisy low contrast / noisy R dashed: contrast-qualified multi / matched mean-control low contrast / mean-control R
































All scalar times remain in occupancy denominators; cadence5 chemicals/0.5 Spring. Threshold regions may coexist with weak or strong resultants; these are not exclusive phases.

R=AQ exactly per frame; mean R is mean of the paired product, not product of means. $q_1=|M_1|/M_0$ and $q_2=|M_2|/M_0$ retain basal coherence differences.


Mean controls match declared ensemble input means, without per-path normalization. Native clocks/laws/units differ; full/half differences do not certify stationarity.


Active amount, coherence and spatial harmonics: all sizes and strengths


Second half · chemicals16000–32000; Spring1600–3200. Half-window midpoint shared.


Size colors: blue smallest, teal middle, orange largest. Squares n=12; circles n=2. Whiskers: observed seed range, not confidence intervals.


solid: active amount A / raw q_1 / noisy contrast dashed: coherence Q / q_2 / matched mean-control contrast
































All scalar times remain in occupancy denominators; cadence5 chemicals/0.5 Spring. Threshold regions may coexist with weak or strong resultants; these are not exclusive phases.

R=AQ exactly per frame; mean R is mean of the paired product, not product of means. $q_1=|M_1|/M_0$ and $q_2=|M_2|/M_0$ retain basal coherence differences.


Mean controls match declared ensemble input means, without per-path normalization. Native clocks/laws/units differ; full/half differences do not certify stationarity.


Instantaneous region widths with qualification coverage: all sizes and strengths


Second half · chemicals16000–32000; Spring1600–3200. Half-window midpoint shared.


Size colors: blue smallest, teal middle, orange largest. Squares n=12; circles n=2. Whiskers: observed seed range, not confidence intervals.


solid: qualified multi occupancy / largest width dashed: qualified-frame coverage / second-largest width
































Widths join periodic seam-crossing regions: cell count/N × actual C(t). Threshold: current min+half contrast; qualification: contrast≥10% basal. Profile cadence40/4.

Largest: one per qualified frame; second: one per qualified multiregion frame. Equal available-seed means; △ fewer contributing seeds than condition n (exact counts exported).

Missing conditional widths stay unavailable. Widths are descriptive geometry, outside the ten-metric numerical gate; no region births, establishment, lifetimes or travel inferred.