
Conditional direction memory: all nine strengths

Whole observed run · chemical0–32000; Spring0–3200

f=0.0001 f=0.0003 f=0.001 f=0.003 f=0.01 f=0.03 f=0.1 f=0.3 f=1

Filled squares: n=12. Open circles: n=2 exploratory levels. The table retains exact n, pairs and contributing seeds.



Direction requires both endpoint R≥0.1 and reports groups only with≥100 eligible pairs and≥1% coverage. Read direction with its coverage page.

Uncentered vector correlation uses all raw first-moment pairs and lag-energy normalization; it also reflects magnitude/forced adaptation. It is descriptive here.


No stationarity or migration-velocity law is assumed. Chemical and Spring clocks/noise laws differ. All six lag checkpoints are retained; lines guide the eye.

Usable direction-pair coverage: all nine strengths

Whole observed run · chemical0–32000; Spring0–3200

f=0.0001 f=0.0003 f=0.001 f=0.003 f=0.01 f=0.03 f=0.1 f=0.3 f=1

Filled squares: n=12. Open circles: n=2 exploratory levels. The table retains exact n, pairs and contributing seeds.



Direction requires both endpoint R≥0.1 and reports groups only with≥100 eligible pairs and≥1% coverage. Read direction with its coverage page.

Uncentered vector correlation uses all raw first-moment pairs and lag-energy normalization; it also reflects magnitude/forced adaptation. It is descriptive here.


No stationarity or migration-velocity law is assumed. Chemical and Spring clocks/noise laws differ. All six lag checkpoints are retained; lines guide the eye.

Uncentered first-moment correlation: all nine strengths

Whole observed run · chemical0–32000; Spring0–3200

f=0.0001 f=0.0003 f=0.001 f=0.003 f=0.01 f=0.03 f=0.1 f=0.3 f=1

Filled squares: n=12. Open circles: n=2 exploratory levels. The table retains exact n, pairs and contributing seeds.



Direction requires both endpoint R≥0.1 and reports groups only with≥100 eligible pairs and≥1% coverage. Read direction with its coverage page.

Uncentered vector correlation uses all raw first-moment pairs and lag-energy normalization; it also reflects magnitude/forced adaptation. It is descriptive here.


No stationarity or migration-velocity law is assumed. Chemical and Spring clocks/noise laws differ. All six lag checkpoints are retained; lines guide the eye.


Conditional direction memory: all nine strengths


First half · chemical0–16000; Spring0–1600


f=0.0001 f=0.0003 f=0.001 f=0.003 f=0.01 f=0.03 f=0.1 f=0.3 f=1


Filled squares: n=12. Open circles: n=2 exploratory levels. The table retains exact n, pairs and contributing seeds.
































Direction requires both endpoint R≥0.1 and reports groups only with≥100 eligible pairs and≥1% coverage. Read direction with its coverage page.

Uncentered vector correlation uses all raw first-moment pairs and lag-energy normalization; it also reflects magnitude/forced adaptation. It is descriptive here.


No stationarity or migration-velocity law is assumed. Chemical and Spring clocks/noise laws differ. All six lag checkpoints are retained; lines guide the eye.

Usable direction-pair coverage: all nine strengths

First half · chemical0–16000; Spring0–1600

f=0.0001 f=0.0003 f=0.001 f=0.003 f=0.01 f=0.03 f=0.1 f=0.3 f=1

Filled squares: n=12. Open circles: n=2 exploratory levels. The table retains exact n, pairs and contributing seeds.



Direction requires both endpoint R≥0.1 and reports groups only with≥100 eligible pairs and≥1% coverage. Read direction with its coverage page.

Uncentered vector correlation uses all raw first-moment pairs and lag-energy normalization; it also reflects magnitude/forced adaptation. It is descriptive here.


No stationarity or migration-velocity law is assumed. Chemical and Spring clocks/noise laws differ. All six lag checkpoints are retained; lines guide the eye.

Uncentered first-moment correlation: all nine strengths

First half · chemical0–16000; Spring0–1600

f=0.0001 f=0.0003 f=0.001 f=0.003 f=0.01 f=0.03 f=0.1 f=0.3 f=1

Filled squares: n=12. Open circles: n=2 exploratory levels. The table retains exact n, pairs and contributing seeds.



Direction requires both endpoint R≥0.1 and reports groups only with≥100 eligible pairs and≥1% coverage. Read direction with its coverage page.

Uncentered vector correlation uses all raw first-moment pairs and lag-energy normalization; it also reflects magnitude/forced adaptation. It is descriptive here.


No stationarity or migration-velocity law is assumed. Chemical and Spring clocks/noise laws differ. All six lag checkpoints are retained; lines guide the eye.

Conditional direction memory: all nine strengths

Second half after discarding the first half · chemical16000–32000; Spring1600–3200

f=0.0001 f=0.0003 f=0.001 f=0.003 f=0.01 f=0.03 f=0.1 f=0.3 f=1

Filled squares: n=12. Open circles: n=2 exploratory levels. The table retains exact n, pairs and contributing seeds.



Direction requires both endpoint R≥0.1 and reports groups only with≥100 eligible pairs and≥1% coverage. Read direction with its coverage page.

Uncentered vector correlation uses all raw first-moment pairs and lag-energy normalization; it also reflects magnitude/forced adaptation. It is descriptive here.


No stationarity or migration-velocity law is assumed. Chemical and Spring clocks/noise laws differ. All six lag checkpoints are retained; lines guide the eye.

Usable direction-pair coverage: all nine strengths

Second half after discarding the first half · chemical16000–32000; Spring1600–3200

f=0.0001 f=0.0003 f=0.001 f=0.003 f=0.01 f=0.03 f=0.1 f=0.3 f=1

Filled squares: n=12. Open circles: n=2 exploratory levels. The table retains exact n, pairs and contributing seeds.



Direction requires both endpoint R≥0.1 and reports groups only with≥100 eligible pairs and≥1% coverage. Read direction with its coverage page.

Uncentered vector correlation uses all raw first-moment pairs and lag-energy normalization; it also reflects magnitude/forced adaptation. It is descriptive here.


No stationarity or migration-velocity law is assumed. Chemical and Spring clocks/noise laws differ. All six lag checkpoints are retained; lines guide the eye.

Uncentered first-moment correlation: all nine strengths

Second half after discarding the first half · chemical16000–32000; Spring1600–3200

f=0.0001 f=0.0003 f=0.001 f=0.003 f=0.01 f=0.03 f=0.1 f=0.3 f=1

Filled squares: n=12. Open circles: n=2 exploratory levels. The table retains exact n, pairs and contributing seeds.



Direction requires both endpoint R≥0.1 and reports groups only with≥100 eligible pairs and≥1% coverage. Read direction with its coverage page.

Uncentered vector correlation uses all raw first-moment pairs and lag-energy normalization; it also reflects magnitude/forced adaptation. It is descriptive here.

No stationarity or migration-velocity law is assumed. Chemical and Spring clocks/noise laws differ. All six lag checkpoints are retained; lines guide the eye.