






□: failed native-field tail, independent of fate; ×: known low activity; †: no sampled calibration at the finite cap; plain grey: missing independent native audit. Native numerical schemes are retained; deBelly uses the 0.5-unit update and later-gap timing is sensitive to its qualified quarter-step companion (S5).



S2 2 pulses; total ON = 1.5× postwithdrawal calibration
Wave-pinning
Goryachev
deBelly
Holmes 3
Spring
Gap / pulse duration
Length label L
Final eligible D after native recovery
□: failed native-field tail, independent of fate; ×: known low activity; †: no sampled calibration at the finite cap; plain grey: missing independent native audit. Native numerical schemes are retained; deBelly uses the 0.5-unit update and later-gap timing is sensitive to its qualified quarter-step companion (S5).



S2 2 pulses; total ON = 2× postwithdrawal calibration
Wave-pinning
Goryachev
deBelly
Holmes 3
Spring
Gap / pulse duration
16
4
1
0.5
0.1
0
19
23
27
31
35
39
Length label L
Final eligible D after native recovery
1.00
0.75
0.50
0.25
0.00
−0.25
−0.50
−0.75
−1.00
□: failed native-field tail, independent of fate; ×: known low activity; †: no sampled calibration at the finite cap; plain grey: missing independent native audit. Native numerical schemes
are retained; deBelly uses the 0.5-unit update and later-gap timing is sensitive to its qualified quarter-step companion (S5).




□: failed native-field tail, independent of fate; ×: known low activity; †: no sampled calibration at the finite cap; plain grey: missing independent native audit. Native numerical schemes are retained; deBelly uses the 0.5-unit update and later-gap timing is sensitive to its qualified quarter-step companion (S5).



S2 4 pulses; total ON = 1.5× postwithdrawal calibration
Wave-pinning
Goryachev
deBelly
Holmes 3
Spring
Gap / pulse duration
Length label L
Final eligible D after native recovery
□: failed native-field tail, independent of fate; ×: known low activity; †: no sampled calibration at the finite cap; plain grey: missing independent native audit. Native numerical schemes are retained; deBelly uses the 0.5-unit update and later-gap timing is sensitive to its qualified quarter-step companion (S5).


S2 4 pulses; total ON = 2× postwithdrawal calibration
Wave-pinning
Goryachev
deBelly
Holmes 3
Spring
Gap / pulse duration
16
4
1
0.5
0.1
0
19
23
27
31
35
39
Length label L
Final eligible D after native recovery
1.00
0.75
0.50
0.25
0.00
−0.25
−0.50
−0.75
−1.00
□: failed native-field tail, independent of fate; ×: known low activity; †: no sampled calibration at the finite cap; plain grey: missing independent native audit. Native numerical schemes
are retained; deBelly uses the 0.5-unit update and later-gap timing is sensitive to its qualified quarter-step companion (S5).



□: failed native-field tail, independent of fate; ×: known low activity; †: no sampled calibration at the finite cap; plain grey: missing independent native audit. Native numerical schemes are retained; deBelly uses the 0.5-unit update and later-gap timing is sensitive to its qualified quarter-step companion (S5).


S2 8 pulses; total ON = 1.5× postwithdrawal calibration
Wave-pinning
Goryachev
deBelly
Holmes 3
Spring
Gap / pulse duration
16
4
1
0.5
0.1
0
19
23
27
31
35
39
Length label L
Final eligible D after native recovery
1.00
0.75
0.50
0.25
0.00
−0.25
−0.50
−0.75
−1.00
□: failed native-field tail, independent of fate; ×: known low activity; †: no sampled calibration at the finite cap; plain grey: missing independent native audit. Native numerical schemes
are retained; deBelly uses the 0.5-unit update and later-gap timing is sensitive to its qualified quarter-step companion (S5).


S2 8 pulses; total ON = 2× postwithdrawal calibration
Wave-pinning
Goryachev
deBelly
Holmes 3
Spring
Gap / pulse duration
16
4
1
0.5
0.1
0
19
23
27
31
35
39
Length label L
Final eligible D after native recovery
1.00
0.75
0.50
0.25
0.00
−0.25
−0.50
−0.75
−1.00
□: failed native-field tail, independent of fate; ×: known low activity; †: no sampled calibration at the finite cap; plain grey: missing independent native audit. Native numerical schemes
are retained; deBelly uses the 0.5-unit update and later-gap timing is sensitive to its qualified quarter-step companion (S5).