





Each length uses three centered full-support cosine cues with the same commanded spatial area. This is a supporting native placement test, distinct from the Figure 3 ring experiment. Triangles are lower bounds; open squares mark failed finite field tails. deBelly distances are native nominal solver coordinates.



†: share target not reached in the finite shared native prefix; no withdrawal was executed. ×: observed low activity. □: failed finite native-field tail, independent of fate. Exact first-hit native states are reused without interpolation; threshold and added dwell remain separate. deBelly retains its native 0.5-unit clock.


S4 Goryachev: share-triggered withdrawal and added dwell
First sampled challenger share ≥ 0.5
First sampled challenger share ≥ 0.75
First sampled challenger share ≥ 0.9
Additional dwell / commitment calibration
1
0.25
0
19
23
27
31
35
39
Length label L
Final eligible D after recovery
1.00
0.75
0.50
0.25
0.00
−0.25
−0.50
−0.75
−1.00
†: share target not reached in the finite shared native prefix; no withdrawal was executed. ×: observed low activity. □: failed finite native-field tail, independent of fate. Exact first-hit native states are reused without interpolation; threshold and added dwell remain separate. deBelly retains its native 0.5-unit clock.


S4 deBelly: share-triggered withdrawal and added dwell
First sampled challenger share ≥ 0.5
First sampled challenger share ≥ 0.75
First sampled challenger share ≥ 0.9
Additional dwell / commitment calibration
1
0.25
0
19
23
27
31
35
39
Length label L
Final eligible D after recovery
1.00
0.75
0.50
0.25
0.00
−0.25
−0.50
−0.75
−1.00
†: share target not reached in the finite shared native prefix; no withdrawal was executed. ×: observed low activity. □: failed finite native-field tail, independent of fate. Exact first-hit native states are reused without interpolation; threshold and added dwell remain separate. deBelly retains its native 0.5-unit clock.