S5 deBelly: native identity audits pass; numerical agreement is incomplete

L	Assay	Basal field shift	Max endpoint |ΔD|	Max endpoint field error	Final D:0.5 /0.25	Tail:0.5 /0.25	Nonexclusive qualifications
19	width_0.95	0.0245%	9.11e-05	0.0305%	0.928 / 0.928	True / True	none
19	width_7.6	0.0245%	0.00019	0.1%	0.928 / 0.928	False / True	finite_field_tail_status_changed
39	width_0.95	2.62%	0.000266	2.64%	0.921 / 0.921	True / True	none
39	width_7.6	2.62%	0.000646	2.65%	0.921 / 0.921	True / True	none
19	train_4_gap4_on1p5	0.0245%	0.0589	0.193%	0.928 / 0.928	False / True	finite_field_tail_status_changed phase_endpoint_eligibility_changed phase_endpoint_D_difference_above_tolerance
39	train_4_gap4_on1p5	2.62%	0.775	8.34%	0.916 / 0.921	False / True	finite_field_tail_status_changed native_endpoint_field_difference_above_tolerance phase_endpoint_D_difference_above_tolerance phase_endpoint_challenger_bias_changed

The 0.25-unit companions use separately qualified basal states and a controller relaxation rate adjusted to preserve its physical rate. The native 0.5-unit campaign remains unchanged. Final fate agreement does not establish agreement in phase timing, eligibility, coupled native fields or finite-tail status.

At L39 the first two gaps still lose challenger bias, but third-gap D changes from −0.58556 to +0.18947. Final D changes from 0.91646 to 0.92085. Tension and velocity endpoint differences reach 8.341% and 6.802% of native scales. The first L19 gap also loses bias in both schemes while its eligibility flag changes. These are explicit numerical limits, not omitted failed simulations.


S5 Every native pulse/gap endpoint under the identical realized cue schedule
L19
L39
Eligible activity dominance D
1.00
0.75
0.50
0.25
0.00
−0.25
−0.50
−0.75
−1.00
Native0.5 update
Qualified0.25 update
ON1
Gap1
ON2
Gap2
ON3
Gap3
ON4
Recovery
Points are exact phase-end samples; connecting segments do not represent continuous trajectories or equal time spacing. Open triangles show raw D when the amount/contrast eligibility gate fails; raw values are not substituted for eligible D. Full native times, eligibility, contrast, amounts and gate results are retained in the companion CSV.


S5 deBelly L19: all 11 native endpoint state components after recovery
rac
rho
mca bound
mca unbound
displacement
velocity
tension
raw left displacement
raw right displacement
left boundary displacement
right boundary displacement
Native0.5
Qualified0.25
Native field units
Nominal native position
1e−91
No fitted spatial shift or amplitude normalization. Final fate, native-field error and finite-tail gate are separate readouts. All six width/train comparisons and every state profile remain in the copied source tables.


S5 deBelly L39: all 11 native endpoint state components after recovery
rac
rho
mca bound
mca unbound
displacement
velocity
tension
raw left displacement
raw right displacement
left boundary displacement
right boundary displacement
Native0.5
Qualified0.25
Native field units
Nominal native position
1e−58
No fitted spatial shift or amplitude normalization. Final fate, native-field error and finite-tail gate are separate readouts. All six width/train comparisons and every state profile remain in the copied source tables.