

Admin and Settings

Feature Overview

Field	Value
Feature name	Admin and Settings
Status	Phase 2 complete
Phase	Phase 2
Priority	Medium

Description

Two related areas: a per-user Settings screen, and a full Admin console for privileged users. Settings gives users control over their profile, storage view, data export and account deletion. The Admin console is a dedicated full-screen workspace (a left sidebar with Dashboard, Users, Admin Management, Audit and Backups) that lets a privileged user review platform-wide metrics, manage accounts, adjust storage limits, unlock, suspend or reinstate accounts, send password reset links, manage other admins, and review the activity (audit) log. In Phase 3 this may integrate with GoodBarber authentication if applicable.

Settings (per user)

User Profile

- [x] Display user profile (name, email)
- [x] Edit name
- [] In-app change password with current-password confirmation (not built; password changes go through the email reset flow instead - see below)

Storage

- [x] Display storage usage (amount used against the user's limit)
- [] Clear local cache (not built; offline caching is a later-phase goal)
- [] Last sync timestamp (not built; depends on offline sync)

Privacy and Account

- [x] Download my data (CCPA/CPRA style export of account, folders and documents). Build 13: the export is now a human-readable, branded HTML report (was raw JSON), and each document has a Download link that streams through the app's own domain via `/api/files/[id]` rather than exposing the storage host.
- [x] Delete my account (password-confirmed; deletes all stored files and every related record)
- [x] Admin panel entry (shown only to admin users)

Security note

- The Settings security note states that documents are stored securely with per-user isolation and time-limited signed access. Build 13 simplified the wording to “Your documents are private and stored securely. Only you can view them.” (the “US-based infrastructure” phrase was dropped from the UI copy). It does not claim encryption at rest, which is deferred as an accepted risk (see production.md).

Admin Console (Phase 2, implemented; upgraded Build 12)

The original two-tab admin panel was replaced by a full-screen Admin console at `/admin`. Admins reach it from a top-right “Admin” button on the home header (and the existing Settings entry). The console renders full width on desktop (not the phone-width app frame) with a persistent left sidebar; on smaller screens the sidebar collapses into a slide-over menu. An “Exit to app” control returns the admin to the normal app view.

Roles

- Two privilege levels: Admin (`isAdmin`) and Super Admin (`isSuperAdmin`). A super admin is also treated as an admin everywhere.
- `admin@lockondocs.com` is seeded as the super admin.
- Every admin API resolves the caller’s role from the database on each request (session flags are treated as a UI convenience only), and returns 403 for non-admins. Super-admin-only actions (role changes) return 403 for ordinary admins.
- Deleted or suspended accounts lose admin access immediately.

Dashboard

- Overview cards: total users (with admin count), total documents, total folders and total storage used. A date filter (Today, Last 7 days, Last 30 days, All time, or a custom calendar range) recomputes the “new in range” figures.
- Security widget: locked accounts, suspended accounts, failed logins in range, and deleted accounts.
- Cards drill down into the Users section pre-filtered to the matching set (for example the storage card opens Users sorted by storage, the locked card opens the locked accounts).
- Top users by storage list.

Users

- Searchable, sortable, paginated list of accounts (search by name or email; filter by all/admins/locked/suspended/deleted; sort by joined date, name or storage). CSV export respects the active filters.
- Each row has a “View” button that opens a user drawer showing the account summary and recent activity, with security actions: adjust storage limit, unlock, suspend or reinstate, and send a password reset link. Super admins cannot be suspended and an admin cannot suspend their own account.
- Deliberately no capability for an admin to open or browse another user’s documents: per-user isolation is preserved.

Admin Management (super admin only)

- Hidden entirely unless the signed-in user is a super admin.

- Lists current admins and super admins, and a “Create admin” dialog searches the full user list to promote a user to Admin or Super Admin, or step an admin back down. The last remaining super admin cannot be removed.

Audit

- Full audit log with action filter, free-text search (detail or user email) and date range, plus CSV export.

Backups

- Informational page only (no separate in-app backup engine): explains platform-managed database snapshots, durable US cloud storage with time-limited signed links, and how to restore a snapshot. It also notes that encryption at rest is planned for a later phase and not yet enabled.
- Endpoints live under `/api/admin` (stats, users, users/[id], audit) and all verify the role server-side.

Auth Hardening (related, Phase 2)

- Password policy: minimum 8 characters, including at least one letter and one number. Enforced on signup and on password reset, and shown as a hint on the register form.
- Forgot password: `/forgot-password` emails a time-limited reset link (1 hour). The reset page verifies the token, applies the policy, and clears any logout.
- Email verification: a soft, non-blocking verification link (24 hours) is emailed on signup; `/verify-email` confirms it. Verification is not enforced at login.
- Account lockout: 5 failed login attempts lock the account for 15 minutes.

Phase 3 Considerations

- GoodBarber auth pass-through: if GoodBarber provides authentication tokens, Settings should detect and use those rather than a separate login.
- Session management inside the iframe: handle session expiry gracefully and avoid full-page redirects that break the iframe. Note the live app deliberately opens the vault first-party for cookie and camera reliability.
- Deep linking: Settings may need to be reachable via a direct URL for GoodBarber navigation.

Technical Notes

Database

- User fields include: id, name, email, password hash, isAdmin, isSuperAdmin, storageUsed, storageLimit, emailVerified, failedLoginAttempts, lockedUntil, suspendedAt, timestamps, deletedAt.
- Suspension uses a dedicated `suspendedAt` timestamp (separate from the logout fields). A suspended user is blocked at login with a clear message; reinstating clears `suspendedAt`.
- Account deletion is a real delete: it removes the user’s S3 files (best effort), writes an audit entry, then deletes the account and cascades related records. It is not a soft-delete-with-grace-period.

Audit Log

- A best-effort `recordAudit` helper writes entries for folder update/delete, document move/delete, signup, admin actions, data export and account deletion, capturing client IP where available. Audit failures never block the main request.

Security

- Password reset and account deletion require verification (token or password).
- Admin actions are server-side gated on the isAdmin flag.

Dependencies

- Authentication system (login, session, isAdmin flag)
- Database schema (users, audit log)
- Cloud storage API (for storage usage and file deletion)