

sol1_enhancer_agent_sdk

Take-home. Python owns the loop. The model drafts and grades. It does not write files. It does not run `/enhancer-loop`.

Saturday live path is `solutions/sol1_enhancer`. Do not copy these fences into that folder.

Read `HOW_TO_RUN.md` and `DESIGN_DOC.md`.

Spillwave Solutions | spillwave.com

Setup. Folder-local venv

```
cd solutions/sol1_enhancer_agent_sdk
cp config.json.example config.json
echo 'ANTHROPIC_API_KEY=sk-ant-...' >> ../../.env
task setup          # .venv + claude-agent-sdk. PEP 668.
task clone
task create-test-tickets
```


Do not `pip install -r ../../requirements-takehome.txt`. Homebrew Python will refuse.

Scripts with no model

```
task table      # judge writes must print no
task checks
task test      # pytest. No key, no clone, no SDK.
```

If judge prints `yes`, stop. The port is wrong.

Architecture



Python writes the candidate and runs the checks. A typo in the deny envelope fails **open**.

See <docs/diagrams/architecture.svg>.

One poll

```
timeout 420 task run --  
task run -- --quiet  
task poll-forever --
```

A first poll is three model calls: judge, doer, judge again. Cap it while you develop.

Hung queries dump to `.harness/last-doer-T<id>.md`. Cap is 180 seconds.

Scope. Two places, both required

1. `tools=[...].NO_WRITE` strips Edit, Write, Bash.
2. `PreToolUse` hook `roles.scope_hook`. Empty `{}` = allow. Deny must be `hookSpecificOutput` with `permissionDecision: deny`.

Parent session: `allowed_tools=["Agent"].permission_mode` is not chatting. Python already owns the loop.

Testing skill. Same ritual as Claude Code

```
.agents/skills/test-sol1-ticket-enhancer/
```

```
task reset-test-tickets  
task create-test-tickets  
task run --
```

Review live issues. Post exact LGTM. Next poll: state: ready, loop: implementer.

Troubleshooting

SYMPTOM	FIX
Judge writes <code>yes</code>	<code>strip Write with NO_WRITE</code>
<code>externally-managed-environment</code>	<code>task setup, not system pip</code>
Hang, no output	<code>read .harness/last-doer-T<id>.md</code>
Closed issue	<code>task reset-test-tickets</code>

Recap

Python holds the loop. The model only drafts and grades.

`task setup, task table, task test, task run.` **Read** `HOW_TO_RUN.md`.

Spillwave Solutions | spillwave.com