

sol1_enhancer_deep_agents

Take-home. Deep Agents. Python is the harness. The model drafts and grades.

Saturday live path is `solutions/sol1_enhancer`. Do not copy these fences into that folder.

Read `HOW_TO_RUN.md` and `DESIGN_DOC.md`. Skills are mounted, not pasted.

Setup

```
cd solutions/sol1_enhancer_deep_agents
cp config.json.example config.json
echo 'ANTHROPIC_API_KEY=sk-ant-...' >> ../../.env
task setup          # .venv + deepagents>=0.7
task clone
task create-test-tickets
```

Scripts with no model

```
task table          # judge writes must print no
task checks
task test
```

If judge prints `yes`, stop.

Three fences



Layer 3 is the one people skip. Leaving the default subagent on is how a scoped agent writes anywhere.

See <docs/diagrams/architecture.svg>.

One poll

```
timeout 420 task run --  
task run -- --ticket T001  
task run -- --ticket T001 --simulate-comment LGTM  
task poll-forever --
```

`--simulate-comment` **needs** `--ticket`. First poll is three model calls.

`task run` **is** `python3 loop.py --once --repo <target>`. Extra flags after `--` go to `loop.py`.

Skills, not a stuffed prompt

```
skills/doer/SKILL.md  
skills/judge/SKILL.md
```

Deep Agents loads the body when the role is invoked. Do not paste `SKILL.md` into a subagent prompt.

Testing skill

```
.agents/skills/test-sol1-ticket-enhancer/
```

```
task reset-test-tickets  
task create-test-tickets  
task run --
```

Same GitHub + LGTM ritual as the Claude Code answer.

Spillwave Solutions | spillwave.com

Troubleshooting

SYMPTOM	FIX
Judge writes <code>yes</code>	no write tool on the judge
Agent writes anywhere	turn the general-purpose subagent off
Skill not loading	do not shadow <code>read_file</code> with a custom tool
No key	<code>task_table</code> and <code>task_test</code> still run

Recap

Three fences. Skills mounted. Python holds the loop.

Saturday still lives in `solutions/sol1_enhancer`.

Spillwave Solutions | spillwave.com