

IBM SPSS Web Report - Output1

Log

Log - Log - September 6, 2026

Your temporary usage period for IBM SPSS Statistics will expire in 3403 days.

```
GET
FILE='E:\ACADEMIC DOCTORADO - DIDACTICA\analisis-factorial\innovacion-didactica-analisis-factorial-datos.sav'.
DATASET NAME DataSet1 WINDOW=FRONT.
FACTOR
/VARIABLES VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009
VAR00010 VAR00011
/MISSING LISTWISE
/ANALYSIS VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009
VAR00010 VAR00011
/PRINT INITIAL KMO EXTRACTION ROTATION
/FORMAT SORT BLANK(.30)
/PLOT EIGEN
/CRITERIA FACTORS(6) ITERATE(25)
/EXTRACTION PAF
/CRITERIA ITERATE(25) DELTA(0)
/ROTATION OBLIMIN
/METHOD=CORRELATION.
```

Factor Analysis

Factor Analysis - Active Dataset - September 6, 2026

[DataSet1] E:\ACADEMIC DOCTORADO - DIDACTICA\analisis-factorial\innovacion-didactica-analisis-factorial-datos.sav

Factor Analysis

Factor Analysis - KMO and Bartlett's Test - September 6, 2026

KMO and Bartlett's Test

Kaiser-Meyer-Olkin Measure of Sampling Adequacy.		.543
Bartlett's Test of Sphericity	Approx. Chi-Square	266.974
	df	55
	Sig.	.000

IBM SPSS Web Report - Output1

Factor Analysis

Factor Analysis - Communalities - September 6, 2026

Communalities

	Initial	Extraction
VAR00001	.515	.812
VAR00002	.518	.627
VAR00003	.343	.612
VAR00004	.392	.595
VAR00005	.303	.436
VAR00006	.261	.574
VAR00007	.547	.586
VAR00008	.582	.932
VAR00009	.417	.552
VAR00010	.433	.760
VAR00011	.116	.380

Extraction Method: Principal Axis Factoring.

Factor Analysis

Factor Analysis - Total Variance Explained - September 6, 2026

Total Variance Explained

Factor	Initial Eigenvalues			Extraction Sums of Squared Loadings			Rotation Sums of Squared Loadings ^a
	Total	% of Variance	Cumulative %	Total	% of Variance	Cumulative %	Total
1	2.448	22.257	22.257	2.133	19.391	19.391	1.794
2	1.821	16.555	38.812	1.487	13.521	32.912	1.547
3	1.648	14.983	53.795	1.277	11.611	44.522	1.344
4	1.319	11.989	65.784	.978	8.894	53.416	1.242
5	1.075	9.768	75.552	.669	6.083	59.499	1.263
6	.863	7.847	83.400	.320	2.909	62.408	.576
7	.518	4.707	88.107				
8	.449	4.084	92.191				
9	.348	3.167	95.358				
10	.271	2.461	97.819				
11	.240	2.181	100.000				


Extraction Method: Principal Axis Factoring.

a. When factors are correlated, sums of squared loadings cannot be added to obtain a total variance.

IBM SPSS Web Report - Output1

Factor Analysis

Factor Analysis - Scree Plot - September 6, 2026



Factor Analysis

Factor Analysis - Factor Matrix - September 6, 2026

Factor Matrix^a

	Factor					
	1	2	3	4	5	6
VAR00008	.805	.342			-.359	
VAR00007	.629	.351				
VAR00005	.470				.341	
VAR00002	.447	-.522	.308			
VAR00001	.486	-.488	.333	-.467		
VAR00010		.534	.653			
VAR00009		.490	.547			
VAR00003				.611		
VAR00004	.396	-.313		.500		
VAR00006	.421				.570	
VAR00011						.491

Extraction Method: Principal Axis Factoring.
a. Attempted to extract 6 factors. More than 25 iterations required. (Convergence=.004).
Extraction was terminated.

IBM SPSS Web Report - Output1

Factor Analysis

Factor Analysis - Pattern Matrix - September 6, 2026

Pattern Matrix^a

	Factor					
	1	2	3	4	5	6
VAR00008	.957					
VAR00007	.697					
VAR00001		-.909				
VAR00002		-.761				
VAR00010			.868			
VAR00009			.698			
VAR00003				.790		
VAR00004				.675		
VAR00006					.772	
VAR00005					.574	
VAR00011						.595

Extraction Method: Principal Axis Factoring.
Rotation Method: Oblimin with Kaiser Normalization.
a. Rotation converged in 5 iterations.

Factor Analysis

Factor Analysis - Structure Matrix - September 6, 2026

Structure Matrix

	Factor					
	1	2	3	4	5	6
VAR00008	.962				.321	
VAR00007	.750				.398	
VAR00001		-.892				
VAR00002		-.782				
VAR00010			.862			
VAR00009			.724			
VAR00003				.764		
VAR00004				.727		
VAR00006					.752	
VAR00005	.385				.639	
VAR00011						.611

Extraction Method: Principal Axis Factoring.
Rotation Method: Oblimin with Kaiser Normalization.

IBM SPSS Web Report - Output1

Factor Analysis

Factor Analysis - Factor Correlation Matrix - September 6, 2026

Factor Correlation Matrix

Factor	1	2	3	4	5	6
1	1.000	-.138	.065	.116	.365	-.163
2	-.138	1.000	.090	-.198	-.044	.036
3	.065	.090	1.000	-.024	-.002	.218
4	.116	-.198	-.024	1.000	.089	.123
5	.365	-.044	-.002	.089	1.000	-.074
6	-.163	.036	.218	.123	-.074	1.000

Extraction Method: Principal Axis Factoring.
Rotation Method: Oblimin with Kaiser Normalization.