cas-src v3.69.0 RELEASE REPORT · PUBLISHED 20 OCTOBER 2026 · 11:26 PM ET

On Linux, helper sessions can no longer see your Neon and Vercel sign-ins, and warnings and refusals read cleanly.

AREA	CHANGES
Safety	1
Other	1

2 changes shipped: 1 in Safety and 1 in Other.

One dot, one shipped change. No GitHub issues are counted in this report's fixes ledger.

See every change ↓

01 / 06

Release at a glance

▼ What shipped, by area

One dot is one change listed in the v3.69.0 CHANGELOG. Dots count changes, not their size or importance.

AREA	CHANGES	WHAT CHANGED
Safety	1	Workers cannot read operator credential stores
Other	1	Readable warnings and refusals
Total	2	2 areas

Source: CHANGELOG `CHANGELOG.md`, release-notes draft `docs/release-notes/2026-10-21-v3.69.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.69.0; retrieved 20 October 2026 · 11:28 PM ET.

2

Changes shipped

1 security, 1 fixed; tests and docs not counted

3m 51s

Green to published

Within budget (10m 0s budget); Merge-queue CI completion to publication

Changes and GitHub issues are counted separately. A change is one titled entry in the v3.69.0 CHANGELOG section; tests and documentation entries are listed under the hood but not counted. A GitHub issue counts when release PR #1326 or the CHANGELOG section references it and it closed between the PR opening (10:41 PM ET) and 15 minutes after its merge (11:38 PM ET). Issues are closed by hand shortly after the merge, so a report run inside that window waits for referenced issues that are still open. No GitHub issues are counted in this report's fixes ledger. No release stage was blocked. No manual interventions. Not measured for this release: request to published, cut to published, lesson recurrence.

02 / 06

What you can do now

Your sign-ins stay private

Neon and Vercel sign-ins hidden

WAS

a helper session Cassy started for you could read your saved Neon or Vercel sign-in files through a script or a chained command that the safety check could not follow.

NOW

on Linux those files are hidden from helper sessions entirely, and pushing code still works; on a Mac the safety check remains the protection.

Clearer messages

Sharing warning during updates

WAS

when an update found network sharing switched off, the reason ran together with the heading and broke mid-sentence.

NOW

the heading stands on its own line with the reason neatly beneath it.

Errors your scripts can read

WAS

when a settings or hub command asked for machine-readable output was refused, the error came back as styled text only.

NOW

the refusal comes back in the same machine-readable form, with the same message.

Status marks on plain terminals

WAS

on a terminal without Unicode support, status lines showed symbols it could not draw.

NOW

they show plain words such as [OK] and [WARN].

03 / 06

Under the hood

Credential-store isolation

Masked stores

WAS

the PreToolUse guard could not stop interpreter one-liners, piped shells or variable indirection from reading the Neon and Vercel CLI stores.

NOW

on Linux, `Pty::spawn` starts workers in a bubblewrap user+mount namespace that covers each non-empty store with an empty read-only tmpfs; host filesystem, PIDs, env and cwd are unchanged, and the guard stays as defense in depth.

Fail-closed spawn

WAS

no isolation backend existed, so a host without one exposed the stores silently.

NOW

a store with no usable `bwrap` or unprivileged user namespaces refuses the spawn with a remedy; `CAS_WORKER_STORE_ISOLATION=off` in the daemon env opts out, and macOS has no backend yet and warns.

ssh inside the namespace

WAS

root-owned ssh config drop-ins appear owned by `nobody` inside a user namespace.

NOW

workers get a user-owned copy of the drop-ins, following symlinks, so ssh and `git push` keep their config.

Output

Serve warning layout

WAS

`cas update` printed "Tailscale Serve inactive: <cause>" as one run, wrapped at the findings cause column.

NOW

the label takes its own line and the cause wraps beneath it at a continuation indent.

JSON refusals

WAS

`cas --json config` and `cas --json hub` refusals took the styled stderr error path and left stdout empty.

NOW

they print one `{"status":"error","message":…}` document on stdout, with `CasError` exit codes unchanged.

ASCII status fallback

WAS

`StatusLine` drew its glyph whenever output was styled, even on a non-UTF-8 locale.

NOW

it checks `Formatter::glyphs()` and falls back to the coloured `[OK]/[WARN]/[ERROR]/[INFO]` tags.

Recovery content unwrap

WAS

the abandonment-recovery batch called `unwrap()` on a notice's recovery content.

NOW

it uses `if let`; behaviour is unchanged because that batch only holds notices with content.

04 / 06

Fixes ledger

GitHub issues closed with this release · 0

ISSUE	TITLE	CLOSED	AREA

No GitHub issues are counted in this report's fixes ledger.

05 / 06

Install

```
cas update --yes --version 3.69.0
```

Release assets

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz	sha256:e1c88c45b7851dc46e9b6aaefd5828973c8a9474e0581d47c3710471d530f15a	33555432
cas-x86_64-unknown-linux-gnu.tar.gz	sha256:1a154fdfb7ab0ae3a9b55ec471f2f89a69f609d95a39a79e7798bc322a927592	38808383

06 / 06

Evidence and scope

Retrieved: 20 October 2026 · 11:28 PM ET.

Source: CHANGELOG `CHANGELOG.md`, release-notes draft `docs/release-notes/2026-10-21-v3.69.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.69.0; retrieved 20 October 2026 · 11:28 PM ET.

Each change is placed in a product area by the words in its title, then its text; a change that matches no area is listed under Other. Correct an area in the Change map table before rendering.

Release PR: https://github.com/Richards-LLC/cassy/pull/1326 `(https://github.com/Richards-LLC/cassy/pull/1326)` (merged 20 October 2026 · 11:23 PM ET).

Release-notes draft: `docs/release-notes/2026-10-21-v3.69.0-slack.md`.

CHANGELOG source: `CHANGELOG.md`.

GitHub release: https://github.com/Richards-LLC/cassy/releases/tag/v3.69.0 (https://github.com/Richards-LLC/cassy/releases/tag/v3.69.0) (published or unknown).

Release receipt: `/home/pippenz/.cas/artifacts/cassy-bbb8e75581403d3edc2689512df64eaf37780d70a032cb0d79850218dfada14a/cas-b265/latency/release-latency.receipt`.

Pipeline latency

Stage timings are unavailable: the latency receipt records no STAGE_SECS.

No source warnings.
