PUBLISHED 16 OCTOBER 2026 · 05:07:27 UTC · RELEASE COMMIT A80E319F127DF8E1C64E9C1932B9AB301364689D.

Messages reach busy workers at their next step, supervisors stop nagging about work that has already landed, and Commander keeps your place while you read earlier turns.

SURFACE		CLOSED
Messages	● ●	2
Stall checks	●	1
Commander	no listed issues	0

Messages lead the closure stitch with 2 of 3 verified closures; the third stops a false merge nag.

One dot, one closed issue. 2 issue-bearing surfaces.

Read the map data ↓

Release at a glance

01 / 06

3

Verified closures

Issues referenced by PR #1226 and closed after its merge

38

Changelog entries

2 Added, 3 Changed and 33 Fixed top-level entries in the v3.58.0 CHANGELOG section

80 m 27 s

Cut → published

Release PR #1226 opened at 03:47:00Z to publication at 05:07:27Z

3 m 13 s

Merged → published

Main landing at 05:04:14Z to release publication at 05:07:27Z

1

Merge-queue repairs

One ejection on a Commander journey; repaired by a product fix and re-queued at 04:47:30Z

Closures and changelog entries are counted separately: a changelog entry is a shipped change, and only an issue referenced by the release PR that closed after the merge counts as a closure. Three such issues closed at 05:11 UTC. Timing endpoints are GitHub's PR `createdAt` and `mergedAt`, the merge-queue re-entry time, and the release `publishedAt`. No release-latency receipt was written for this release, so green-to-published and per-stage timings are unavailable.

▼ Change map · data and reading guide

Each equal-area dot represents one issue that release PR #1226 references and that closed after it merged. The figure counts closures, not impact, effort, or severity.

Change map data · closed issues by surface

SURFACE	ISSUES CLOSED	ISSUE NUMBERS
Messages	2	#1196, #1223
Stall checks	1	#1225
Commander	0	The Commander scroll fix, the readable terminal colours and Slack credential repair shipped without a GitHub issue
Total	3	2 issue-bearing surfaces

Sources: release PR #1226 (https://github.com/Richards-LLC/cassy/pull/1226), CHANGELOG at the release commit (https://github.com/Richards-LLC/cassy/blob/a80e319f127df8e1c64e9c1932b9ab301364689d/CHANGELOG.md), and the linked issue records in the fixes ledger. Retrieved 16 October 2026 at 05:11 UTC.

What you can do now

02 / 06

Messages arrive

Messages mid-task

WAS instructions to a busy helper waited 15 minutes, then were dropped.

NOW the helper sees them at its next step.

Nothing lost in the inbox

WAS a message checked mid-task but never handled could vanish.

NOW it comes back once until it is handled.

Clear send outcome

WAS sending to a busy helper gave no outcome.

NOW you see whether it was delivered or when it will arrive.

Clear waiting status

WAS a waiting message's status was ambiguous.

NOW the status says why it is waiting.

Replies stay in the thread

WAS some replies were rejected as not part of the conversation.

NOW replies and follow-ups thread as expected.

Reminders get noticed

WAS a reminder could sit unseen until something else happened.

NOW a reminder wakes an idle lead session right away.

Mail survives restarts

WAS messages sent while a lead session restarted could be lost.

NOW they arrive once it is back.

Fewer notices

WAS a flood of "message abandoned" notices, and Commander sends queued for 15 minutes.

NOW one hourly summary, and an immediate "no Commander attached" reply.

Handoffs

WAS work from a session that ended sat unowned, and conflicts went unnoticed.

NOW the work is flagged for handoff and both sides are told.

Fewer false alarms

Busy is not stuck

WAS busy helpers were reported as gone quiet.

NOW only truly idle helpers trigger the warning.

No merge nags

WAS repeated "merge now" nags for work already merged or still in checks.

NOW one quiet note, and silence while checks run.

Honest merge requests

WAS every merge request said its proof was missing.

NOW it shows the proof that was sent.

Clean takeovers

WAS a replacement was told to wait on a crashed session's claim.

NOW the takeover is clean, with no false conflict.

Closing finished work

WAS shipped work could block closing a larger piece of work.

NOW it no longer does.

Clearer test-proof checks

WAS valid test results were refused without a reason.

NOW they are accepted, and a refusal says what is missing.

Stated message limits

WAS message size limits were hidden until a message bounced.

NOW limits and reminder rules are stated up front.

Smoother screens and restarts

Smooth typing

WAS the screen could freeze for seconds while background checks ran or messages were sent.

NOW typing stays responsive.

Restarts keep their place

WAS bringing a session back by name failed silently, and Claude sessions could restart on the wrong tool.

NOW they resume in their workspace on Claude, or show why not.

Finished work keeps its checks

WAS starting the next task could cancel checks on finished work.

NOW finished work keeps its checks and merges as reviewed.

Slack, Commander and the terminal

Slack after updates

WAS after an update, Slack reading and posting could fail with a missing sign-in.

NOW `cas update` repairs the setting, and saved sign-ins are used.

Commander permission notes

WAS a note said to "add it" in a screen with no way to add it.

NOW one short note points to pairing again.

Reading earlier turns

WAS in Commander, scrolling up to read earlier turns could jump back to the newest message.

NOW the view stays where you are reading.

Apps menu

WAS the Cassy Cloud apps menu stayed open over Commander after opening Explorer.

NOW it closes, so Commander is as you left it.

Readable terminal text

WAS error lines and settings lists were faint on light terminals.

NOW they are readable, and plain terminals get plain text.

Terminal checks

WAS terminal checks silently did nothing from a linked folder.

NOW they run and print a receipt.

Under the hood

Message delivery

Held deliveries (#1223)

WAS `gated_not_ready` rows were hidden from PostToolUse and abandoned after 900 s.

NOW the gate holds only the PTY nudge; held rows surface at the next tool boundary.

Held-state status

WAS `deferred_inbox_at` was never cleared, and held-wake and composer retry looked the same.

NOW cleared on a new inject; typed held state; exhausted stamps warn.

Poll resurface (#1215 e)

WAS `inbox_poll` was an at-most-once claim.

NOW unacked rows resurface once per turn; m273 records `poll_settled`.

Named send outcome

WAS sends returned "enqueued… check message_status".

NOW a ≤1 s wait returns delivered, deferred with the reason, or no decision yet.

Reply threading

WAS `in_reply_to` required the prior row's source to equal the literal target.

NOW party-normalised matching; broadcasts and lifecycle rows are valid references.

Reminder wakes

WAS fired reminders had no origin stamp and never woke a pane.

NOW daemon-stamped `SupervisorWakeClass::Reminder`, sourced from the owner.

Restart-safe mail

WAS mail to a relaunched supervisor's old agent id was never claimed.

NOW same-lineage claims deliver exactly once; m275 adds an `(event_type, created_at)` index.

Abandonment episodes (#1196)

WAS one notice per abandoned row, and operator sends queued 900 s.

NOW hourly episodes; immediate refusal when `commander_clients=0`.

Epic handoff (#1186)

WAS SessionEnd left owned epics unowned, and owner notices had no liveness check.

NOW orphan notices, live-owner routing with operator fallback, dual conflict notices.

Stall detection and merges

Activity signals

WAS the stall check trusted a cold transcript and ignored Codex custom calls and MCP calls.

NOW turn, CPU, HEAD age, custom calls and MCP calls count; MCP activity is throttled to one event per 30 s.

Stall containment (#1225)

WAS `supervisor_stalled` keyed on `awaiting_merge` and ignored pending CI reminders.

NOW containment is cached per tip, notices are deduped, and pending `ci_completed`/`branch_contained_in` reminders hold the alarm.

Merge-request evidence	**WAS** the review block always said "Evidence not supplied". **NOW** evidence is parsed from `proof:/ci:` lines and the QA bundle.
Parked tips	**WAS** the next push cancelled a parked SHA's CI, and `worktree_merge` took the moving tip. **NOW** the tip is kept on `factory/<worker>-<task>`; merges go by anchor.
Cloud claim release	**WAS** a reset freed only the local lease, so PEER CLAIM LOST fired at the new assignee. **NOW** dead holders' Cloud claims are settled or treated as lapsed.
Stranded-branch gate	**WAS** reused lanes counted other tasks' commits as stranded. **NOW** foreign-only lane commits count as zero.
Loaded-proof gate (#1222)	**WAS** `target=explicit non-Rust` failed `has_target_scope` with no detail. **NOW** a structured `target=` whitelist with per-note parsed/missing diagnostics.
Coordination schema	**WAS** the schema omitted body caps and `cross_session` and stated a 3600 s external TTL. **NOW** documented limits, a 604800 s TTL, and shared alias parsing.

Factory loop (#1211)

Queue jobs	**WAS** prompt-queue selection, stamps and settles ran inline on the loop thread. **NOW** QueueSelect/QueueStamp/QueueSettle jobs; failed stamps are deferred, never dropped.
Director and probes	**WAS** snapshot, health-probe, reminder and stall-file I/O ran on the loop. **NOW** read, write and blocking lane jobs; `RevalidateFresh` never uses the cache.
Non-blocking inject	**WAS** injects awaited 1.2–5.2 s inline and PTY writes blocked. **NOW** a per-pane inject state machine, buffered non-blocking writes, and a two-phase `ClaimForInject`.

Lifecycle, CLI and tooling

Same-name respawn	**WAS** provisioning refused any branch but `factory/<w>`, and failures stayed UNCONFIRMED. **NOW** the clean own-task lane is reused; failures are terminal FAILED.
Safe recycle	**WAS** Claude workers inherited the supervisor's CLI, and recycle stopped them before validating. **NOW** `CAS_FACTORY_WORKER_CLI=claude`; the recipe is validated before stop.
Violet credentials	**WAS** `cas violet` needed an env token, and project `proxy.toml` kept a stale env ref. **NOW** a shared resolver with file fallback; `cas update` rewrites stale refs.

Readable CLI colour	**WAS** error lines at 3.08:1 contrast, colour under `NO_COLOR`, and ✗ under `LC_ALL=C`. **NOW** mark-only colour, `NO_COLOR` honoured, `[ERROR]` fallback, and config text at ≥4.5:1.
Terminal QA symlinks	**WAS** comparing `argv[1]` with `import.meta.url` skipped `main()` through a symlink. **NOW** the guard compares realpaths.
Commander copy and app switcher	**WAS** permission copy was duplicated, and the switcher popover stayed open after Explorer. **NOW** consolidated rail copy; `hidePopover` on activation with focus kept.
Transcript scroll pin	**WAS** the 5 s heartbeat render could pin the transcript to the tail before the reader's scroll event landed, so "Load earlier turns" snapped back. **NOW** `pinUnlessUnseen` waits one animation frame, so the reader's pending scroll event claims the position; a re-mount still pins before paint.
Release latency receipt	**WAS** the receipt required a tag-push `release.yml` run and exited 1. **NOW** main-push and gate-green starts; the report adds "Main to published".
Honest test proofs	**WAS** named-test runs inherited the host PATH, and two tests read the live /proc. **NOW** PATH is limited to toolchain plus `/usr/bin:/bin`; probes are injected.
Multi-supervisor spec	**WAS** there was no protocol for cross-supervisor claims or staging merges. **NOW** a design spec proposes claims, a merge lock and an ownership view; not yet built.

Fixes ledger

04 / 06

Issue register · 3 verified closures

ISSUE	STATE	CLOSED	THEME
#1225 (https://github.com/Richards-LLC/cassy/issues/1225)	CLOSED	2026-10-16T05:11:12Z	Stall checks
#1223 (https://github.com/Richards-LLC/cassy/issues/1223)	CLOSED	2026-10-16T05:11:11Z	Messages
#1196 (https://github.com/Richards-LLC/cassy/issues/1196)	CLOSED	2026-10-16T05:11:14Z	Messages

Install

05 / 06

```
cas update --yes --version 3.58.0
```

- macOS ARM64 — download archive (https://github.com/Richards-LLC/cassy/releases/download/v3.58.0/cas-aarch64-apple-darwin.tar.gz), SHA-256 `0fcbeeba67927fcca021056d64245cbd9213e3f5a30b495cdfd3e19833534a18`, 32,710,754 bytes.
- Linux x86_64 — download archive (https://github.com/Richards-LLC/cassy/releases/download/v3.58.0/cas-x86_64-unknown-linux-gnu.tar.gz), SHA-256 `07e7c5d777d6f18ea0173fd512f35121a735bd55d0eca0ec19dda76e08817c1b`, 36,634,647 bytes.

Evidence and scope

The report covers the v3.58.0 runtime published from release commit `a80e319f127df8e1c64e9c1932b9ab301364689d` (tag v3.58.0). The closure window is the issues referenced by PR #1226 (https://github.com/Richards-LLC/cassy/pull/1226) that closed after its merge at 05:04:14Z on 16 October 2026. The changelog is at the release commit (https://github.com/Richards-LLC/cassy/blob/a80e319f127df8e1c64e9c1932b9ab301364689d/CHANGELOG.md), the published release is v3.58.0 (https://github.com/Richards-LLC/cassy/releases/tag/v3.58.0), and the user-facing wording follows the release-notes draft `docs/release-notes/2026-10-16-v3.58.0-slack.md`.

Timing sources: GitHub PR #1226 (`createdAt` 03:47:00Z, `mergedAt` 05:04:14Z) and release `publishedAt` 05:07:27Z. The merge queue ejected the first attempt on a Commander journey (HUB-J4, "Load earlier turns"). The cause was a product race in the transcript's scroll pin, fixed and re-queued at 04:47:30Z, the one repair cycle. No release-latency receipt exists under `~/.cas/artifacts/release/` for v3.58.0, so green-to-published, request-to-published and stage timings are unavailable and no budget verdict is claimed. Retrieved 16 October 2026 at 05:11 UTC.

Not counted as closures: #1215 (peer coordination; part e shipped here) and #1222 (the loaded-proof parser; addressed in part) are still open, #1211 (the factory TUI architecture) is open, and #1186 closed on 14 October before this release. Dots count issue closures, not impact, effort, or severity.