
Cassy v3.99.0

RELEASE REPORT · PUBLISHED 2 NOVEMBER 2026 · 3:04 PM ET

Sessions and tasks lead the changes.



17 changes shipped across 5 areas; Sessions has the most, 7.

One dot, one shipped change. No GitHub issues are counted in this report's fixes ledger.

See every change ↓

01 / 06

Release at a glance

▼ What shipped, by area

One dot is one change listed in the v3.99.0 CHANGELOG. Dots count changes, not their size or importance.

AREA	CHANGES	WHAT CHANGED
Sessions	7	Find native Codex worker turns; Keep Playwright 1.63 evidence valid; Carry merged work across supervisor sessions; Measure factory turn costs; Refresh Playwright agent guidance; Count director wakes; Find workers needing attention in Team
Tasks	5	Keep task briefs out of process listings; Preserve queued delivery decisions; Opt in to fresh context between queued tasks; Recover every review tier; Keep legacy ejections single-counted
Messages	2	Keep wake and no-op counts honest; Keep ordinary messages out of running Codex turns
Releases	2	Recover queue ejection costs; Allocate service test ports at startup
Other	1	Keep other ledger events moving
Total	17	5 areas

Source: CHANGELOG `CHANGELOG.md`, release-notes draft `docs/release-notes/2026-11-02-v3.99.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.99.0; retrieved 2 November 2026 · 3:12 PM ET.

17

Changes shipped

14 fixed, 2 added, 1 changed; known limits not counted

31m 1s

PR opened to installed

GitHub release timer: 2:34:49 PM ET to soundwave at 3:05:50 PM ET; displayed there as 32 min rounded up

6m 31s

Green to published

Within budget (10m 0s budget); Merge-queue CI completion to publication

> The OpenCode bullet titled Known limitation appears under Added in the published CHANGELOG. It is a coverage disclosure, excluded from the change map and shipped total here and retained under the hood.
>
> Changes and GitHub issues are counted separately. A change is one titled entry in the v3.99.0 CHANGELOG section; entries under Test, Doc or Known limits headings are listed under the hood but not counted. A GitHub issue counts when release PR #1459 or the CHANGELOG section references it and it closed between the PR opening (2:34 PM ET) and 15 minutes after its merge (3:13 PM ET). Issues are closed by hand shortly after the merge, so a report run inside that window waits for referenced issues that are still open. No GitHub issues are counted in this report's fixes ledger. Stage timings and intervention counts are unavailable. Not measured for this release: request to published, cut to published, lesson recurrence.

02 / 06

What you can do now

Find the next action

Team shows what needs you

WAS

finding blocked or stalled work meant scanning similar session labels.

NOW

Team puts those items first, shows their task titles and offers a direct attention shortcut.

Quieter active conversations

WAS

ordinary notices could interrupt Codex while it was working.

NOW

those notices wait, stay readable and leave your own messages free to steer the conversation.

Accurate pending updates

WAS

an update could refer to a newer code version than the one it originally described.

NOW

it keeps the original version and disappears when that work has already merged.

Keep work moving

Optional fresh conversations

WAS

each queued task inherited the conversation before it.

NOW

you can choose a fresh conversation between tasks without losing the checkout or settings. This choice stays off by default.

Real conversation capacity

WAS
long output or lifetime token totals could make a conversation seem fuller than it was.

NOW
notices use its measured capacity and say when that measurement is unavailable.

More private startup instructions

WAS
long instructions appeared in process listings and could match an unrelated cleanup search.

NOW
startup reads a private file, keeping those instructions out of the command line.

Finished work stays recoverable

WAS
completed work could stay open after its controlling session ended.

NOW
the next session finds it with its remaining review requirements and a clear completion action.

Understand the cost

Count rejected merges

WAS
a release could report no queue failures even after being sent back for repair.

NOW
history restores each distinct failure once, including its failed check and a link to the run.

See each turn's cost

WAS
the report could not connect each resumed conversation to measured actions and cost.

NOW
it records what resumed the turn, successful actions, tokens, time and turns with no measured action.

Keep reports flowing

WAS
one unsupported turn record could hold up other report updates.

NOW
it stays saved for a later retry while other records continue to sync.

Checks and current limits

More reliable release checks

WAS
parallel checks could claim the same briefly available port and fail at startup.

NOW
the service chooses its port when it starts, removing that race.

Compatible browser checks

WAS
recording and repair instructions lacked the newer options.

NOW
newer recording options and bounded repair guidance are documented while valid Playwright 1.63 captures remain supported.

Clear coverage limits

WAS
a missing activity record could be mistaken for no activity.

NOW
missing usage is disclosed, and OpenCode turn costs remain explicitly outside the report's coverage.

03 / 06

Under the hood

Conversation behavior

Attention-first Team

WAS
blocked tasks and stalled sessions competed with routine merge waits and identical state labels.

NOW
named attention shortcuts, task titles and a stronger count put reported trouble first.

Ordinary Codex input waits

WAS
standard, unattributed and oversized nonoperator messages could enter a busy turn.

NOW
they obey the wake gate before PTY delivery; verified operator input can still steer the active turn.

Stable pending notices

WAS
delayed delivery decisions could drift to a later source tip or outlive their merge.

NOW
each notice retains its original delivery tip, reports supersession and withdraws after the merge.

Configurable context boundaries

WAS
queued tasks always reused the existing conversation.

NOW
explicit opt-in enables generation-fenced restarts with the same name, worktree and launch recipe; the default remains false.

Measured occupancy

WAS
context pressure could be inferred from total billing tokens or output volume.

NOW
MCP notices use the latest native input count and reported model window, suppress repeats and label unavailable capacity unknown.

Private launch briefs

WAS
assignment text in argv was visible locally and could match a process-search pattern mentioned in that text.

NOW
a private worktree file supplies the brief through startup and resume; teardown removes it.

Accounting and recovery

Typed turn records

WAS
release reports lacked per-turn wake channels, successful actions and no-op costs.

NOW
incremental Claude, Codex and Grok collection records those facts with measured tokens and duration, independently of conversation mirroring.

Correct first wakes

WAS
launch context could hide the first Codex wake, and indirect message delivery could lose its source.

NOW
launch context is excluded, authenticated message origins are retained and isolated-checkout rollouts resolve correctly.

Honest no-op time

WAS
routine prose could look productive and an unfinished turn could leak its duration into the next.

NOW
typed successful actions determine no-op status, new turns reset timing and appended rows avoid full replay.

Historical queue failures

WAS
consumed relay history was omitted and immutable zero snapshots hid recovered failures.

NOW
backfill preserves historical timestamps, titles and run links, then reports each failed run once even alongside legacy queue-exit keys.

Independent sync progress

WAS
a rejected Turn could stall other quality events.

NOW
a separate pending cursor and capability cooldown retain Turns for retry while unrelated records continue pushing and pulling.

Cross-session completion

WAS
merged items could remain open after the controlling session ended.

NOW
eligible deliveries retain their close action across sessions, and exact recorded release verdicts clear covered expired review debt.

Review holds stay visible

WAS
higher-tier deliveries or one unreadable review row could disappear from recovery.

NOW
all review tiers keep their current hold and next action; bad rows are reported without hiding the rest or skipping required probes.

QA and current limits

Port allocation at startup

WAS
a sampled free port could be taken before a Linux service test used it.

NOW
the service binds port zero itself, removing the sample-to-bind gap.

Browser guidance without a forced upgrade

WAS
recording and automated repair guidance omitted newer controls.

NOW
optional 1.64 recording/style controls, CLI-first checks and bounded locator repairs are documented; the supported floor stays ^1.63.

Explicit measurement gaps

WAS
unsupported activity could be confused with a measured zero.

NOW
missing usage is disclosed. OpenCode turns are not collected yet, and automatic task-boundary restarts remain opt-in.

04 / 06

Fixes ledger

GitHub issues closed with this release · 0

ISSUE	TITLE	CLOSED	AREA

No GitHub issues are counted in this report's fixes ledger.

05 / 06

Install

```
cas update --yes --version 3.99.0
```

Release assets

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz (https://github.com/Richards-LLC/cassy/releases/download/v3.99.0/cas-aarch64-apple-darwin.tar.gz)	sha256:0b861a6945ae292ab6462aa364e369bd6bae6e25ad66625cf1bd191372bf2836	38401665
cas-x86_64-unknown-linux-gnu.tar.gz (https://github.com/Richards-LLC/cassy/releases/download/v3.99.0/cas-x86_64-unknown-linux-gnu.tar.gz)	sha256:05818c31063e924de1c94e73c3a1d37179fd8b95a1fe5eea43eb6eca5a8cd169	44283681
hub-deployment.json (https://github.com/Richards-LLC/cassy/releases/download/v3.99.0/hub-deployment.json)	sha256:046192323863abe0234399d65028290b6b8069684bbd7eb2d3d46e4879b24aaa	643

06 / 06

Evidence and scope

Retrieved: 2 November 2026 · 3:12 PM ET.

Source: CHANGELOG `CHANGELOG.md`, release-notes draft `docs/release-notes/2026-11-02-v3.99.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.99.0; retrieved 2 November 2026 · 3:12 PM ET.

Each change is placed in a product area by the words in its title, then its text; a change that matches no area is listed under Other. Correct an area in the Change map table before rendering.

Release PR #1459 (https://github.com/Richards-LLC/cassy/pull/1459) (merged 2 November 2026 · 2:58 PM ET).

Release-notes draft: `docs/release-notes/2026-11-02-v3.99.0-slack.md`.

CHANGELOG source: `CHANGELOG.md`.

Published GitHub release v3.99.0 (https://github.com/Richards-LLC/cassy/releases/tag/v3.99.0).

Release receipt (relative to `~/.cas/artifacts`): `cassy-bbb8e75581403d3edc2689512df64eaf37780d70a032cb0d79850218dfada14a/cas-fe16/release/release-latency.receipt`.

Pipeline latency

Stage timings are unavailable: the latency receipt records no STAGE_SECS. No verified before/after pair was available.