Cassy v3.89.0

RELEASE REPORT · PUBLISHED 29 OCTOBER 2026 · 2:35 PM ET

Commander leads 31 changes: dependable Team, replies and copying beside the conversation.



One dot, one shipped change. No GitHub issues are counted in this report's fixes ledger.

See every change ↓

01 / 06

Release at a glance

▼ What shipped, by area

One dot is one Added, Fixed or Changed entry in the v3.89.0 CHANGELOG. Dots count changes, not their size or importance. The two known limits remain in prose and do not count as shipped work.

AREA	CHANGES	WHAT CHANGED
Commander	14	Team stays visible; Current assignments agree; Latest waiting work wins; Reported models appear; Delivery progress stays visible; Paths send as messages; CSV copy protects cells; Copy feedback clears; Current activity wins; Cancelled shortening expires; Accounts is easy to find; Codex Clear confirms; Questions get one reply; Reset times use Eastern hours
Sessions	3	Recent work is recognized; Restart notes survive; Claude restarts keep the project
Tasks	9	Ready means finished; Check lookup explains failures; Reviewed work recovers after restart; Evidence grammar agrees; Evidence setup stays in its project; Instructions match the checks; Large uploads report their limits; Shared evidence includes its parts; First restores can run together
Releases	5	Automatic updates on macOS; Release and browser versions agree; Removed browser files stay removed; Rebuilds use matching dependencies; Generated reports upload correctly
Total	31	4 areas

Source: published v3.89.0 CHANGELOG and exact posted User/Dev bodies; retrieved 29 October 2026 · 2:40 PM ET. Product-area assignments are editorial; the release and titles are preserved.

31

Changes shipped

1 added, 29 fixed, 1 changed; 2 known limits excluded

20m 45s

Release commit to main

30-minute target; first-try queue pass

20m 13s

Main to published

20-minute target; 13 seconds over

20m 22s

Queue green to published

20-minute budget; 22 seconds over

Changes and GitHub issues are counted separately. One titled Added, Fixed or Changed entry is one change, including the Changed guidance entry. The two known limits describe remaining problems. Commander groups 14 conversation, Team and Accounts changes; Sessions groups recent activity and restarts; Tasks groups readiness, review, check lookup and evidence; Releases groups updates, generation and reports. Empty areas are omitted, and the generator's stable area order is retained. These editorial assignments replace keyword matching.

A GitHub issue counts when release PR #1424 or the CHANGELOG section references it and it closed between the PR opening (1:54 PM ET) and 15 minutes after its merge (2:30 PM ET). The generator counted zero issue closures; that count is unchanged. There is no zero tile on page one. Operator-request to publication, first-cut to publication, blocker cost and manual interventions are not established by the available timing receipt.

The prior release took about 65 minutes from release commit to main, with two queue ejections, then 15 minutes from main to publication. This release passed the queue on its first try and landed within the 30-minute target; publication exceeded the 20-minute target by 13 seconds. Those intervals have separate endpoints and do not measure the same stage.

02 / 06

What you can do now

Team you can trust

Team stays visible

WAS

Team could flicker or disappear during refresh and restarts.

NOW

Current sessions stay listed through refresh and replacement, and genuinely ended sessions leave the list.

Current assignments agree

WAS

Team could show no task beside a session that was actively working.

NOW

The current task is selected from the same status update as the work it describes.

Latest waiting work wins

WAS

Team could show older waiting work after a newer task reached review.

NOW

Active work takes priority, followed by the latest waiting delivery rather than old bookkeeping.

Reported models appear

WAS
Team could omit a model even when the session had a recorded choice.

NOW
Team shows the recorded model when available and keeps missing information as Not reported.

Delivery progress stays visible

WAS
Progress for the current release could disappear after its last active task reached review.

NOW
Team keeps that release ahead of historical work so recorded delivery steps remain available.

Read, send and copy

Paths send as messages

WAS
A message starting with a slash could be swallowed as a command.

NOW
Pasted paths and unknown slash text send normally. Only supported command names open command handling.

CSV copy protects cells

WAS
Copied CSV could let a cell starting with a formula sign run as a spreadsheet formula.

NOW
Formula-leading cells are protected in CSV, while Copy Markdown keeps the original text.

Copy feedback clears

WAS
A copied-table confirmation could stay visible indefinitely.

NOW
Copy feedback clears after its short confirmation period.

Conversation controls

Current activity wins

WAS
A slower status response could replace newer activity with an older phase.

NOW
Late responses cannot overwrite a newer phase, and slow reads still keep publishing progress.

Cancelled shortening expires

WAS
A cancelled context-shortening step could leave its clock growing forever.

NOW
An unmatched shortening phase expires instead of claiming endless activity.

Accounts is easy to find

WAS

The Accounts button could look like an empty square, with settings pressed against the edge.

NOW

A visible Accounts icon and label, with inset controls, keep the header understandable on desktop and phone.

Codex Clear confirms

WAS

Clear could finish in Codex while its command card stayed unconfirmed.

NOW

The card confirms when Codex's fresh native welcome screen is observed.

Questions get one reply

WAS

A question could receive both a chat answer and a separate duplicate.

NOW

Claude and Codex answer once in chat, including after a restart, without a separate duplicate.

Accounts and activity

Reset times use Eastern hours

WAS

Usage reset times could appear in 24-hour form or the wrong local date.

NOW

Account choices and usage views use labelled Eastern 12-hour times, including the correct date around midnight.

Recent work is recognized

WAS

A recently active session could be called stalled while its saved history was being found.

NOW

Recent work or outgoing activity can establish progress during that lookup. A heartbeat alone still does not prove work.

Reliable completion

Ready means finished

WAS

An unfinished checkpoint could look ready to accept just because its checks passed.

NOW

Readiness also requires recorded completion, and accepting unfinished work shows a warning.

Restart notes survive

WAS

A restart note could be discarded before the replacement session opened.

NOW

The same pending note remains for the replacement, while genuinely ended sessions keep their shutdown safeguards.

Claude restarts keep the project

WAS

A restart without a separate checkout could stop Claude and then fail to open its replacement.

NOW

Checks happen before stopping, and the project location is retained. A refused restart leaves the current session running.

Check lookup explains failures

WAS

Missing check results could produce the same vague source error.

NOW

Git discovery and GitHub lookup failures are distinguished instead of being reported as one generic problem.

Reviewed work recovers after restart

WAS

A restart could lose the link to reviewed work and prevent completion.

NOW

The original reviewed version can be recovered, without accepting later changes that were not reviewed.

Releases and updates

Automatic updates on macOS

WAS

Automatic published updates were available only on Linux.

NOW

macOS can check each minute and install published releases, recording success only after the installed version matches.

Release and browser versions agree

WAS

A new release could carry an older embedded Commander build.

NOW

Release preparation rebuilds Commander for the new version and refuses a failed build before recording the release.

Removed browser files stay removed

WAS

A removed browser file could stop a release update from being rebuilt.

NOW

Removed generated files are handled during rebuilding, while ordinary source conflicts still require review.

Rebuilds use matching dependencies

WAS

Rebuilding merged changes could reuse incompatible installed packages.

NOW

Rebuilds install the matching locked dependencies first and retain an explanatory log if generation fails.

Generated reports upload correctly

WAS

A generated release report could be rejected because its title followed a short introductory block.

NOW

Generated reports are recognized even when introductory details appear before their title.

Evidence checks

Evidence grammar agrees

WAS

Valid zero counts could be rejected, while an unrun check could omit its reason.

NOW

Evidence checks accept zero-count labels and require a reason for anything not exercised.

Evidence setup stays in its project

WAS

An alternate project path could point evidence setup at the wrong storage location.

NOW

Setup refuses a mismatched storage alias before creating its folder.

Instructions match the checks

WAS

Example instructions could ask for an unrun result that their own checker rejected.

NOW

The examples and instructions include the required reason for checks that were not run.

Sharing evidence

Large uploads report their limits

WAS

An evidence upload could report success even when it could not be restored elsewhere.

NOW

Oversized evidence is clearly marked as not portable, while its saved description remains available.

Shared evidence includes its parts

WAS

A shared evidence archive could omit material needed to read part of the result.

NOW

Shared archives retain the material the evidence checks actually read, including referenced parts.

First restores can run together

WAS

Two first-time restores of the same evidence could interfere with each other.

NOW

Concurrent first restores both succeed, while altered cached evidence is still rejected.

Known limits

Revoked sends can offer the wrong action

WAS

Revoking access during a pending send could leave a misleading recovery action.

NOW

This can still offer Take control instead of Re-pair. The failed message remains editable.

The larger refresh is still ahead

WAS

The wider visual refresh and conversation-header model and effort display were planned separately.

NOW

They remain planned for 3.90.

03 / 06

Under the hood

Team you can trust

Team stays visible

WAS

Periodic status reads and replacements could drop the live roster.

NOW

Status retains live membership through polling and replacement, refreshes reassigned work, and removes actual shutdowns.

Current assignments agree

WAS

Current-task selection could disagree with the tasks in the same response.

NOW

The status projection joins active assignments from its own task snapshot instead of a separate stale lookup.

Latest waiting work wins

WAS

Historical waiting deliveries could displace the latest assignment.

NOW

Selection follows task starts, preserves active precedence, and excludes already-integrated historical deliveries.

Reported models appear

WAS

Codex launch choices could be lost before reaching the status projection.

NOW

The chosen model is retained through launch and recorded status, while absent choices remain unknown.

Delivery progress stays visible

WAS

Historical work could consume the bounded delivery lookup after the last active assignment ended.

NOW

Staffed release work retains lookup priority after review starts, preserving focus and active precedence and Git-backed merged state.

Read, send and copy

Paths send as messages

WAS

Every leading slash was claimed by the command palette.

NOW

Only an exact supported first command token is routed to the palette; paths and unknown slash text remain ordinary messages.

CSV copy protects cells

WAS

CSV preserved formula-leading cells without neutralization.

NOW

CSV prefixes formula-capable cells for safe text import while leaving Markdown copy unchanged.

Copy feedback clears

WAS

Successful table-copy feedback had no expiry.

NOW

The copy confirmation expires without changing the copied content or retry feedback.

Conversation controls

Current activity wins

WAS

Overlapping slow status reads could regress or starve the phase line.

NOW

Status publication keeps response ordering and continues updating during reads that exceed the refresh interval.

Cancelled shortening expires

WAS

A compaction start without a matching end could remain active indefinitely.

NOW

Later lifecycle evidence or the expiry bound retires unmatched compaction without inventing a completion time.

Accounts is easy to find

WAS

The Accounts entry lacked a visible icon and header actions could crowd the narrow rail.

NOW

Labelled Accounts access and inset header actions fit the narrow navigation rail as well as the desktop header.

Codex Clear confirms

WAS

The command observer missed the native Codex welcome screen after Clear.

NOW

Fresh welcome-screen evidence settles the Clear receipt; the receipt does not claim deeper memory state than the observation proves.

Questions get one reply

WAS

Verified questions and takeover notices still requested an extra explicit answer.

NOW

Prompt and takeover guidance requests one mirrored pane reply, reserving explicit routing for unprompted or disabled/unmirrored delivery.

Accounts and activity

Reset times use Eastern hours

WAS

Reset labels used inconsistent local or 24-hour formatting.

NOW

Human-readable reset times use Eastern 12-hour formatting across account choices and usage output; machine-readable timestamps remain unchanged.

Recent work is recognized

WAS

An unresolved saved transcript could hide fresh authored activity after replacement.

NOW

Fresh own activity is used only while transcript evidence is unresolved, with stale, foreign, terminal and dead-process guards retained.

Reliable completion

Ready means finished

WAS

A green pushed checkpoint could trigger readiness before completion.

NOW

Readiness requires explicit completion evidence as well as checks; explicit acceptance of unfinished work retains its warning and existing review gates.

Restart notes survive

WAS

Retiring an old process could cancel mail addressed to its pending replacement.

NOW

Pending replacement intent preserves the original resume row until the new process registers, without reviving terminal replacements.

Claude restarts keep the project

WAS

A no-checkout restart could lose the project root after stopping the current process.

NOW

Launch preflight runs before stop and preserves the project root for a replacement without a separate checkout.

Check lookup explains failures

WAS

Check lookup could collapse Git and GitHub discovery failures into repository unresolved.

NOW

Git discovery and GitHub lookup failures have distinct causes. The original intermittent incident is not claimed fully resolved.

Reviewed work recovers after restart

WAS

Restarted review could lose its delivery anchor and deadlock receipt or close checks.

NOW

Recovery resolves the retained reviewed anchor while refusing an integrated but unreviewed correction and preserving independent review requirements.

Releases and updates

Automatic updates on macOS

WAS

The published-update watcher depended on Linux service and time utilities.

NOW

Native macOS launchd scheduling, locking and time handling support automatic installs, with success recorded only after a version check.

Release and browser versions agree

WAS

A version bump could leave the embedded Commander output stale.

NOW

The release command regenerates Commander after the version change and refuses failed generation before recording a release.

Removed browser files stay removed

WAS

A generated file deleted by the updated base could abort conflict recovery.

NOW

Generated-output recovery removes absent base files before rebuilding; ordinary source conflicts still stop safely.

Rebuilds use matching dependencies

WAS

Post-merge generation could use a stale or shared dependency installation.

NOW

Regeneration installs the merged lockfile first, detaches shared installation links and retains the build log on failure.

Generated reports upload correctly

WAS

Custom-output recognition assumed the version title was the first line.

NOW

Report recognition accepts closed YAML front matter before the title and avoids an unnecessary release lookup when no focused release exists.

Evidence checks

Evidence grammar agrees

WAS

The checker and its copied examples disagreed on zero labels and unrun verdicts.

NOW

Zero-count labels are accepted and bare NOT EXERCISED is refused with a reason remedy through the shared evidence parser.

Evidence setup stays in its project

WAS

Ledger initialization could create output before rejecting an aliased project namespace.

NOW

Initialization checks the project storage identity before creating an evidence directory.

Instructions match the checks

WAS

Shared guidance still instructed a bare unrun verdict after the grammar changed.

NOW

The shared examples and write instructions require NOT EXERCISED with a reason, matching the checker.

Sharing evidence

Large uploads report their limits

WAS

A saved publication record could be mistaken for a portable evidence archive.

NOW

Oversized evidence publication preserves its manifest but explicitly reports unavailable portability and recovery guidance.

Shared evidence includes its parts

WAS

Archive selection could omit files read by the evidence gate or top-level part references.

NOW

Portable archives include gate-read files and recognized top-level part aliases within the declared evidence boundary.

First restores can run together

WAS

Concurrent first restores could race when creating the local cache.

NOW

Synchronized first-restore requests both succeed and existing cache-integrity checks still reject tampering.

Known limits

Revoked sends can offer the wrong action

WAS

Revoking access during a pending send could leave a misleading recovery action.

NOW

This can still offer Take control instead of Re-pair. The failed message remains editable.

The larger refresh is still ahead

WAS

The wider visual refresh and conversation-header model and effort display were planned separately.

NOW

They remain planned for 3.90.

04 / 06

Fixes ledger

GitHub issues closed with this release · 0

ISSUE	TITLE	CLOSED	AREA

No GitHub issues are counted in this report's fixes ledger.

05 / 06

Install

```
cas update --yes --version 3.89.0
```

Release assets

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz (https://github.com/Richards-LLC/cassy/releases/download/v3.89.0/cas-aarch64-apple-darwin.tar.gz)	sha256:c05e1cc7de974eb932180720185bf5a319ab69d4afa2b38fb34b86f120b1afcd	37945072
cas-x86_64-unknown-linux-gnu.tar.gz (https://github.com/Richards-LLC/cassy/releases/download/v3.89.0/cas-x86_64-unknown-linux-gnu.tar.gz)	sha256:c78dfbfa21f5b229b561a603c83796c748c5f18c355c9b654de9ac841e942239	42774141
hub-deployment.json (https://github.com/Richards-LLC/cassy/releases/download/v3.89.0/hub-deployment.json)	sha256:327d443b922d5116228e0ed0400a177ade4d7fd91f89479152bff9f0d863d38e	643

06 / 06

Evidence and scope

Retrieved: 29 October 2026 · 2:40 PM ET for the initial report and GitHub release; refreshed timing evidence at 2:42 PM ET. Sources are the published release, the main landing, the dated CHANGELOG section and the exact posted Slack archive. This report is post-publication documentation carried into the next release branch; it does not rewrite the v3.89.0 tag.

Release PR: https://github.com/Richards-LLC/cassy/pull/1424 (https://github.com/Richards-LLC/cassy/pull/1424); opened at 1:54:55 PM ET and merged at 2:15:37 PM ET on 29 October 2026. Main landing: `4d48516c6c867b2938fdcdb9af6629f85b8f41b6`. Release commit: `5e9c54e1f`, at 1:54:52 PM ET. Commit-to-main is 1,245 seconds (20m 45s), within the 1,800-second target. First-try queue passage is supplied by the publication handoff.

GitHub release: https://github.com/Richards-LLC/cassy/releases/tag/v3.89.0 (https://github.com/Richards-LLC/cassy/releases/tag/v3.89.0); published at 2:35:50 PM ET. The table retains GitHub's full SHA-256 digests and byte sizes for both archives and the deployment record. No fresh install or download validation was performed here.

Published CHANGELOG: https://github.com/Richards-LLC/cassy/blob/v3.89.0/CHANGELOG.md (https://github.com/Richards-LLC/cassy/blob/v3.89.0/CHANGELOG.md). The complete dated section remains byte-identical after integration into 3.90; its two known limits stay in both audience accounts. The initial installed generator counted 33 entries, including the two limits. This source corrects the map to 31 Added/Fixed/Changed entries; the existing 3.90 counting fix is outside this documentation task. The GitHub-issue count remains generator-owned at zero.

Posted User thread: https://petra-stella.slack.com/archives/C0B44GUKDK2/p1793299057596599 (https://petra-stella.slack.com/archives/C0B44GUKDK2/p1793299057596599). Posted Dev thread: https://petra-stella.slack.com/archives/C0B44GUKDK2/p1793299064523899 (https://petra-stella.slack.com/archives/C0B44GUKDK2/p1793299064523899). The archive at `docs/release-notes/2026-10-29-v3.89.0-slack.md` preserves all four exact bodies, all eight ordered part IDs, singular message IDs and returned permalinks from the 2:37 PM ET publication. No new Slack post was made for this report; file uploads are a separate handoff.

Pipeline latency

The standalone timing command was `scripts/release-latency-receipt.sh v3.89.0 --budget-seconds 1200 --run-dir <task-proof>/latency`. Its receipt names the endpoint as merge-queue green, not main landing. Green was at 2:15:28 PM ET, nine seconds before the main merge. Publication at 2:35:50 PM ET yields 1,222 seconds (20m 22s), exceeding its 1,200-second budget by 22 seconds. The distinct main-to-published interval is 1,213 seconds (20m 13s), 13 seconds over the same target. Neither value is substituted for the other.

Queue run: https://github.com/Richards-LLC/cassy/actions/runs/40926052565 (https://github.com/Richards-LLC/cassy/actions/runs/40926052565). Publication run: https://github.com/Richards-LLC/cassy/actions/runs/40929115518 (https://github.com/Richards-LLC/cassy/actions/runs/40929115518). Receipt budget result: `WITHIN_BUDGET=false`; publication overruns are evidence, not a reason to withhold an already-live release report. Missing operator-request, first-cut, intervention and blocker-cost evidence prevents claims about those intervals.

For comparison, v3.88.0 release commit `207caee6a` at 6:15:30 AM ET reached main at 7:20:40 AM ET (65m 10s), then published at 7:35:22 AM ET (14m 42s). Two queue ejections are supplied by its publication handoff. The prior report is https://github.com/Richards-LLC/cassy/blob/main/docs/release-reports/v3.88.0.md (https://github.com/Richards-LLC/cassy/blob/main/docs/release-reports/v3.88.0.md).

Evidence limits

The release-range capture lookup found zero verified pairs and 51 findings; all are retained. No missing before/after pair is reconstructed or replaced by a general QA screenshot. Report screenshots prove layout and readability, not runtime behavior or provider model actions. The revoked-send recovery action can still say Take control instead of Re-pair; the text remains editable. The broader visual refresh and conversation-header model/effort display remain planned for 3.90. Distinct Git/GitHub lookup causes do not establish that the original intermittent lookup incident is fully resolved.
