Cassy v3.74.0

RELEASE REPORT · PUBLISHED 22 OCTOBER 2026 · 8:10 PM CT

Cassy reports completion clearly and explains what still needs attention.



42 changes shipped across 7 areas; Tasks has the most, 20.

One dot, one shipped change. No GitHub issues are counted in this report's fixes ledger.

See every change ↓

01 / 06

Release at a glance

▼ What shipped, by area

One dot is one change listed in the v3.74.0 CHANGELOG. Dots count changes, not their size or importance.

AREA	CHANGES	WHAT CHANGED
Commander	1	Old launcher files
Sessions	1	Readable diagnosis
Tasks	20	Declared QA safety; Approved replacement branches; Failures inside the promise; Verification rejection policy; Complete checksums; Completion contention; Cloud receipts; CODEMAP freshness; Recorded delivery branches; Recover old start references; Less false overlap; Accurate merge receipts; Keep approved QA evidence; Current ownership repairs; Net evidence changes; Readable reference proof; Durable review ownership; Nested check isolation; Progress lines from other projects; Warm review builds
Messages	2	Cleanup wording; Old reminder cleanup
Releases	5	Shared ownership hints; Artifact uploads; Update connections; Unwritten tests stay clear; Consistent journey status
Slack and Cloud	2	Readable sync warnings; Plain-locale sync
Other	11	Clean error output; Visible unsafe paths; Multiline Git details; Finished notifications; Account-aware login checks; Plan coverage first; Find the right repository; Clearer start recovery; Observation errors; Mounted sibling tests; Prebuild lookup fairness

AREA	CHANGES	WHAT CHANGED
Total	42	7 areas

Source: CHANGELOG `CHANGELOG.md`, release-notes draft `docs/release-notes/2026-10-22-v3.74.0-slack.md`, GitHub `Richards-LLC/cassy` release v3.74.0; retrieved 22 October 2026 · 8:24 PM CT.

42

Changes shipped

3 added, 3 changed, 36 fixed; tests and docs not counted

3m 2s

Green to published

Within budget (10m 0s budget); Merge-queue CI completion to publication

> Changes and GitHub issues are counted separately. A change is one titled entry in the v3.74.0 CHANGELOG section; tests and documentation entries are listed under the hood but not counted. A GitHub issue counts when release PR #1350 or the CHANGELOG section references it and it closed between the PR opening (6:43 PM CT) and 15 minutes after its merge (8:22 PM CT). Issues are closed by hand shortly after the merge, so a report run inside that window waits for referenced issues that are still open. No GitHub issues are counted in this report's fixes ledger. Blocked-stage and manual-intervention counts are unavailable from the standalone latency receipt. Not measured for this release: request to published, cut to published, lesson recurrence.

02 / 06

What you can do now

Everyday commands

Artifact uploads

WAS

Some file uploads failed or looked delivered when they were only saved locally.

NOW

Uploads use the required settings and clearly distinguish local saves from completed delivery.

Complete checksums

WAS

A saved file's checksum was shortened with an ellipsis.

NOW

The receipt shows the complete checksum for comparison.

Completion contention

WAS

A brief database lock after upload could require publishing the same proof again.

NOW

Completion retries the local save and clearly reports when it still cannot finish.

Clean error output

WAS

Redirected error output could contain stray color codes.

NOW

Errors follow the output stream you actually read or save.

Visible unsafe paths

WAS

An invisible character in a folder or branch could distort an error or its suggested command.

NOW

Unsafe characters stay visible and unsafe copyable remedies are withheld.

Multiline Git details

WAS

Several lines of Git detail could collapse into text showing a literal backslash-n.

NOW

The details keep their line breaks and unsafe characters remain visible.

Finished notifications

WAS

A notification command could exit before sending its webhook.

NOW

It waits for a bounded result and says whether delivery was confirmed.

Account-aware login checks

WAS

A login check could inspect the wrong account or trust an overly long cached result.

NOW

It checks the selected account and gives a clear retry time after login.

Old launcher files

WAS

Old startup files could accumulate after a process ended.

NOW

Known files from dead starts are cleaned up while live and unrecognized files stay.

Update connections

WAS

An old inactive connection or a removed project folder could block an update.

NOW

Updates pass inactive connections, including those with missing project folders, and name how to stop a connection still held.

Cloud receipts

WAS

Sync could say nothing was new while a completion disagreement remained, or repeat the same warning.

NOW

The disagreement stays visible until resolved and appears once in a combined summary.

Readable sync warnings

WAS

A sync warning and its recovery hint could spill beyond a normal terminal.

NOW

The shorter summary keeps the cause and recovery hint readable.

Plain-locale sync

WAS

Plain-text terminals showed unsuitable symbols or lost the reason an update sync was incomplete.

NOW

Summaries fit the locale and retain the cause and recovery command.

Readable diagnosis

WAS

A diagnosis footer could run beyond a normal terminal width.

NOW

The short recovery hint stays readable on an 80-column screen.

Quality checks

Declared QA safety

WAS

A project using test data could receive instructions to check live systems.

NOW

QA instructions follow the declared setting and refuse listed credentials or destinations at startup.

Plan coverage first

WAS

You could not record a planned test or a new journey before its traffic was measured.

NOW

Those plans are allowed and clearly listed as work still owed.

Unwritten tests stay clear

WAS

A planned test could look runnable or keep its planned label after it was written.

NOW

Unwritten tests are named clearly and outdated labels get a warning.

Consistent journey status

WAS

One status screen mixed counts from different versions and could headline DRIFT or UNKNOWN.

NOW

It labels each source and headlines the current working copy's problems or debt.

CODEMAP freshness

WAS

Different checks could disagree about whether the code map was stale.

NOW

QA impact uses the same freshness calculation as the other status commands.

Shared ownership hints

WAS

A supposedly shared owner group used by only one journey had no warning.

NOW

The check names it as a cleanup hint without failing validation.

Failures inside the promise

WAS

A promised fix that still failed could be dismissed because an older build failed too.

NOW

Review guidance keeps failures inside that promise in scope and calls out tests that sidestep their own check.

Verification rejection policy

WAS

A serious finding or a reproduced silent failure could be approved with a warning.

NOW

The shipped review instructions require rejection for those cases.

Delivery and recovery

Find the right repository

WAS

A slow unrelated folder could make Cassy reject a valid project.

NOW

It checks the current project first and distinguishes an incomplete search from a real mismatch.

Recorded delivery branches

WAS

A valid delivery could be refused because its branch used a shortened name.

NOW

Recorded ownership selects the intended branch and ambiguous alternatives are refused.

Approved replacement branches

WAS

An approved replacement delivery branch could leave Cassy checking the old reference.

NOW

Authorized replacement records the prior branch and keeps the normal delivery checks.

Recover old start references

WAS

An earlier branch reference could block closing work that was already integrated.

NOW

A validated delivery receipt can retire that stale reference with an audit trail.

Clearer start recovery

WAS

A start refusal could omit unsaved new files or suggest switching branches too late.

NOW

Recovery advice names untracked files and says when to switch branches.

Less false overlap

WAS

Repeated safety instructions could make unrelated tasks look like duplicates.

NOW

Overlap checks discount shared instructions while retaining the real task scope.

Accurate merge receipts

WAS

A merge record could hide whether checks passed or were overridden.

NOW

The record distinguishes passed, unconfirmed and overridden checks.

Keep approved QA evidence

WAS

Equivalent integrated changes could lose their already-approved QA evidence.

NOW

A complete diff comparison lets that evidence carry across safely.

Current ownership repairs

WAS

An ownership fix added after delivery could be ignored at close.

NOW

Closing integrated work reads the current target's ownership declarations.

Net evidence changes

WAS

A document-only result could be refused because an earlier code edit was later undone.

NOW

Ordinary evidence-only checks judge the final delivered difference.

Readable reference proof

WAS

A failed optional history read could block otherwise available delivery proof.

NOW

The normal line comparison still runs when that optional read is unavailable.

Observation errors

WAS

A busy save could look like a bad request, and missing suggestions had no explanation.

NOW

Busy saves report a server error and failed suggestion reads leave a warning.

Old reminder cleanup

WAS

Due reminders with no end date could remain forever after their sessions ended, with repeated cleanup notices.

NOW

Those orphaned reminders expire and unchanged reminder counts no longer repeat on every scan.

Cleanup wording

WAS

A cleanup preview sounded completely read-only and a work-in-progress note ran into its summary.

NOW

Help explains the limited preview and the notice has its own spacing.

Build and release tools

Durable review ownership

WAS
A power loss just after creating a review copy could leave it unrecognized for cleanup.

NOW
Its ownership file is made durable before creation succeeds.

Nested check isolation

WAS
A check launched inside another test could accidentally reuse its launcher and fail.

NOW
Nested checks use their intended launcher.

Progress lines from other projects

WAS
A normal progress message from another project could be flagged as cut-off text.

NOW
Complete progress sentences such as Installing dependencies… pass the terminal check.

Mounted sibling tests

WAS
A test mounted by a differently named source file could be reported as missing coverage.

NOW
Explicitly mounted sibling tests count toward the source file they exercise.

Warm review builds

WAS
A review check could rebuild dependencies already compiled for the same work.

NOW
Eligible reviews reuse safely available build output and the matching build settings.

Prebuild lookup fairness

WAS
One unavailable release build could hide another usable build or end the search too soon.

NOW
The search checks other builds and retries within its time limit.

03 / 06

Under the hood

Everyday commands

Artifact uploads

WAS
Signed PUTs could duplicate Content-Type and failed uploads printed success.

NOW
Cloud-required headers win and CLI/MCP receipts report local-only until commit.

Complete checksums

WAS

Human publish receipts shortened SHA-256 with a Unicode ellipsis.

NOW

The full ASCII digest is printed in every locale.

Completion contention

WAS

A lock after Cloud complete stranded an uploaded row.

NOW

Only mark_committed retries with the shared wait budget, without replaying remote requests or proof attachment.

Clean error output

WAS

Diagnostic sinks selected color from stdout even when writing stderr.

NOW

Top-level and affected command errors use stderr terminal detection.

Visible unsafe paths

WAS

Hook paths, conflict lists and Git refusals could contain raw controls or invisible Unicode.

NOW

Diagnostic labels consistently escape unsafe characters without changing filesystem paths.

Multiline Git details

WAS

Whole-message escaping flattened multi-line Git details into literal backslash-n text.

NOW

Merge refusal rendering escapes each row separately and preserves newline structure.

Finished notifications

WAS

A detached webhook thread could die at process exit and curl failures looked successful.

NOW

The hook waits up to eleven seconds and reports the sender result.

Account-aware login checks

WAS

SSH keychain checks used the legacy service and writable cache TTLs could extend freshness.

NOW

The account selector chooses the service and each cached state's TTL is capped.

Old launcher files

WAS

Stale launcher cleanup was a no-op.

NOW

Launch removes recognized pid/go/error files only for a dead, valid PID.

Update connections

WAS

Dead GUI socket paths or unresolved project roots could block binding reconciliation.

NOW

Dead sessions with unresolved roots reach endpoint inactivity checks, unrelated projects are skipped, and held or unknown endpoints still block.

Cloud receipts

WAS

A skipped remote terminal transition disappeared after the cursor advanced, and combined pulls duplicated it.

NOW

Durable guard reporting survives empty pulls, matching diagnostics deduplicate and totals include both scopes.

Readable sync warnings

WAS

Guarded pull receipts could exceed eighty columns.

NOW

Redundant no-rows text is omitted when errors already explain the guarded result.

Plain-locale sync

WAS

Push/pull separators were hard-coded and update parsing recognized only middle dots.

NOW

Receipts use the shared separator and update findings parse both forms.

Readable diagnosis

WAS

The missing-backend footer exceeded eighty columns.

NOW

It gives a shorter fix-and-rerun instruction.

Quality checks

Declared QA safety

WAS

Impact text assumed staging regardless of project policy.

NOW

Registry safety drives evidence instructions, while preflight checks declared credential names and configured origins.

Plan coverage first

WAS

Unwritten specs and absent traffic shares always failed registry validation.

NOW

Explicit planned specs and snapshot-less shares are debt, while ordinary missing coverage remains a problem.

Unwritten tests stay clear

WAS

Impact exposed a planned path as automated coverage.

NOW

Planned paths are omitted from runnable impact specs, status lists them and stale markers warn.

Consistent journey status

WAS

Journey status combined measured-ref upkeep with working-tree counts.

NOW

The headline uses registry validation, sources are labelled and integration upkeep appears separately.

CODEMAP freshness

WAS

QA impact separately counted files added in the CODEMAP commit as drift.

NOW

It uses the shared measured freshness source.

Shared ownership hints

WAS

Single-consumer owner groups were not flagged.

NOW

Registry validation adds named curation debt, separate from problems.

Failures inside the promise

WAS

Some QA guidance excluded every defect shared with base.

NOW

Purpose, criteria, demo and edited invariants define scope, and guidance rates invariant-evading tests at least Normal.

Verification rejection policy

WAS

Verification instructions allowed high-impact findings to become warning-only follow-ups.

NOW

The policy requires rejection for high/critical findings or realistic reproduced silent failures.

Delivery and recovery

Find the right repository

WAS

Known-root scanning could time out before reaching a matching checkout.

NOW

Direct caller evidence wins, healthy matches survive incomplete scans and an absent known-repos table is an empty registry.

Recorded delivery branches

WAS

Merge lookup inferred ownership from one branch spelling.

NOW

Recorded task authority selects the parked source and QA uses that resolved source.

Approved replacement branches

WAS

There was no supported way to replace an obsolete recorded delivery branch.

NOW

MCP task action=rebind_branch requires an active, authorized reviewer, an existing clean branch and a reason, records the old tip, and moves no refs.

Recover old start references

WAS

Close could reject a valid integrated receipt before reaching its validation.

NOW

Narrow stale-start recovery validates repository, owner, attribution and integration before retiring the old boundary.

Clearer start recovery

WAS

The equal-dirty path repeated attribution scans and stash advice omitted untracked files.

NOW

One cached result is reused and the refusal explicitly says switch before start.

Less false overlap

WAS

Sibling overlap scored repeated common safety paragraphs as scope.

NOW

Only epic-declared or all-sibling shared multiline blocks are discounted when distinct scope remains.

Accurate merge receipts

WAS

Merge records conflated green, advisory and override admission.

NOW

Admission is stored and displayed separately, and override merges remain ineligible for automatic close.

Keep approved QA evidence

WAS

A clean rewrite broke the QA bundle citation's binding.

NOW

Validated passed bundles carry only across identical aggregate delivery diffs, preserving the full safety-check range.

Current ownership repairs

WAS

Ownership checks read only the older receipt's registry.

NOW

Landed deliveries consult the target-tip registry for ownership.

Net evidence changes

WAS

Evidence-only validation rejected reverted intermediate code paths.

NOW

Ordinary deliveries measure base-to-tip paths, while workflow-only proof still checks every commit.

Readable reference proof

WAS

Optional reference-history read failures aborted line proof.

NOW

Unavailable batch or blob reads fall back, while invalid history data still errors.

Observation errors

WAS

Busy observations mapped to INVALID_PARAMS and candidate reads silently defaulted empty.

NOW

SQLite busy becomes INTERNAL_ERROR and candidate read failures are logged.

Old reminder cleanup

WAS

No-TTL due time reminders were counted but not expired, and TTL notices repeated each scan.

NOW

Dead-session cleanup expires due no-TTL reminders and each scanner logs TTL-bound orphan counts only when they change.

Cleanup wording

WAS

GC dry-run help promised no changes while baseline maintenance still ran.

NOW

Help states destructive cleanup is previewed, and WIP notes get a blank line.

Build and release tools

Durable review ownership

WAS

Owner payloads were synced but the renamed directory entry was not.

NOW

Owner publication syncs the containing directory after rename.

Nested check isolation

WAS

Nested checks and lease-free managed tests could inherit CARGO_TARGET host runners.

NOW

Those commands clear the inherited runner instead of invoking an outer lease wrapper.

Progress lines from other projects

WAS

The literal-progress exception recognized only Reconfiguring Cassy...

NOW

Both shipped scripts accept the documented complete-sentence pattern, retaining cut-word and column-gap failures.

Mounted sibling tests

WAS

Sibling test proof recognized only conventional parent filenames.

NOW

Cached AST mount discovery finds alternate parent names for _tests.rs files while comments and lookalikes remain uncovered.

Warm review builds

WAS

Review checkouts could start cold or invalidate reused artifacts because inherited Cargo flags were missing.

NOW

Eligible targets reuse a quiescent assigned target with mirrored flags. One Linux comparison: 144.9 s/20 workspace units versus 253.1 s/661 cold, with zero registry crates rebuilt.

Prebuild lookup fairness

WAS

One artifacts query could consume the lookup deadline and killed requests looked like ordinary failures.

NOW

Each run gets bounded retries, later polls recover query failures and exit 137 is labelled timeout.

04 / 06

Fixes ledger

GitHub issues closed with this release · 0

ISSUE	TITLE	CLOSED	AREA

No GitHub issues are counted in this report's fixes ledger.

05 / 06

Install

```
cas update --yes --version 3.74.0
```

Release assets

ASSET	DIGEST	SIZE
cas-aarch64-apple-darwin.tar.gz	sha256:853c4c301d69b735931060fcc1236a1e2726151e05cd782c006a259b3ab3671b	35128783
cas-x86_64-unknown-linux-gnu.tar.gz	sha256:146c3584cab1f9b32513e95aaf3fa388f6eed8711afa9ef424dbbbfd3b1e93f3	40564618

06 / 06

Evidence and scope

Sources retrieved 22 October 2026, 8:24 PM CT: CHANGELOG (https://github.com/Richards-LLC/cassy/blob/v3.74.0/CHANGELOG.md), the release draft (https://github.com/Richards-LLC/cassy/blob/factory/warm-tiger-88-cas-ff0d/docs/release-notes/2026-10-22-v3.74.0-slack.md), and GitHub release v3.74.0 (https://github.com/Richards-LLC/cassy/releases/tag/v3.74.0). PR #1350 (https://github.com/Richards-LLC/cassy/pull/1350) merged at 8:07 PM CT; publication completed at 8:10:15 PM CT.

Each change is grouped by its title, then its text; unmatched changes appear under Other. Counts describe changes, not impact.

Merge-queue green at 8:07:13 PM CT to publication at 8:10:15 PM CT took 182 seconds, within the 600-second budget. Per-stage timings are unavailable.

Manual post-release checks are recorded on Cassy epic cas-6e8b: cas-0700's real ghost session no longer blocked update (23 projects refreshed, zero failed), and cas-02be's candidate build exited 0 without a receipt error. Epic verification: ver-bdcdb1608f87. Portable logs: cas-6e8b/release-3.74.log and cas-6e8b/update-3.74.log. No source warnings.